

JOINT COMMITTEE ON ADMINISTRATIVE RULES

ILLINOIS GENERAL ASSEMBLY

CO-CHAIR:
SEN. DON HARMON

CO-CHAIR:
REP. KEITH WHEELER

EXECUTIVE DIRECTOR:
VICKI THOMAS



700 STRATTON BUILDING
SPRINGFIELD, ILLINOIS 62706
217/785-2254

August 20, 2019

SEN. KIMBERLY LIGHTFORD
SEN. TONY MUÑOZ
SEN. SUE REZIN
SEN. PAUL SCHIMPF
SEN. CHUCK WEAVER
REP. TOM DEMMER
REP. MIKE HALPIN
REP. FRANCES ANN HURLEY
REP. STEVEN REICK
REP. ANDRE THAPEDI

RECEIVED
CLERK'S OFFICE

AUG 21 2019

STATE OF ILLINOIS
Pollution Control Board

Barbara Flynn Currie, Chairperson
Pollution Control Board
James R. Thompson Center
100 W. Randolph, Suite 11-500
Chicago IL 60601

RE: Permits (35 Ill. Adm. Code 602; 42 Ill. Reg. 14494)

Dear Chairwoman Currie:

In closing the above referenced file, JCAR Staff discovered several errors in the Commission's filed rulemaking:


1. 602.245(a): Commas disappeared after "new" and "existing" and a comma was added after "intake".
2. 602.250(f): Underlining still exists between "the" and "best".
3. 602.250(h): A colon after "control" disappeared.
4. 602.310(a):
 - a. A comma after "C654" disappeared.
 - b. (c): There is still a stricken "s" after "Disinfection" in the Code copy.

Most of these issues appear to have occurred because the agency did not update its version of the rulemaking to reflect the pre-publication changes. If the agency disagrees with any of these changes, it must further change the language by amendment.

It would be best if these technicals were corrected as quickly as possible. The IAPA includes the following as a type of error that can be cured through the Expedited Correction process: any discrepancies between adopted rule text and Agreements certified by JCAR during the 2nd Notice period.

If we can be of any assistance in correcting these problems, please contact me at (217)785-2254.

Sincerely,

A handwritten signature in cursive script that reads "Vicki Thomas". The signature is written in black ink and is positioned to the right of the word "Sincerely,".

Vicki Thomas
Executive Director

VT:JE:cw

cc: Richard McGill


JOINT COMMITTEE ON ADMINISTRATIVE RULES

ILLINOIS GENERAL ASSEMBLY

CO-CHAIR:
SEN. DON HARMON

CO-CHAIR:
REP. KEITH WHEELER

EXECUTIVE DIRECTOR:
VICKI THOMAS



700 STRATTON BUILDING
SPRINGFIELD, ILLINOIS 62706
2177785-2254

August 20, 2019

SEN. KIMBERLY LIGHTFORD
SEN. TONY MUÑOZ
SEN. SUE REZIN
SEN. PAUL SCHIMPF
SEN. CHUCK WEAVER
REP. TOM DEMMER
REP. MIKE HALPIN
REP. FRANCES ANN HURLEY
REP. STEVEN REICK
REP. ANDRE' THAPEDI

RECEIVED
CLERKS OFFICE

AUG 21 2019

STATE OF ILLINOIS
Pollution Control Board

Barbara Flynn Currie, Chairperson
Pollution Control Board
James R. Thompson Center
100 W. Randolph, Suite 11-500
Chicago IL 60601

RE: Primary Drinking Water Standards (35 IAC 604; 42 Ill. Reg. 14523)

Dear Chairwoman Currie:

In closing the above referenced file, JCAR Staff discovered several errors in the Commission's filed rulemaking:


1. 604.200(e)(3), 3rd line: ", after" is underlined and "or" is stricken. Code pages are to show resulting text, not a markup.
2. 604.255(c)(3)(A): The comma after "appurtenances" disappeared.
3. 604.315(a)(3)(B): After "zones", the semicolon was replaced with a comma without process. The semicolon is more appropriate.
4. 604.330(a) and (b): The dates added by the 2nd Notice Agreements did not include a comma after "2019". Commas were added in the Code version without further process.
5. 604.525(b)(10): The colon after "accommodate" (added by PCB's 1st Notice Changes) disappeared in the Code copy.
6. 604.605
 - a. (d): A period was not removed after "Units", contrary to current PCB style.
 - b. (h)(2)(C): "opening" was changed to "openings". PCB changed this to "opening" in its 1st Notice Changes. Additionally, the Code version of this subsection includes underlining. Nothing should be underlined in a Code copy or in a new Part.
7. 604.735(a): The period at the end of the header was not removed.
8. 604.805(m): Same as 7.

9. 604.900(c)(3)(A): The comma after the parentheses disappeared.
10. 604.1005(b)(7): Same as 7, except this involves a colon.
11. 604.1010
 - a. (c): Same as 7.
 - b. (e): Same as 10.
12. 604.1105
 - a. (a): Same as 7.
 - b. (i): "lines" remains underlined and "supply" is stricken in the Code version.
13. 604.1350(c): 2nd line: "as" was not removed between "flow" and "provided" without process.
14. 604.1510(b)(1)(D): The 2nd reference to "cross-connection" is hyphenated, but not the 1st.

Several of these issues occurred because the agency did not reflect pre-publication changes in its version of the rulemaking. Others involved the adopted versions not reflecting all the 1st and 2nd Notice amendments and mark-up still being shown in the Code version.

It would be best if these technicals were corrected as quickly as possible. The IAPA includes the following as types of errors that can be cured through the Expedited Correction process: (1) typographic/printing errors and (2) any discrepancies between adopted rule text and Agreements certified by JCAR during the 2nd Notice period.

If we can be of any assistance in correcting these problems, please contact me at (217)785-2254.

Sincerely,

Vicki Thomas
Executive Director

VT:JE:cw

cc: Richard McGill

JOINT COMMITTEE ON ADMINISTRATIVE RULES

ILLINOIS GENERAL ASSEMBLY

CO-CHAIR:
SEN. DON HARMON

CO-CHAIR:
REP. KEITH WHEELER

EXECUTIVE DIRECTOR:
VICKI THOMAS



700 STRATTON BUILDING
SPRINGFIELD, ILLINOIS 62706
217/785-2254

SEN. KIMBERLY LIGHTFORD
SEN. TONY MUÑOZ
SEN. SUE REZIN
SEN. PAUL SCHIMPF
SEN. CHUCK WEAVER
REP. TOM DEMMER
REP. MIKE HALPIN
REP. FRANCES ANN HURLEY
REP. STEVEN REICK
REP. ANDRE THAPEDI

August 19, 2019

Barbara Flynn Currie, Chairperson
Pollution Control Board
James R. Thompson Center
100 W. Randolph, Suite 11-500
Chicago IL 60601

RECEIVED
CLERKS OFFICE

AUG 21 2019

STATE OF ILLINOIS
Pollution Control Board

RE: Primary Drinking Water Standards (35 IAC 611; proposed 42 Ill. Reg. 14663; adopted at 43 Ill. Reg. 8206)

Dear Chairwoman Currie:

In closing the above referenced file, JCAR Staff discovered several errors in the Commission's filed rulemaking, both in the Register version and the Code version. Many of these errors appear to result from PCB's use of incorrect background text when it proposed and adopted this rulemaking. The background used does not match PCB's adopted text from a large 35 IAC 611 rulemaking adopted on 1/4/18, and a second, smaller intervening adopted on 5/29/18. The result is that PCB, with this new 7/26/19 adoption, adopted text made obsolete by these 2 interventions, with the added concern that it did so without going through the process that makes amendatory changes legal (i.e., showing strikes and underlines in the Register version). The Delta copies (the JCAR text comparison program copy that JCAR sends the agency to highlight any differences between agency prepared text and JCAR prepared text) should have indicated the differences in existing IL Administrative Code text and the PCB background text. However, this was an extremely large rulemaking with many changes that was adopted at the same time as 4 other PCB rulemakings, which could have resulted in your staff not recognizing the background text problems. Regardless of the reason this has occurred, the result is that PCB has adopted text that was created without use of the prescribed process.

Also, a few of the issues listed in this letter result from problems not related to the background text issue. We have applied an * to those. Those without the * were correct in prior text, not changed by legal process, but were changed in the adopted version.

The following are the problems we have discovered:

1. Table of Contents
 - a. *Subpart P header: Under SOS rules, the only way to repeal a Subpart is via a

recodification. The Subpart remains even when all Sections within it have been repealed. JCAR Staff would be happy to set up a recodification you could file to remove Subpart P if you like. Otherwise, the header should not include "(Repealed)".

- b. Secs. 611.908 and 611.909: "Exceedance" and "Exceedances" are misspelled. They were correctly spelled in what should have been shown as the existing (5/29/18) text.
 - c. *611.1010: The last 2 words should probably be "Filtered Systems" not "Filtered Suppliers". This applies to the actual Sec. 611.1010 as well as the TOC. Sec. 611.1010 is not amended in this rulemaking. This issue could be addressed the next time you open that Section.
2. Source Note: Your entry for R12-4 contains a redundant "36 Ill. Reg."
 3. *611.101
 - a. Disinfectant: "but not limited to" disappeared without an Agreement to strike it. JCAR agrees with this change on a substantive level, but it must be done via the correct procedures.
 - b. Disinfectant byproduct: Same as 3a except that the term is ", but is not limited to,".
 - c. Significant deficiency: Same as 3b.
 - d. Treatment: See 3b.
 4. *611.121(b): In the Code pages, the "of" before "narrative standard" is marked as stricken. It should only be stricken in the Register version; the Code version shows the text resulting after the removal.
 5. 611.261:
 - a. 1st sentence: An existing comma after "Section" disappeared without process.
 - b. (e): this subsection has a period at the end, contrary to recent PCB, and normal IAC, style. This occurs throughout the Part and should be addressed in the future.
 6. 611.300(d)(1) through (3): The closing semicolons disappeared and were replaced with commas, both without process. 4 semicolons is preferred.
 7. 611.350(b).
 - a. Exceed: The comma was moved inside the quotes. Please put nothing inside the quotes but the term being defined.
 - b. Meet: Same as 7a.
 - c. Monitoring Period, Board Note: The punctuation after "monitoring periods" and "compliance period" should be outside the quotes. Good in 1/4/18.
 - d. Multiple-family residence: The final period should be outside the quotes.
 8. 611.351(e)(4): A closing parenthesis is omitted at the end of the sentence: It should be "(subsection (e)(3))".
 9. 611.353(b)(6)(A): "of this Section" was added after "(b)(2)" without process.

10. 611.354
 - a. (d)(1)(C), last sentence: "after" was replaced by "of".
 - b. (d)(1)(D): "after" was replaced by "of" and the period was moved inside the quotes.
11. 611.355(b)(3)(A): The existing comma after (b)(2)(B) disappeared.
12. 611.356
 - a. (a)(3)(B)(i): "which" before "contain lead pipes" disappeared.
 - b. (g)(1)(A)(ii), Board Note., 1st sentence: The period was moved inside the quotes.
13. 611.360
 - a. (a)(1): "after" was changed to "of".
 - b. (a)(1)(C), 1st sentence: The period was moved inside the quotes.
 - c. (b)(1): "after" was changed to "of".
14. 611.381(d), 1st sentence: "in this subsection (d)" was changed to "below".
15. 611.531
 - a. (a)(2)(D)(vi) & (ix): "nephelometry" (correct in existing text) was misspelled ("nephelomtry").
 - b. (a)(2)(D), Board Note, last sentence: "Lovibond PTV 1000" was mistakenly rendered "Lovibond PTV 100".
 - c. *(b)(5): existing text "pursuant to Section 611.110" disappeared without process.
16. *611.533(c), Board Note: The CFR reference was changed from 2016 to 2014 without process.
17. 611.603(d): New subsection (d)(3) is shown as existing text here. It was not existing and was not added by process.
18. 611.646(g), Board Note, last sentence: The comma was moved inside the quotes.
19. 611.648:
 - a. Subsection (a), Detection Limit, Board Note, last sentence: The period was moved inside the quotes.
 - b. (r)(2): The hyphen was removed from Di(2-ethylhexyl)phthalate.
20. 611.732(f): "exceedance" was misspelled ("exceedence").
21. *611.733(c)(3): "of this Section" was stricken, resulting in "under the provisions and Sections 611.731 and 732".
22. 611.800(c)(5), Board Note: "of this Part" disappeared; it should remain.
23. 611.801(b), 1st sentence: The comma was moved inside the quotes and "but is not limited

to," disappeared.


24. 611.803
 - a. (a)(3): This subsection erroneously refers to "this subsection (b)".
 - b. (a)(4): ", but are not limited to," disappeared without process.
 - c. (b)(3): The comma after "(b)(1)" disappeared without process.
25. 611.804
 - a. (a): An existing "after" was replaced by "of".
 - b. (a)(1): "; or" was replaced by ", or".
 - c. (b)(1): "; or" was replaced by ", or".
 - d. (d): The comma after "(b)" disappeared without process.
26. 611.883, (d)(4)(D) Board Note: Existing "A" after "Appendix" disappeared.
27. 611.885(b): ", but is not limited to," disappeared without process.
28. *611.924(b): "samples" was added after "standard monitoring" and "system-specific study" without process.
29. 611.955(c)(2): The period was moved inside the quotes improperly and without process.
30. 611.1001(a)(5): The comma after "(a)(4)(B)" disappeared without process.
31. *611.1002(a)(2)(A), last line: After "USEPA", existing text "electronically" disappeared. PCB's adoption Register struck the website address but not "electronically".
32. 611.1016(a): After "program that meets the requirements", "of this Section" disappeared.
33. 611.1019(a)(8): Existing "after" was replaced by "of".
34. 611.1053(c)(2): "24 hours after" was replaced by "24 hours of".
35. 611.1055(d)(2), 1st sentence: The period was moved inside the quotes.
36. 611.APPENDIX G, A.2b, last column: After "611.1060(c)", a comma is underlined in the Code file pages. Nothing should be underlined in the Code version.

These technical errors should be corrected as soon as possible. The IAPA includes the following as kinds of errors that can be cured through the Expedited Correction process: (1) omission of existing or inclusion of previously repealed Illinois Administrative Code text (this means incorrect depiction of legally created background text) and (2) any discrepancies between adopted rule text and Agreements certified by JCAR during the 2nd Notice period. (This could include changes you showed in the adopted Register version as underlined/stricken that did not appear that way in the original proposal, in 1st Notice Changes, or in JCAR Agreements. This would allow you to back out any changes you intentionally wanted to make in this rulemaking but did so without going

through correct rulemaking processes. You could then make those changes in your next 611 rulemaking.)

I have spoken to Richard McGill of PCB Staff about these issues and know that your staff is as interested as JCAR in getting these problems corrected as soon as possible. If we can be of any assistance in correcting these problems, please contact me at (217)785-2254.

Sincerely,

A handwritten signature in black ink, appearing to read "Vicki Thomas". The signature is fluid and cursive, with the first name "Vicki" and last name "Thomas" clearly distinguishable.

Vicki Thomas
Executive Director

VT:JE:cw

cc: Richard McGill