

RECEIVED  
CLERK'S OFFICE

APR 22 2014

STATE OF ILLINOIS  
Pollution Control Board

ILLINOIS POLLUTION CONTROL BOARD

April 22, 2014

KCBX TERMINALS COMPANY, )  
)  
Petitioner, )  
)  
v. )  
) PCB 14-110  
ILLINOIS ENVIRONMENTAL PROTECTION ) (Permit Appeal - Air)  
AGENCY, )  
)  
Respondent. )  
)

**HEARING OFFICER ORDER**


On April 22, 2014, all parties participated in a telephonic status conference with the hearing officer. First, it was noted that at the April 21, 2014 status conference, discussions were entertained regarding the respective motions to amend witness disclosure. On April 15, 2014, the petitioner filed its motion to amend witness disclosure and on April 17, 2014, the respondent filed its motion to amend its witness disclosure. The parties stated that they had no objection to either motion. To that end, the parties' respective motions' to amend witness disclosure are granted.

Further discussions included petitioner's motion for protective order regarding respondent's witness disclosure naming Katherine D. Hodge as a witness that the respondent may call at hearing. On April 17, 2014, the respondent filed a motion to amend witness disclosure stating that it does not intend to call Katherine D. Hodge as a witness. On April 22, 2014, the petitioner filed a 'Notice of Withdrawal of Petitioner's Motion for Protective Order Regarding Witness Disclosure.' Petitioner's Notice is hereby accepted.

Also at the April 22, 2014 telephonic status conference, petitioner informed the hearing officer that it will endeavor to file its response to respondent's motion for reconsideration of Board Order issued April 17, 2014, on or before April 23, 2014.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on April 24, 2014, at 2:00 p.m. The telephonic conference must be initiated by the petitioner, but each party is nonetheless responsible for its own appearance. At the conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

A handwritten signature in black ink, reading "Bradley P. Halloran", is written over a horizontal line.


Bradley P. Halloran  
Hearing Officer  
Illinois Pollution Control Board  
James R. Thompson Center, Suite 11-500  
100 W. Randolph Street  
Chicago, Illinois 60601  
312.814.8917  
[Brad.Halloran@illinois.gov](mailto:Brad.Halloran@illinois.gov)

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on April 22, 2014, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on April 22, 2014:

John T. Therriault  
Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph St., Ste. 11-500  
Chicago, Illinois 60601

A handwritten signature in black ink, reading "Bradley P. Halloran", is written over a horizontal line.

Bradley P. Halloran  
Hearing Officer  
Illinois Pollution Control Board  
100 W. Randolph Street, Suite 11-500  
Chicago, Illinois 60601

SERVICE LIST

PCB 2014-110  
Division of Legal Counsel  
IEPA  
1021 North Grand Avenue East  
P.O. Box 19276  
Springfield, IL 62794-9276

PCB 2014-110  
Kathryn A. Pamerter  
Office of the Attorney General  
69 W. Washington Street  
Suite 1800  
Chicago, IL 60602

PCB 2014-110  
Matthew C. Reed  
Hodge Dwyer & Driver  
3150 Roland Avenue  
P.O. Box 5776  
Springfield, IL 62705-5776

PCB 2014-110  
Katherine D. Hodge  
Hodge Dwyer & Driver  
3150 Roland Avenue  
P.O. Box 5776  
Springfield, IL 62705-5776

PCB 2014-110  
Edward Dwyer  
Hodge Dwyer & Drive  
3150 Roland Drive  
P.O. Box 5776  
Springfield, IL 62705-5776

PCB 2014-110  
Christopher J. Grant  
Office of the Attorney General  
69 W. Washington Street  
Suite 1800  
Chicago, IL 60602

PCB 2013-110  
Robert W. Petti  
Office of the Attorney General  
69 W. Washington Street  
Suite 1800  
Chicago, IL 60602