

ENVIRONMENTAL REGISTER

Illinois Pollution Control Board News

No. 472

June 30, 1993 (July issue)

INFORMATION SERVICES AVAILABLE FROM THE BOARD

See the inside of this page for details on informational items available from the Board. These items include a subscription service for Board opinions and orders and copies of the landfill regulations in electronic format.

The Board also maintains an electronic Bulletin Board System (BBS) at 312-814-1590. There is no charge for access to the BBS. See the inside of this page for details.

RULEMAKING UPDATE

MEDICAL WASTE REGULATIONS ADOPTED, R91-20

On June 17, 1993, the Board adopted, in docket R91-20, final regulations for the treatment, storage, and transfer of potentially infectious medical waste (PIMW) and standards for the transportation, packaging, and labeling of PIMW. The adopted rules amend 35 Ill. Adm. Code 1420 and add new Parts 1421 and 1422 to the Board's regulations.

The adopted amendments follow the recommendations of the Governor's Medical Waste Tracking Study Group, as that Group's consensus recommendations have been presented to the Board in the proposal submitted by the Illinois Environmental Protection Agency. Changes were made prior to Second Notice in response to comments, and additional changes were made at the recommendation of Joint Committee on Administrative Rules (JCAR) and in response to a JCAR objection, as discussed in the Board's opinion document. (See issue 471 (June 3, 1993).)

Copies of the June 17, 1993 Opinion and Order are available by contacting the Board's Chicago office at 312-814-3620. Direct questions to Michelle Dresdow, at 815-753-0947. (Please refer to docket R91-20.)

PROVISIONS OF LANDFILL RULES FOUND INVALID BY APPELLATE COURT ARE DELETED, R92-19

On June 17, 1993, the Board adopted a final opinion and order deleting three provisions from the Illinois non-hazardous landfill regulations. This was in response to the June 11, 1992 appellate court decision in *Waste Management of Illinois, Inc. v. IPCB* (1st Dist. 1992), 231 Ill. App. 3d 278, 595 N.E.2d 1171, that affirmed those regulations in all respects but two. The *Waste Management* court invalidated two of the landfill provisions: the requirement of Section 811.310(d)(1)(F)

for monitoring air toxics, based on a legislatively-mandated but yet then yet-to-be-adopted list of chemicals, and the provision in Section 813.106(b) that provided, for the purposes of an appeal to the Board of an Agency action, the Agency's final action will be that taken on reconsideration if the permittee submitted a request for Agency reconsideration. The appellate court issued its mandate on August 13, 1992, and the Board initiated this proceeding by proposing amendments on October 1, 1992. (See issues 459 (Oct. 15, 1992), 464 (Feb. 3, 1993) & 470 (May 19, 1993).)

In addition to the two provisions held invalid by the First District, the Board also deleted a third provision from the rules. In the initial stages of this proceeding, the Board requested comment as to whether it should do so. That third provision, Section 811.310(c)(5), which related to monitoring air toxics, was closely tied to Section 811.310(d)(1)(F), which the court held invalid. Direct questions to Deborah Stonich, at 312-814-6926. (Please refer to docket R92-19.)

RESERVED CLEAN AIR ACT AMENDMENTS RULEMAKING DOCKETS DISMISSED, R91-27, R91-31, R91-32, R91-33, R91-34 & R91-37

On June 17, 1993, the Board dismissed six rulemaking dockets relating to the Illinois air pollution control regulations. The Board undertook the unusual action of opening eleven dockets on October 24, 1991 in response to the Clean Air Act Amendments of 1990 (CAAA). The Board anticipated the filing of rulemaking proposals by the Agency in response to that federal legislation. Each docket dealt with a separate aspect of the changes in federal law with which Illinois must comply. With each docket, the Board intended to establish a time-frame for the various required rulemaking activities in order to timely comply with the federal deadlines for state compliance. (See issue 439 (Nov. 6, 1991).)

The six dockets dismissed were as follows:

- R91-27 RACT Amendments: 25 TPY Sources
- R91-31 Employee Trip Reduction Program
- R91-32 Granite City SO₂ Emissions
- R91-33 Alton SO₂ Emissions
- R91-34 Southeast Chicago SO₂ Emissions
- R91-37 PM₁₀: Contingency Measures

87-1213, which established new Section 28.5 of the Act effective September 26, 1992, superseded the timing for the rulemakings established by the Board. Also, the new pro-

CAA Rulemaking Dismissals continued on page 3

In dismissing these dockets, the Board observed that P.A.

**ENVIRONMENTAL INFORMATION SERVICES
AVAILABLE FROM THE BOARD**

The Board has the following information available:

POLLUTION CONTROL BOARD ELECTRONIC BULLETIN BOARD SYSTEM (BBS). The Pollution Control Board operates an electronic BBS at 312-814-1590. The BBS is available 24 hours a day, 7 days a week, to anyone with access to a computer and a modem - there is no charge for access to the BBS. The best communications settings are 8 data bits (or data length 8), no parity (or parity = none) and 1 stop bit, i.e., 8-N-1. The best terminal emulation is ANSI-BBS or just ANSI. The BBS contains Board Agendas, Environmental Registers, Annual Reports, and various documents about the Board. You may download these documents to your computer. For additional information contact Bill Forcade at the Board Offices 312-814-3620.

SUBSCRIPTION SERVICE OF BOARD OPINIONS AND ORDERS. The subscription service comprises all the Opinions and Orders issued by the Pollution Control Board in a fiscal year (July 1 through June 30). The Board meets approximately twice monthly in order to issue Opinions and Orders.. Usually no later than the end of each month, a volume is issued containing the Opinions and Orders of the Board from the preceding month.

HARD COPIES OF BOARD OPINIONS AND ORDERS FOR FISCAL YEAR 1992 (July 1, 1991 through June 30, 1992) **ARE AVAILABLE FOR IMMEDIATE DELIVERY.** The cost is \$350.00 per set.

Two formats will be offered starting July 1 of this year (FY93): a hard paper copy for \$350.00 per year and an electronic version for \$275.00 per year. The electronic version will consist of Opinions and Orders in the WordPerfect 5.1 format on either 3.5" or 5.25" inch diskettes. The electronic format will allow for word searches and other useful tools provided by the WordPerfect software.

When ordering, please specify the choice of either the hard copy or electronic version. If ordering the electronic version, please specify 3.5" or 5.25" diskettes.

SUBSCRIPTION SERVICE FOR BOARD OPINIONS AND ORDERS

Enclosed is a check in the amount of _____ made payable to the Illinois Pollution Control Board for the subscription service to the Board's opinions and orders.

Name _____ Fiscal Year Ordered _____
(FY92 available in hard copy only).

Address _____

City/State/Zip _____ Hard Copy _____

Hard Copy Cost per FY: \$350.00 Electronic Copy _____

Electronic Copy Cost for FY93: \$275.00

Disk Size _____

Please send to:(5.25" 1.2 MB or 3.5" 1.44 MB)

Joseph D'Alessandro
Illinois Pollution Control Board
100 W. Randolph St., Ste. 11-500
Chicago, IL 60601

COPIES OF ILLINOIS LANDFILL REGULATIONS AND SUPPORTING DOCUMENTS
AVAILABLE ON DISKETTE

Copies of the Illinois landfill regulations and supporting documents are available on diskette. This consists of the Board's landfill regulations and other supporting background documentation. This is offered only in an electronic version which consists of WordPerfect 5.1, on either 3.5" or 5.25" inch diskettes. The electronic format will allow for word searches and other useful tools provided by the WordPerfect software. The cost is \$100.00.

When ordering, please specify the choice of either the 3.5" or 5.25" diskettes.

DISKETTE SET FOR NONHAZARDOUS WASTE LANDFILL REGULATIONS

Enclosed is a check in the amount of \$_____ made payable to the Illinois Pollution Control Board for purchase of _____ set(s) of diskettes at \$100.00 per set.

Send Order to:Size of Diskette:

Name _____ 5.25" (1.2 MB) _____
 Address _____ 3.5" (1.44 MB) _____
 _____ Number of orders _____

Please send to:

Joseph D'Alessandro, Fiscal Officer
 Illinois Pollution Control Board
 State of Illinois Center
 100 West Randolph St., Ste 11-500
 Chicago, IL 60601

CAAA Rulemaking Dismissals continued from page 3

vision left the timing of CAAA proposals in the discretion of Agency. (See issue 457 (Sept. 16, 1992).) The Board did not want to cause possible procedural confusion by using these older docket numbers for any newly-filed Agency proposals.

The Board previously disposed of the other five dockets opened with these dismissed. Docket R91-28, Expansion of the Chicago Metropolitan RACT Area, resulted in an expansion of the geographic area of applicability of Part 218 on August 13, 1992. (See issue 456 (Sept. 2, 1992).) The Board dismissed R91-29, relating to a similar expansion for the Metropolitan East St. Louis area on June 4, 1992. (See issue 454 (June 22, 1992).) Docket R91-30 resulted in adoption of the Stage II gasoline vapor recovery rules on August 13, 1992. (See issue 456 (Sept. 2, 1992).) R91-35 resulted in PM₁₀ ambient limitations and episode guidelines on April 9, 1992. (See issue 450 (Apr. 22,

1992).) Finally, the Board consolidated docket R91-36, relating to PM₁₀ episode regulations, with docket R91-35 on November 27, 1991. Direct questions to Michael J. McCambridge, at 312-814-6924. (Please refer to the docket number(s).)

FOR YOUR INFORMATION

PUBLIC WATER SUPPLIES RESTRICTED STATUS AND CRITICAL REVIEW LISTS

The Illinois Environmental Protection Agency, Division of Public Water Supplies, Permit Section, is publishing copies of the Division's Restricted Status and Critical Review lists in this issue of the Environmental Register. The lists are being published here as part of the quarterly notification to the public. The lists have been slightly modified to reflect changes made since the previous publication.

FINAL ACTIONS - June 3, 1993 BOARD MEETING

- 90-182 Ronald & Susan Tex v. S. Scott Coggeshall and Coggeshall Construction Company, Chester Cross, Mike Cross, Construction Company - The Board found that this McDonough County facility had violated the noise pollution control regulations and ordered it to cease and desist from further violation. R. Flemal dissented.
- 92-213 People of the State of Illinois v. Atwood Industries, Inc., an Illinois corporation - The Board accepted a settlement agreement filed by the parties, imposed a civil penalty of \$1,000 payable to the Illinois Environmental Protection Trust Fund, and ordered the respondent to cease and desist from the alleged air violations at this JoDaviess County facility. J. Theodore Meyer dissented.
- 93-36 Illinois Power Company v. EPA - Upon receipt of an amended Agency recommendation, the Board modified a provisional variance from various of the air pollution control regulations granted the petitioner's Randolph County facility on February 25, 1993. (See issue 466 (March 10, 1993).)
- 93-86 People of the State of Illinois v. Middleby Corporation, a Delaware corporation - The Board accepted a settlement agreement filed by the parties, imposed a civil penalty of \$6,000 payable to the Illinois Environmental Protection Trust Fund, and ordered the respondent to cease and desist from the alleged air violations at this Kane County facility. J. Theodore Meyer dissented.
- 93-88 People of the State of Illinois v. Russell, Burdsall & Ward Corporation, a foreign corporation - The Board accepted a settlement agreement filed by the parties, imposed a civil penalty of \$7,500 payable to the Illinois Environmental Protection Trust Fund, and ordered the respondent to cease and desist from the alleged air violations at this Whiteside County facility. J. Theodore Meyer dissented.
- 93-90 People of the State of Illinois v. United Parcel Service, Inc., an Ohio corporation - The Board accepted a settlement agreement filed by the parties, imposed a civil penalty of \$18,150 payable to the Hazardous Waste Fund, and ordered the respondent to cease and desist from the alleged RCRA violations at this DuPage County facility. J. Theodore Meyer dissented.
- 93-91 People of the State of Illinois v. Free-Flow Packaging Company, a Delaware corporation - The Board accepted a settlement agreement filed by the parties, imposed a civil penalty of \$5,000 payable to the Illinois Environmental Protection Trust Fund, and ordered the respondent to cease and desist from the alleged air violations at this Cook County facility. J. Theodore Meyer dissented.
- 93-93 People of the State of Illinois v. Dupli-Color Products Company - The Board accepted a settlement agreement filed by the parties, imposed a civil penalty of \$25,000 payable to the Illinois Environmental Protection Trust Fund, and ordered the respondent to cease and desist from the alleged air violations at this Cook County facility. J. Theodore Meyer dissented.
- 93-95 People of the State of Illinois v. City of Sandwich, Illinois, an Illinois municipal corporation - The Board accepted a settlement agreement filed by the parties, imposed a civil penalty of \$1,000 payable to the Illinois Environmental Protection Trust Fund, and ordered the respondent to cease and desist from the alleged water violations at this DeKalb County facility. J. Theodore Meyer dissented.
- 93-96 People of the State of Illinois v. Ashland Products, Inc., an Illinois corporation - The Board accepted a settlement agreement filed by the parties, imposed a civil penalty of \$14,000 payable to the Hazardous Waste Fund, and ordered the respondent to cease and desist from the alleged RCRA violations at this Cook County facility. J. Theodore Meyer dissented.
- 93-97 People of the State of Illinois v. Adolph Raymond, an Illinois corporation - The Board accepted a settlement agreement filed by the parties, imposed a civil penalty of \$2,000 payable to the Hazardous Waste Fund, and ordered the respondent to cease and desist from the alleged RCRA violations at this Cook County facility. J. Theodore Meyer dissented.
- 93-101 Citizens Utilities Company of Illinois and Village of Plainfield v. EPA and Village of Bolingbrook - The Board dismissed this NPDES permit appeal involving a Will County facility for lack of jurisdiction.

- | | | |
|--------|---|---|
| 93-103 | <u>Caravelle Wood Products, Inc. v. EPA</u> - The Board granted voluntary dismissal of this underground storage tank reimbursement determination appeal involving a Cook County facility. | - Applicability to Sources with the Potential to Emit 25 TPY or More of Organic Material - See <u>Rulemaking Update</u> . |
| 93-112 | <u>City of Benton v. EPA</u> - Upon receipt of an Agency recommendation, the Board granted the petitioner's Franklin County wastewater treatment facility a provisional variance from various of the water pollution control regulations to allow the petitioner an opportunity to conduct equipment repairs. | R91-31 <u>In the Matter of: Amendments to 35 Ill. Adm. Code Subtitle B: Air Pollution, Employee Trip Reduction Plans</u> - See <u>Rulemaking Update</u> . |
| 93-113 | <u>Vulcan Materials Company (Joliet Quarry #340) v. EPA</u> - Upon receipt of an Agency recommendation, the Board granted the petitioner's Will County facility a provisional variance from various of the water pollution control regulations to allow the petitioner an opportunity to pump excess water from its quarry for avoid possible equipment damage. This grant follows the grant of a similar provisional variance on May 5, 1993 in PCB 93-82. (See issue 470 (May 20, 1993).) | R91-32 <u>In the Matter of: Amendments to 35 Ill. Adm. Code Subtitle B: Air Pollution, Granite City Sulfur Dioxide Emissions Limits</u> - See <u>Rulemaking Update</u> . |
| R91-20 | <u>In the Matter of: Potentially Infectious Medical Waste (PIMW): Treatment, Storage, and Transfer Facilities and Transportation, Packing, and Labeling (35 Ill. Adm. Code 1420, 1421, and 1422), Adopted Rule, Final Order, Opinion and Order</u> - See <u>Rulemaking Update</u> . | R91-33 <u>In the Matter of: Amendments to 35 Ill. Adm. Code Subtitle B: Air Pollution, Alton Sulfur Dioxide Emissions Limits</u> - See <u>Rulemaking Update</u> . |
| R91-27 | <u>In the Matter of: Amendments to 35 Ill. Adm. Code Subtitle B: Air Pollution, RACT</u> | R91-34 <u>In the Matter of: Amendments to 35 Ill. Adm. Code Subtitle B: Air Pollution, Southeast Chicago Sulfur Dioxide Emissions Limitations</u> - See <u>Rulemaking Update</u> . |
| | | R91-37 <u>In the Matter of: Amendments to 35 Ill. Adm. Code Subtitle B: Air Pollution PM₁₀ Contingency Measures</u> - See <u>Rulemaking Update</u> . |
| | | R92-19 <u>In the Matter of: Amendments to Landfill Regulations: Deletion of 35 Ill. Adm. Code 811.310(d)(1)(F) and 813.106(b) Pursuant to Waste Management of Ill. v. PCB (1st Dist. 1992), Adopted Rule, Final Order, Opinion and Order</u> - See <u>Rulemaking Update</u> . |

NEW CASES - June 3, 1993 BOARD MEETING

- | | | |
|--------|--|---|
| 93-101 | <u>Citizens Utilities Company of Illinois and Village of Plainfield v. EPA and Village of Bolingbrook</u> - See <u>Final Actions</u> . | 93-111 <u>Becker Chevrolet v. EPA</u> - The Board |
| 93-108 | <u>Fiatallis North American, Inc. v. EPA</u> - The Board accepted this underground storage tank reimbursement determination appeal involving a Sangamon County facility for hearing. | |
| 93-109 | <u>People of the State of Illinois v. Granite City Pickling & Warehousing, Inc.</u> - The Board assigned this land enforcement action against Sangamon and Madison County facilities to a hearing officer and ordered publication of a newspaper notice of filing. | |
| 93-110 | <u>City of Byron v. EPA</u> - The Board held this public water supply variance petition involving an Ogle County facility for the Agency's recommendation. | |

accepted this underground storage tank reimbursement determination appeal involving a Stephenson County facility for hearing.

93-112 City of Benton v. EPA - See *Final Actions*.

93-113 Vulcan Materials Company (Joliet Quarry #340) v. EPA - See *Final Actions*.

93-114 Leonard Carmichael v. Browning-Ferris Industries of Illinois, Inc. and Ogle County Board, for and on the behalf of the County of Ogle, State of Illinois - The Board accepted this third-party regional pollution control facility siting appeal involving a proposed Ogle County facility for hearing.

93-115 City of East Moline v. EPA - The Board held this public water supply variance petition involving a Rock Island County facility for the Agency's recommendation.

CALENDAR OF HEARINGS

All hearings held by the Board are open to the public. All Pollution Control Board Meetings (highlighted) are open to the public but public participation is generally not allowed. Times and locations are subject to cancellation and rescheduling without notice. Confirmation of hearing dates and times is available from the Clerk of the Board at 312- 814-6931.

July 1 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.
July 8 1:30 p.m.	PCB 91-219 P-A, Water	<u>General Motors Corporation, Central Foundry Division v. EPA</u> - Vermilion County Courthouse, Court Room #1A, First Floor, 7 North Vermilion Street, Danville.
July 8 9:00 a.m.	PCB 93-83 UST-FRD	<u>Finks & Austman v. EPA</u> - Normal City Hall, Conference Room C, 100 East Phoenix, Normal.
July 8 9:30 a.m.	PCB 93-100 UST-FRD	<u>Omni Products, Division of ZMC, Inc. v. EPA</u> - Addison Village Hall, Room 201, 131 West Lake Street, Addison.
July 9 10:00 a.m.	PCB 92-90 V, RCRA	<u>Robertson-Ceco Corporation v. EPA</u> - Bolingbrook Village Hall, Board Room, 375 West Briarcliff Road, Bolingbrook.
July 13 10:00 a.m.	PCB 92-68 L-E	<u>People of the State of Illinois v. Chem-Plate Industries, Inc.</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
July 13 10:00 a.m.	PCB 93-44 N-E	<u>James M. Tonne and Jeanine F. Tonne v. Leamington Foods</u> - Addison Village Hall, Room 201, 131 West Lake Street, Addison.
July 14 10:00 a.m.	PCB 92-166 P-A, NPDES	<u>Marathon Oil Company (Robinson Refinery) v. EPA</u> - Robinson Public Library, Meeting Room, 606 North Jefferson, Robinson.
July 15 10:00 a.m.	PCB 92-180 L-V	<u>We-Shred-It, Inc. v. EPA</u> - Pana City Hall Council Chambers, 120 East 3d Street, Pana.
July 15 10:00 a.m.	PCB 93-84 UST-FRD	<u>Consolidation Coal Company v. EPA</u> - Pinckneyville City Hall, City Council Chambers, 104 South Walnut Street, Pinckneyville.
July 16 1:30 p.m.	PCB 92-84 A-E	<u>People of the State of Illinois v. Berkshire Furniture Co., Inc. d/b/a Fashion Bed Group and formerly known as Allegheny Steel & Brass Corporation</u> - James R. Thompson Center, Suite 11-500, 100 W. Randolph St., Chicago.
July 20 9:00 a.m.	PCB 92-215 N-E	<u>Douglas Locke and Nancy Locke v. Biltmore Country Club</u> - Law Office of Arthur Wulf, 100 North LaSalle, Suite 1710, Chicago.
July 20 10:00 a.m.	PCB 93-107 UST-FRD	<u>J.J.R.S. Investments v. EPA</u> - James R. Thompson Center, 100 West Randolph Street, Chicago.
July 22 10:00 a.m.	PCB 93-55 UST-FRD	<u>Clarendon Hills/Bridal Center (Learsi & Co., Inc.) v. EPA</u> - Clarendon Hills Village Hall, Board Room, 1 North Prospect Avenue, Clarendon Hills.
July 22 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.
July 26 10:00 a.m.	PCB 93-106 L-S-R	<u>C.A.R.E., Larry Slates, Lonnie Seymour, James Klaber, Faye Mott, Hoopeston Community Memorial Hospital, Hoopeston Industrial Corporation, William Regan and Mary Regan v. James Van Weelden, d/b/a Illinois Landfills, Inc.</u> - Vermilion Court Annex, County Board Room 213, 6 North Vermilion Street, Danville.
July 27 10:00 a.m.	PCB 93-104 UST-FRD	<u>Griffin Service and Sproule Construction Co. v. EPA</u> - Galena City Hall, 312½ North Main Street, Galena.

July 27 10:00 a.m.	PCB 93-106 L-S-R	<u>C.A.R.E., Larry Slates, Lonnie Seymour, James Klaber, Faye Mott, Hoopeston Community Memorial Hospital, Hoopeston Industrial Corporation, William Regan and Mary Regan v. James Van Weelden, d/b/a Illinois Landfills, Inc.</u> - Vermilion Court Annex, County Board Room 213, 6 North Vermilion Street, Danville.
July 29 10:00 a.m.	PCB 92-172 A-V	<u>Olin Corporation (Winchester Division) v. EPA</u> - Alton City Council Chambers, Room 104, 101 East 3d Street, Alton.
July 29 9:30 a.m.	PCB 93-85 A-E	<u>People of the State of Illinois v. Liquid Air Corporation</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
August 3 9:00 a.m.	PCB 93-87 A-E	<u>People of the State of Illinois v. South Holland Metal Finishing Co., Inc.</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
August 4 10:00 a.m.	PCB 93-108 UST-FRD	<u>Fiatallis North America, Inc. v. EPA</u> - Springfield Municipal Building, City Council Chambers, Third Floor, 7th & Monroe Streets, Springfield.
August 5 10:00 a.m.	PCB 93-94 A-E	<u>People of the State of Illinois v. Cooper Tools, a division of Cooper Industries</u> - Sycamore Municipal Building, City Council Chamber, 535 DeKalb Avenue, Sycamore.
August 5 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.
August 9 10:00 a.m.	AS 93-3 Air	<u>In the Matter of: Petition of Douglas Furniture of California for Adjusted Standard for 35 Ill. Adm. Code 218.204</u> - Bedford Park Village Hall, Courtroom, Municipal Building, 6701 South Archer Road, Bedford Park.
August 16 10:00 a.m.	PCB 90-24 P-A, RCRA	<u>Rock-Ola Manufacturing Corporation v. EPA</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
August 19 1:30 p.m.	PCB 91-175 P-A, Air	<u>Ball Corporation, Ball Metal Decorating & Service Division (Consolidated with PCB 91-258, PCB 92-150 and PCB 93-33)</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
August 19 10:00 a.m.	PCB 93-114 L-S-R	<u>Leonard Carmichael v. Browning-Ferris Industries of Illinois, Inc. and Ogle County Board, for and on behalf of the County of Ogle, State of Illinois</u> - Ogle County Courthouse, Courtroom # 204, Intersection of Routes 2 and 64, Oregon.
August 25 10:00 a.m.	PCB 93-60 P-A, Land	<u>Industrial Salvage, Inc. and John Prior v. EPA</u> - Centralia City Hall, 222 South Poplar, Centralia. (Consolidated with PCB 93-61.)
August 26 10:00 a.m.	AS 91-12 Water	<u>In the Matter of: Petition of the Illinois American Water Company for an Adjusted Standard from 35 Ill. Adm. Code 304.124 (Iron and TSS only) for the Water Company's Cairo Public Water Supply Facility</u> - Alexander County Courthouse, Small Courtroom, 2000 Washington St., Cairo.
August 26 10:00 a.m.	PCB 93-60 P-A, Land	<u>Industrial Salvage, Inc. and John Prior v. EPA</u> - Centralia City Hall, 222 South Poplar, Centralia. (Consolidated with PCB 93-61.)
August 26 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.
August 30	PCB 92-117	<u>IEI Barge Services, Inc. v. EPA</u> - JoDavie County Courthouse, County Board Room, 330

9:00 a.m.	A-V	North Bench Street, Galena.
August 31 9:30 a.m.	PCB 93-58 UST-E	<u>People of the State of Illinois v. L. Keller Oil Properties, Inc.</u> - Springfield Municipal Building, Third Floor, 8th and Monroe Streets, Springfield.
September 1 9:30 a.m.	PCB 93-58 UST-E	<u>People of the State of Illinois v. L. Keller Oil Properties, Inc.</u> - Springfield Municipal Building, Third Floor, 8th and Monroe Streets, Springfield.
September 7 10:00 a.m.	AC 93-13 AC	<u>County of Will v. Arthur Hamel (Lockport Township/Hammel)</u> Docket No. WC 93 AC 1 - Will County Courthouse (see Paula, Room 439), 14 West Jefferson Street, Joliet.
September 9 10:00 a.m.	AS 92-14 Air	<u>Quantum Chemical Corporation, USI Division, Petition for Adjusted Standard from 35 Ill. Adm. Code 218</u> - Grundy County Courthouse, Old Courtroom, First Floor, 111 East Washington Street, Morris.
September 23 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.
October 7 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.
October 8 9:00 a.m.	PCB 92-161 P-A, NPDES	<u>National Steel Corporation, Granite City Steel Division v. EPA</u> - Madison County Administration Building, Room 208, 157 North Main Street, Edwardsville.
October 20 10:00 a.m.	PCB 93-18 UST-FRD	<u>City of Roodhouse v. EPA</u> - Roodhouse City Hall, 119 West Palm Street, Roodhouse.
October 21 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.
November 4 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.
November 18 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.
December 2 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.
December 16 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago.

Calendar Code

A-C	Administrative Citation	A-E	Air Enforcement
A-S	Adjusted Standard	A-V	Air Variance
CSO	Combined Sewer Overflow Exception	L-E	Land Enforcement
L-S-R	Landfill Siting Review	L-V	Land Variance
N-E	Noise Enforcement	N-V	Noise Variance
P-A	Permit Appeal	PWS-E	Public Water Supply Enforcement
PWS-V	Public Water Supply Variance	R	Regulatory Proceeding
SO ₂	SO ₂ Alternative Standards	SWH-E	Special Waste Hauling Enforcement
SWH-V	Special Waste Hauling Variance	T	Thermal Demonstration Rule (35 ILL. ADM. CODE 302.211(F))

T-C	Tax Certifications	T-S	Trade Secrets
W-E	Water Enforcement	W-V	Water Variance
WWS	Water-Well Setback Exception	UST-E	Underground Storage Tank Enforcement
UST-FRD	Underground Storage Tank Fund Reimbursement Determination		

Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List -- Public Water Supplies

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of July 1, 1993.

- * Indicates public water supplies which have been added to the list since the previous publication.
** Indicates actions are being taken by officials to bring the public water supply into compliance.

RDS:sp/0046g/2

Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List -- Public Water Supplies
July, 1993

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Abingdon (Knox Co. - 0950050)	5	Radium	4,027	09/17/92
Alexander Co. - McClure East Cape Wtr. Dist. (0035050)	7	Inadequate Dist. System Storage	1,225	12/13/85
Altamont (Effingham Co. - 0490050)	4	Trihalomethane	2,400	06/15/92
Arenzville (Cass Co. - 0170050)	5	Nitrate	400	03/20/81
Ashley (Washington Co. - 1890100)	6	Trihalomethane	825	06/15/92
Bellwood (Cook Co. - 0310150)	2	Radium	20,000	12/14/90
Biggsville (Henderson Co. - 0710050)	5	Radium & Radiological	400	03/17/86
Blandinsville (McDonough Co. - 1090100)	5	Trihalomethane	900	06/15/92
Bond Co. - Royal Lake Wtr District (0055100)	6	Trihalomethane	228	06/15/92
Bradford (Stark Co. - 1750050)	1	Radium	920	03/17/86
Brownstown (Fayette Co. - 0510100)	6	Trihalomethane	820	06/15/92
Buckingham (Kankakee Co. - 0910250)	2	Inadequate Pres. Tank	330	03/17/89
* Buda (Bureau Co. - 0110100)	1	Radium	700	06/15/93
Bunker Hill (Macoupin Co. - 1170100)	5	Trihalomethane	1,800	06/15/92
Bureau Co. - Bailey Subd. (0115100)	1	Inadequate Pres. Tank	43	01/13/82
* Bush (Williamson Co. - 1990050)	5	Trihalomethane	403	06/15/93
* Byron (Ogle Co. - 1410100)	1	Radium	2,500	06/15/93
Campus (Livingston Co. - 1050050)	4	Inadequate Pres. Tank	230	03/20/81
** Carroll Co. - Carroll Heights Subd. (0155200)	1	Inadequate Pres. Tank	80	03/20/81
** Carroll Co. - Century Pines Apts (0150020)	1	Inadequate Pres. Tank	50	12/14/90
Cedar Point Water Co. (LaSalle Co. - 0995040)	1	Radium	800	03/17/86
Chandlerville (Cass Co. - 0170200)	5	Nitrate	7,800	03/17/86
Coalton (Montgomery Co. - 1350100)	5	Low System Pressure	325	03/20/81
Coffeen (Montgomery Co. - 1350150)	5	Trihalomethane	800	03/17/92
Concord (Morgan Co. - 1370100)	5	Nitrate	240	03/17/86
Cook Co. - Mission Brook San Dist (0315920)	2	Radium	3,200	03/14/91
Cook Co. - Orland Hills Subd. (0317000)	2	Inadequate Pres. Tank	154	08/31/81
Cook Co. - Plum Creek Condos. (0317080)	2	Radium	570	03/17/86
Coulterville (Randolph Co. - 1570150)	6	Trihalomethane	1,100	06/15/92
Creal Springs (Williamson Co. - 1990300)	7	Inadequate Treatment Plant & Source	1,020	09/15/89
Crystal Clear Water Co. (McHenry Co. - 1115150)	2	Inadequate Pres. Tank	900	09/16/88
Cuba (Fulton Co. - 0570300)	5	Trihalomethane	1,400	12/16/92
Dallas City (Hancock Co. - 0674300)	5	Trihalomethane	1,500	06/15/92
DeKalb Co. - Buck Lake Estates Subd. (0375100)	1	Inadequate Pres. Tank	200	09/14/84
DeKalb Co. - DeKalb University Dvl Corp (0375148)	1	Inadequate Pres. Tank	950	12/16/92
DeWitt Co. - DeWitt Co. Nursing Home (0395129)	4	Inadequate Pres. Tank	80	06/17/83
Diamond (Grundy Co. - 0630250)	2	Radium & Radiological	1,170	08/21/81
Dover (Bureau Co. - 0110350)	1	Inadequate Pres. Tank	200	05/25/81
DuPage Co. - CIT Lombard Heights Div. (0435700)	2	Inadequate Pres. Tank	980	12/17/82
DuPage Co. - Clarendon Water Co. (0435300)	2	Inadequate Pres. Tank	1,953	03/20/81
DuPage Co. - Liberty Park Homeowners Assn (0435600)	2	Inadequate Pres. Tank	1,092	09/17/92
DuPage Co. - Maple Hill Improvement Assn. (0435800)	2	Inadequate Pres. Tank	234	08/31/81

DuPage Co. - Northside Peterson Well (0435866)	2	Inadequate Pres. Tank	30	12/15/89
DuPage Co. - Northwest Belmont Improvement Assn. (0435900)	2	Inadequate Pres. Tank	115	09/29/81
DuPage Co. - Pleasant Hill Comm. Assn. (0435480)	2	Inadequate Pres. Tank	180	03/17/89
DuPage Co. - Polo Drive & Saddle Road Subd (0437000)	2	Inadequate Pres. Tank	95	12/17/82
DuPage Co. - St. Charles Comm-Well Fund #2 (0437020)	2	Inadequate Pres. Tank	30	03/17/89
DuPage Co. - St. Charles Well Fund #3 (0437040)	2	Inadequate Pres. Tank	30	12/15/89
DuPage Co. - South Burdette Water (0437320)	2	Inadequate Pres. Tank	30	06/16/89
DuPage Co. - York Center Co-op (0437550)	2	Inadequate Pres. Tank	240	06/15/88
Eagerville (Macoupin Co. - 1170300)	5	Trihalomethane	190	03/17/92
Ellis Grove (Randolph Co. - 1570200)	6	Trihalomethane	486	03/17/92
Elmwood (Peoria Co. - 1430300)	5	Radiological & Radium	2,117	03/17/86
Emington (Livingston Co. - 1050300)	4	Fluoride	250	03/20/81
Fairview (Fulton Co. - 0570450)	5	Radiological, Radium & Inadequate Pressure Tank	20	03/20/81
Farina (Fayette Co. - 0510150)	6	Trihalomethane	600	06/15/92
Fed. - Joliet Army Ammo Pl. (Will Co. - 1975867)	2	Radium	180	03/17/86
Fithian (Vermilion Co. - 1830300)	4	Source Capacity & Nitrate	560	03/18/83
Fulton Co.-Dunfermline-St. David Wtr Cmsn (0575150)	5	Trihalomethane	850	03/15/93
Gillespie (Macoupin Co. - 1170400)	5	Trihalomethane	7,221	06/15/92
Goreville (Johnson Co. - 0870200)	7	Inadequate Treatment Plant & Source	978	09/15/89
Grantfork (Madison Co. - 1190350)	6	Trihalomethane	650	06/15/92
Granville (Putnam Co. - 1550050)	1	Radium	1,750	03/17/85
Greene Co. - Mt. Gilead Shelter Care Home (0615129)	6	Inadequate Pres. Tank	28	09/16/83
Grundy Co. - Heatherfield Subd. (0635150)	2	Inadequate Pres. Tank	91	09/17/82
Grundy Co. - Lisbon North Inc (0631000)	2	Inadequate Pres. Tank	30	09/14/90
Hampshire (Kane Co. - 0890450)	2	Barium	2,000	09/17/92
Henry (Marshall Co. - 1230050)	1	Nitrate	2,740	06/15/90
Henry Co. - Country Ests Sbdv (0735050)	1	Nitrate	250	06/15/90
Henry Co. - Dayton Valley View, Well #1 (0735186)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Green River, Well #5 (0735416)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood 1st Addn. Well #2 (0735446)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood 1st Addn. Well #3 (0735486)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood 1st Addn. Well #5 (0735566)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood 2nd Addn. Well #1 (0735646)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood 2nd Addn. Well #2 (0735666)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood 2nd Addn. Well #3 (0735686)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood West Subd. (0735250)	1	Inadequate Pres. Tank	89	03/19/84
Henry Co. - Holmes Small Farm Subd. (0735246)	1	Inadequate Pres. Tank	32	09/16/83
Henry Co. - L.A. Water System, Inc. (0735536)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Lake Lynwood Water System (0735330)	1	Inadequate Pres. Tank	98	08/31/81
Henry Co. - Level Acres Addn. Briargate Wtr. Assn. (0735496)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Level Acres, Well #1 (0735436)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Ophiem PWS (0735150)	1	Inadequate Pres. Tank	150	06/18/82
Henry Co. - Osco Mutual Wtr Supply Co Inc (0735200)	1	Inadequate Pres. Tank	115	12/15/89
Henry Co. - Pine Ridge Util. Inc. (0735400)	1	Inadequate Pres. Tank	46	09/29/81
Highland (Madison Co. - 1190550)	6	Atrazine	9,350	09/17/92
Hurst - (Williamson Co. 1990450)	7	Trihalomethane	873	03/15/93
Iroquois Co. A Merkle - C Knipprath Home (0755389)	4	Inadequate Pres. Tank	98	03/16/90
Iroquois Co. Spring Creek Campground II Inc. (0750030)	4	Inadequate Pres. Tank	--	12/16/91
Island Lake Wtr Cmpny (Lake Co. - 0975080)	2	Iron	2,250	06/15/90
Johnson Co. - Burnside Water District (0875050)	7	Inadequate Treatment Plant & Source & TTHM	1,642	09/15/89
Kane Co. - Broadview Academy (0895149)	2	Radium	304	09/19/86
Kane Co. - Highland Subd. (0895530)	2	Inadequate Pres. Tank	50	09/16/83
Kane Co. - Moecherville Subd. (0895300)	2	Inadequate Pres. Tank	1,120	03/20/81
Kane Co. - Parkview Water Corp. (0895500)	2	Inadequate Pres. Tank	150	12/17/82
Kane Co. - Pleasant Village (0895228)	2	Inadequate Pres. Tank	N/A	06/18/82
* Kane Co. - Silver Glen Estates (0890040)	2	Radium	10	06/15/93
Kane Co. - St. Charles Skyline Sewer & Wtr. Co. (0895030)	2	Inadequate Pres. Tank	1,300	09/19/86
Kane Co. - Wermes Subd. (0895750)	2	Inadequate Pres. Tank	150	12/16/88
Kangley (LaSalle Co. - 0990250)	1	Radium	200	03/17/86
Kankakee Co. - Good Shepherd Manor (0915189)	2	Inadequate Pres. Tank	140	03/17/89
Kankakee Co. - Skyview Subd. (0915526)	2	Inadequate Pres. Tank	65	09/14/84
Kendall Co. - Farm Colony (0935140)	2	Radium	25	03/17/86
Kendall Co. - Fox Lawn Util. Co. Inc. (0935150)	2	Radium	240	03/17/86
Kendall Co. - Metro Util Valley Dvn (0935100)	2	Inadequate Pres. Tank	2,200	03/16/90
Kingston Mines (Peoria Co. - 1430450)	5	Radium	350	03/17/86
Kinsman (Grundy Co. - 0630450)	2	Radium	150	03/17/86
Kirkwood (Warren Co. - 1870050)	5	Radium	1,008	03/17/86
Ladd (Bureau Co. - 0110450)	1	Radium	1,350	10/04/85
Lake Co. - Acorn Acres Subd. (0975020)	2	Inadequate Pres. Tank	250	12/16/83
Lake Co. - Blau Mar Hills Homeowners Assn (0970090)	2	Radium	18	12/16/91
Lake Co. - Briarcrest Sbdv Hmownrs Assn (0971060)	2	Radium & Gross Alpha	120	12/16/92
Lake Co. - D L Well Owners Assn. (0975380)	2	Inadequate Pres. Tank	125	03/18/83
Lake Co. - Echo Lake Block IV Water Assn (0970130)	2	Inadequate Pres. Tank	50	06/15/88
Lake Co. - Echo Lake Comm. Corp. (0975820)	2	Inadequate Pres. Tank	48	09/16/83
Lake Co. - Elm Oak Mutual Water System (0975736)	2	Inadequate Pres. Tank & Radium	45	06/13/86
Lake Co. - Forest Lake Addn. (0975500)	2	Inadequate Pres. Tank	180	12/16/83
Lake Co. - Glen Kirk Campus North (0977189)	2	Inadequate Pres. Tank	64	06/15/88
Lake Co. - Glen Kirk Campus South (0977199)	2	Inadequate Pres. Tank	36	06/15/88
Lake Co. - Glenstone Subdv (0970160)	2	Radium	168	09/17/92
Lake Co. - Highland Lake Subd. (0975750)	2	Inadequate Pres. Tank	294	03/20/81
Lake Co. - Lakewood Water System (0975400)	2	Inadequate Pres. Tank	49	12/16/83
* Lake Co. - Maple Hill Nursing Center (0971090)	2	Inadequate Pres. Tank	204	06/15/93
Lake Co. - Pekara Subd. (0975900)	2	Inadequate Pres. Tank	2,173	05/25/81
Lake Co. - Sturm Subd. (0977010)	2	Inadequate Pres. Tank	63	03/16/84

Lake Co. - Summit Homeowners Assn. (0975280)	2	Inadequate Pres. Tank	48	03/16/84
Lake Co. - Sylvan Lake 1st Sbdv (0977100)	2	Inadequate Pres. Tank	210	06/14/91
Lake Co. - Townser Subd. (0977250)	2	Inadequate Pres. Tank	238	01/14/82
Lake Co. - Wadsworth Oaks Subd. (0977320)	2	Radium	80	09/19/86
Lake Co. - West Shoreland Sbdv (0977050)	2	Inadequate Pres. Tank	220	06/14/91
LaSalle Co. - Four Lakes Subd. (0995110)	1	Radium	35	09/19/86
LaSalle Co. - Illinois Prairie Subd. (0995300)	1	Radium	45	06/15/88
LaSalle Co. - Lynnwood Subd. (0995336)	1	Inadequate Pres. Tank	114	03/18/83
LaSalle Co. - Sutphen Dr. Subd. (0995396)	1	Inadequate Pres. Tank	32	09/17/82
* LaSalle Co. - Whispering Pines MHP	1	Radium	45	06/15/93
LaSalle Co. - Woodsmoke Ranch Assoc Well 2 (0990030)	1	Inadeq. Pres. Tank & Radium	350	06/15/90
LaSalle Co. - Woodsmoke Ranch Assoc Well 3 (0990040)	1	Inadequate Pres. Tank, Radium & Radiological	100	06/15/90
Little York (Warren Co. - 1870100)	5	Radium	356	12/16/91
Livingston Co. - Salem Children's Home (1055229)	4	Inadequate Pres. Tank	66	03/18/83
Logan Co. - Bartman Nursing Home (1075169)	5	Inadequate Pres. Tank	93	12/16/83
London Mills - (Fulton County - 0574620)	5	Inadequate Pres. Tank	670	12/14/84
Lostant (LaSalle Co. - 0990450)	1	Radium & Radiological	550	03/17/86
Macoupin Co. - Hickory Acres Sbdv (1175400)	5	Trihalomethane	42	03/17/92
* Macoupin Co. - Palmyra-Modesto Wtr Assn. (1175150)	5	Atrazine	1,140	06/15/93
Macoupin Co. - R.R. #1 - Il. Wtr. Assn. (1175260)	5	Trihalomethane	81	06/15/92
Macoupin Co. - Staunton Res Rd Wtr Coop (1175250)	5	Total Trihalomethane	60	03/15/93
Mapleton (Peoria Co. - 1430500)	5	Radium	235	03/17/86
Mark (Putnam Co. - 1550250)	1	Radium	407	03/17/86
Marshall Co. - Hopewell Wtr. Wks. (1235150)	1	Radium & Radiological	350	03/17/86
McDonough Co. - Stratford West Subd. (1095200)	5	Inadequate Pres. Tank	39	12/17/82
McHenry Co. - C & A Water Organization (1115270)	2	Inadequate Pres. Tank	33	06/18/82
McHenry Co. - Community Serv. Corp. (1115350)	2	Inadequate Pres. Tank	750	09/16/83
McHenry Co. - Deering Oaks Subd. (1115200)	2	Inadequate Pres. Tank	60	12/17/82
McHenry Co. - Prairie Ridge Assn (1115730)	2	Inadequate Pres. Tank	140	03/16/90
McHenry Co. - Walk-Up-Woods Wtr. Co. (1115800)	2	Inadequate Pres. Tank	763	12/17/82
McLean Co. - Cropsey Comm. Water Assn. (1135150)	4	Inadequate Pres. Tank	60	03/20/81
Media (Henderson Co. - 0710250)	5	Nitrate	150	03/17/86
Mercer Co. - M.C.L.W. Water System (1315150)	1	Inadequate Source	100	03/20/81
Mercer Co. - Swedona Wtr Assn (1315200)	1	Inadequate Pres. Tank	100	06/15/90
Monroe Co. - Maple Leaf Ests Wtr Corp (1335100)	6	Inadequate Pres. Tank	39	03/20/81
Mount Clare (Macoupin Co. - 1170650)	5	Trihalomethane	858	03/17/92
Mount Olive (Macoupin Co. - 1170700)	5	Trihalomethane	2,380	12/16/92
Naplate (LaSalle Co. - 0990600)	1	Radium	581	03/17/86
Neponset (Bureau Co. - 0110700)	1	Radium	640	09/14/90
New Boston (Mercer Co. - 1310250)	1	Nitrate	750	12/14/84
Norris (Fulton Co. - 0570750)	5	Trihalomethane	300	06/15/92
Odell (Livingston Co. - 1050550)	4	Radium	1,100	03/17/86
Ogle Co. - Lindenwood Water Assn. (1415300)	1	Inadequate Pres. Tank	50	01/13/82
Patoka (Marion Co. - 1210400)	6	Trihalomethane	820	12/16/92
Peoria Co. - Edelstein Wtr. Co-op (1435150)	5	Radium	115	06/13/86
Peoria Co. - Fahnstock Court Subd. (1435200)	5	Inadequate Pres. Tank	30	05/25/81
Peoria Co. - Galena Knolls Subd. (1435300)	5	Nitrate	180	06/15/88
Peoria Co. - H. T. Water Corp. (1435546)	5	Inadequate Pres. Tank	37	03/18/83
Peoria Co. - Trivoli PWD (1435510)	5	Inadequate Pres. Tank	350	06/17/83
Peoria Co. - Woodland Heights Estates Subd (1435760)	5	Inadequate Pres. Tank	245	03/20/81
Pierron (Madison Co. - 1194760)	6	Trihalomethane	1,150	06/15/92
Prairie City (McDonough Co. - 1090400)	5	Radiological & Radium	620	03/17/86
Princeville (Peoria Co. - 1430750)	5	Radiological & Radium	2,212	03/17/86
Putnam Co. - Putnam Water Assoc. (1555150)	1	Inadequate Pres. Tank	40	05/25/81
Ransom (LaSalle Co. - 0990900)	1	Radium	450	03/17/86
Raritan (Henderson Co. - 0710350)	5	Radium & Radiological	177	03/17/86
Richview (Washington Co. - 1890500)	6	Inadequate Pres. Tank	592	09/19/86
Rockdale (Will Co. - 1970850)	2	Radium	1,500	03/17/86
Rock Island Co. - Byron Hills Subd Well #3 (1617186)	1	Inadequate Pres. Tank	32	12/17/82
Rock Island Co. - Byron Hills Subd Well #6 (1617266)	1	Inadequate Pres. Tank	32	12/17/82
Rock Island Co. - Cntry. Club Man. Well 1 (1617286)	1	Inadequate Pres. Tank	32	01/14/82
Rock Island Co. - Cropper's 2nd & 3rd Addn (1615200)	1	Inadequate Pres. Tank	29	12/16/83
Rock Island Co. - Eberts 2nd Addn (1615280)	1	Inadequate Pressure Tank	35	09/15/89
Rock Island Co. - Evergreen Village Subd. (1615310)	1	Inadequate Pres. Tank	250	03/20/81
Rock Island Co. - Fairacres Assn. (1615350)	1	Inadequate Pres. Tank	220	03/20/81
Rock Island Co. - Fitzpatrick Well (1617436)	1	Inadequate Pres. Tank	27	06/18/82
Rock Island Co. - Kingsbury Wtr. Assn. (1617826)	1	Inadequate Pres. Tank	31	03/18/83
Rock Island Co. - Larson Apts. (1615728)	1	Inadequate Pres. Tank	48	01/14/82
Rock Island Co. - Lemon Street Well Cmpny (1615550)	1	Inadequate Pres. Tank	470	03/20/81
Rock Island Co. - Mill Creek Manor-Well #2 (1617676)	1	Inadequate Pres. Tank	35	06/18/82
Rock Island Co. - Park Hill Ests Well 1 (1617806)	1	Inadequate Pres. Tank	32	06/18/82
Rock Island Co. - Park Hill Ests Well 2 (1617686)	1	Inadequate Pres. Tank	32	06/18/82
Rock Island Co. - Rock Island Arsn (1615387)	1	Trihalomethane	9,000	06/15/92
Rock Island Co. - Silvis Heights Wtr Corp (1615750)	1	Inadequate Pres. Tank	1,680	03/20/82
Rock Island Co. - South Well 16 (1615376)	1	Inadequate Pres. Tank	28	01/14/82
Rock Island Co. - Suburban Heights Subd. (1615800)	1	Inadequate Pres. Tank	114	12/16/83
Rock Island Co. - Tindalls Addn Wtr System (1617956)	1	Inadequate Pres. Tank	32	06/18/82
Rock Island Co. - Tindalls 3rd & 6th Addns (1617376)	1	Inadequate Pres. Tank	28	06/18/82
Rock Island Co. - Tower Ridge Sbdv (1615780)	1	Inadequate Pres. Tank	70	09/17/92
Rock Island Co. - Turkey Hollow Well Corp (1615686)	1	Inadequate Pres. Tank	32	06/18/82
Rock Island Co. - Vanderheyden Subd. (1617866)	1	Inadequate Pres. Tank	28	01/14/82
Rock Island Co. - Water XIV (1615386)	1	Inadequate Pres. Tank	32	06/18/82
Rock Island Co. - White's Comm. Well #2 (1617886)	1	Inadequate Pres. Tank	32	06/17/83
Rock Island Co. - WSCO Devel (Ridgewood) (1615670)	1	Inadequate Pres. Tank	475	03/20/81
* Rock Island Co. - 176 Ave West Cmnty Wtr Sys (1617436)	1	Inadequate Pres. Tank	28	06/15/93
Roseville (Warren Co. - 1870200)	5	Nitrate	1,254	03/17/89
Rosiclare (Hardin Co. - 0690150)	7	Trihalomethane	1,791	09/17/92
Sawyerille (Macoupin Co. - 1170850)	5	Trihalomethane	540	03/15/93
Seaton (Mercer Co. - 1310350)	1	Barium	220	03/20/81
* Shipman (Macoupin Co. - 1170950)	5	Atrazine	695	06/15/93

Sorento (Bond Co. - 0050300)	6	Trihalomethane	710	06/15/92
* South Pekin (Tazewell Co. - 1790650)	5	Nitrate	1,400	06/15/93
South Wilmington (Grundy Co. - 0630650)	2	Radium	750	03/15/93
Spring Valley (Bureau Co. - 0111000)	1	Radium	5,850	09/17/92
St. Clair Co. - Save Site (1635289)	6	Trihalomethane	375	06/15/92
St. Peter (Fayette Co. - 0510300)	6	Trihalomethane	807	06/15/92
Standard (Putnam Co. -1550300)	1	Radium	280	09/16/91
Staunton (Macoupin Co. - 1171050)	5	Trihalomethane	5,180	06/15/92
Steeleville (Randolph Co. - 1570650)	6	Radium	2,305	03/17/86
Stephenson Co. - Park Crest Wtr. Co. (1775100)	1	Inadequate Pres. Tank	1,200	09/14/84
Table Grove (Fulton Co. - 0570900)	5	Radium & Radiological	500	03/20/81
Taylor Springs (Montgomery Co. - 1350650)	5	Trihalomethane	671	03/17/92
Tazewell Co. - Beverly Mnr Cntrl Imp Assn (1795120)	5	Inadequate Pres. Tank	525	03/17/89
Tazewell Co. - Beverly Manor Subd. Grant (1795100)	5	Inadequate Pres. Tank	610	03/20/81
Tazewell Co. - Breezeway Subd. (1795150)	5	Inadequate Pres. Tank	175	09/17/82
Tazewell Co. - Hickory Hills Subd Assn #1 (1795386)	5	Inadequate Pres. Tank	31	06/14/85
Tazewell Co. - Hickory Hills Subd Assn #2 (1795396)	5	Inadequate Pres. Tank	30	06/14/85
Tazewell Co. - Mayfair Sbd (1795750)	5	Inadequate Pres. Tank	150	03/16/90
Tazewell Co. - Oakhaven Subd. (1795760)	5	Inadequate Pres. Tank	35	05/25/81
Tazewell Co. - Prairie View Subd. (1795900)	5	Inadequate Pres. Tank	55	03/20/81
Union (McHenry Co. - 1110900)	2	Barium	625	09/17/92
Union Co. - Lick Creek PWD (1815100)	7	Inadequate Treatment Plant & Source	816	09/15/89
Vermilion Co. - North Fork Well Assn. (1835186)	4	Inadequate Pres. Tank	66	06/17/83
Vernon (Marion Co. - 1210550)	6	Trihalomethane	285	12/16/92
Viola (Mercer Co. - 1310450)	1	Radium	1,144	09/17/92
Wenona (Marshall Co. - 1234950)	1	Radium	1,045	03/17/86
* West Salem (Edwards Co. - 0470200)	7	Trihalomethane	1,215	06/15/93
* Westfield (Clark Co. - 0230200)	4	Inadequate Water Source	700	06/15/93
* White City (Macoupin Co. - 1171150)	7	Trihalomethane	280	06/15/93
* White Hall (Greene Co. - 0610400)	6	Atrazine	2,950	06/15/93
Whiteside Co. - Lakeview Subd. (1955150)	1	Inadequate Pres. Tank & Nitrate	146	03/20/81
Whiteside Co. - Shady Nook (1950020)	1	Inadequate Pres. Tank	29	03/17/92
Will Co. - Bel-Air Subd. (1975130)	2	Inadequate Pres. Tank	91	08/04/81
Will Co. - Clearview Subd. (1975360)	2	Inadequate Pres. Tank	420	01/13/82
Will Co. - Dixie Dells Subd. (1977850)	2	Inadequate Pres. Tank	550	09/17/82
Will Co. - East Moreland Water Assn. (1975600)	2	Inadequate Pres. Tank	753	03/20/81
Will Co. - Fair Acres Subd. (1975680)	2	Inadequate Pres. Tank	185	10/19/81
Will Co. - Garden St. Imp. Assn. (1975376)	2	Inadequate Pres. Tank	62	09/15/89
Will Co. - Greenfield Comm. Well (1975760)	2	Inadequate Pres. Tank	25	12/16/83
Will Co. - Hillview Subd. (1975800)	2	Inadequate Pres. Tank	99	03/15/85
Will Co. - Huntley Comm. Subd. (1975840)	2	Inadequate Pres. Tank	48	03/16/84
Will Co. - Ingalls Park Subd. (1975880)	2	Inadequate Pres. Tank	690	09/16/83
Will Co. - Lakewood Shores Imprvemnt Assn (1975930)	2	Radiological & Radium	93	03/17/86
Will Co. - Oakview Avenue Water Works Inc. (1977210)	2	Inadequate Pres. Tank	350	03/20/81
Will Co. - Park Road Wtr. Assn. (1977330)	2	Inadequate Pres. Tank	60	12/17/82
Will Co. - Ridgewood Subd. (1977650)	2	Inadequate Pres. Tank	315	06/18/82
Will Co. - Scribner Street Subd. (1977660)	2	Inadequate Pres. Tank	50	03/18/83
Will Co. - Shawnita Terrace Wtr Assoc (1977690)	2	Inadequate Pres. Tank	125	09/17/92
Will Co. - Sunnyland Subd. (1977730)	2	Inadequate Pres. Tank	350	09/16/83
Williamson (Madison Co. - 1191100)	6	Trihalomethane	350	06/15/92
Williamson Co. - Devils Kitchen Wtr Dist (1995160)	7	Inadequate Treatment Plt & Source & Trihalomethane	1,330	09/15/89
Williamson Co. - Lake of Egypt Wtr Dist (1995200)	7	Inadequate Treatment Plant & Source	7,743	09/15/89
Wilsonville (Macoupin Co. - 1171200)	5	Trihalomethane	609	06/15/92
Winnebago Co. -2800 Apartments (2015868)	1	Inadequate Pres. Tank	83	06/18/82
Winnebago Co. - Blue & Gold Homeowners Assn. (2015250)	1	Inad. Press. Tank & Inad. Source of Supply	170	06/17/83
Winnebago Co. - Bradley Heights Subd. (2015050)	1	Inadequate Pres. Tank	192	09/13/85
Winnebago Co. - Briar Garden Apts. (2015190)	1	Inadequate Pres. Tank	60	12/17/82
Winnebago Co. - Cherry Vale East. Apts. (2015470)	1	Inadequate Pres. Tank	180	01/14/82
Winnebago Co. - Cherry View Apts. (2015278)	1	Inadequate Pres. Tank	60	06/17/83
Winnebago Co. - Goldie B. Floberg Center (2015439)	1	Inadequate Pres. Tank	54	03/16/84
Winnebago Co. - Great Oaks & Beacon Hills Apartments (2015488)	1	Inadequate Pres. Tank	943	12/17/82
Winnebago Co. - Kishwaukee-Kilbuck Assn (2010010)	1	Inadequate Pres. Tank	42	03/16/90
Winnebago Co. - Larchmont Subd. (2015290)	1	Inadequate Pres. Tank	106	06/17/83
Winnebago Co. - Legend Lakes Wtr Assn (2015300)	1	Inadequate Pres. Tank	225	03/14/91
Woodford Co. - Oak Ridge San. Dist. (2035300)	1	Inadequate Pres. Tank	240	03/20/81
Wyoming (Stark Co. - 1750200)	1	Radiological & Radium	1,614	03/17/86
Yates City (Knox Co. - 0950700)	5	Radium and Inadequate Pressure Tank	900	03/20/81

Public Water Supplies Removed from Previous List

Benld (Macoupin Co. - 1170050)
 Cambridge (Henry Co. - 0730300)
 Chester (Randolph Co. - 1570100)
 Cook Co. - Magnus Farm Nursing Home (0317799)
 DePue (Bureau Co. - 0110300)
 Dorchester (Macoupin Co. - 1170250)
 DuPage Co. - Fairway Grove Apts. (0435368)
 Eureka (Woodford Co. - 2030200)
 Jersey Co. Jersey RWC (0835300)
 Kasbeer (Bureau Co. - 0115150)
 Little City Foundation (Cook Co. - 0310020)
 Macoupin Co. - Spring Creek Wtr Assn (1175450)
 Madison Co. - Alton MHC (1195500)
 Mercer Co. - Ash's Well #2 Subd. (1315146)
 Milledgeville (Carroll Co. - 0150150)

Oakland (Coles Co. - 0290300)
 Rock Island Co. - Balcaens 3rd - Well 4 (1615476)
 Rock Island Co. - Byron Hills Subd Well #4 (1617206)
 Rock Island Co. - Ferrrous Water Assoc. (1615416)
 Sun River Terrace (Kankakee Co. - 0910720)
 Will Co. - Union Oil Co. (1977860)

Illinois Environmental Protection Agency
 Division of Public Water Supplies
 Critical Review List -- Public Water Supplies

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of July 1, 1993.

* Indicates public water supplies which have been added to the list since the previous publication.
 ** Indicates actions are being taken by officials to bring the public water supply into compliance.

RDS:sp/0046g/4

Illinois Environmental Protection Agency
 Division of Public Water Supplies
 Critical Review List -- Public Water Supplies
 July, 1993

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Baylis (Pike Co. - 1490100)	5	Source Capacity	300	09/13/85
Bluford (Jefferson Co. - 0810100)	7	Low System Pressure	465	03/20/81
Camargo (Douglas Co. - 0410100)	4	Inadequate Treatment Plant	400	12/16/91
Caseyville (St. Clair Co. - 1630250)	6	Low System Pressure	12,338	09/14/84
Clinton (DeWitt Co. - 0390050)	4	Inadequate Plant Capacity	7,437	06/14/91
Davis (Stephenson Co. - 1770150)	1	Low System Pressure	600	09/17/92
DuPage Co. - Highland Hills San Dist (0435560)	2	Inadequate Pressure Tank	1,100	09/17/92
Edgewood (Effingham Co. - 0490200)	4	Inadequate Source	574	12/14/84
Evansville (Randolph Co. - 1570250)	6	Plant Capacity	1,838	05/25/81
* Georgetown (Vermilion Co. - 1830350)	4	Inadequate Wtr Plant	3,678	06/15/93
Germantown (Clinton Co. - 0270350)	6	Inadequate Source	1,150	12/16/91
Hardin (Calhoun Co. - 0130200)	6	Low System Pressure	1,175	11/25/81
Jackson Co. - South Highway Wtr. Dist. (0775400)	7	Low System Pressure	8,189	06/15/92
Kane Co. - Lake Marion Wtr. Corp. (0895200)	2	Low System Pressure & Inadequate Pres. Storage	800	09/14/84
Kincaid (Christian Co. - 0210250)	5	Plant Capacity	2,640	06/14/85
Lewistown (Fulton Co. - 0570600)	5	Inadequate Source	2,700	06/15/88
Mason (Effingham Co. - 0490300)	4	Inadequate Source	612	12/14/84
McHenry Co. - McHenry Shores Wtr Co (1115020)	2	Low System Pressure	1,170	09/17/92
* McHenry Co. - Whispering Hills Wtr Co. (1115700)	2	Low System Pressure	6,000	06/15/93
McHenry Co - Wonder Lake Wtr Cmpny (1115750)	2	Inadequate Storage	1,080	12/14/90
Millstadt (St. Clair Co. - 1630850)	6	Low System Pressure	2,750	12/16/91
North Utica (LaSalle Co. - 0990650)	1	Low System Pressure	3,943	03/18/84
Orangeville (Stephenson Co. - 1770350)	1	Low System Pressure	590	03/17/86
Pearl (Pike Co. 1490650)	5	Inadequate Pres. Tank	322	09/17/82
Pecatonica (Winnebago Co. -2010250)	1	Low System Pres.	1,830	06/15/90
Ramsey (Fayette Co. - 0510200)	6	Source Capacity & Low System Pres.	1,350	09/13/85
Richland Co. - West Liberty Dundas Wtr Dist (1595050)	7	Low System Pres. & Inadequate Source	693	12/14/84
Stockton (Jo Daviess Co. - 0850450)	1	Low System Pressure	1,900	06/15/84
Sumner (Lawrence Co. - 1010300)	7	Low System Pressure	1,553	12/13/85
Taylor Springs (Montgomery Co. - 1350650)	5	Low System Pressure	650	02/20/81
Walnut Hill (Marion Co. - 1210600)	6	Low System Pressure	1,200	06/14/85
West Frankfort (Franklin Co. - 0550700)	7	Low System Pressure	14,448	02/20/81
Will Co. - Metro Util Chickasaw Dvn (1975320)	2	Low System Pressure	7,700	09/17/92

Public Water Supplies Removed from Previous List

Printed by Authority of the State of Illinois, June 30, 1993, 2,000 copies, order #57701.

The Illinois Pollution Control Board is an independent seven member board which adopts the environmental control standards for the State of Illinois and rules on enforcement actions and other environmental disputes. The Board Members are:

Claire A. Manning, Chairman
Springfield, Illinois

Joan G. Anderson
Western Springs, Illinois

Ronald C. Flemal
DeKalb, Illinois

Bill S. Forcade
Chicago, Illinois

G. Tanner Girard
Grafton, Illinois

J. Theodore Meyer
Chicago, Illinois

Michael L. Nardulli
Chicago, Illinois

The Environmental Register is a newsletter published by the Board after every Board meeting. The Register provides updates on rulemakings and other information, lists final actions, and contains the Board's hearing calendar. The Register is provided free of charge.

Illinois Pollution Control Board
State of Illinois Center, 11-500
100 West Randolph Street
Chicago, Illinois 60601
(312) 814-3620

Address Correction Requested.

Bulk Rate
U.S. Postage
PAID
Chicago, IL
Permit No.2088