



ENVIRONMENTAL REGISTER

January 27, 2023 – Number 764

A PUBLICATION OF THE ILLINOIS POLLUTION CONTROL BOARD

<https://pcb.illinois.gov/>

BOARD MEMBERS

- ❖ Barbara Flynn Currie, Chair
- ❖ Cynthia M. Santos
- ❖ Jennifer Van Wie
- ❖ Michelle Gibson

The **Illinois Pollution Control Board** is an independent, five-member board that adopts environmental control regulations and decides enforcement actions and other environmental cases for the State of Illinois.

INSIDE THIS ISSUE

- ❖ Chair's Update
- ❖ Appellate Update
- ❖ Rulemaking Update
- ❖ Board Actions
- ❖ Calendar
- ❖ Restricted Status/Critical Review Lists
- ❖ Health Advisory Summary List

CHAIR'S UPDATE

Since June 20, 2019, when the Illinois Supreme Court affirmed the Board's rulemaking decision concerning groundwater monitoring at clean construction or demolition debris fill operations (*see The County of Will v. The Pollution Control Board*, 2019 IL 122798), over three years went by without either the Illinois Appellate Court or the Illinois Supreme Court reviewing a final Board decision. That drought ended during the last quarter of 2022 when the Illinois Appellate Court issued two decisions affirming the Board on appeal. I highlight those court decisions below.

The first appeal involved leaking gasoline dispensers at a service station. The leaks started at aboveground piping inside the dispenser cabinets, fell to "under-dispenser containments" or "UDCs" located underground, and then escaped from the UDCs into the surrounding subsurface soils. The UDCs were not watertight and therefore, contrary to their purpose, failed to contain the leaks. The Office of the State Fire Marshal (OSFM) denied Underground Storage Tank (UST) Fund eligibility for the service station owner, who appealed to the Board, which reversed OSFM's determination. On OSFM's appeal of the Board's decision, the First District Appellate Court affirmed the Board. It did not matter that the leaks did not originate from the UST system. Because the leaks entered the environment through the UDC, which is part of the UST system, they constituted a release from the UST system, making the owner eligible to seek cleanup-cost reimbursement from the UST Fund. *See Office of the State Fire Marshal v. Illinois Pollution Control Board*, 2022 IL App (1st) 210507.

The second appeal involved a demolition subcontractor whose employees dumped 24 semi-truck loads of debris along the banks of and into the Mackinaw River. After the Illinois Environmental Protection Agency discovered the dumping, the subcontractor promptly removed the debris. In turn, the Attorney General's Office filed a complaint with the Board against the subcontractor. The Board found the violations alleged and imposed an \$80,000 civil penalty. The subcontractor appealed the Board's decision, which the Third District Appellate Court affirmed. The chief issue on appeal was the penalty. The court noted that, contrary to the subcontractor's position, there is no bar to imposing penalties for past violations. The court also agreed with the Board that as the subcontractor had previous open dumping violations, the \$80,000 civil penalty was warranted as a deterrent. *See People of the State of Illinois v. IronHustler Excavating, Inc.*, 2022 IL App (3d) 210518-U.

Detailed summaries of these court decisions appear in this issue of the *Environmental Register*.

Sincerely,



Barbara Flynn Currie
Chair



APPELLATE UPDATE

First District Appellate Court Affirms Board in UST Fund Case

Office of the State Fire Marshal v. Illinois Pollution Control Board

2022 IL App (1st) 210507

Board docket PCB 19-2

A service station in Chicago experienced leaks from two of its gasoline dispensers. The leaks started at aboveground piping within the dispenser cabinets. The leaked gasoline then fell to “under-dispenser containments” or “UDCs,” which are bathtub-like structures located below the ground underneath the dispensers. UDCs are designed to keep such leaks from reaching the environment. The UDCs at this service station, however, were not watertight. The leaked gasoline escaped from the UDCs into the surrounding subsurface soils. The service station owner, Reliable Stores, Inc. (Reliable), reported the release, repaired the equipment, and started environmental cleanup.

Reliable applied with the Office of the State Fire Marshal (OSFM) to determine its eligibility for cleanup-cost reimbursement from the State’s Underground Storage Tank (UST) Fund. OSFM denied eligibility, determining that the leaks were “Non UST related release[s].” Reliable appealed OSFM’s denial to the Board.

Whether a UDC leak may be eligible for UST Fund reimbursement presented an issue of first impression for the Board. The parties agreed on the facts of the case but disagreed over how to interpret the controlling statutory language. Section 57.9(a) of the Environmental Protection Act (Act) states that the UST Fund “shall be accessible by owners and operators who have a confirmed release from an underground storage tank or related tank system of a substance listed in this Section.” 415 ILCS 5/57.9(a). OSFM argued that because the leaks *started* at the dispenser system’s aboveground piping, there was no release *from* a UST or related tank system. But the Board found that the UDC, as a type of containment system, is part of the UST system under the regulations and thus the “related tank system” under Section 57.9(a). Further, the gasoline leaking out of the UDC into the environment was a “release from” that “related tank system.” Accordingly, on cross-motions for summary judgment, the Board reversed OSFM’s eligibility determination. OSFM appealed the Board’s decision to the First District Appellate Court.

The First District affirmed the Board. In its unanimous opinion of September 30, 2022, the court framed the issue as a “chicken-and-egg conundrum: is eligibility for the UST Fund determined by the starting point of the leak or the location of where the leak released gasoline into the soil?” Fire Marshal, ¶ 39. The court likened the facts of this case to:

a teacup and a saucer underneath that both had cracks, allowing tea to leak onto the table. The Board states that “one would ordinarily say that the tea leaked ‘from’ the crack in the cup into the saucer and then ‘from’ the crack in the saucer onto the table.” The Board argues “[t]hat the leak ‘originated’ in the cup’s crack



does not change the fact that without the saucer’s crack, there would have been no ‘release’ of tea to the table.” We agree with the Board that to limit the meaning of “from” in the statute to the point of origin eludes logic and would lead to an absurd result in conflict with the legislature’s intent for the Act. *Id.*, ¶ 43.

And that intent is to “protect human health and the environment by helping eligible owners and operators . . . pay for the cleanup of leaks from underground storage tanks or related tank systems.” *Id.*, ¶ 42 (citing 415 ILCS 5/57).

Lastly, in response to OSFM’s reliance on a dictionary definition of the word “from,” the court quoted Judge Learned Hand: “[I]t is one of the surest indexes of a mature and developed jurisprudence not to make a fortress out of the dictionary; but to remember that statutes always have some purpose or object to accomplish, whose sympathetic and imaginative discovery is the surest guide to their meaning.” *Id.*, ¶ 44 (citations omitted).

Third District Appellate Court Affirms Board in Waste Dumping Enforcement Case

People of the State of Illinois v. IronHustler Excavating, Inc.

2022 IL App (3d) 210518-U

Board docket PCB 20-16

A subcontractor was hired to handle the demolition and disposal work on a high school construction project in Delevan. The subcontractor, IronHustler Excavating, Inc. (IronHustler), transported most of the resulting debris from the high school to a landfill. However, 24 semi-truck loads of the debris were diverted by IronHustler employees to a farm along the Mackinaw River. An inspection of the farm by the Illinois Environmental Protection Agency (IEPA) revealed that debris from the high school had been deposited next to and into the river. After IEPA’s inspection, IronHustler removed the debris and disposed of it at the landfill. IronHustler fired the employees who took the debris to the farm. IronHustler also implemented new policies to prevent similar occurrences.

The Attorney General’s Office, on behalf of the People of the State of Illinois (People), filed a complaint with the Board against IronHustler. The complaint alleged violations based on open dumping, disposing of waste at an improper site, and improperly developing and operating a landfill. On cross-motions for summary judgment, the Board found that IronHustler violated the Environmental Protection Act (Act) and Board regulations as the People alleged. The Board imposed an \$80,000 civil penalty on IronHustler as the People requested. IronHustler appealed the Board’s decision to the Third District Appellate Court.

The Third District affirmed the Board. In its unanimous order of November 18, 2022, the court first rejected IronHustler’s claim that the People failed meet their burden of proving the dumped material was “waste” or “general construction or demolition debris” as defined in the Act. The People provided the IEPA inspector’s affidavit detailing the materials observed, supported by photographs. The debris contained “electrical wire, metal radiators, wood, rebar, wire conduit, metal sheeting, metal angle iron, painted brick, plywood, metal studs, metal pipe, painted concrete, slag, and ceramic tile.” IronHustler, ¶ 15. In agreeing with the Board that there was no



genuine issue of material fact, the court found that, “[o]ther than IronHustler’s denials, it did not offer any proof to rebut” the People’s evidence. *Id.*, ¶ 16.

Next, the Appellate Court addressed IronHustler’s challenges to the \$80,000 civil penalty. IronHustler claimed that it should not have been penalized at all for “wholly past” violations that it quickly remedied. *Id.*, ¶ 20. The court noted, however, that there is “no bar to the imposition of penalties for past violations of the Act.” *Id.*, ¶ 21. And as the cleanup occurred only after IronHustler “got caught dumping illegally,” a penalty “serves, in part, to force future compliance.” *Id.*, ¶¶ 21, 24. The court also agreed with the Board that the factors of Section 33(c) of the Act (415 ILCS 5/33(c)) supported imposing a penalty. IronHustler argued, for example, that the waste remained at the farm a short time and left behind no contamination. But the court emphasized that the waste was dumped “along the banks of and in a river” and its “mere dumping . . . interfered with or threatened the general welfare and health of the people.” *Id.*, ¶ 28. And the fact that the dumping was “orchestrated by rogue employees . . . does not relieve IronHustler of responsibility” as the “standard is whether the violator ‘has the capability of control over the pollution.’” *Id.*, ¶ 30 (citation omitted).

IronHustler also asserted that even if a penalty were called for, \$80,000 was too large under the factors of Section 42(h) of the Act (415 ILCS 5/42(h)). But again, the court found no fault with the Board’s reasoning. For example, IronHustler had twice previously been adjudicated to have violated the Act by open dumping. “Assessment of a substantial monetary penalty would serve to urge potential violators like IronHustler to comply with the Act initially, rather than after violating it.” *Id.*, ¶ 40.



RULEMAKING UPDATE

Board Adopts Drycleaning Facility Rules

On January 5, 2023, the Board issued a final order adopting rules that address licensing drycleaning facilities, overseeing their environmental insurance coverage, and administering State fund reimbursement for the costs of cleaning up drycleaning solvent releases. This rulemaking was initiated by the Illinois Environmental Protection Agency (IEPA) to address amendments to the Drycleaner Environmental Response Trust (DERT) Fund Act. These statutory amendments transferred oversight and implementation of the DERT Fund from the DERT Fund Council to IEPA.

After receiving IEPA's rulemaking proposal, the Board held public hearings, received public comment, and proposed rules for both first and second notice. At its December 13, 2022 meeting, the Joint Committee on Administrative Rules issued a certification of no objection on the rules. The Board's new rules appear at 35 Ill. Adm. Code 1501 and became effective on January 17, 2023. The Board also repealed DERT Fund Council rules at both 35 Ill. Adm. Code 1500 and 2 Ill. Adm. Code 3100. All these steps are designed to protect the environment and smoothly transition drycleaners to the new regulatory program.

This rulemaking is captioned Drycleaner Environmental Response Trust Fund Act Proposal to Add 35 Ill. Adm. Code Part 1501, Repeal 35 Ill. Adm. Code Part 1500, and Repeal 2 Ill. Adm. Code Part 3100, docket R21-19. Here is a link to the Board's [final order](#), which includes the text of new Part 1501. And here is a link to the Board's [first-notice order](#), in which the Board opened sub-docket R21-19(A) to consider minimum continuing education and compliance program requirements. For more information, please contact Marie Tipsord at 312-814-4925 or marie.tipsord@illinois.gov.



BOARD ACTIONS

October 20, 2022 Regular Meeting
By videoconference in Chicago and Springfield

RULEMAKING

[R20-19\(A\)](#) Standards for the Disposal of Coal Combustion Residuals in Surface Impoundments: Proposed New 35 Ill. Adm. Code 845 (Sub-Docket A) (Land) – The Board granted the Environmental Groups’ motion for leave to file—by November 18, 2022—a single reply to all responses to the motion to modify 35 Ill. Adm. Code 845.

ADMINISTRATIVE CITATIONS

[AC 23-3](#) Illinois Environmental Protection Agency v. Misty D. Whipple (Land) – The Board granted IEPA’s motion to withdraw this administrative citation.

ADJUDICATORY CASES

[PCB 13-72](#) People of the State of Illinois v. Petco Petroleum Corporation (Water – Enforcement) – In this enforcement action involving Petco Petroleum’s oil production facilities located in or near Fayette County, the Board granted the People’s motion for leave to file a first amended complaint.

[PCB 17-3](#) Dersch Energies, Inc. v. Illinois Environmental Protection Agency (UST Appeal) – In this underground storage tank (UST) appeal involving a Lawrence County site, the Board granted Dersch Energies’ request for reimbursement of legal fees and therefore directed IEPA to pay \$32,676.30 in legal fees from the UST Fund.

[PCB 21-78](#) KB Sullivan, Inc. v. Illinois Environmental Protection Agency (UST Appeal) – In this underground storage tank (UST) appeal involving a Moultrie County site, the Board granted KB Sullivan’s request for reimbursement of legal fees and therefore directed IEPA to pay \$7,860 in legal fees from the UST Fund.

[PCB 22-63](#) People of the State of Illinois v. Angel Oil Corporation (Air – Enforcement) – No action taken.

[PCB 22-82](#) People of the State of Illinois v. Gas N Go, Inc. (Air – Enforcement) – In this enforcement action involving a Cook County gas station, the Board granted the People’s motion to deem facts admitted and for summary judgment, found that Gas N Go violated Section 9(a) of the Environmental Protection Act (415 ILCS 5/9(a) (2020)) and Section 218.586(i)(1)(B) and (i)(2)(C) of the Board’s air pollution regulations (35 Ill. Adm. Code 218.586(i)(1)(B), (i)(2)(C)), and directed Gas N Go to pay a \$10,000 civil penalty.



- [PCB 22-88](#) People of the State of Illinois v. Mohammad Motlanio (Air – Enforcement) – In this enforcement action involving a Cook County gas station, the Board directed the Clerk to publish the required notice of the parties’ stipulation, proposal for settlement, and motion for relief from the hearing requirement.
- [PCB 22-89](#) People of the State of Illinois v. Parkland Enterprises, Inc. (Air – Enforcement) – In this enforcement action involving a Cook County gas station, the Board directed the Clerk to publish the required notice of the parties’ stipulation, proposal for settlement, and motion for relief from the hearing requirement.
- [PCB 22-90](#) People of the State of Illinois v. Parkland Enterprises, Inc. (Air – Enforcement) – In this enforcement action involving a Cook County gas station, the Board directed the Clerk to publish the required notice of the parties’ stipulation, proposal for settlement, and motion for relief from the hearing requirement.
- [PCB 23-6](#) Az Spe, LLC v. Illinois Environmental Protection Agency (UST Appeal) – Because Az Spe failed to file a petition for review during the extended appeal period, the Board dismissed the case and closed the docket.
- [PCB 23-13](#) Paul Christian Pratapas v. Lisle Township Highway Department (Water – Enforcement, Citizen) – In this citizen’s enforcement complaint alleging water violations in DuPage County, the Board granted Lisle Township’s motion to reject specified alleged violations as frivolous, granted Pratapas’ motion to modify the complaint, found that the complaint as modified was neither frivolous nor duplicative, and accepted the complaint as modified for hearing.
- [PCB 23-14](#) Paul Christian Pratapas v. Horizon Construction Group, Inc. (Water – Enforcement, Citizen) – In this citizen’s enforcement complaint alleging water violations in Will County, the Board granted Horizon Construction’s motion to reject specified alleged violations as frivolous, granted Pratapas’ motion to modify the complaint, found that the complaint as modified was neither frivolous nor duplicative, and accepted the complaint as modified for hearing.
- [PCB 23-48](#) People of the State of Illinois v. Sterigenics U.S., LLC (Land, Water – Enforcement) – Upon receiving a complaint, stipulation, proposed settlement, and agreed motion for relief from the hearing requirement in this enforcement action involving a DuPage County commercial sterilization facility, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.



November 3, 2022 Regular Meeting
By videoconference in Chicago and Springfield

RULEMAKING

- [R21-10](#) SDWA Update, USEPA Amendments (July 1, 2020 through December 31, 2020)
- [R22-2](#) SDWA Update, USEPA Amendments (January 1, 2021 through June 30, 2021)
[Consol.](#) (Public Water Supply) – The Board extended the deadline for final action to April 1, 2023.
- [R21-13](#) RCRA Subtitle C (Hazardous Waste) Update, USEPA Amendments (July 1, 2020 through December 31, 2020)
- [R22-13](#) RCRA Subtitle C (Hazardous Waste) Update, USEPA Amendments (July 1, 2021 through December 31, 2021)
- [R22-19](#) Corrections to RCRA Subtitle C and UIC Permit Rules (35 Ill. Adm. Code 702 through 705) (Land) – The Board extended the deadline for final action to July 1, 2023
[Consol.](#)

ADMINISTRATIVE CITATIONS

- [AC 23-4](#) Illinois Environmental Protection Agency v. Harold Edgil (Land) – After Edgil failed to timely file a petition to contest the administrative citation, the Board found that Edgil violated Section 21(p)(1) and (p)(3) of the Environmental Protection Act (415 ILCS 5/21(p)(1), (p)(3) (2020)), as alleged. Because there were two violations of Section 21(p), the Board ordered Edgil to pay a total civil penalty of \$3,000, reflecting the statutory penalty of \$1,500 per violation.

ADJUDICATORY CASES

- [PCB 11-50](#) People of the State of Illinois v. The City of Morris and Community Landfill Company, Inc. (Land – Enforcement) – In this enforcement action concerning a special waste and municipal solid waste landfill owned by the City of Morris in Grundy County, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered the City of Morris to pay a \$15,000 civil penalty and to cease and desist from further violations.
- [PCB 21-29](#) People of the State of Illinois v. LMS Industries, LLC and Top Metal Buyers, Inc. (Air, Land, RCRA – Enforcement) – In this enforcement action concerning Top Metal and LMS’ scrap metal recycling facility in St. Clair County, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Top Metal and LMS to pay a \$30,000 civil penalty and to cease and desist from further violations.



- [PCB 22-57](#) People of the State of Illinois v. SCI Box, LLC (Water, NPDES – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action concerning SCI Box’s corrugated cardboard box manufacturing facility in Jefferson County, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 22-63](#) People of the State of Illinois v. Angel Oil Corporation (Air – Enforcement) – The Board granted the People’s motion to dismiss this enforcement action without prejudice, dismissed the complaint, and closed the docket.
- [PCB 22-86](#) People of the State of Illinois v. 6702 Pulaski, LLC, d/b/a BP (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Cook County gas station, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 23-39](#) Malone Chemical, Inc. v. Illinois Environmental Protection Agency (Water – Tax Certification) – Based on the Agency’s recommendation and the Board’s technical review, the Board denied certification of the specified facilities as pollution control facilities after Malone Chemical failed to file a petition to contest.
- [PCB 23-47](#) People of the State of Illinois v. R & D #3, Inc. d/b/a BP AM PM Gas Station (Air – Enforcement) – In this enforcement action concerning a Lake County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered BP AM PM Gas Station to pay a \$5,000 civil penalty and to cease and desist from further violations.
- [PCB 23-50](#) People of the State of Illinois v. William M. Longwell (Land, Air – Enforcement) – The Board accepted for hearing the People’s eight-count complaint alleging violations by Longwell’s asbestos abatement service at a site in Williamson County.
- [PCB 23-51](#) People of the State of Illinois v. 3396 Green Bay, LLC (Air – Enforcement) – Having received a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Lake County gas station, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.



November 17, 2022 Regular Meeting
By videoconference in Chicago and Springfield

RULEMAKING

[R21-19](#)

Drycleaner Environmental Response Trust Fund Act Proposal to Add 35 Ill. Adm. Code Part 1501, Repeal 35 Ill. Adm. Code Part 1500, and Repeal 2 Ill. Adm. Code Part 3100 (Land) – The Board adopted a second-notice proposal in this rulemaking to effectuate the 2019 DERT Fund Act amendments.

ADMINISTRATIVE CITATIONS

[AC 23-5](#)

Illinois Environmental Protection Agency v. Roger R. Hutchinson, Jr. and Tammy O. Hutchinson (Land) – After the Hutchinsons failed to timely file a petition to contest the administrative citation, the Board found that they violated Section 21(p)(1) and (p)(3) of the Environmental Protection Act (415 ILCS 5/21(p)(1), (p)(3) (2020)), as alleged. Because there were two violations of Section 21(p), the Board ordered the Hutchinsons to pay a total civil penalty of \$3,000, reflecting the statutory penalty of \$1,500 per violation.

ADJUDICATORY CASES

[PCB 22-41](#)

People of the State of Illinois v. Rockbuild Enterprises, Inc. (Air – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action concerning Rockbuild’s Lake County gas station, the Board directed the Clerk to provide the required newspaper notice.

[PCB 23-25](#)

City of North Chicago v. Illinois Environmental Protection Agency (Land, RCRA – Permit Appeal) – Because the City of North Chicago failed to file a petition during the extended appeal period, the Board dismissed the case and closed the docket.

[PCB 23-26](#)

Village of Niles v. Illinois Environmental Protection Agency (UST Appeal) – Because the Village of Niles failed to file a petition during the extended appeal period, the Board dismissed the case and closed the docket.

[PCB 23-46](#)

Aqua Illinois, Inc. v. Illinois Environmental Protection Agency (Permit Appeal – Public Water Supply) – The Board denied as untimely the joint request to further extend the appeal period, construed the request as Aqua’s timely petition for review, and granted Aqua until January 3, 2023, to file an amended petition.



[PCB 23-52](#) People of the State of Illinois v. Combined Real Estate, LLC (Air – Enforcement) – Having received a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Will County gas station, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.

[PCB 23-53](#) People of the State of Illinois v. Hueber, LLC (Air – Enforcement) – Having received a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving an Ogle County animal feed handling and storage facility, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.

December 1, 2022 Regular Meeting
By videoconference in Chicago and Springfield

TIME-LIMITED WATER QUALITY STANDARDS

[PCB 19-32](#) Ingredion Incorporated v. Illinois Environmental Protection Agency (Time-Limited WQS) – The Board granted Ingredion’s motion to voluntarily dismiss this petition concerning Ingredion’s plant in Cook County.

ADJUDICATORY CASES

[PCB 22-64](#) People of the State of Illinois v. The City of Morris and Community Landfill Company Inc. (Land – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Grundy County special waste and municipal solid waste landfill, the Board directed the Clerk to provide the required newspaper notice of the settlement-related filings.

[PCB 22-65](#) People of the State of Illinois v. South Side Equipment, Inc. and Illinois Tire Recycling Corporation (Land – Enforcement) – Upon receiving a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action concerning a site in Cook County, the Board directed the Clerk to provide the required newspaper notice.

[PCB 22-88](#) People of the State of Illinois v. Mohammad Motlanio (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Motlanio to pay a \$5,000 civil penalty and to cease and desist from further violations.



[PCB 22-89](#) People of the State of Illinois v. Parkland Enterprises, Inc. (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Parkland to pay a \$5,000 civil penalty and to cease and desist from further violations.

[PCB 22-90](#) People of the State of Illinois v. Parkland Enterprises, Inc. (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Parkland to pay a \$5,000 civil penalty and to cease and desist from further violations.

[PCB 23-48](#) People of the State of Illinois v. Sterigenics U.S., LLC (Land, Water – Enforcement) – In this enforcement action concerning a DuPage County commercial sterilization facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted a stipulation and proposed settlement, and ordered Sterigenics to pay a \$65,000 civil penalty and to cease and desist from further violations.

[PCB 23-56](#) Countryside Disposal, LLC v. Fayette County (Pollution Control Facility Siting Review) – The Board accepted for hearing Countryside’s petition for review of Fayette County’s decision denying Countryside’s application to site a pollution control facility.

[PCB 23-61](#) People of the State of Illinois v. Aurora Redevelopment Company, LLC (Air – Enforcement) – Having received a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action involving a Kane County gas station, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.

December 15, 2022 Regular Meeting
By videoconference in Chicago and Springfield

RULEMAKING

[R23-18](#) Amendments to 35 Ill. Adm. Code Parts 201, 202, and 212 (Air) – The Board accepted for hearing the Illinois Environmental Protection Agency’s rulemaking proposal filed under the “fast-track” provisions of Section 28.5 of the Environmental Protection Act (Act). The Board also granted IEPA’s motion for waiver of specified copy requirements. Finally, without commenting on the proposal’s substantive merits, the Board directed the Clerk to submit the proposal for first-notice publication in the *Illinois Register*.



ADJUDICATORY CASES

- PCB 13-15** Sierra Club, Environmental Law and Policy Center, Prairie Rivers Network, and Citizens Against Ruining the Environment v. Midwest Generation (Land – Enforcement) – In this citizen enforcement action concerning electric generating stations in several counties, the Board denied Midwest Generation’s motion to stay the proceedings, denied the Environmental Groups’ motion for sanctions, and denied the parties’ respective motions for interlocutory appeal of a hearing officer order.
- PCB 19-2** Reliable Stores, Inc. v. Office of State Fire Marshal (UST Appeal) – In this appeal of an OSFM determination concerning a Cook County gas station, the Board exercised its discretion to award legal fees and directed the Illinois Environmental Protection Agency to reimburse Reliable Stores \$33,106.65 in legal fees from the Underground Storage Tank Fund.
- PCB 22-43** People of the State of Illinois v. Arif Shiekh (Air – Enforcement) – In this enforcement action concerning a Kane County gas station, the Board granted the People’s unopposed motion to deem facts admitted and for summary judgment and directed Shiekh to pay a civil penalty of \$10,000.
- PCB 22-57** People of the State of Illinois v. SCI Box, LLC (Water, NPDES – Enforcement) – In this enforcement action concerning a Jefferson County corrugated cardboard box manufacturing facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted the parties’ stipulation and proposed settlement, and ordered SCI Box to pay a civil penalty of \$15,000 and to cease and desist from further violations.
- PCB 22-77** People of the State of Illinois v. Lala Kala, Inc. (Air – Enforcement) – In this enforcement action concerning a DuPage County gas station, the Board denied Lala Kala’s motion to dismiss as untimely.
- PCB 22-86** People of the State of Illinois v. 6702 Pulaski, LLC, d/b/a BP (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted the parties’ stipulation and proposed settlement, and ordered 6702 Pulaski to pay a civil penalty of \$5,000 and to cease and desist from further violations.
- PCB 23-9** People of the State of Illinois v. La Fox BP, Inc. (Air – Enforcement) – In this enforcement action concerning a Kane County gas station, the Board granted the People’s unopposed motion for leave to file a first amended complaint adding Fox River Petro, LLC as a respondent and accepted the first amended complaint for hearing.



- PCB 23-11** People of the State of Illinois v. Emanuel Joseph, individually and d/b/a Shell (Air – Enforcement) – Upon receiving a stipulation, proposed settlement, and request for relief from the hearing requirement in this enforcement action concerning a Cook County gas station, the Board directed the Clerk to provide the required newspaper notice.
- PCB 23-12** Aqua Illinois, Inc. v. Illinois Environmental Protection Agency (Public Water Supply – Permit Appeal) – In this appeal of a Special Exception Permit issued by IEPA to Aqua Illinois for its University Park public water system in Will and Cook Counties, the Board found Aqua Illinois’ appeal to be moot. The Board also denied Aqua Illinois’ motion for interlocutory appeal of a hearing officer order.
- PCB 23-35** People of the State of Illinois v. 3803 Roosevelt LLC, d/b/a BP (Air – Enforcement) – Upon receiving a stipulation, proposed settlement, and request for relief from the hearing requirement in this enforcement action concerning a Cook County gas station, the Board directed the Clerk to provide the required newspaper notice.
- PCB 23-50** People of the State of Illinois v. William M. Longwell (Land, Air – Enforcement) – In this enforcement action concerning alleged unlawful disposal at a Williamson County site by an asbestos abatement service, the Board directed the People to file the required proof of service within 30 days or face dismissal of the complaint.
- PCB 23-51** People of the State of Illinois v. 3396 Green Bay, LLC (Air – Enforcement) – In this enforcement action concerning a Lake County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2020)), accepted the parties’ stipulation and proposed settlement, and ordered 3396 Green Bay to pay a civil penalty of \$5,000 and to cease and desist from further violations.
- PCB 23-54** Paul Christian Pratapas v. Wagner Farms by Pulte Homes (Water, NPDES – Enforcement, Citizen) – In this citizen enforcement action concerning Will County residential construction, the Board directed Pratapas to provide the required proof of service within 30 days or face dismissal of the complaint.
- PCB 23-65** People of the State of Illinois v. Mohammed Abdallah (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board accepted the People’s complaint for hearing.



[PCB 23-66](#) People of the State of Illinois v. Thattamattom, Inc. (Air – Enforcement) – Having received a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action concerning a Cook County gas station, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.

[PCB 23-68](#) People of the State of Illinois v. Diamond Cellophane Products, LLC, f/k/a Diamond Cellophane Products, Inc., d/b/a Diamond Flexible Packaging Company (Air – Enforcement) – Having received a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action concerning a Cook County plastic film processing, printing, laminating, and converting facility, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.

[PCB 23-70](#) People of the State of Illinois v. Shivan Properties, LLC (Air – Enforcement) – Having received a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action concerning a McHenry County gas station, the Board accepted the complaint and directed the Clerk to provide the required newspaper notice of the settlement-related filings.

January 5, 2023 Regular Meeting By Videoconference in Chicago and Springfield

RULEMAKING

[R21-19](#) Drycleaner Environmental Response Trust Fund Act Proposal to Add 35 Ill. Adm. Code Part 1501, Repeal 35 Ill. Adm. Code Part 1500, and Repeal 2 Ill. Adm. Code Part 3100 (Land) – The Board adopted a final opinion and order in this rulemaking to adopt rules implementing the Drycleaner Environmental Response Trust (DERT) Fund Act (415 ILCS 135; Public Act 101-400, eff. July 1, 2020) and requesting leave to make a few non-substantive changes per JCAR agreement prior to publication.

ADJUDICATORY CASES

[PCB 22-41](#) People of the State of Illinois v. Rockbuild Enterprises, Inc. (Air – Enforcement) – In this enforcement action concerning a Lake County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 IL 5/31(c)(1) (2020)), accepted the parties' stipulation and proposed settlement, and ordered Rockbuild to pay a civil penalty of \$5,000 and to cease and desist from further violations.



- [PCB 22-64](#) People of the State of Illinois v. MMJA Petro, Inc., d/b/a Marathon Fuel and Mini Mart (Air – Enforcement) – In this enforcement action concerning a Cook County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 IL 5/31(c)(1) (2020)), accepted the parties’ stipulation and proposed settlement, and ordered MMJA Petro Enterprises to pay a civil penalty of \$5,000 and to cease and desist from further violations.
- [PCB 22-65](#) People of the State of Illinois v. South Side Equipment, Inc. and Illinois Tire Recycling Corporation (Land – Enforcement) – In this enforcement action concerning a Cook County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 IL 5/31(c)(1) (2020)), accepted the parties’ stipulation and proposed settlement, and ordered respondents to jointly and severally pay a civil penalty of \$8,000 and to cease and desist from further violations.
- [PCB 23-43](#) People of the State of Illinois v. Bhaganwali Inc. (Air – Enforcement) – Upon receiving a stipulation, proposed settlement, and request for relief from the hearing requirement in this enforcement action concerning a Will County gas station, the Board directed the Clerk to provide the required newspaper notice.
- [PCB 23-52](#) People of the State of Illinois v. Combined Real Estate, LLC (Air – Enforcement) – In this enforcement action concerning a Will County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 IL 5/31(c)(1) (2020)), accepted the parties’ stipulation and proposed settlement, and ordered Combined Real Estate to pay a civil penalty of \$5,000 and to cease and desist from further violations.
- [PCB 23-53](#) People of the State of Illinois v. Hueber, LLC (Air – Enforcement) – In this enforcement action concerning an Ogle County animal feed handling and storage facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 IL 5/31(c)(1) (2020)), accepted the parties’ stipulation and proposed settlement, and ordered Hueber to pay a civil penalty of \$15,000 and to cease and desist from further violations.
- [PCB 23-56](#) Countryside Disposal, LLC v. Fayette County (Pollution Control Facility Siting Review) – In this appeal of Fayette County’s denial of Countryside Disposal’s application to site a pollution control facility, the Board granted Countryside Disposal’s motion for voluntary dismissal, dismissed the appeal, and closed the docket.



- PCB 23-61** People of the State of Illinois v. Aurora Redevelopment Company, LLC (Air – Enforcement) – In this enforcement action concerning a Kane County gas station, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 IL 5/31(c)(1) (2020)), accepted the parties’ stipulation and proposed settlement, and ordered Aurora Redevelopment to pay a civil penalty of \$5,000 and to cease and desist from further violations.
- PCB 23-65** People of the State of Illinois v. Mohammed Abdallah (Air – Enforcement) – Having received a stipulation, proposed settlement, and request for relief from the hearing requirement in this enforcement action concerning a Cook County gas station, the Board directed the Clerk to provide the required newspaper notice.
- PCB 23-78** North Shore Mosquito Abatement District v. Illinois Environmental Protection Agency (UST Appeal) – The Board accepted a manager’s letter submitted on behalf of North Shore Mosquito Abatement District as a timely petition for review, but the Board directed the District to file by February 6, 2023, an amended petition remedying the deficiencies specified by the Board.
- PCB 23-80** People of the State of Illinois v. Village of Broadwell (Water, NPDES – Enforcement) – Having received a complaint, a stipulation, a proposed settlement, and an agreed motion for relief from the hearing requirement in this enforcement action concerning a Logan County public water supply facility, the Board directed the Clerk to provide the required newspaper notice of the settlement-related filings.



CALENDAR

Thursday, February 2, 2023 (11:00 AM)

Board meeting by videoconference

Michael A. Bilandic Building, 160 N. LaSalle St., Room N-505, Chicago and
1021 North Grand Avenue East, Room 1244 N (First Floor) Springfield

Thursday, February 16, 2023 (9:00 AM)

Hearing: Amendments to 35 Ill. Adm. Code Parts 201, 202, and 212, R23-18

Michael A. Bilandic Building, 160 N. LaSalle St., Room N-505, Chicago

Thursday, February 16, 2023 (11:00 AM)

Board meeting by videoconference

Michael A. Bilandic Building, 160 N. LaSalle St., Room N-505, Chicago and
1021 North Grand Avenue East, Room 1244 N (First Floor) Springfield

Thursday, March 2, 2023 (9:00 AM)

Hearing (if necessary): Amendments to 35 Ill. Adm. Code Parts 201, 202, and 212, R23-18

Illinois Pollution Control Board Conference Room, First Floor, 1021 North Grand Avenue East, Springfield (North Entrance)

Thursday, March 2, 2023 (11:00 AM)

Board meeting by videoconference

Michael A. Bilandic Building, 160 N. LaSalle St., Room N-505, Chicago and
1021 North Grand Avenue East, Room 1244 N (First Floor) Springfield

Thursday, March 16, 2023 (11:00 AM)

Board meeting by videoconference

Michael A. Bilandic Building, 160 N. LaSalle St., Room N-505, Chicago and
1021 North Grand Avenue East, Room 1244 N (First Floor) Springfield

Thursday, April 6, 2023 (11:00 AM)

Board meeting by videoconference

Michael A. Bilandic Building, 160 N. LaSalle St., Room N-505, Chicago and
1021 North Grand Avenue East, Room 1244 N (First Floor) Springfield

Thursday, April 20, 2023 (11:00 AM)

Board meeting by videoconference

Michael A. Bilandic Building, 160 N. LaSalle St., Room N-505, Chicago and
1021 North Grand Avenue East, Room 1244 N (First Floor) Springfield

The events listed above are subject to change, and more events may be added. Here is a link to the [Board's current calendar](#).



RESTRICTED STATUS / CRITICAL REVIEW LISTS

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
Division of Public Water Supplies



Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies

January 2023

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
ALBION	IL0470050	7	MANGANESE MCL VIOLATION	2938	1/19/2022
ALTO PASS WATER DISTRICT	IL1815150	7	INADEQUATE SOURCE CAPACITY	1054	6/30/2021
ANDOVER	IL0730100	1	NO BACKUP SOURCE	644	3/24/2016
AQUA ILLINOIS - CRYSTAL CLEAR WATER CO.	IL1115150	2	NO EMERGENCY POWER & NO PRESSURE TANK	855	9/16/1988
AQUA ILLINOIS - NUNDA	IL1115600	2	INADEQUATE PRESSURE TANK	570	4/1/2015
ARCADIA CARE	IL0755389	4	NO OPTIMAL CORROSION CONTROL TREATMENT	55	5/21/2021
ATLANTA**	IL1070050	5	MINIMUM CHLORINE RESIDUAL VIOLATION	1692	3/23/2022
AVANTARA LONG GROVE	IL0971110	2	INADEQUATE PRESSURE TANK	200	12/1/2003
BAHL WATER CORP	IL0855200	1	NO ELEVATED OR GROUND STORAGE	700	12/15/1993
BARBERRY ACRES MHP	IL0915145	2	NO CHLORINE FEED SYSTEM; INADEQUATE PRESSURE TANK	61	10/31/2018
BILL-MAR HEIGHTS MHP	IL2015345	1	INADEQUATE PRESSURE TANK	160	3/18/1983
BISHOP HILL	IL0730250	1	NO BACKUP SOURCE	137	11/14/2017
BONNIE	IL0810150	7	INADEQUATE ELEVATED STORAGE CAPACITY	527	7/20/2018
BROADVIEW ESTATES EAST PEORIA	IL1795365	5	INADEQUATE PRESSURE TANK	300	3/18/1983
BUFFALO HOLLOW FARMS WATER ASSOCIATION	IL1430080	5	INADEQUATE PRESSURE TANK	45	6/16/2008
BUSY BEE MHP #1	IL1975195	2	INADEQUATE PRESSURE TANK	25	7/15/2022
CAPRON MHP	IL0075105	1	INADEQUATE PRESSURE TANK	98	3/18/1983
CENTRAL MACOUPIN RURAL WATER DISTRICT	IL1170040	5	MINIMUM CHLORINE RESIDUAL VIOLATION	1825	8/29/2018
CENTURY PINES APARTMENTS	IL0150020	1	INADEQUATE PRESSURE TANK	25	12/14/1990
CHAIN-O-LAKES MHP	IL0975165	2	INADEQUATE PRESSURE TANK	81	12/15/1989
CHESTERFIELD	IL1170200	5	MINIMUM CHLORINE RESIDUAL VIOLATION	180	8/29/2018
CLARKS MHP	IL2015425	1	INADEQUATE PRESSURE TANK	80	12/16/1991
COBDEN	IL1810150	7	INADEQUATE SOURCE CAPACITY	1343	6/30/2021
COLONIAL MEADOWS	IL1135100	6	MINIMUM CHLORINE RESIDUAL VIOLATION	190	9/19/2018
COMPTON	IL1030150	1	TOTAL TRIHALOMETHANE MCL VIOLATION & HALOACETIC ACID MCL VIOLATION	300	4/9/2021



COOKS MILLS WATER ASSOCIATION	IL0295200	4	INADEQUATE SOURCE CAPACITY AND INADEQUATE TREATMENT CAPACITY	600	12/29/2021
COUNTRY ACRES MHP (LA SALLE COUNTY)	IL0995365	1	COMBINED RADIUM AND GROSS ALPHA MCL VIOLATIONS	192	5/26/2021
COUNTRY VIEW ESTATES SUBDIVISION	IL1415220	1	MINIMUM CHLORINE RESIDUAL VIOLATION	120	12/12/2018
COYNE CENTER COOP	IL1615150	1	INADEQUATE PRESSURE TANK	150	12/15/1997
CRISWELL COURT MHP	IL1975105	2	INADEQUATE PRESSURE TANK	136	12/15/1989

Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies

January 2023

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
DANVERS	IL1130450	4	MANGANESE MCL VIOLATION	1183	1/18/2022
DAYSPRING BIBLE COLLEGE	IL0977189	2	INADEQUATE PRESSURE TANK	60	6/15/1988
DES PLAINES MHP	IL0317775	2	INADEQUATE SOURCE CAPACITY, INADEQUATE PRESSURE TANK, AND GROSS ALPHA MCL VIOLATION	581	3/16/1984
DONNELLSON	IL0054360	6	TOTAL TRIHALOMETHANES MCL VIOLATION AND HALOACETIC ACID MCL VIOLATION	210	7/25/2019
DONOVAN	IL0750400	4	NO CORROSION CONTROL TREATMENT	306	7/23/2021
EAST END WATER ASSOCIATION	IL1610140	1	INADEQUATE PRESSURE TANK	40	3/15/2002
EAST MORELAND WATER ASSOCIATION	IL1975600	2	NO ELEVATED OR GROUND STORAGE	1055	9/9/2016
EDELSTEIN WATER COOPERATIVE	IL1435150	5	INADEQUATE GROUND STORAGE	125	1/1/2015
EDINBURG*	IL0210150	5	TOTAL TRIHALOMETHANES MCL VIOLATION	1068	12/16/2022
EHLERS MHP	IL0195645	4	INADEQUATE PRESSURE TANK	112	12/17/1982
ELIZABETH (upper elevation area)	IL0850150	1	LOW SYSTEM PRESSURE	675	6/15/1999
EXETER - MERRITT WATER COOP	IL1710010	5	INADEQUATE STORAGE CAPACITY	765	10/1/2013
FALCON FARMS	IL1617635	1	NO ELEVATED OR GROUND STORAGE	475	10/31/2019
FORD HEIGHTS*	IL0310720	2	MINIMUM CHLORINE RESIDUAL VIOLATION	1813	12/9/2022
FOUR STAR CAMPGROUND	IL0990060	1	INADEQUATE PRESSURE TANK	150	6/15/1999
GERMANTOWN	IL0270350	6	MINIMUM CHLORINE RESIDUAL VIOLATION	1481	6/30/2021
GOLCONDA*	IL1510100	7	INADEQUATE SOURCE CAPACITY	672	9/14/2022
GREEN MEADOWS ESTATES OF ROCKFORD LLC	IL2015495	1	COMBINED RADIUM MCL VIOLATION; INADEQUATE GROUND STORAGE & INADEQUATE PRESSURE TANK	970	6/15/2012
HARVEST ESTATES	IL0915165	2	INADEQUATE PRESSURE TANK	54	4/18/2019
HAWTHORN ESTATES SUBDIVISION	IL0630030	2	INADEQUATE PRESSURE TANK	49	4/7/2017
HETTICK	IL1170500	5	MINIMUM CHLORINE RESIDUAL VIOLATION	182	6/30/2021



HIGHLAND SUBDIVISON	IL0895530	2	INADEQUATE PRESSURE TANK	40	9/16/1983
HILLCREST	IL1410250	1	INADEQUATE SOURCE CAPACITY	1400	2/13/2018
HILLSDALE ESTATES, LLC	IL1615530	1	INADEQUATE PRESSURE TANK	63	3/18/1983
HILLSDALE PROPERTIES	IL1615728	1	INADEQUATE PRESSURE TANK	60	1/14/1982
HILLVIEW	IL0610200	6	NITRATE MCL VIOLATION	150	11/6/2020
HOLLY HOCK HILL MHP	IL0975245	2	INADEQUATE PRESSURE TANK	52	12/16/1983
HONEYCUTT HILL MHP LLC	IL1955225	1	INADEQUATE PRESSURE TANK	75	9/17/1982
IL AMERICAN - ANDALUSIA (upper elevation area)	IL1610050	1	LOW SYSTEM PRESSURE	1050	10/1/2003

Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies

January 2023

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
ILLIOPOLIS	IL1670550	5	TOTAL TRIHALOMETHANES MCL VIOLATION	1046	12/29/2021
INGALLS PARK SUBDIVISION	IL1975880	2	NO ELEVATED OR GROUND STORAGE	744	9/16/1983
JASPER WATERWORKS CORP*	IL1910020	7	MINIMUM CHLORINE RESIDUAL VIOLATION	1483	10/28/2022
JONESBORO	IL1810250	7	TOTAL TRIHALOMETHANE MCL VIOLATION	1905	7/6/2022
JON'S MHP	IL0990020	1	NITRATE MCL VIOLATION	92	12/29/2021
KINGSTON	IL0370250	1	NO OPTIMAL CORROSION CONTROL TREATMENT	1160	2/16/2022
LAND AND WATER ASSOCIATION	IL0995050	1	COMBINED RADIUM MCL VIOLATION	100	8/26/2022
LASALLE	IL0990300	1	TOTAL TRIHALOMETHANES MCL VIOLATION	9700	5/25/2022
LEWISTOWN	IL0570600	5	MANGANESE MCL VIOLATION	2400	12/29/2021
LIBERTY PARK HOMEOWNERS' ASSOCIATION	IL0435600	2	INADEQUATE GROUND STORAGE CAPACITY	837	9/17/1992
LICK CREEK PWD	IL1815100	7	INADEQUATE SOURCE CAPACITY	1923	6/30/2021
LIMA	IL0010400	5	INADEQUATE SOURCE CAPACITY & NITRATE MCL VIOLATION	163	5/4/2016
LINWAY ESTATES MHP	IL0315935	2	NO ELEVATED OR GROUND STORAGE	460	2/28/2017
LISBON NORTH, INC.	IL0631000	2	INADEQUATE PRESSURE TANK	25	9/14/1990
LOCKPORT TOWNSHIP WATER SYSTEM	IL1978100	2	NO OPTIMAL CORROSION CONTROL TREATMENT	2610	1/19/2022
LONDON MILLS	IL0574620	5	INADEQUATE SOURCE CAPACITY	500	7/13/2022
LYNNWOOD WATER CORPORATION	IL0995336	1	INADEQUATE PRESSURE TANK	110	3/18/1983
MALTA	IL0370350	1	NO AUTO-START GENERATOR & INADEQUATE HIGH SERVICE PUMP CAPACITY	1175	6/15/2012
MANCUSO VILLAGE PARK MHP	IL2015545	1	INADEQUATE PRESSURE TANK	500	6/18/1982
MANTENO MHP	IL0915385	2	INADEQUATE PRESSURE TANK	144	12/14/1990
MAPLETON	IL1430500	5	NO OPTIMAL CORROSION CONTROL TREATMENT	250	5/13/2022
MARENGO	IL1110650	2	INADEQUATE SOURCE WATER TREATMENT	7439	8/19/2022



MARK	IL1550250	1	TOTAL TRIHALOMETHANES MCL VIOLATION	555	6/24/2022
MAZON	IL0630500	2	MANGANESE MCL VIOLATION	1015	7/8/2022
MILLSTONE PWD	IL1515050	7	INADEQUATE SOURCE CAPACITY	5445	8/31/2022
MOUNT ERIE	IL1910350	7	INADEQUATE SOURCE CAPACITY	119	5/21/2021
MOUNT ZION	IL1150350	4	TOTAL TRIHALOMETHANES MCL VIOLATION	5833	1/19/2022
MULBERRY GROVE	IL0050100	6	TOTAL TRIHALOMETHANES MCL VIOLATION AND HALOACETIC ACID MCL VIOLATION	725	5/26/2021

Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies

January 2023

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
NASON	IL0810350	7	NO STORAGE	243	5/25/2022
NEPONSET	IL0110700	1	MINIMUM CHLORINE RESIDUAL VIOLATION	374	4/17/2019
NOBLE	IL1590150	7	TOTAL TRIHALOMETHANES MCL VIOLATION	840	7/15/2022
OAK RIDGE SD	IL2035300	1	INADEQUATE PRESSURE TANK	240	3/20/1981
OSCO MUTUAL WATER SUPPLY COMPANY, INC.	IL0735200	1	INADEQUATE PUMP CAPACITY	115	12/15/1989
OTTAWA ESTATES MHP	IL0995225	1	INADEQUATE PRESSURE TANK	115	3/18/1983
PARADISE MANOR MHP	IL1617665	1	INADEQUATE PRESSURE TANK	193	2/19/1982
PARK MEADOWLAND WEST MHP	IL0075235	1	INADEQUATE PRESSURE TANK	100	3/18/1982
PAULS MHP	IL0975485	2	INADEQUATE PRESSURE TANK	38	12/16/1983
PEORIA HEIGHTS	IL1434750	5	MANGANESE MCL VIOLATION	6156	12/29/2021
PHIL-AIRE ESTATES MHP	IL2015625	1	COMBINED RADIUM MCL VIOLATION	80	5/20/2022
PORT BYRON	IL1610550	1	MANGANESE MCL VIOLATION	1678	1/19/2022
PORTS SULLIVAN LAKE OWNERS' ASSOCIATION	IL0971160	2	INADEQUATE PRESSURE TANK	293	6/15/1999
PRAIRIE PATH WATER - LAKE HOLIDAY	IL0995200	1	INADEQUATE TREATMENT CAPACITY	6479	4/1/2015
PRAIRIE PATH WATER - WALK-UP WOODS WATER COMPANY	IL1115800	2	NO ELEVATED OR GROUND STORAGE	781	12/17/1982
PRAIRIE ROAD PUMP ASSOCIATION	IL2015100	1	INADEQUATE PRESSURE TANK	150	1/1/2006
RAINBOW LANE MHP	IL2015645	1	INADEQUATE PRESSURE TANK	83	6/17/1983
ROCKLAND MHP	IL0975585	2	INADEQUATE PRESSURE TANK	165	12/16/1983
ROYAL OAKS MHP	IL1115145	2	INADEQUATE PRESSURE TANK	114	6/17/1983
SCALES MOUND	IL0850400	1	LOW SYSTEM PRESSURE (at elev. above 990 ft. MSL)	401	9/15/1997
SENECA MOBILE HOMES LLC	IL0995425	1	INADEQUATE PRESSURE TANK	73	9/17/1982
SHANGRI-LA MHP	IL1415285	1	INADEQUATE PRESSURE TANK	444	9/16/1983
SHAWNITA TRC WATER ASSOCIATION	IL1977690	2	INADEQUATE PRESSURE TANK	135	9/17/1992
SILVIS HEIGHTS WATER CORP	IL1615750	1	NO EMERGENCY GENERATOR	1600	12/1/2003
SIX OAKS MHP	IL2015685	1	INADEQUATE PRESSURE TANK	48	6/18/1982
SOUTH JACKSONVILLE	IL1370400	5	INADEQUATE SOURCE CAPACITY	3508	8/19/2022
SOUTH PEKIN	IL1790650	5	MANGANESE MCL VIOLATION	1146	1/19/2022



SPIN LAKE HOMEOWNERS' ASSOCIATION	IL1135140	4	NITRITE MCL VIOLATION	200	10/1/2021
STEPHENSON MOBILE ESTATES	IL1775235	1	INADEQUATE PRESSURE TANK AND INADEQUATE CHLORINE RESIDUAL	223	6/17/1983
STONEWOOD EDGEWOOD TERRACE LLC*	IL1795345	5	INADEQUATE CHLORINE RESIDUAL	250	10/28/2022
SUBURBAN APARTMENTS (DE KALB UNIV DVL)	IL0375148	1	INADEQUATE PRESSURE TANK	1050	12/16/1992
SUNNY HILLS ESTATES SUBDIVISION	IL0735300	1	INADEQUATE PRESSURE TANK	525	6/15/2000
SUNNYLAND SUBDIVISION	IL1977730	2	INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK	300	6/12/2018
SWEDONA WATER ASSOCIATION	IL1315200	1	INADEQUATE PRESSURE TANK	157	6/15/1990
SYLVAN LAKE 1ST SUBDIVISION	IL0977100	2	INADEQUATE PRESSURE TANK	210	6/14/1991

Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies

January 2023

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
TABLE GROVE	IL0570900	5	TOTAL TRIHALOMETHANES MCL VIOLATION	416	9/4/2020
TIMBER RIDGE MOBILE ESTATES	IL1775255	1	INADEQUATE PRESSURE TANK	150	6/17/1996
TOWNERS SUBDIVISION	IL0977250	2	INADEQUATE PRESSURE TANK	204	1/14/1982
VALLEY VIEW SUBDIVISION (WOODFORD COUNTY)	IL2030010	1	INADEQUATE PRESSURE TANK	100	6/15/2012
VERMONT	IL0570950	5	TOTAL TRIHALOMETHANE MCL VIOLATION & HALOACETIC ACID MCL VIOLATION	660	5/27/2020
VILLAGE GREEN MHP	IL1195350	6	TOTAL TRIHALOMETHANES MCL VIOLATION	220	7/6/2022
WALTONVILLE	IL0810400	7	LOW SYSTEM PRESSURE AND NOT MEETING STORAGE, PUMPING, AND EMERGENCY GENERATOR REQUIREMENTS	1933	5/25/2022
WEST LIBERTY - DUNDAS WATER DISTRICT	IL1595050	7	TOTAL TRIHALOMETHANE MCL VIOLATION	549	7/15/2022
WESTFIELD	IL0230200	4	NO OPTIMAL CORROSION CONTROL TREATMENT	678	2/16/2022
WILLOWAY TERRACE MHP	IL0317595	2	NO ELEVATED OR GROUND STORAGE & INADEQUATE SOURCE CAPACITY	900	6/15/1984
WINDSOR	IL1730550	4	NO OPTIMAL CORROSION CONTROL TREATMENT	1200	3/23/2022
WOOD DALE ESTATES**	IL0437245	2	INADEQUATE PRESSURE TANK & LACK OF A CHLORINE FEED SYSTEM	145	6/17/1983
WOODLAND	IL0751000	4	INADEQUATE SOURCE CAPACITY	319	7/15/2022



Illinois Environmental Protection Agency
 Division of Public Water Supplies
 Critical Review List – Community Water Supplies

January 2023

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
AIR VIEW MHP	IL1615185	1	NO BACKUP SOURCE	164	8/7/2020
ANCHOR	IL1130050	4	ONLY ONE WELL	155	8/28/2020
AQUA ILLINOIS - HIGHLAND ESTATES	IL0915220	2	ONLY ONE WELL	171	1/13/2021
AQUA ILLINOIS - INDIANOLA	IL1830500	4	ONLY ONE WELL	224	12/11/2020
AQUA ILLINOIS - SKYLINE	IL0915450	2	ONLY ONE WELL	208	1/8/2021
AQUA ILLINOIS - SUN RIVER TERRACE	IL0910720	2	ONLY ONE WELL	495	1/13/2021
BEAVER CREEK VILLAGE MHP	IL0755125	4	ONLY ONE WELL	48	1/6/2021
BROWNING	IL1690050	5	ONLY ONE WELL	175	12/2/2020
BUFFALO HOLLOW FARMS WATER ASSOCIATION	IL1430080	5	ONLY ONE WELL	45	7/22/2020
BUSY BEE MHP #1	IL1975195	2	ONLY ONE WELL	25	12/4/2020
CAMP GROVE	IL1235100	1	ONLY ONE WELL	75	6/24/2020
CANTON	IL0570250	5	INADEQUATE TREATMENT CAPACITY	13932	3/15/2007
CAPRON MHP	IL0075105	1	ONLY ONE WELL	98	1/27/2021
CARBON HILL	IL0630100	2	INADEQUATE TREATMENT CAPACITY	392	12/14/2016
CARROLL HEIGHTS UTILITIES COMPANY	IL0155200	1	ONLY ONE WELL	80	1/27/2021
CEDAR BROOK ESTATES SUBDIVISION	IL1615170	1	ONLY ONE WELL	200	8/7/2020
CEDAR POINT WATER COMPANY	IL0995040	1	ONLY ONE WELL	300	8/26/2020
CEDAR WATER COMPANY, INC.	IL0955150	5	ONLY ONE WELL	160	1/13/2021
CENTURY PINES APARTMENTS	IL0150020	1	ONLY ONE WELL	25	1/27/2021
CHAIN-O-LAKES MHP	IL0975165	2	ONLY ONE WELL	81	8/28/2020
CHERRYDALE SUBDIVISION	IL1615120	1	ONLY ONE WELL	80	8/5/2020
CHIGAKWA PARK ESTATES	IL1615140	1	ONLY ONE WELL	53	8/7/2020
CLARKS MHP	IL2015425	1	ONLY ONE WELL	80	12/4/2020
COAL CITY	IL0630200	2	INADEQUATE TREATMENT CAPACITY	5587	12/14/2016
COLONIAL MEADOWS	IL1135100	6	ONLY ONE WELL	190	9/26/2020
COUNTRY LANE MHP	IL1135385	4	ONLY ONE WELL	35	6/24/2020
COUNTRY TYME ESTATES	IL0195865	4	ONLY ONE WELL	120	1/27/2021
COUNTRY VIEW ESTATES MHP	IL0195625	4	ONLY ONE WELL	97	1/27/2021
COUNTRY VIEW ESTATES SUBDIVISION	IL1415220	1	ONLY ONE WELL	120	7/15/2020
DE WITT	IL0390100	4	ONLY ONE WELL	200	1/27/2021
DIXIE ESTATES SUBDIVISION	IL1975520	2	ONLY ONE WELL	180	12/9/2020
DONNY BROOK ESTATES	IL0375150	1	ONLY ONE WELL	30	1/27/2021
DONOVAN	IL0750400	4	ONLY ONE WELL	306	1/6/2021
EAST END WATER ASSOCIATION	IL1610140	1	ONLY ONE WELL	40	7/31/2020
EAST LAWN WATER ASSOCIATION	IL1615100	1	ONLY ONE WELL	160	8/5/2020
EAST LYNN COMMUNITY WATER SYSTEM	IL1835200	4	ONLY ONE WELL	112	12/11/2020
EAST SIDE MHP	IL0195825	4	ONLY ONE WELL	95	1/27/2021
EBERTS 3RD ADDITION	IL1615330	1	ONLY ONE WELL	99	8/12/2020
EDELSTEIN WATER COOPERATIVE	IL1435150	5	ONLY ONE WELL	125	7/24/2020
EHLERS MHP	IL0195645	4	ONLY ONE WELL	112	1/27/2021
ELM OAK MUTUAL WATER SYSTEM	IL0975736	2	ONLY ONE WELL	50	8/28/2020
ESQUIRE ESTATES MHP	IL1435245	5	ONLY ONE WELL	28	7/29/2020



Illinois Environmental Protection Agency
 Division of Public Water Supplies
 Critical Review List – Community Water Supplies

January 2023

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
EVERGREEN VILLAGE SUBDIVISION	IL1615310	1	ONLY ONE WELL	130	8/12/2020
FOUR STAR CAMPGROUND	IL0990060	1	ONLY ONE WELL	150	8/26/2020
FOX CREEK FARMS WATER COMPANY	IL1435750	5	ONLY ONE WELL	221	7/29/2020
FOX LAWN HOMEOWNERS WATER ASSOCIATION	IL0935150	2	ONLY ONE WELL	167	1/13/2021
FRENTRESS LAKE	IL0850010	1	ONLY ONE WELL	150	1/8/2021
GARDEN STREET IMPROVEMENT ASSOCIATION	IL1975376	2	ONLY ONE WELL	54	12/9/2020
GREEN ACRES MHP	IL1035165	1	ONLY ONE WELL	200	8/26/2020
HARMON	IL1030300	1	ONLY ONE WELL	149	8/26/2020
HAZELWOOD 4TH ADDITION	IL0735350	1	ONLY ONE WELL	135	1/6/2021
HAZELWOOD WEST SUBDIVISION	IL0735250	1	ONLY ONE WELL	70	1/6/2021
HEATHERFIELD SUBDIVISION	IL0635150	2	ONLY ONE WELL	90	1/29/2021
HICKORY HILLS 2ND ADDITION	IL0730080	1	ONLY ONE WELL	93	8/12/2020
HIGHLAND LAKE WATER COMPANY	IL0970255	2	ONLY ONE WELL	36	8/26/2020
HIGHLAND SUBDIVISION	IL0895530	2	ONLY ONE WELL	40	1/8/2021
HILLCREST	IL1410250	1	INADEQUATE STORAGE CAPACITY	1400	11/2/2017
HILLSDALE ESTATES, LLC	IL1615530	1	ONLY ONE WELL	63	8/14/2020
HILLSDALE PROPERTIES	IL1615728	1	ONLY ONE WELL	60	6/24/2020
HOLLANDS GROVE COURT SUBDIVISION	IL1795300	5	ONLY ONE WELL	40	12/2/2020
HOLLY HOCK HILL MHP	IL0975245	2	ONLY ONE WELL	52	8/28/2020
HOPEWELL	IL1235150	1	ONLY ONE WELL	420	7/1/2020
IL AMERICAN - LEONORE	IL0990400	1	ONLY ONE WELL	111	8/26/2020
IL AMERICAN - MIDWEST PALOS	IL0317050	2	ONLY ONE WELL	143	1/27/2021
IL AMERICAN - NETTLE CREEK	IL0630040	2	ONLY ONE WELL	285	1/29/2021
IL AMERICAN - RIDGECREST	IL0635100	2	ONLY ONE WELL	219	1/29/2021
IL PRAIRIE ESTATE SBDV WATER ASSN	IL0995300	1	ONLY ONE WELL	112	8/26/2020
INDIAN BLUFFS SUBDIVISION	IL1615520	1	ONLY ONE WELL	150	8/14/2020
INDIAN CREEK HOMEOWNERS AND WATER ASSN	IL1135250	4	ONLY ONE WELL	240	6/17/2020
IROQUOIS MOBILE ESTATES, INC.	IL0755185	4	ONLY ONE WELL	105	1/8/2021
JOHNSBURG 1	IL1110040	2	ONLY ONE WELL	174	8/28/2020
KENNEY	IL0390200	4	ONLY ONE WELL	374	1/29/2021
KNOLLS EDGE SUBDIVISION	IL1415250	1	ONLY ONE WELL	100	7/17/2020
LAFAYETTE	IL1750100	1	ONLY ONE WELL	250	12/2/2020
LAKE LYNWOOD WATER SYSTEM	IL0735330	1	ONLY ONE WELL	75	1/6/2021
LAKE SHANNON	IL0910020	2	ONLY ONE WELL	500	1/13/2021
LAKE WILDWIND LLC	IL2035125	1	ONLY ONE WELL	200	12/4/2020
LAND AND WATER ASSOCIATION	IL0995050	1	ONLY ONE WELL	100	8/26/2020
LASALLE	IL0990300	1	INADEQUATE SOURCE CAPACITY & INADEQUATE TREATMENT CAPACITY	9700	11/1/2004
LINDENWOOD WATER ASSOCIATION	IL1415300	1	ONLY ONE WELL	35	7/22/2020
LISBON NORTH, INC.	IL0631000	2	ONLY ONE WELL	25	1/29/2021
LYNN WATER ASSOCIATION	IL0735100	1	ONLY ONE WELL	42	1/8/2021
LYNNWOOD WATER CORPORATION	IL0995336	1	ONLY ONE WELL	110	8/26/2020



Illinois Environmental Protection Agency
 Division of Public Water Supplies
 Critical Review List – Community Water Supplies

January 2023

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
LYNWOOD 3RD ADDITION	IL0735280	1	ONLY ONE WELL	100	1/6/2021
M C L W SYSTEM, INC.	IL1315150	1	ONLY ONE WELL	98	7/10/2020
MACOMB	IL1090350	5	INADEQUATE CLARIFIER CAPACITY	11309	12/14/2016
MAQUON	IL0950350	5	ONLY ONE WELL	284	1/13/2021
MARSEILLES SOUTH	IL0990110	1	ONLY ONE WELL	100	8/26/2020
MASON CITY	IL1250350	5	INADEQUATE STORAGE CAPACITY	2558	1/1/2006
MAYFAIR SUBDIVISION	IL1795750	5	ONLY ONE WELL	90	12/11/2020
MC NABB	IL1550150	1	ONLY ONE WELL	310	6/11/2020
MILL POINT MHP	IL2035165	1	ONLY ONE WELL	160	12/4/2020
MOUND CITY	IL1530100	7	ONLY ONE WELL	588	6/5/2020
MOUND PWD	IL1635050	6	INADEQUATE PLANT CAPACITY	2200	6/17/1996
MOUNT MORRIS ESTATES MHP	IL1415185	1	ONLY ONE WELL	395	7/15/2020
MOUNT VERNON ASSOCIATION INC.	IL0855100	1	ONLY ONE WELL	490	1/8/2021
NORTH HAZELWOOD SUBDIVISION	IL0735850	1	ONLY ONE WELL	100	1/8/2021
NORTH HENDERSON	IL1310300	1	ONLY ONE WELL	187	7/2/2020
OAK GROVE MHP - ROCK ISLAND COUNTY	IL1617785	1	ONLY ONE WELL	100	12/2/2020
OAK LAWN MHP	IL0075275	1	ONLY ONE WELL	460	1/27/2021
OAK VIEW ESTATES	IL0730120	1	ONLY ONE WELL	95	1/29/2021
OAKWOOD WEST SUBDIVISION	IL0730070	1	ONLY ONE WELL	45	1/29/2021
OLNEY*	IL1590200	7	INADEQUATE TREATMENT CAPACITY	9315	10/28/2022
OPHIEM PWS	IL0735150	1	ONLY ONE WELL	100	1/8/2021
OTTAWA ESTATES MHP	IL0995225	1	ONLY ONE WELL	115	8/26/2020
PARADISE MANOR MHP	IL1617665	1	ONLY ONE WELL	200	11/20/2020
PARK MEADOWLAND WEST MHP	IL0075235	1	ONLY ONE WELL	100	1/27/2021
PAULS MHP	IL0975485	2	ONLY ONE WELL	38	8/28/2020
PHIL-AIRE ESTATES MHP	IL2015625	1	ONLY ONE WELL	80	12/4/2020
POLO DR AND SADDLE RD SUBDIVISION	IL0437000	1	ONLY ONE WELL	93	1/29/2021
PORT BARRINGTON SHORES SUBDIVISION	IL0971120	2	ONLY ONE WELL	67	8/26/2020
POWERS WATER CO., INC	IL0895550	2	ONLY ONE WELL	214	1/8/2021
PRAIRIE OAKS ESTATES HOMEOWNERS' ASSOCIATION	IL0630060	2	ONLY ONE WELL	107	1/29/2021
PRAIRIE PATH WATER - CAMELOT	IL1975200	2	ONLY ONE WELL	575	12/9/2020
PRAIRIE PATH WATER - CHERRY HILL WATER COMPANY	IL1975280	2	ONLY ONE WELL	624	12/9/2020
PRAIRIE VIEW WATER ASSOCIATION	IL1795900	5	ONLY ONE WELL	35	12/11/2020
QUINCY	IL0010650	5	INADEQUATE CLARIFIER CAPACITY	45000	8/3/2016
RAINBOW LANE MHP	IL2015645	1	ONLY ONE WELL	83	12/4/2020
RAINBOW RIDGE	IL1615580	1	ONLY ONE WELL	46	8/14/2020
REDDICK	IL0914780	2	ONLY ONE WELL	210	1/8/2021
RIDGEWOOD LEDGES WATER ASSOCIATION	IL1615670	1	ONLY ONE WELL	430	6/24/2020
ROLLING GREEN ESTATES MHP	IL1415245	1	ONLY ONE WELL	215	7/17/2020
RUSTIC ACRES WATER ASSOCIATION	IL0735500	1	ONLY ONE WELL	260	1/6/2021



Illinois Environmental Protection Agency
Division of Public Water Supplies
Critical Review List – Community Water Supplies

January 2023

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
SEATON	IL1310350	1	ONLY ONE WELL	200	7/2/2020
SENECA MOBILE HOMES LLC	IL0995425	1	ONLY ONE WELL	73	8/26/2020
SIX OAKS MHP	IL2015685	1	ONLY ONE WELL	48	12/4/2020
SPIN LAKE HOMEOWNERS' ASSOCIATION	IL1135140	4	ONLY ONE WELL	200	6/16/2020
STELLE COMMUNITY ASSOCIATION	IL0535100	4	ONLY ONE WELL	100	1/29/2021
STORYBOOK HIGHLANDS	IL0935250	2	ONLY ONE WELL	100	1/13/2021
STRATFORD WEST APARTMENTS	IL1095200	5	ONLY ONE WELL	44	8/26/2020
STRAWN	IL1050700	4	ONLY ONE WELL	133	8/26/2020
SUBURBAN HEIGHTS SUBDIVISION	IL1615800	1	ONLY ONE WELL	57	11/20/2020
TENNANTS SHADY OAKS SUBDIVISION	IL1615540	1	ONLY ONE WELL	44	8/14/2020
TIMBER BROOK ESTATES	IL0735450	1	ONLY ONE WELL	120	1/6/2021
TIMBER RIDGE SUBDIVISION	IL0735470	1	ONLY ONE WELL	120	1/6/2021
TISKILWA	IL0111050	1	INADEQUATE STORAGE CAPACITY	830	9/20/2017
TOWER RIDGE SUBDIVISION	IL1615780	1	ONLY ONE WELL	70	11/20/2020
VAN ORIN WATER COMPANY	IL0115000	1	ONLY ONE WELL	100	1/27/2021
VICTORIA	IL0950550	5	ONLY ONE WELL	316	1/13/2021
WATER WERKS	IL1615130	1	ONLY ONE WELL	90	8/5/2020
WATERMAN	IL0370600	1	ONLY ONE WELL	1506	1/27/2021
WHITE HALL	IL0610400	6	INADEQUATE STORAGE CAPACITY	2900	10/1/2012
WINDCREST SUBDIVISION	IL0730040	1	ONLY ONE WELL	40	1/29/2021
WINDING CREEK ESTATES	IL1615850	1	ONLY ONE WELL	160	11/20/2020
WINSLOW	IL1770550	1	ONLY ONE WELL	350	12/2/2020
WITT	IL1350850	5	INADEQUATE TREATMENT CAPACITY	991	3/17/2008
YATES CITY	IL0950700	5	ONLY ONE WELL	750	1/13/2021
YOUNGS HILLCREST MHP	IL0190040	4	ONLY ONE WELL	34	1/27/2021

WATER SYSTEMS REMOVED FROM PREVIOUS LIST

HIDE-A-WAY LAKES
MENARD RURAL WATER COOP
PRAIRIE PATH - GALENA
TRENTON

***WATER SYSTEMS ADDED**

EDINBURG
FORD HEIGHTS
GOLCONDA
JASPER WATERWORKS CORP
OLNEY
STONEWOOD EDGEWOOD TERRACE LLC

****WATER SYSTEM UPDATES**

ATLANTA



Restricted Status/Critical Review

The Environmental Protection Act prohibits the Agency from issuing a construction permit that will cause or extend a violation. A construction permit to expand the distribution system cannot be granted when a water supply has a maximum contaminant level or treatment technique violation, an inadequate source of raw water supply, inadequate treatment plant capacity, finished water storage or distribution system pressure. A Restricted Status List is published quarterly in the Illinois Pollution Control Board Environmental Register to notify those persons considering expansion of a water supply distribution system of that status before large sums of money have been spent on items such as land acquisition, financing and engineering fees. A companion Critical Review List is published concurrently with the Restricted Status List and has the water supplies that are approaching a point where the supply could be placed on Restricted Status. A permit application from a supply on Critical Review will be examined carefully to ensure that the proposed construction will not cause a violation. The current list reflects the status as of April 15, 2022. An asterisk, *, beside the water supply indicates public water supplies that have been added to the Restricted Status/Critical Review list since the previous publication.

Restricted Status List

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 611; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act. This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.

Critical Review List

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations that would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.



HEALTH ADVISORY SUMMARY LIST

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY
Office of Toxicity Assessment



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276 • (217) 782-3397

JB PRITZKER, GOVERNOR

JOHN J. KIM, DIRECTOR

HEALTH ADVISORY SUMMARY LIST

Prepared by:
Office of Toxicity Assessment
Illinois Environmental Protection Agency
October 12, 2021

In accordance with 35 Illinois Administrative Code 620.610(b), the Illinois Environmental Protection Agency (Illinois EPA) is issuing a Health Advisory summary list. Section 620.610(b) directs the Illinois EPA to publish and make available to the public, at intervals of not more than 6 months, a comprehensive and up-to-date summary list of all Health Advisories.

The following table provides a summary list of all Illinois EPA Health Advisories currently in effect:

CASRN ¹	Chemical	Statewide Health Advisory Guidance Level (ng/L)	Health Advisory Issuance Date
355-46-4	Perfluorohexanesulfonic acid (PFHxS)	140	January 28, 2021
307-24-4	Perfluorohexanoic acid (PFHxA)	560,000	January 28, 2021
335-67-1	Perfluorooctanoic acid (PFOA)	2	January 28, 2021
375-73-5	Perfluorobutanesulfonic acid (PFBS)	2,100	April 16, 2021
1763-23-1	Perfluorooctanesulfonic acid (PFOS)	14	April 16, 2021
375-95-1	Perfluorononanoic acid (PFNA)	21	July 27, 2021

1 CASRN = Chemical Abstract Services Registry Number


For more information regarding Illinois EPA Health Advisories, please refer to the following link:
<https://www2.illinois.gov/epa/topics/water-quality/pfas/Pages/pfas-healthadvisory.aspx>

2125 S. First Street, Champaign, IL 61820 (217) 278-5800
1101 Eastport Plaza Dr., Suite 100, Collinsville, IL 62234 (618) 346-5120
9511 Harrison Street, Des Plaines, IL 60016 (847) 294-4000
595 S. State Street, Elgin, IL 60123 (847) 608-3131

2309 W. Main Street, Suite 116, Marion, IL 62959 (618) 993-7200
412 SW Washington Street, Suite D, Peoria, IL 61602 (309) 671-3022
4302 N. Main Street, Rockford, IL 61103 (815) 987-7760

PLEASE PRINT ON RECYCLED PAPER





A Publication of the Illinois Pollution Control Board

January 2023

Issues of the *Environmental Register* dating back to 1990 are available electronically at

<https://pcb.illinois.gov/>