

pcb23.133@gmail.com

From: pcb23.133@gmail.com
Sent: Tuesday, May 14, 2024 4:57 PM
To: brad.halloran@illinois.gov;
dfewkes@wfstriallaw.com
Subject: PCB 2023-133 - Complainant
Answers - Respondent's
Requests to Admit to
Complainant
Attachments: 2024 - 05 14 24 -
COMPLAINANT ANSWERS -
RESPONDENT'S REQUESTS TO
ADMIT TO COMPLAINANT.pdf

Hello: The attached document has been filed with the Office of the Clerk of the Pollution Control Board, with the 28 days.

Anna Andrushko

pcb23.133@gmail.com

From: Halloran, Brad
<Brad.Halloran@illinois.gov>
Sent: Tuesday, August 20, 2024 5:30 PM
To: Dave Fewkes; pcb23.133@gmail.com
Cc: Halloran, Brad
Subject: RE: [External] Re: FW: PCB 2023-133 - Andrushko vs Egan - Complainant Answers - Respondent's Requests to Admit to Complainant

Received.

From: Dave Fewkes <dfewkes@wfstrialallaw.com>
Sent: Tuesday, August 20, 2024 4:33 PM
To: pcb23.133@gmail.com
Cc: Halloran, Brad <Brad.Halloran@illinois.gov>
Subject: [External] Re: FW: PCB 2023-133 - Andrushko vs Egan - Complainant Answers - Respondent's Requests to Admit to Complainant

Received.

On Tue, Aug 20, 2024 at 4:21 PM <pcb23.133@gmail.com> wrote:

Good Afternoon: Please confirm receipt of the attachment. Thank you.

Anna Andrushko

From: pcb23.133@gmail.com <pcb23.133@gmail.com>
Sent: Tuesday, May 14, 2024 4:57 PM
To: brad.halloran@illinois.gov; dfewkes@wfstriallaw.com
Subject: PCB 2023-133 - Complainant Answers - Respondent's Requests to Admit to Complainant

Hello: The attached document has been filed with the Office of the Clerk of the Pollution Control Board, with the 28 days.

Anna Andrushko

--
David A. Fewkes
Walsh, Fewkes & Sterba
7270 W. College Dr.
Suite 101
Palos Heights, Il. 60463
O: 708-448-3401
F: 708-448-8022
C: 708-203-3203

State of Illinois - CONFIDENTIALITY NOTICE: The information contained in this communication is confidential, may be attorney-

pcb23.133@gmail.com

From: Dave Fewkes
<dfewkes@wfstriallaw.com>
Sent: Tuesday, August 20, 2024 4:33 PM
To: pcb23.133@gmail.com
Cc: Halloran, Brad
Subject: Re: FW: PCB 2023-133 -
Andrushko vs Egan -
Complainant Answers -
Respondent's Requests to
Admit to Complainant

Received.

On Tue, Aug 20, 2024 at 4:21 PM <pcb23.133@gmail.com>
wrote:

Good Afternoon: Please confirm receipt of the
attachment. Thank you.

Anna Andrushko

From: pcb23.133@gmail.com <pcb23.133@gmail.com>
Sent: Tuesday, May 14, 2024 4:57 PM
To: brad.halloran@illinois.gov; dfewkes@wfstriallaw.com
Subject: PCB 2023-133 - Complainant Answers - Respondent's
Requests to Admit to Complainant

Electronic Filing: Received, Clerk's Office 08/26/2024

Hello: The attached document has been filed with the Office of the Clerk of the Pollution Control Board, with the 28 days.

Anna Andrushko

--

David A. Fewkes
Walsh, Fewkes & Sterba
7270 W. College Dr.
Suite 101
Palos Heights, Il. 60463
O: 708-448-3401
F: 708-448-8022
C: 708-203-3203

pcb23.133@gmail.com

From: Halloran, Brad
<Brad.Halloran@illinois.gov>
To: pcb23.133@gmail.com
Sent: Tuesday, August 20, 2024 5:16 PM
Subject: Read: [External] FW: PCB
2023-133 - Andrushko vs Egan
- Complainant Answers -
Respondent's Requests to
Admit to Complainant

Your message

To: Halloran, Brad
Subject: [External] FW: PCB 2023-133 - Andrushko vs Egan -
Complainant Answers - Respondent's Requests to Admit to
Complainant
Sent: Tuesday, August 20, 2024 4:21:36 PM (UTC-06:00)
Central Time (US & Canada)

was read on Tuesday, August 20, 2024 5:15:38 PM (UTC-
06:00) Central Time (US & Canada).