

ENVIRONMENTAL REGISTER

Illinois Pollution Control Board News

No. 481

April, 1994

BOARD TO REVITALIZE ITS "TWO-DAY" AGENDA CUTOFF RULE,
See For Your Information, page 3.

RECENT DECISIONS

PRIOR LANDOWNER FOUND IN VIOLATION, ORDERED TO INVESTIGATE AND REMEDIATE SITE; REIMBURSEMENT OF CURRENT LANDOWNER'S CORRECTIVE ACTION COSTS POSSIBLE, PCB 92-80

In a recent interim decision, in *Lake County Forest Preserve Dist. v. Ostro* (Mar. 31, 1994), PCB 92-80, the Board confronted the issue of a person found to have violated the Act recompensing a landowner for response costs. The Board ordered a prior landowner who caused contamination of the property to investigate the extent of contamination, remediate any remaining contamination, and reimburse the present landowner for the costs it incurred in removing contaminated debris and soils from the land.

The prior owners, the Ostros, acquired a 15-acre parcel in Lake County in 1970 and subsequently operated a day camp on the site. In the mid-70s the Ostros bought 20 drums of paint to paint buildings on the property. After painting, the Ostros left the drums on the ground without cover or liner to prevent any leakage from entering the ground. The drums so placed included two full barrels of paint and one half-full. The subsequent landowner, a forest preserve district, acquired the property by condemnation and took possession in 1990, at which time 15 barrels remained on the land.

In the course of demolishing structures and performing work on the property, the forest preserve district discovered the paint barrels nearly completely buried in a berm. The barrels found were rusty with several holes, and one was leaking a black tar-like substance. The forest preserve district contacted the Illinois EPA (Agency) and told the Ostros to remove the barrels. The Ostros placed the barrels containing material into overpack drums, had some of the barrels removed in 1991, and had the surrounding soils and water tested for contamination. The Agency also took samples for testing and ultimately sent a compliance inquiry letter to the forest preserve district. The forest preserve district hired a consultant to investigate the contaminated area and remove any contaminated materials. The forest preserve district removed the overpacked drums and remaining barrels from the property late in 1992.

The forest preserve district filed an action against the Ostros in 1992. It alleged that the Ostros violated Section 21(a), (e), (f)(1), and (m) of the Act by open dumping, disposal of wastes not in compliance with the Act and Board regulations, conducting a hazardous waste treatment, storage, or disposal operation without a permit, and transferring property on which they disposed hazardous wastes without notification to the Agency and the forest preserve

district. They asked the Board to impose a civil penalty, for reimbursement for corrective action costs, and for the Board to direct the Ostros to investigate the property and remove any remaining hazardous materials and contamination from the site. After a public hearing and consideration of the record and the appropriate statutory factors, the Board held that the Ostros had committed the alleged violations. The Board ordered the Ostros to conduct a site investigation and undertake corrective action for any contamination found.

In assessing imposition of a remedy, the Board looked to *People v. Fiorini* (1991), 143 Ill. 2d 318, 574 N.E.2d 612, to determine that the Act does not preclude an award of cleanup costs to a party that expends money to correct a violation committed by another person.

The Board observed that such a decision to award cleanup costs was within the discretion of the court under *Fiorini*. The Board noted that since citizens must first file an enforcement action before the Board before they have any access to the courts under the Act, citizens would have fewer remedial options under the act than does the Attorney General or states attorneys if the Board could not similarly award cleanup costs to a prevailing complainant. The Board further noted that such an award by the Board would further the goals of the Act by ensuring prompter remedial action by a complainant than if the complainant had to wait until the Board issued an order for the violator to perform the cleanup. Therefore, the Board held that it had the authority to order reimbursement of reasonable cleanup costs in this appropriate case.

The Board determined that further hearing was necessary for consideration of the Section 33(c) factors before entry of a final order. The Board directed the hearing officer to conduct a hearing to gather evidence on the reasonableness of the costs incurred by the forest preserve district and information relevant to a penalty.

THE BOARD DIRECTS THE AGENCY TO PAY \$84,292.45 IN ATTORNEYS' FEES

On March 17, 1994, the Board ordered the Agency to pay a permit appellant \$84,292.45 in attorneys' fees and expenses of litigation. The Board did this in response to the court's mandate in *Grigoleit v. Illinois EPA* (5th Dist. 1993), 245 Ill. App. 3d 337, 613 N.E. 2d 371.

In the air permit appeal that gave rise to the judicial appeal, the Agency continued to deny the Grigoleit Company's request for renewal of an operating permit after the Board had reversed the Agency's denial and remanded the case twice. Grigoleit filed a third appeal and a motion for sanctions against the Agency for not complying with the Board's mandates and for causing unnecessary

delay and expense. The Board granted a motion for sanctions by directing the Agency to issue the permit, but denied to impose attorneys' fees. Grigoleit appealed and prevailed. In its May 6, 1993 opinion, the Fifth District Appellate Court directed the Board to award attorneys' fees against the Agency. (*See issue 470, May 19, 1993.*)

The Board conducted further proceedings to determine the reasonableness of the demanded attorneys' fees. The Board determined that the Grigoleit Company was entitled to the fees it incurred in pursuing this permit appeal and another made necessary when the Agency issued a permit with special conditions during the pendency of the *Grigoleit* appeal before the Fifth District.

The Board held that the expenses and fees submitted by Grigoleit were reasonable and awarded \$80,634.15 in attorneys' fees and \$3,658.30 in litigation expenses for the time essentially culminating with the appeal to the Fifth District and the issuance of the permit sought. The Board denied a supplemental request for fees incurred after that time and until the fee award.

RULEMAKING UPDATE

AMENDMENTS TO CLEAN AIR ACT AIR PERMIT APPEAL PROCEDURE ADOPTED, R93-24

On March 3, 1994, the Board adopted certain amendments to the Board's procedural rules as they apply to permits sought under the federal Clean Air Act Amendments of 1990 (CAAA). The proceeding was docketed as R93-24 and entitled *In the Matter of: Amendments to the Rules for Clean Air Act Permit Appeals and Hearings Pursuant to Specific Rules 35 Ill. Adm. Code Parts 105 and 106.*

Specifically, R93-24 amended the rules pertaining to air permit appeals before the Board. Among other things, the amendments require the Agency to provide notice of a permit denial to the U.S. EPA, the permit applicant, "any person who participated in the public comment process", and "any other person who could obtain judicial review under Sections 40.2 and 41 of the Act . . .". These persons also have a right to obtain Board review of an Agency permit decision or its failure to take action on the permit application within certain prescribed times. The amendments add certain requirements for petitions for CAAA permit review and set forth other procedural requirements.

The Agency filed the "fast-track" rulemaking proposal pursuant to Section 28.5 of the Environmental Protection Act on September 14, 1993. The Board Proposed it on September 26, 1993 for First Notice publication in the *Illinois Register* (*see issue 475, Oct. 6, 1993*) and conducted public hearings on November 8 and December 8, 1993, in Springfield. The Board cancelled a third hearing scheduled for December 22, 1993 because the Agency did not request the additional day pursuant to the Act. The Board proposed the amendments for Second Notice review by the Joint Committee on Administrative Rules on January 20, 1994 (*see issue 475, Feb., 1994*) and was free to adopt the amendments after receiving JCAR's Certificate of No Objection on February 25, 1994.

The adopted amendments represent one segment of Illinois' submittal of a complete State Implementation Plan (SIP) to the U.S.

Environmental Protection Agency (U.S. EPA). Section 182(a) of the Clean Air Act Amendments of 1990 (CAAA) required Illinois to have adopted and submitted its proposed SIP by November 15, 1992. The purpose of the R93-24 amendments was to make certain modifications to Parts 105 and 106 of the Board's procedural rules for U.S. EPA approval. Direct questions to Marie E. Tipsord, at 312-814-4925 or 618-498-9802. Please refer to docket R93-24.

CORRECTIONS TO THE NEW SOURCE REVIEW RULES ADOPTED, R93-26

On March 31, 1994, the Board adopted corrective amendments to the new source review rules. The Board took this action under docket number R93-26, *Amendments to the New Source Review Rules, 35 Ill. Adm. Code 203*. These correct a typographical error made in an earlier proceeding.

The Board adopted the new source review rules on April 22, 1993, under docket number R92-21. (*See issue 470, May 19, 1993.*) The Agency filed a motion, on October 1, 1993, requesting that the Board request a Certification of Correction to the adopted rules from the Joint Committee on Administrative Rules. The Agency stated that the failure to properly underline and strikeout text in its original proposal resulted in an error in Section 203.209(a)(4): emissions of particulate matter are significant if they exceed 25 tons per year (tpy), rather than 15 tpy. Although the Board agreed with the Agency that the error must be corrected as soon as possible, it did not want to appear to make a substantive amendment using the expedited correction process of Section 5-85 of the Administrative Procedure Act. The Board chose to open a new docket and proposed the corrections for First Notice publication in the *Illinois Register* on October 7, 1993, under Section 28.2 of the Environmental Protection Act. (*See issue 476, Nov. 3, 1993.*)

The Board proposed the amendments for First Notice publication in the *Illinois Register* on October 7, 1993. (*See issue 476, Nov. 3, 1993.*) It held public hearings on the proposed corrective amendments on December 8, 1993 and January 27, 1994. The Board proposed the amendments for Second Notice review by the Joint Committee on Administrative Rules (JCAR) review on February 17, 1994. (*See issue 480, Mar., 1994.*) The Board adopted the amendments after it received the March 22, 1994 Certificate of No Objection from JCAR. Direct questions to Marie E. Tipsord, at 312-814-4925 or 618-498-9803. Please refer to docket R93-26.

RCRA SUBTITLE C HAZARDOUS WASTE UPDATE ADOPTED, R93-16

On March 17, 1994, the Board adopted identical-in-substance amendments to the Illinois RCRA Subtitle C regulations for the update period of January 1 through June 30, 1993. The Board proposed the amendments for public comment on December 16, 1993. (*See issue 478, Jan. 1, 1994.*)

During the period of the first half of 1993, U.S. EPA amended its RCRA Subtitle C regulations five times. Nearly all of these amendments involved some form of relaxation of standards that would otherwise apply to regulated facilities. However, many would impose some requirements as a condition to the relaxation. U.S.

EPA adopted the corrective action management unit (CAMU) and temporary unit (TU) regulations applicable to RCRA Subtitle C corrective actions. It also amended the land disposal restrictions for Third Third wastes, adopted technical amendments to the used and waste oil management standards, and renewed a case-by-case capacity variance from the land disposal restrictions for hazardous debris. Finally, U.S. EPA amended land disposal restrictions for ignitable and corrosive wastes whose treatment standards were vacated by the court in *Chemical Waste Management v. EPA*, 976 F.2d 2 (D.C. Cir. 1992).

The R93-16 update followed the federal actions and made miscellaneous amendments to the RCRA regulations. The Board adopted the used and waste oil regulations, the subject of the present amendments, in R93-4, on September 26, 1993. (See *issue 475, Oct. 6, 1993*.) The Board also adopted the amended land disposal restrictions for ignitable and corrosive wastes in R93-4, thus obviating further action in this docket, except as to certain corrections submitted by U.S. EPA by way of public comment. In adopting the R93-4 amendments, the Board omitted amendments made in an earlier update, R91-13. The Board discovered this oversight in the time after the December proposal for public comment in R93-16. The Board added those corrections for final adoption. Direct questions to Michael J. McCambridge, at 312-814-6924. (Please refer to docket R93-16.)

ILLINOIS EPA FILES, BOARD PROPOSES, NEW LUST RULES, R94-2

The Illinois EPA filed a proposal on March 15, 1994 for a set of procedures to be employed by the Board in leaking underground storage tank (LUST) proceedings. The Board proposed the amendments on March 17, 1994 for First Notice publication in the *Illinois Register* without substantive review. This proposal is required by new Section 57.14 of the Act, added by P.A. 88-496 on September 13, 1993. (See *issue 475, Oct. 6, 1993*.)

The proposed rules would establish procedures for LUST remediation and reimbursement proceedings. The proposal includes provisions applicable to remediation of LUST sites, administration of the state's LUST reimbursement fund, reimbursement from the fund for costs of investigation and remediation, and for audit of corrective action efforts. The Act imposes a six-month deadline on adoption of procedural regulations by the Board. The Board has scheduled hearing for April 27 and 28 in Springfield and May 23 and 24 in Chicago. (See *Calendar*.) Direct questions to Musette H. Vogel, at 217-524-8509, or Elizabeth S. Harvey, at 312-814-6921. Please refer to docket R94-2.

FIRST NOTICE PROPOSED FOR ADDITIONAL STEEL AND FOUNDRY LANDFILL AMENDMENTS; REQUEST FOR PUBLIC COMMENT; R90-26

On March 31, 1994, the Board proposed amendments to the landfill regulations for First Notice publication in the *Illinois Register*. These augment amendments proposed for First Notice on September 23 and December 2, 1993. (See *issues 475, Oct. 6, 1993, & 478, Jan. 1, 1994*.) The Board added a new provision to the proposed rules relating to facility location. It did this in response

to requests by the Illinois Steel Group and the Illinois Cast Metal Association, the proponents of the steel and foundry waste landfill amendments.

The parent rulemaking, the R90-26 steel and foundry waste landfill amendments, would establish a set of landfill regulations specific to certain wastes generated by those industries. Simultaneous with the proposal of the new section, the Board published a request for public comments in the parent rulemaking, including a copy of the entire text of the proposed regulations with all presently-contemplated changes highlighted. Direct questions to Kathleen M. Crowley, at 312-814-6929. (Please refer to docket R90-26.)

AMENDMENTS TO GROUNDWATER QUALITY STANDARDS PROPOSED FOR FIRST NOTICE, R93-27

On March 17, 1994, the Board proposed amendments to the groundwater quality standards for First Notice publication in the *Illinois Register*. The proposed amendments would revise the Illinois groundwater quality standards of Part 620 to include additional contaminants. These contaminants are chemical species for which the U.S. EPA has adopted maximum contaminant levels for the purposes of the Safe Drinking Water Act regulations (found at 40 CFR 141 and 35 Ill. Adm. Code 611). The proposed amendments would add limitations for three metals and fourteen organic chemical contaminants to the lists of contaminants in Class I and Class II groundwaters.

The Illinois EPA (Agency) filed a petition on October 18, 1993, and the Board held public hearings on February 8 and 23, 1994, in Springfield, and February 10, 1994, in Chicago. After the 45-day public comment period that begins when a Notice of Proposed Amendments appears in the *Illinois Register*, the Board will be free to proceed with the next step towards adoption of the amendments: proposal for Second Notice Review by the Joint Committee on Administrative Rules. Direct questions to Michelle C. Dresdow, at 815-753-0947. (Please refer to docket R93-27.)

ILLINOIS EPA FILES PROPOSAL TO AMEND WATER QUALITY REGULATIONS; THE BOARD WILL EXPEDITE THE PROCEEDINGS, R94-1

The Illinois EPA (Agency) filed a proposal to amend certain of the water quality regulations by updating various standards on February 24, 1994. The Agency certified pursuant to Section 28.2 of the Act that certain of the proposed amendments were "federally required".

By an order dated March 17, 1994, the Board rejected proceeding under the "federally required" procedures because the Agency's certification applied to only part of the proposal. The Board, nevertheless, accepted the proposal under the general rulemaking procedures of Section 27 and stated that it intended to proceed as expeditiously as possible so that a First Notice proposed rule might issue within the six months that would have been required by Section 28.2.

The Agency's proposal proceeded from a mandatory review of the Illinois stream water quality regulations required under the federal Clean Water Act (33 U.S.C. §§ 1251 *et seq.*). The proposal would amend Parts 302 and 304 of the Water Pollution Control

regulations to revise the standards for ammonia nitrogen, mercury, and lead general water quality standards; secondary contact and indigenous aquatic life standards; and other regulations. Direct questions to Charles M. Feinen, at 217-524-8507. Please refer to docket R94-1.

EIGHT SEMIANNUAL IDENTICAL-IN-SUBSTANCE UPDATE DOCKETS RESERVED; TWO DISMISSED, R94-3 THROUGH R94-10

The Board opened eight new identical-in-substance rulemaking dockets on March 31, 1994. The eight dockets cover any federal amendments that occurred during the second half of 1993 (July 1 through December 31) in eight programs in which the Board has a statutory identical-in-substance mandate. The dockets involved any federal amendments to the exemptions from the definition of volatile organic material (VOM; R94-3), the Safe Drinking Water Act regulations (R94-4), the underground injection control rules (R94-5), the RCRA Subtitle D (municipal solid waste landfill; R94-6) and Subtitle C (hazardous waste; R94-7) requirements, the underground storage tank (UST) regulations (R94-8), the contingency plan rules (R94-9), and the wastewater pretreatment requirements (R94-10). Upon reserving the rulemaking dockets, the Board immediately determined that U.S. EPA did not amend its exemptions from the definition of VOM in the second half of 1993, and it did not amend its UST rules during that time in any way that would require Board action. The Board promptly dismissed dockets R94-3 and R94-8 for those reasons. Direct questions to Michael J. McCambridge, at 312-814-6924. Please refer to identical-in-substance actions by docket number.

FOR YOUR INFORMATION

THE BOARD INTENDS TO REVITALIZE ITS "TWO-DAY" AGENDA CUTOFF RULE

(reprinted from page 1 of issue 480, March, 1994)

Chairman Manning has implemented a number of changes in internal Board procedures in an effort to enhance the Board's efficiency in managing its docket. One change that will potentially affect those appearing before the Board is full implementation of a 1989 Board procedural rule that provides for a two-day cutoff on filings before a Board meeting.

Section 101.181 of the Board's procedural rules states: "Unless the Board determines that undue delay or material prejudice will result, no document received by the Clerk after 4:30 p.m. two days before a scheduled Board meeting will be placed on the agenda for that Board meeting. Any such filing will appear on the agenda for the next regularly scheduled Board meeting." In the past, the Board had taken a liberal approach and routinely accepted documents filed on the Tuesdays before Thursday meetings. Since the Board's meetings begin at 10:30 a.m., this often left the Board with one day to distribute the necessary documents internally and deliberate on them.

The Board will no longer routinely place items on its

agenda unless the filing is received by the Board before 4:30 p.m. fully two days before the meeting. For example, most filings received after 4:30 p.m. on Monday will not appear on the Thursday agenda for that week. The exceptions will be provisional variance recommendations filed by the Agency and those filings qualifying for the exemption provided within the rule.

RESTRICTED STATUS AND CRITICAL REVIEW LISTS FOR PUBLIC WATER SUPPLIES IN THIS ISSUE

The Illinois Environmental Protection Agency, Division of Public Water Supplies, is publishing copies of the Division's Restricted Status and Critical Review lists at the end of this issue of the Environmental Register. These lists

reflect the status as of April 1, 1994.

FINAL ACTIONS - March 3, 1994 BOARD MEETING

- | | | | |
|--------|--|---------|--|
| 92-200 | <u>Ron's Interstate Sunoco v. EPA</u> - The Board affirmed the Agency's denial of reimbursement of costs for replacement of concrete as costs not related to corrective action in this underground storage tank reimbursement appeal involving a Champaign County facility. | | Board granted the petitioner a 45-day extension of previously-granted provisional variances, extending the deadline for compliance with the Stage II vapor recovery requirements for a McHenry County facility. |
| 93-151 | <u>Mobil Oil Corporation v. EPA</u> - The Board granted this Will County facility a four-year variance, subject to conditions, from the ammonia nitrogen effluent standard of 35 Ill. Adm. Code 304.122(b). | 94-79 | <u>Douglas Furniture Corporation v. EPA</u> - Upon receipt of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance from the requirements that it operate volatile organic material emissions control equipment in Cook County within the limits of its permit, as required by 35 Ill. Adm. Code 201.141 and 201.149, during a period of equipment repairs. |
| 93-230 | <u>Village of Hodgkins v. EPA</u> - The Board granted a joint motion to dismiss this underground storage tank reimbursement appeal involving a Cook County facility. | 94-81 | <u>Illinois Power Co. - Baldwin v. EPA</u> - Upon receipt of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance from the suspended solids (TSS) effluent requirements, as set forth in 35 Ill. Adm. Code 304.120 and 304.141(a), during a period of ash pond dredging at a St. Clair and Randolph County facility. |
| 93-264 | <u>Nu-Tecsys Corporation v. EPA</u> - The Board accepted a stipulated settlement agreement, directed the Agency to reimburse the petitioner for certain agreed corrective action costs, and granted voluntary dismissal of this underground storage tank reimbursement determination appeal involving a Lake County facility. | AC 94-3 | <u>IEPA v. Randall G. Rowe</u> - The Board granted voluntary dismissal of respondent Craig Linton and entered a default order finding that respondent Randall G. Rowe had violated Section 21(p)(1) of the Act at his LaSalle County facility and ordering him to pay a civil penalty of \$500.00. |
| 94-77 | <u>Emro Marketing company v. EPA</u> - Upon receipt of an Agency recommendation, the Board granted the petitioner a 37-day extension of previously-granted provisional variances, extending the deadline for compliance with the Stage II vapor recovery requirements for thirty Cook, DuPage, Will, Lake, and Kane County facilities. | R93-24 | <u>In the Matter of: Amendments to the Rules for Clean Air Act Permit Appeals and Hearings Pursuant to Specific Rules, 35 Ill. Adm. Code Parts 105 and 106</u> - See Rule-making Update. |
| 94-78 | <u>Scott's Unocal 76, Inc. v. EPA</u> - Upon receipt of an Agency recommendation, the | | |

NEW CASES - March 3, 1994 BOARD MEETING

- | | | | |
|-------|---|-------|---|
| 94-72 | <u>Laidlaw Waste Systems (Madison), Inc. v. EPA</u> - The Board ordered the filing of an amended petition in this land permit appeal involving a Madison County facility. | | agreed motion for relief from the hearing requirement, in this air enforcement action against a Kane County facility, the Board ordered publication of the required newspaper notice. |
| 94-73 | <u>People of the State of Illinois K N I Corp. and Knomark, Inc.</u> - Upon receipt of a proposed stipulation and settlement agreement and an | 94-74 | <u>People of the State of Illinois v. Glen Fearneyhough, d/b/a Beardstown Lumber & Ready</u> |

- Mix - The Board set this air enforcement action against a Cass County facility for hearing.
- 94-75 Jay Aguilar v. The City of Wood Dale - The Board held this citizen's water enforcement action against a DuPage County facility for a frivolous and duplicitous determination. AS 94-4
- 94-76 AKZO Chemicals, Inc. v. EPA - The Board held this petition for a variance involving a Grundy County facility, from certain of the water pollution control regulations, for an Agency Recommendation.
- 94-77 Emro Marketing company v. EPA - See Final Actions.
- 94-78 Scott's Unocal 76, Inc. v. EPA - See Final Actions. AS 94-5
- 94-79 Douglas Furniture Corporation v. EPA - See Final Actions.
- 94-80 Gunite Corp. v. EPA - The Board received an underground storage tank reimbursement determination appeal involving a Winnebago County facility. AS 94-6
- 94-81 Illinois Power Co. - Baldwin v. EPA - See Final Actions.
- AS 94-2 In the Matter of: Petition of Solar Corporation for an Adjusted Standard from 35 Ill. Adm. Code 218 Subpart PP - The Board ordered the filing of an amended petition in this adjusted standard proceeding for relief from the requirements of 35 Ill. Adm. Code 218.Subpart PP, as they apply to volatile organic materials (VOM) emissions from a Lake County facility.
- In the Matter of: Petition of Chase Products Company for an Adjusted Standard from 35 Ill. Adm. Code 218 Subpart DD - The Board ordered the filing of an amended petition in this adjusted standard proceeding for relief from the requirements of 35 Ill. Adm. Code 218.Subpart DD as they apply to volatile organic materials (VOM) emissions from a Cook County can filling facility.
- In the Matter of: Petition of Abbott Laboratories for an Adjusted Standard from 35 Ill. Adm. Code 218 Subpart RR - The Board ordered the filing of an amended petition in this adjusted standard proceeding for relief from the requirements of 35 Ill. Adm. Code 218.Subpart RR as they apply to volatile organic materials (VOM) emissions from two Lake County pharmaceutical facilities.
- In the Matter of: Petition of Hydrosol, Inc. for an Adjusted Standard from 35 Ill. Adm. Code 218 Subpart DD - The Board ordered the filing of an amended petition for this adjusted standard for relief from the requirements of 35 Ill. Adm. Code 218.686(a)(2)(B) as they apply to volatile organic materials (VOM) emissions from a Cook County aerosol can filling facility.

FINAL ACTIONS - March 17, 1994 BOARD MEETING

- 89-184 The Grigoleit Company v. EPA - In this matter on remand from the Fourth District Appellate Court for the purpose of assessing sanctions, on its own motion the Board consolidated these permit appeals involving a Macon County facility, ordered the Agency to pay \$84,292.45 in attorneys' fees to Grigoleit, and closed the dockets. (Consolidated with PCB 92-33.)
- 92-33 The Grigoleit Company v. EPA - See PCB 89-184.
- 92-61 Ethyl Petroleum Additives, Inc. v. EPA - The Board granted voluntary dismissal of this air permit appeal involving a St. Clair County facility.
- 92-196 Safety-Kleen Corporation (Franklin Park Service Center) v. EPA - The Board granted voluntary dismissal of this RCRA permit appeal involving a Cook County facility.
- 93-195 City of Herrin v. EPA - The Board affirmed the Agency's denial of amendments to existing permits in this land permit appeal involving a Williamson County facility.
- 94-52 People of the State of Illinois v. Jays Foods, Inc. - The Board accepted a stipulation and settlement agreement in this air enforcement action against a Cook County facility, ordered

- the respondent to pay a civil penalty of \$11,000.00, and ordered the respondent to cease and desist from further violation. Board Member E. Dunham abstained. Board Member J. Theodore Meyer concurred.
- 94-56 People of the State of Illinois v. Land O'Frost, Inc. - The Board accepted a stipulation and settlement agreement in this air enforcement action against a Cook County facility, ordered the respondent to pay a civil penalty of \$8,500.00, and ordered the respondent to cease and desist from further violation. Board Member J. Theodore Meyer concurred.
- 94-59 People of the State of Illinois v. Acme Barrel Company - The Board accepted a stipulation and settlement agreement in this air enforcement action against a Cook County facility, ordered the respondent to pay a civil penalty of \$2,000.00, and ordered the respondent to cease and desist from further violation. Board Member J. Theodore Meyer concurred.
- 94-87 Marathon Oil Company v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a 16-day extension of previously-granted provisional variances, extending the deadline for compliance with the Stage II vapor recovery requirements for seven Cook, Kane, McHenry, and Will County facilities.
- 94-88 Amerock Corporation v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a 30-day provisional variance from the 90-day limitation on accumulation of hazardous wastes at its Winnebago County. Board Member M. McFawn abstained.
- 94-89 Danville Sanitary District v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance from the biochemical oxygen (CBOD₅) demand and the suspended solids (TSS) effluent requirements, as set forth in 35 Ill. Adm. Code 304.120(c) and 304.141(a), during a period of equipment repairs at its Vermilion County facility.
- 94-90 Illinois Power Company (Wood River Power Station) v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a 30-day provisional variance from the 90-day limitation on accumulation of hazardous wastes at its Madison County facility. Board Member M. McFawn abstained.
- 94-91 Central Illinois Public Service Company (Meredosia Power Station) v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance from the water quality standard requirements for total residual chlorine, as set forth in 35 Ill. Adm. Code 304.141(b) and 302.208(d), to allow the destruction of zebra mussels at the water intakes of its Morgan County facility.
- AC 93-46 In the Matter of: County of Jackson v. Robert Waldron - The Board vacated its default order of November 18, 1993 and granted voluntary dismissal of this administrative citation against a Jackson County respondent.
- AC 93-60 In the Matter of: Montgomery County v. Envotech-Illinois, Inc. - The Board granted a joint motion to dismiss this administrative citation filed against a Montgomery County facility.
- AC 94-4 In the Matter of: DuPage County v. Waste Management of Illinois, Inc. - The Board issued a default order, finding that the respondent had violated Section 21(o)(5) of the Act at its DuPage County facility, and ordered the respondent to pay a civil penalty of \$500.00.
- R93-16 In the Matter of: RCRA Update, USEPA Regulations (January 1, 1993 through June 30, 1993) - See Rulemaking Update.

NEW CASES - March 17, 1994 BOARD MEETING

- 94-75 Jay Aguilar v. The City of Wood Dale - The Board ordered the filing of an amended complaint in this citizen's water enforcement action against a DuPage County facility.
- 94-80 Gunite Corp. v. EPA - The Board ordered the filing of an amended petition in this underground storage tank reimbursement

	determination appeal involving a Winnebago County facility.	94-90	<u>Illinois Power Company (Wood River Power Station) v. EPA</u> - See Final Actions.
94-82	<u>H.C.T.K. Inc. v. EPA</u> - The Board ordered the filing of an amended petition in this underground storage tank reimbursement determination appeal involving a Marion County facility.	94-91	<u>Central Illinois Public Service Company (Meredosia Power Station) v. EPA</u> - See Final Actions.
94-83	<u>People of the State of Illinois v. George Ribble</u> - The Board accepted a complaint for hearing in this land enforcement action against a Macoupin County facility.	AS 94-1	<u>In the Matter of: Petition of Illinois Wood Energy Partners, L.P. for an Adjusted Standard from 35 Ill. Adm. Code Part 807 or, in the Alternative, a Finding of Inapplicability</u> - The Board accepted, for a hearing on limited jurisdictional issues, this petition for either an adjusted standard from the permit requirements applicable to solid waste disposal facilities or a declaration that the requirements do not apply to this proposed Cook County waste-to-energy facility.
94-84	<u>People of the State of Illinois v. Winnebago Reclamation Service, Inc. and Wm. Lans Son's Co., Inc.</u> - The Board accepted a complaint for hearing in this land enforcement action against a Winnebago County facility.	AS 94-3	<u>In the Matter of: Petition of Outboard Marine Corporation (OMC Waukegan Facility) for an Adjusted Standard from 35 Ill. Adm. Code Part 218</u> - The Board accepted this petition for an adjusted standard from the volatile organic material emissions limitations otherwise applicable to this Lake County facility for hearing.
94-85	<u>Nichols Aluminum v. EPA</u> - The Board accepted this air permit appeal involving a Lake County facility for hearing.	R94-1	<u>In the Matter of: Amendments to 35 Ill. Adm. Code 302.202, 302.208, 302.212, 302.213, 302.407, 304.122 and 304.301 (Ammonia Nitrogen, Lead, and Mercury)</u> - See Rulemaking Update.
94-86	<u>Auburn, Divernon, Girard, Pawnee, Thayer, Virden Water Commission v. EPA</u> - The Board held this public water supplies variance petition involving a Macoupin County facility for an Agency Recommendation.	R94-2	<u>In the Matter of: Regulation of Petroleum Underground Storage Tanks, 35 Ill. Adm. Code 732</u> - See Rulemaking Update.
94-87	<u>Marathon Oil Company v. EPA</u> - See Final Actions.		
94-88	<u>Amerock Corporation v. EPA</u> - See Final Actions.		
94-89	<u>Danville Sanitary District v. EPA</u> - See Final Actions.		

FINAL ACTIONS - March 31, 1994 BOARD MEETING

92-112	<u>James River Paper Company, Inc. v. EPA</u> - The Board granted voluntary dismissal of this air permit appeal involving a DuPage County facility.		appeal involving a Cook County facility.
92-166	<u>Marathon Oil Company (Robinson Refinery) v. EPA</u> - The Board remanded this matter to the Agency for reissuance of Marathon's NPDES permit issued to a Crawford County facility.	93-225	<u>People of the State of Illinois v. Parkview Metal Products, Inc.</u> - The Board accepted a stipulation and settlement agreement in this air enforcement action against a Cook County facility, ordered the respondent to pay a civil penalty of \$5,000.00, and ordered the respondent to cease and desist from further violation. Board Member J. Theodore Meyer concurred.
93-29	<u>5566 Building Partnership and Box Form, Inc.</u> - The Board granted voluntary dismissal of this underground storage tank reimbursement	94-42	<u>Madison Group 90 v. Office of the Illinois State Fire Marshal</u> - The Board accepted a

joint stipulation and motion to dismiss, directed the parties to effectuate their agreement, and closed this underground storage tank reimbursement appeal involving a Cook County facility.

94-45 Metropolitan Airport Authority of Rock Island County v. Office of the Illinois State Fire Marshal - The Board granted voluntary dismissal of this underground storage tank reimbursement appeal involving a Rock Island County facility.

94-46 Benet Academy v. Office of the Illinois State Fire Marshal - The Board granted voluntary dismissal of this underground storage tank reimbursement appeal involving a DuPage County facility.

94-73 People of the State of Illinois v. K N I Corporation and Knomark, Inc.- The Board accepted a stipulation and settlement agreement in this air enforcement action against a Kane County facility, ordered the respondent to pay a civil penalty of \$10,000.00, and ordered the respondent to cease and desist from further violation. Board Member J. Theodore Meyer concurred.

94-100 State Oil Company v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a 16-day extension of previous provisional variances, extending the deadline for compliance with the Stage II vapor recovery requirements for a Cook County facility.

94-101 Mobile Oil Corporation v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a 16-day extension of the previous provisional variances extending the Stage II vapor recovery requirements for 74 of its Cook, DuPage, Lake, Kendall and Will County facilities.

94-103 Rend Lake Conservancy District v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance from the biochemical oxygen demand (CBOD₅) and suspended solids (TSS) effluent requirements, as set forth in 35 Ill. Adm. Code 304.120 and 304.141, for its Franklin County facility.

94-104 Commonwealth Edison (Dresden Generating Station) v. EPA - Upon receipt of an Agency recommendation, the Board granted the

petitioner a 21-day provisional variance from the thermal discharge standards, as set forth in 35 Ill. Adm. Code 302.211(d) and 304.141(c), for its Grundy County facility.

94-105 City of Monmouth v. EPA - Upon receipt of an Agency recommendation, the Board granted the petitioner a 45-day provisional variance from the ammonia nitrogen (NH₃), biochemical oxygen demand (CBOD₅), the suspended solids (TSS) effluent requirements, as set forth in 35 Ill. Adm. Code 304.120(c), 304.212, and 304.141(a), for its Warren County facility.

AC 94-6 Sangamon County v. D. Ray Smith - The Board entered a default order, finding the respondent had violated Section 21(p)(1) of the Act at its Sangamon County facility, and ordered the respondent to pay a civil penalty of \$500.00.

AC 94-7 Williamson County Solid Waste Management v. Gerald Baltzell - The Board entered a default order, finding the respondent had violated Section 21(p)(3) of the Act at its Williamson County facility, and ordered the respondent to pay a civil penalty of \$500.00.

AC 94-9 IEPA v. City of Jacksonville - The Board entered a default order, finding the respondent had violated Section 21(p)(1) of the Act at its Morgan County facility, and ordered the respondent to pay a civil penalty of \$500.00.

AC 94-10 County of DuPage v. Waste Management of Illinois - The Board entered a default order, finding the respondent had violated Section 21(o)(5) of the Act at its DuPage County facility, and ordered the respondent to pay a civil penalty of \$500.00.

R93-26 In the Matter of: Amendments to the New Source Review Rules 35 Ill. Adm. Code 203 - See Rulemaking Update.

R94-3 In the Matter of: Exemptions From the Definition of VOM, USEPA Amendments (July 1 through December 31, 1993) - See Rulemaking Update.

R94-8 UST Update, USEPA Regulations (July 1 through December 31, 1993) - See Rulemaking Update.

NEW CASES - March 31, 1994 BOARD MEETING

- 94-92 USA Waste Services, Inc. (Countryside Landfill) v. EPA - The Board ordered the filing of an amended petition in this land variance proceeding involving a Lake County facility.
- 94-93 White Cap, Inc. v. EPA - The Board accepted this air variance proceeding involving a Cook County facility for hearing.
- 94-94 People of the State of Illinois v. The Milnot Company - Upon receipt of a proposed stipulation and settlement agreement in this EPCRA enforcement action against a Montgomery County facility, the Board ordered publication of the required newspaper notice.
- 94-95 City of Staunton v. EPA - The Board held this public water supplies variance proceeding involving a Macoupin County facility for an Agency Recommendation.
- 94-96 People of the State of Illinois v. MII, Inc. - Upon receipt of a proposed stipulation and settlement agreement in this air enforcement action against a Logan County facility, the Board ordered publication of the required newspaper notice.
- 94-97 Safety-Kleen Corporation (Urbana Service Center) v. EPA - The Board accepted this RCRA permit appeal involving a Champaign County facility for hearing.
- 94-98 Beardstown Area Citizens For a Better Environment v. City of Beardstown and Southwest Energy Corporation - The Board accepted this third party regional pollution control facility local siting approval appeal involving a proposed Cass County municipal solid waste incinerator for hearing.
- 94-99 Village of Mapleton v. EPA - The Board held this public water supplies variance proceeding involving a Peoria County facility for an Agency Recommendation.
- 94-100 State Oil Company v. EPA - See Final Actions.
- 94-101 Mobile Oil Corporation v. EPA - See Final Actions.
- 94-102 People of the State of Illinois v. APV Rockford, Inc. - Upon receipt of a proposed stipulation and settlement agreement in this land enforcement action against a Winnebago County facility, the Board ordered publication of the required newspaper notice.
- 94-103 Rend Lake Conservancy District v. EPA - See Final Actions.
- 94-104 Commonwealth Edison (Dresden Generating Station) v. EPA - See Final Actions.
- 94-105 City of Monmouth v. EPA - See Final Actions.
- AS 94-7 In the Matter of: Petition of Rhone-Poulenc Basic Chemicals Company, Thorn Creek Basin Sanitary District for an Adjusted Standard from 35 Ill. Adm. Code 302.201 and 304.105 - The Board accepted this petition for an adjusted standard for total dissolved solids and sulfate discharges from a proposed Cook County facility.
- R94-3 In the Matter of: Exemptions From the Definition of VOM, USEPA Amendments (July 1, 1993 through December 31, 1993) - See Final Actions.
- R94-4 SDWA Update, USEPA Regulations (July 1, 1993 through December 31, 1993) - See Rule-making Update.
- R94-5 UIC Update, USEPA Regulations (July 1, 1993 through December 31, 1993) - See Rulemaking Update.
- R94-6 RCRA Subtitle D Update, USEPA Regulations (July 1, 1993 through December 31, 1993) - See Rulemaking Update.
- R94-7 RCRA Subtitle C Update, USEPA Regulations (July 1, 1993 through December 31, 1993) - See Rulemaking Update.
- R94-8 UST Update, USEPA Regulations (July 1, 1993 through December 31, 1993) - See Final Actions.
- R94-9 Contingency Plan Update (CERCLA), USEPA Regulations (July 1, 1993 through December 31, 1993) - See Rulemaking Update.

R94-10 Pretreatment Update (NPDES) USEPA
Regulations (July 1, 1993 through December

31, 1993) - See Rulemaking Update.

CALENDAR OF HEARINGS

All hearings held by the Board are open to the public. All Pollution Control Board Meetings (highlighted) are open to the public but public participation is generally not allowed. Times and locations are subject to cancellation and rescheduling without notice. Confirmation of hearing dates and times is available from the Clerk of the Board at 312- 814-6931.

April 5 10:30 a.m.	PCB 94-60 A-V	<u>Mobil Oil Corporation v. EPA</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
April 6 10:00 a.m.	PCB 94-44 L-S-R, 3d P	<u>Concerned Citizens for a Better Environment v. City of Havana and Southwest Energy Corporation</u> - Mason County Courthouse, Courtroom #1, 100 North Broadway, Havana.
April 8 10:00 a.m.	PCB 94-55 UST-FRD	<u>Myrtle Landwehrmeier v. EPA</u> - Granite City Hall, Mayor's Conference Room, 2nd Floor, 2000 Edison Avenue, Granite City.
April 12 10:00 a.m.	PCB 93-122 UST-FRD	<u>EMRO Marketing Company v. EPA</u> - College of Lake County, Room B 205, 19351 West Washington, Grayslake.
April 12 9:00 a.m.	PCB 94-1 L-E	<u>People of the State of Illinois v. Robert D. Fosnock, d/b/a Fos Auto & Truck Parts</u> - Gillespie Municipal Building, City Council Chamber, 115 North Macoupin, Gillespie.
April 15 9:30 a.m.	R 93-29 R, Land	<u>In the Matter of: Regulation of Landscape Waste Compost Facilities, 35 Ill. Adm. Code 830-832</u> - James R. Thompson Center, Room 9-040, 100 West Randolph Street, Chicago.
April 19 10:30 a.m.	PCB 93-248 L-E	<u>People of the State of Illinois v. John Prior and Industrial Salvage, Inc.</u> - Centralia City Hall, Council Chambers, 222 South Poplar Street, Centralia.
April 19 10:00 a.m.	PCB 93-261 L-E	<u>People of the State of Illinois v. Midwest Refinishing, Inc. and Kenneth Ruff</u> - Social Science Research Institute, Conference Room, 148 North Third Street, DeKalb.
April 21 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
April 21 10:00 a.m.	PCB 94-38 UST-FRD	<u>Park District of Highland Park (Central Park Facility) v. Office of the Illinois State Fire Marshal</u> - Lake County Courthouse, County Board Assembly Room, 10th Floor, 18 North County Street, Waukegan.
April 22 10:00 a.m.	R 93-29 R, Land	<u>In the Matter of: Regulation of Landscape Waste Compost Facilities, 35 Ill. Adm. Code 830-832</u> - Municipal Building, Third Floor, Council Chambers, Seventh and Monroe Streets, Springfield.
April 26 10:00 a.m.	PCB 94-51 L-S-R, 3d P	<u>Rodney Nelson, III, M.D. v. Kane County, and Illinois Municipal Corporation, Kane County Board as the Local Siting Authority, and Waste Management of Illinois, Inc., as Applicant</u> - City of Geneva, City Hall, Council Chambers, 22 South First Street, Geneva. (Consolidated with PCB 94-58.)
April 26	R 93-13	<u>In the Matter of: Petition of General Motors Corporation to Amend 35 Ill. Adm. Code</u>

10:00 a.m.	R, Water	<u>303.322 (Site-Specific Regulation for Fluoride)</u> - Danville City Hall, Council Chambers, 402 North Hazel Street, Danville.
April 27 10:00 a.m.	PCB 93-145 A-E	<u>People of the State of Illinois v. Monarch Asphalt Company</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
April 27 10:00 a.m.	R 94-2 R, Land	<u>In the Matter of Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732</u> - County Board Chambers, 200 South Ninth Street, 2nd Floor, Springfield.
April 28 10:00 a.m.	PCB 93-145 A-E	<u>People of the State of Illinois v. Monarch Asphalt Company</u> - James R. Thompson Center, Suite 11-500, 100 West Randolph Street, Chicago.
April 28 10:00 a.m.	R 94-2 R, Land	<u>In the Matter of Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732</u> - County Board Chambers, 200 South Ninth Street, 2nd Floor, Springfield.
April 29 10:00 a.m.	PCB 94-25 WWSE	<u>Shell Oil Company v. County of DuPage and EPA</u> - DuPage County Courthouse, Court Room 2001, 505 North County Farm Road, Wheaton.
May 5 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
May 5 10:00 a.m.	AS 93-8 A-S, Water	<u>In the Matter of: Petition of AKZO Chemicals Inc. for an Adjusted Standard from 35 Ill. Adm. Code 302.208 and 304.105 (TDS, chlorides, sulfates, and boron)</u> - Grundy County Administrative Center, Board Room, 1320 Union Street, Morris.
May 5 10:00 a.m.	PCB 93-128 P-A, RCRA	<u>National Coatings, Inc. v. EPA</u> - Knox County Courthouse, Conference Room, 200 South Cherry Street, Glaesburg.
May 10 10:00 a.m.	PCB 93-111 UST-FRD	<u>Bocker Chevrolet Company v. EPA</u> - Freeport City Hall, Council Chambers, 230 West Stephenson Street, Freeport.
May 11 9:30 a.m.	AS 94-1 Land	<u>In the Matter of Petition of Illinois Wood Energy Partners, L.P. for an Adjusted Standard from 35 Ill. Adm. Code 807 or, in the Alternative, a Finding of Inapplicability</u> - Chicago Heights Public Library, Large Conference Room, Lower Level, 15th Street & Chicago Road, Chicago Heights.
May 19 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
May 23 10:00 a.m.	R 94-2 R, Land	<u>In the Matter of Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732</u> - James R. Thompson Center, Suite 9-040, 100 West Randolph Street, Chicago.
May 24 10:00 a.m.	R 94-2 R, Land	<u>In the Matter of Petroleum Leaking Underground Storage Tanks, 35 Ill. Adm. Code 732</u> - James R. Thompson Center, Suite 9-040, 100 West Randolph Street, Chicago.
May 25 1:00 p.m.	PCB 93-255 UST-FRD	<u>Lindsay-Klein Chevrolet-Olds, Inc., d/b/a Chuck Lindsay Chevrolet-Olds, Inc. v. Office of the Illinois State Fire Marshal</u> - Whiteside County Sheriff's Department, Law Enforcement Center, 400 North Cherry Street, Morrison.

May 26 9:00 a.m.	PCB 93-192 A-E, Citizens	<u>The Decatur Auto Auction, Inc. v. Macon County Farm Bureau, Inc., The Macon County Fair Association, and the Macon County Horsemen's Association</u> - Macon County Building, Boardroom 504, 253 East Wood Street, Decatur.
June 2 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
June 7 9:00 a.m.	PCB 93-250 A-E	<u>People of the State of Illinois v. Clark Oil & Refining Corporation (Wood River Refinery)</u> - Alton City Hall, Council Chambers, 101 East Third Street, Alton.
June 9 9:00 a.m.	PCB 93-250 A-E	<u>People of the State of Illinois v. Clark Oil & Refining Corporation (Blue Island Refinery)</u> - Meadows Golf Club of Blue Island, 2802 West 123d Street, Blue Island.
June 23 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
July 21 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
August 11 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
September 1 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
Spetember 15 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
October 6 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
October 20 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
November 3 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
December 1 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
December 15 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
January 12 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago
February 16 10:30 a.m.		Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago

March 16
10:30 a.m. Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago

April 20
10:30 a.m. Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago

May 18
10:30 a.m. Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago

June 15
10:30 a.m. Pollution Control Board Meeting, James R. Thompson Center, 100 W. Randolph St., Conference Room 9-040, Chicago

Calendar Code

3d P	Third Party Action	A-CAdministrative Citation
A-E	Air Enforcement	A-SAdjusted Standard
A-V	Air Variance	CSOCombined Sewer Overflow Exception
GW	Groundwater	L-ELand Enforcement
L-S-R	Landfill Siting Review	L-VLand Variance
N-E	Noise Enforcement	N-VNoise Variance
P-A	Permit Appeal	PWS-EPublic Water Supply Enforcement
PWS-V	Public Water Supply Variance	RRegulatory Proceeding
S0 ₂	S0 ₂ Alternative Standards (35 ILL. ADM. CODE 302.211(f))	SWH-ESpecial Waste Hauling Enforcement
SWH-V	Special Waste Hauling Variance	TThermal Demonstration Rule
T-C	Tax Certifications	T-STrade Secrets
UST-E	Underground Storage Tank Enforcement	UST-FRDUnderground Storage Tank Fund Reimbursement Determination
W-E	Water Enforcement	W-VWater Variance
WWS	Water-Well Setback Exception	

Illinois Environmental Protection Agency
 Division of Public Water Supplies
 Restricted Status List -- Public Water Supplies

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of April 1, 1994.

- * Indicates public water supplies which have been added to the list since the previous publication.
- ** Indicates actions are being taken by officials to bring the public water supply into compliance.

Illinois Environmental Protection Agency
 Division of Public Water Supplies
 Restricted Status List -- Public Water Supplies
 April, 1994

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Alexander Co. - McClure-East Cape PWD (0035050)	7	Inadequate Dist. System Storage	1,225	12/13/85
Arenzville (Cass Co. - 0170050)	5	Nitrate	400	03/20/81
Ashley (Washington Co. - 1890100)	6	Trihalomethane	825	06/15/92
Auburn (Sangamon Co. - 1670050)	5	Atrazine	3,724	12/15/93
Bellwood (Cook Co. - 0310150)	2	Radium	20,000	12/14/90
Biggsville (Henderson Co. - 0710050)	5	Radium & Radiological	400	03/17/86
Bond Co. - Royal Lake Wtr Dstrct (0055100)	6	Trihalomethane	228	06/15/92
Bradford (Stark Co. - 1750050)	1	Radium	920	03/17/86
Brownstown (Fayette Co. - 0510100)	6	Trihalomethane	820	06/15/92
Buckingham (Kankakee Co. - 0910250)	2	Inadequate Pres. Tank	330	03/17/89
Buda (Bureau Co. - 0110100)	1	Radium	700	06/15/93
Bureau Co. - Bailey Sbdv (0115100)	1	Inadequate Pres. Tank	43	01/13/82
Bush (Williamson Co. - 1990050)	5	Trihalomethane	403	06/15/93
Byron (Ogle Co. - 1410100)	1	Radium	2,500	06/15/93
Campus (Livingston Co. - 1050050)	4	Inadequate Pres. Tank	230	03/20/81
** Carroll Co. - Carroll Hts Utl Cmpny (0155200)	1	Inadequate Pres. Tank	80	03/20/81
Carroll Co. - Century Pines Apts (0150020)	1	Inadequate Pres. Tank	50	12/14/90
Cedar Point Wtr Cmpny (LaSalle Co. - 0995040)	1	Radium	800	03/17/86
Champaign Co. - D&R Apts (0190030)	4	Inadequate Pres Tank	26	09/16/93
Chandlerville (Cass Co. - 0170200)	5	Nitrate	7,800	03/17/86
Coalton (Montgomery Co. - 1350100)	5	Low System Pressure	325	03/20/81
Coffeen (Montgomery Co. - 1350150)	5	Trihalomethane	800	03/17/92
Concord (Morgan Co. - 1370100)	5	Nitrate	240	03/17/86
Cook Co. - Mission Brook Sndst (0315920)	2	Radium	3,200	03/14/91
Cook Co. - Orland Hills Sbdv (0317000)	2	Inadequate Pres. Tank	154	08/31/81
Cook Co. - Plum Creek Condos (0317080)	2	Radium	570	03/17/86
Coulterville (Randolph Co. - 1570150)	6	Trihalomethane	1,100	06/15/92
Creal Springs (Williamson Co. - 1990300)	7	Inadequate Treatment Plant & Source	1,020	09/15/89
Crystal Clear Wtr Cmpny (McHenry Co. - 1115150)	2	Inadequate Pres. Tank	900	09/16/88
Dallas City (Hancock Co. - 0674300)	5	Trihalomethane	1,500	06/15/92
DeKalb Co. - Buck Lake Ests Sbdv (0375100)	1	Inadequate Pres. Tank	200	09/14/84
DeKalb Co. - DeKalb Univ Dvl Corp (0375148)	1	Inadequate Pres. Tank	950	12/16/92
DeWitt Co. - DeWitt Cnty Nursing Home (0395129)	4	Inadequate Pres. Tank	80	06/17/83
Diamond (Grundy Co. - 0630250)	2	Radium & Radiological	1,170	08/21/81
Divernon (Sangamon Co. - 1670450)	5	Atrazine	1,192	12/15/93
Dover (Bureau Co. - 0110350)	1	Inadequate Pres. Tank	200	05/25/81
DuPage Co. - Belmont- Highwood PWD (0435180)	2	Trichloroethylene	498	09/16/93
DuPage Co. - Clarendon Wtr Cmpny (0435300)	2	Inadequate Pres. Tank	1,953	03/20/81
DuPage Co. - Ctznrs Lombard Heights Dvn (0435700)	2	Inadequate Pres. Tank	980	12/17/82
DuPage Co. - Liberty Park Homeowners Assn (0435600)	2	Inadequate Pres. Tank	1,092	09/17/92
DuPage Co. - Maple Hill Imprv Assn (0435800)	2	Inadequate Pres. Tank	234	08/31/81
* DuPage Co. - Metro Util.-Liberty Ridge (0435650)	2	Inadequate Pres. Tank	2,510	03/15/94
DuPage Co. - Northside Peterson Wlfnd (0435866)	2	Inadequate Pres. Tank	30	12/15/89
DuPage Co. - Northwest Belmont Imprv Assn (0435900)	2	Inadequate Pres. Tank	115	09/29/81
DuPage Co. - Pleasant Hill Cmnty Assn (0435980)	2	Inadequate Pres. Tank	180	03/17/89
DuPage Co. - Polo Drive & Saddle Rd Sbdv (0437000)	2	Inadequate Pres. Tank	95	12/17/82
DuPage Co. - St Charles Cmsn Wlfnd 3 (0437040)	2	Inadequate Pres. Tank	30	12/15/89
DuPage Co. - South Burdette Wtr (0437320)	2	Inadequate Pres. Tank	30	06/16/89
DuPage Co. - York Center Coop (0437550)	2	Inadequate Pres. Tank	240	06/15/88
Elmwood (Peoria Co. - 1430300)	5	Radiological & Radium	2,117	03/17/86

Fairview (Fulton Co. - 0570450)	5	Radiological, Radium & Inadequate Pressure Tank	20	03/20/81
Fulton Co. - Dunfermline -St David Wtr Cmsn (0575150)	5	Trihalomethane	850	03/15/93
Gillespie (Macoupin Co. - 1170400)	5	Trihalomethane	7,221	06/15/92
Girard (Macoupin Co. - 1170450)	5	Atrazine	2,264	12/15/93
Goreville (Johnson Co. - 0870200)	7	Inadequate Treatment Plant & Source	978	09/15/89
Greene Co. - Mt. Gilead Shchrhm (0615129)	6	Inadequate Pres. Tank	28	09/16/83
* Greenville - (Bond Co. - 0050050)	6	Trihalomethane	6,610	03/15/94
Grundy Co. - Heatherfield Sbdv (0635150)	2	Inadequate Pres. Tank	91	09/17/82
Grundy Co. - Lisbon North Inc (0631000)	2	Inadequate Pres. Tank	30	09/14/90
Grundy Co. - Ridgecrest North Sbdv (0635250)	2	Inadequate Pres Tank	85	09/16/93
Henry (Marshall Co. - 1230050)	1	Nitrate	2,740	06/15/90
Henry Co. - Country Ests Sbdv (0735050)	1	Nitrate	250	06/15/90
Henry Co. - Daytons Valley View Well 1 (0735186)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood 1st Addn Well 2 (0735446)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood 2nd Addn Well 1 (0735646)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood 2nd Addn Well 2 (0735666)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood 2nd Addn Well 3 (0735686)	1	Inadequate Pres. Tank	32	09/17/82
Henry Co. - Hazelwood West Sbdv (0735250)	1	Inadequate Pres. Tank	89	03/19/84
Henry Co. - Lake Lynwood Wtr Sys (0735330)	1	Inadequate Pres. Tank	98	08/31/81
Henry Co. - Ophiem PWS (0735150)	1	Inadequate Pres. Tank	150	06/18/82
Henry Co. - Osco Mutual Wtr Supply Cpy Inc (0735200)	1	Inadequate Pres. Tank	115	12/15/89
Henry Co. - Pine Ridge Utl Inc (0735400)	1	Inadequate Pres. Tank	46	09/29/81
* Hettick (Macoupin Co. - 0435866)	5	Atrazine	260	03/15/94
Hurst - (Williamson Co. 1990450)	7	Trihalomethane	873	03/15/93
Iroquois Co. - A Merkle -C Kniprath Home (0755389)	4	Inadequate Pres. Tank	98	03/16/90
Iroquois Co. - Spring Creek Campground II Inc. (0750030) 12/16/91	4	Inadequate Pres. Tank	--	--
Island Lake Wtr Cmpny (Lake Co. - 0975080)	2	Iron	2,250	06/15/90
JoDavieess Co. - Bahl Wtr/Pioneer Acres (0855200)	1	Inad. Pres. Storage	700	12/15/93
Johnson Co. - Burnside PWD (0875050)	7	Inadequate Treatment Plant & Source & TTHM	1,642	09/15/89
Kane Co. - Broadview Academy (0895149)	2	Radium	304	09/19/86
Kane Co. - Highland Sbdv (0895530)	2	Inadequate Pres. Tank	50	09/16/83
* Kane Co. - Melrose Rental Apts (0895228)	2	Inadequate Pres. Tank	38	03/15/94
Kane Co. - Moecherville Sbdv (0895300)	2	Inadequate Pres. Tank	1,120	03/20/81
Kane Co. - Park View Wtr Corp (0895500)	2	Inadequate Pres. Tank	150	12/17/82
Kane Co. - Pleasant Village (0895228)	2	Inadequate Pres. Tank	N/A	06/18/82
Kane Co. - Silver Glen Ests (0890040)	2	Radium	10	06/15/93
Kane Co. - St Charles Skyline Swr-Wtr Cpy (0895030)	2	Inadequate Pres. Tank	1,300	09/19/86
Kane Co. - Wermes Sbdv (0895750)	2	Inadequate Pres. Tank	150	12/16/88
Kangley (LaSalle Co. - 0990250)	1	Radium	200	03/17/86
* Kankakee Co. - Good Shepherd Manor (0915189)	2	Inadequate Pres. Tank	140	03/17/89
Kankakee Co. - Olivet Nazarene College (0915279)	2	Inadequate Pres. Tank	1,450	03/15/94
Kankakee Co. - Skyview Sbdv (0915526)	2	Inadequate Pres. Tank	65	09/14/84
Kendall Co. - Bonnie Lane Wtr (0930010)	2	Inadequate Pres. Tank	49	09/16/93
Kendall Co. - Farm Colony (0935140)	2	Radium	25	03/17/86
Kendall Co. - Fox Lawn Utl Cmpny (0935150)	2	Radium	240	03/17/86
Kendall Co. - Metro Utl Valley Dvn (0935100)	2	Inadequate Pres. Tank	2,200	03/16/90
Kingston Mines (Peoria Co. - 1430450)	5	Radium	350	03/17/86
Kinmundy (Marion Co. - 1210300)	6	Atrazine	1,923	12/15/93
Kinsman (Grundy Co. - 0630450)	2	Radium	150	03/17/86
Kirkwood (Warren Co. - 1870050)	5	Radium & Radiological	1,008	07/23/93
Ladd (Bureau Co. - 0110450)	1	Radium	1,350	10/04/85
Lake Co. - Acorn Acres Sbdv (0975020)	2	Inadequate Pres. Tank	250	12/16/83
Lake Co. - Blan Mar Hills Homeowners Assn (0970090)	2	Radium	18	12/16/91
Lake Co. - Bluff Lake Lodges, Inc (0970240)	2	Inad. Pres. Storage	25,200	12/15/93
Lake Co. - Briarcrest Sbdv Hmowmrs Assn (0971060)	2	Radium & Gross Alpha	120	12/16/92
Lake Co. - D L Well Owners Assn (0975380)	2	Inadequate Pres. Tank	125	03/18/83
Lake Co. - Echo Lake Block IV Water Assn (0970130)	2	Inadequate Pres. Tank	50	06/15/88
Lake Co. - Echo Lake Wtr Sys Block 7 (0975820)	2	Inadequate Pres. Tank	48	09/16/83
Lake Co. - Elm Oak Mutual Wtr Sys (0975736)	2	Inadequate Pres. Tank & Radium	45	06/13/86
Lake Co. - Forest Lake Addn (0975500)	2	Inadequate Pres. Tank	180	12/16/83
Lake Co. - Glenkirk Campus North (0977189)	2	Inadequate Pres. Tank	64	06/15/88
Lake Co. - Glenkirk Campus South (0977199)	2	Inadequate Pres. Tank	36	06/15/88
Lake Co. - Glenstone Sbdv (0970160)	2	Radium	168	09/17/92
Lake Co. - Highland Lake Sbdv (0975750)	2	Inadequate Pres. Tank	294	03/20/81
Lake Co. - Lakewood Wtr Sys (0975400)	2	Inadequate Pres. Tank	49	12/16/83
Lake Co. - Maple Hill Nursing Ctr (0971090)	2	Inadequate Pres. Tank	204	06/15/93
Lake Co. - Pekara Sbdv (0975900)	2	Inadequate Pres. Tank	2,173	05/25/81
Lake Co. - Sturm Sbdv (0977010)	2	Inadequate Pres. Tank	63	03/16/84
Lake Co. - Summit Homeowners Assn (0975280)	2	Inadequate Pres. Tank	48	03/16/84
Lake Co. - Sylvan Lake 1st Sbdv (0977100)	2	Inadequate Pres. Tank	210	06/14/91
Lake Co. - Towner Sbdv (0977250)	2	Inadequate Pres. Tank	238	01/14/82
Lake Co. - Wadsworth Oaks Sbdv (0977320)	2	Radium	80	09/19/86
Lake Co. - West Shoreland Sbdv (0977050)	2	Inadequate Pres. Tank	220	06/14/91
LaSalle Co. - Four Lakes Sbdv (0995110)	1	Radium	35	09/19/86
LaSalle Co. - Il Prairie Est Sbdv (0995300)	1	Radium	45	06/15/88
LaSalle Co. - Lynnwood Water Corp (0995336)	1	Inadequate Pres. Tank	114	03/18/83
LaSalle Co. - Woodsmoke Ranch Assn (0990030)	1	Inadeq. Pres. Tank & Radium	350	06/15/90
Little York (Warren Co. - 1870100)	5	Radium	356	12/16/91
Livingston Co. - Salem Childrens Hm (1055229)	4	Inadequate Pres. Tank	66	03/18/83
Logan Co. - Bartmann Health Care Center (1075169)	5	Inadequate Pres. Tank	93	12/16/83

London Mills - (Fulton County - 0574620)	5	Inadequate Pres. Tank	670	12/14/84
Lostant (LaSalle Co. - 0990450)	1	Radium & Radiological	550	03/17/86
Macoupin Co. - ADGPTV (1175200)	5	Atrazine	16,437	12/15/93
Macoupin Co. - Palmyra-Modesto Wtr Assn (1175150)	5	Atrazine	1,140	06/15/93
Macoupin Co. - RR 1 - Il Wtr Assn (1175260)	5	Trihalomethane	81	06/15/92
Macoupin Co. - Scottville Rural Wtr (1170010)	5	Atrazine	510	12/15/93
Macoupin Co. - Staunton Res Rd Wtr Coop (1175250)	5	Total Trihalomethane	60	03/15/93
Mapleton (Peoria Co. - 1430500)	5	Radium	235	03/17/86
Marshall Co. - Hopewell Wtr Wks (1235150)	1	Radium & Radiological	350	03/17/86
McDonough Co. - Emmett Utl Inc (1095200)	5	Inadequate Pres. Tank	39	12/17/82
McHenry Co. - C & A Wtr Corp (1115270)	2	Inadequate Pres. Tank	33	06/18/82
McHenry Co. - Community Srvc Corp (1115350)	2	Inadequate Pres. Tank	750	09/16/83
McHenry Co. - Deering Oaks Sbdv (1115200)	2	Inadequate Pres. Tank	60	12/17/82
McHenry Co. - Prairie Ridge Assn (1115730)	2	Inadequate Pres. Tank	140	03/16/90
McHenry Co. - Walk-Up-Woods Wtr Cmpny (1115800)	2	Inadequate Pres. Tank	763	12/17/82
McLean Co. - Cropsey Cmnty Wtr (1135150)	4	Inadequate Pres. Tank	60	03/20/81
McLean Co. - Hunters Knoll Sbdv (1130030)	4	1,2-Dichloropropane	25	12/15/93
Media (Henderson Co. - 0710250)	5	Nitrate	150	03/17/86
Mercer Co. - M C L W Sys Inc (1315150)	1	Inadequate Source	100	03/20/81
Mercer Co. - Swedona Wtr Assn (1315200)	1	Inadequate Pres. Tank	100	06/15/90
Modesto (Macoupin Co. - 1170600)	5	Atrazine	240	12/15/93
Monmouth (Warren Co. - 1870150)	5	Radium	9,500	12/15/93
Monroe Co. - Maple Leaf Ests Wtr Corp (1335100)	6	Inadequate Pres. Tank	39	03/20/81
Mount Clare (Macoupin Co. - 1170650)	5	Trihalomethane	858	03/17/92
Naplate (LaSalle Co. - 0990600)	1	Radium	581	03/17/86
Neponset (Bureau Co - 0110700)	1	Radium	640	09/14/90
New Boston (Mercer Co. - 1310250)	1	Nitrate	750	12/14/84
Nilwood (Macoupin Co. - 1170750)	5	Atrazine	1,063	12/15/93
Odell (Livingston Co. - 1050550)	4	Radium	1,100	03/17/86
Ogle Co. - Lindenwood Wtr Assn (1415300)	1	Inadequate Pres. Tank	50	01/13/82
Palmyra (Macoupin Co. - 1170800)	5	Atrazine	850	12/15/93
Patoka (Marion Co. - 1210400)	6	Trihalomethane	820	12/16/92
Pawnee (Sangamon Co. - 1670850)	5	Atrazine	2,672	12/15/93
Peoria Co. - Brookview Sbdv (1435100)	5	Nitrate	300	09/16/93
Peoria Co. - Edelstein Wtr Coop (1435150)	5	Radium & Radiological	115	06/13/86
Peoria Co. - Fahnstock Court Sbdv (1435200)	5	Inadequate Pres. Tank	30	05/25/81
Peoria Co. - Galena Knolls Sbdv (1435300)	5	Nitrate	180	06/15/88
Peoria Co. - Trivoli PWD (1435510)	5	Inadequate Pres. Tank	350	06/17/83
Peoria Co. - Woodland Hts Ests Sbdv (1435760)	5	Inadequate Pres. Tank	245	03/20/81
Prairie City (McDonough Co. - 1090400)	5	Radiological & Radium	620	03/17/86
Ransom (LaSalle Co. - 0990900)	1	Radium	450	03/17/86
Raritan (Henderson Co. - 0710350)	5	Radium & Radiological	177	03/17/86
Reddick (Kankakee Co. - 0914780)	2	Radium	208	09/16/93
Richview (Washington Co. - 1890500)	6	Inadequate Pres. Tank	592	09/19/86
Rockdale (Will Co. - 1970850)	2	Radium	1,500	03/17/86
Rock Island Co. - Byron Hls Sbdv Well 6 (1617266)	1	Inadequate Pres. Tank	32	12/17/82
Rock Island Co. - Country Club Mnr Well 1 (1617286)	1	Inadequate Pres. Tank	32	01/14/82
Rock Island Co. - Croppers 2nd & 3rd Addn (1615200)	1	Inadequate Pres. Tank	29	12/16/83
Rock Island Co. - Eberts 2nd Addn (1615280)	1	Inadequate Pressure Tank	35	09/15/89
Rock Island Co. - Evergreen Vlg Sbdv (1615310)	1	Inadequate Pres. Tank	250	03/20/81
Rock Island Co. - Fairacres Assn (1615350)	1	Inadequate Pres. Tank	220	03/20/81
Rock Island Co. - Larson Court Rentals (1615728)	1	Inadequate Pres. Tank	48	01/14/82
Rock Island Co. - Lemon Street Well Cmpny (1615550)	1	Inadequate Pres. Tank	470	03/20/81
Rock Island Co. - Park Hill Ests Well 1 (1617806)	1	Inadequate Pres. Tank	32	06/18/82
Rock Island Co. - Park Hill Ests Well 2 (1617686)	1	Inadequate Pres. Tank	32	06/18/82
Rock Island Co. - Rock Island Arsn (1615387)	1	Trihalomethane	9,000	06/15/92
Rock Island Co. - Silvis Heights Wtr Corp (1615750)	1	Inadequate Pres. Tank	1,680	03/20/82
Rock Island Co. - Suburban Heights Sbdv (1615800)	1	Inadequate Pres. Tank	114	12/16/83
Rock Island Co. - Tindalls Addn Wtr Sys (1617956)	1	Inadequate Pres. Tank	32	06/18/82
Rock Island Co. - Tindalls 3rd & 6th Addns (1617376)	1	Inadequate Pres. Tank	28	06/18/82
Rock Island Co. - Turkey Hollow Well Corp (1615686)	1	Inadequate Pres. Tank	32	06/18/82
Rock Island Co. - WSCO Dvl-Ridgewood (1615670)	1	Inadequate Pres. Tank	475	03/20/81
Roseville (Warren Co. - 1870200)	5	Nitrate	1,254	03/17/89
Rosiclare (Hardin Co. - 0690150)	7	Trihalomethane	1,791	09/17/92
* Shannon (Carroll Co. - 0150300)	1	Nitrate	887	03/15/94
Smithboro (Bond Co. - 0050250)	6	Total Trihalomethane	201	12/15/93
Sorento (Bond Co. - 0050300)	6	Atrazine	710	06/15/92
South Pekin (Tazewell Co. - 1790650)	5	Nitrate	1,400	06/15/93
South Wilmington (Grundy Co. - 0630650)	2	Radium	750	03/15/93
Spring Valley (Bureau Co. - 0111000)	1	Radium	5,850	09/17/92
St. Clair Co. - Save Site (1635289)	6	Trihalomethane	375	06/15/92
St. Elmo (Fayette Co. - 0510250)	6	Total Trihalomethane	3,053	12/15/93
St. Peter (Fayette Co. - 0510300)	6	Trihalomethane	807	06/15/92
Standard (Putnam Co. -1550300)	1	Radium	280	09/16/91
Staunton (Macoupin Co. - 1171050)	5	Trihalomethane	5,180	06/15/92
Steeleville (Randolph Co. - 1570650)	6	Radium	2,305	03/17/86
Stephenson Co. - Park Crest Wtr Cmpny (1775100)	1	Inadequate Pres. Tank	1,200	09/14/84
Table Grove (Fulton Co. - 0570900)	5	Radium & Radiological	500	03/20/81
Taylor Springs (Montgomery Co. - 1350650)	5	Trihalomethane	671	03/17/92
Tazewell Co. - Beverly Mnr Cntrl Imp Assn (1795120)	5	Inadequate Pres. Tank	525	03/17/89
Tazewell Co. - Beverly Mnr-Grant (1795100)	5	Inadequate Pres. Tank	610	03/20/81
Tazewell Co. - Breezeway Sbdv (1795150)	5	Inadequate Pres. Tank	175	09/17/82
Tazewell Co. - Hickory Hls Sbdv Assn 1 (1795386)	5	Inadequate Pres. Tank	31	06/14/85
Tazewell Co. - Hickory Hls Sbdv Assn 2 (1795396)	5	Inadequate Pres. Tank	30	06/14/85
Tazewell Co. - Mayfair Sbdv (1795750)	5	Inadequate Pres. Tank	150	03/16/90

Tazewell Co. - Oakhaven Sbdv (1795760)	5	Inadequate Pres. Tank	35	05/25/81
Tazewell Co. - Prairie View Wtr Assn (1795900)	5	Inadequate Pres. Tank	55	03/20/81
Thayer (Sangamon Co. - 1671250)	5	Atrazine	830	12/15/93
Union Co. - Lick Creek PWD (1815100)	7	Inadequate Treatment Plant & Source	816	09/15/89
Vermilion Co. - North Fork Well Assn (1835186)	4	Inadequate Pres. Tank	66	06/17/83
Viola (Mercer Co. - 1310450)	1	Radium	1,144	09/17/92
Viriden (Macoupin Co. - 1171100)	5	Atrazine & TTHM	3,675	12/15/93
* Wayne City - (Wayne Co. - 1910450)	7	Atrazine	1,552	03/15/94
Westfield (Clark Co. - 0230200)	4	Inadequate Water Source	700	06/15/93
White City (Macoupin Co. - 1171150)	7	Trihalomethane	280	06/15/93
White Hall (Greene Co. - 0610400)	6	Atrazine	2,950	06/15/93
Whiteside Co. - Lakeview Sbdv (1955150)	1	Inadequate Pres. Tank & Nitrate	146	03/20/81
Whiteside Co. - Shady Nook (1950020)	1	Inadequate Pres. Tank	29	03/17/92
Will Co. - Bel-Air Sbdv (1975130)	2	Inadequate Pres. Tank	91	08/04/81
Will Co. - Clearview Sbdv (1975360)	2	Inadequate Pres. Tank	420	01/13/82
Will Co. - Dixie Dells (1977850)	2	Inadequate Pres. Tank	550	09/17/82
Will Co. - East Moreland Wtr Assn (1975600)	2	Inadequate Pres. Tank	753	03/20/81
Will Co. - Fair Acres Sbdv (1975680)	2	Inadequate Pres. Tank	185	10/19/81
Will Co. - Garden Street Imprv Assn (1975376)	2	Inadequate Pres. Tank	62	09/15/89
Will Co. - Greenfield Cmnty Well Cmpny (1975760)	2	Inadequate Pres. Tank	25	12/16/83
Will Co. - Hillview Sbdv (1975800)	2	Inadequate Pres. Tank	99	03/15/85
Will Co. - Huntley Cmnty Sbdv (1975840)	2	Inadequate Pres. Tank	48	03/16/84
Will Co. - Ingalls Park Sbdv (1975880)	2	Inadequate Pres. Tank	690	09/16/83
Will Co. - Lakewood Shores Imprv Assn (1975930)	2	Radium	93	03/17/86
Will Co. - Oakview Avenue Wtrwks Inc (1977210)	2	Inadequate Pres. Tank	350	03/20/81
Will Co. - Park Road Wtr Assn (1977330)	2	Inadequate Pres. Tank	60	12/17/82
Will Co. - Ridgewood Sbdv (1977650)	2	Inadequate Pres. Tank	315	06/18/82
Will Co. - Scribner Street Sbdv (1977660)	2	Inadequate Pres. Tank	50	03/18/83
Will Co. - Shawnita Trc Wtr Assn (1977690)	2	Inadequate Pres. Tank	125	09/17/92
Will Co. - Sunnyland Sbdv (1977730)	2	Inadequate Pres. Tank	350	09/16/83
Williamson (Madison Co. - 1191100)	6	Trihalomethane	350	06/15/92
Williamson Co. - Devils Kitchen Wtr Dst (1995160)	7	Inadequate Treatment & Source & Trihalomethane	1,330	09/15/89
Williamson Co. - Lake of Egypt PWD (1995200)	7	Inadequate Treatment	7,743	09/15/89
Wilsonville (Macoupin Co. - 1171200)	5	Trihalomethane	609	06/15/92
Winnebago Co. - Blue & Gold Homeowners Assn (2015250)	1	Inad. Press. Tank & Inad. Source of Supply	170	06/17/83
Winnebago Co. - Bradley Heights Sbdv (2015050)	1	Inadequate Pres. Tank	192	09/13/85
Winnebago Co. - Briar Garden Apts (2015190)	1	Inadequate Pres. Tank	60	12/17/82
Winnebago Co. - Cherry Vale East Apts (2015470)	1	Inadequate Pres. Tank	180	01/14/82
Winnebago Co. - Cherry View Apts (2015278)	1	Inadequate Pres. Tank	60	06/17/83
Winnebago Co. - Great Oaks & Beacon Hls Apts (2015488)	1	Inadequate Pres. Tank	943	12/17/82
Winnebago Co. - Kishwaukee-Kilbuck Assn (2010010)	1	Inadequate Pres. Tank	42	03/16/90
Winnebago Co. - Larchmont Sbdv (2015290)	1	Inadequate Pres. Tank	106	06/17/83
Winnebago Co. - Legend Lakes Wtr Assn (2015300)	1	Inadequate Pres. Tank	225	03/14/91
Woodford Co. - Oak Ridge Sndst (2035300)	1	Inadequate Pres. Tank	240	03/20/81
Wyoming (Stark Co. - 1750200)	1	Radiological & Radium	1,614	03/17/86
Yates City (Knox Co. - 0950700)	5	Radium and Inadequate Pressure Tank	900	03/20/81

Public Water Supplies Removed from Previous List

Alma (Marion Co. - 1210 050)	Iroquois Co. - Belmont Acres MWC (0755150)
Farina (Fayette Co. - 0510150)	Princeville (Peoria Co. - 1430750)
Henry Co. - Green River Well 5 (0735416)	Rock Island Co. - Tower Ridge Sbdv (1615780)
Henry Co. - Holmes Small Farm Sbdv (0735246)	Shipman (Macoupin Co. - 1170950)
Henry Co. - Level Acres Wtr Sys Inc (0735536)	Winnebago Co. - Goldie B Floberg Cntr (2015439)
Henry Co. - Level Acres Well 1 (0735436)	

Illinois Environmental Protection Agency
 Division of Public Water Supplies
 Critical Review List -- Public Water Supplies

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of April 1, 1994.

- * Indicates public water supplies which have been added to the list since the previous publication.
- ** Indicates actions are being taken by officials to bring the public water supply into compliance.

Illinois Environmental Protection Agency
 Division of Public Water Supplies
 Critical Review List -- Public Water Supplies
 April, 1994

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY NO.	RGN	NATURE OF PROBLEM	POP. LISTING	
			SERVED	DATE
Baylis (Pike Co. - 1490100)	5	Source Capacity	300	09/13/85
Bluford (Jefferson Co. - 0810100)	7	Low System Pressure	465	03/20/81
Camargo (Douglas Co. - 0410100)	4	Inadequate Treatment Plant	400	12/16/91
Carlyle (Clinton Co. - 0270300)	6	Inadequate Treatment Plant	400	12/15/93
Caseyville (St. Clair Co. - 1630250)	6	Low System Pressure	12,338	09/14/84
Clinton (DeWitt Co. - 0390050)	4	Inadequate Plant Capacity	7,437	06/14/91
Davis (Stephenson Co. - 1770150)	1	Low System Pressure	600	09/17/92
DePue (Bureau Co. - 0110300)	1	Inadequate Treatment Plant	1,930	12/15/93
* Dieterich (Effingham Co. - 0490150)	1	Inadequate Source	568	03/15/94
DuPage Co. - Highland Hls Sndst (0435560)	2	Inadequate Pressure Tank	1,100	09/17/92
Edwardsville (Madison Co. - 1190250)	6	Inad. Treatment Plant	30,581	12/15/93
Evansville (Randolph Co. - 1570250)	6	Plant Capacity	1,838	05/25/81
Georgetown (Vermilion Co. - 1830350)	4	Inadequate Wtr Plant	3,678	06/15/93
Hardin (Calhoun Co. - 0130200)	6	Low System Pressure	1,175	11/25/81
* Homer (Champaign Co. - 0190300)	4	Inadequate Source	1,300	03/15/94
Jackson Co. - South Highway PWD (0775400)	7	Low System Pressure	8,189	06/15/92
Kane Co. - Lake Marian Wtr Corp (0895200)	2	Low System Pressure & Inadequate Pres. Storage	800	09/14/84
Kincaid (Christian Co. - 0210250)	5	Plant Capacity	2,640	06/14/85
Lewistown (Fulton Co. - 0570600)	5	Inadequate Source	2,700	06/15/88
McHenry Co. - McHenry Shores Wtr Cmpny (1115020)	2	Low System Pressure	1,170	09/17/92
McHenry Co. - Whispering Hills Wtr Cmpny (1115700)	2	Low System Pressure	6,000	06/15/93
McHenry Co - Wonder Lake Wtr Cmpny (1115750)	2	Inadequate Storage	1,080	12/14/90
Millstadt (St. Clair Co. - 1630850)	6	Low System Pressure	2,750	12/16/91
North Utica (LaSalle Co. - 0990650)	1	Low System Pressure	3,943	03/18/84
Patoka (Marion Co. - 1210400)	6	Inadequate Treatment Plant	820	12/15/93
Pearl (Pike Co. 1490650)	5	Inadequate Pres. Tank	322	09/17/82
Pecatonica (Winnebago Co. - 2010250)	1	Low System Pres.	1,830	06/15/90
Ramsey (Fayette Co. - 0510200)	6	Source Capacity & Low System Pres.	1,350	09/13/85
Richland Co. - West Liberty Dundas Wtr Dist (1595050)	7	Low System Pres. & Inadequate Source	693	12/14/84
* Rock Island Co. - Tower Ridge Sbdv (1615780)	1	Inadequate Pres. Tank	70	03/15/94
Stockton (Jo Daviess Co. - 0850450)	1	Low System Pressur e	1,900	06/15/84
Sumner (Lawrence Co. - 1010300)	7	Low System Pressure	1,553	12/13/85
Taylor Springs (Montgomery Co. - 1350650)	5	Low System Pressure	650	02/20/81
Walnut Hill (Marion Co. - 1210600)	6	Low System Pressure	1,200	06/14/85
Will Co. - Metro Utl Chickasaw Dvn (1975320)	2	Low System Pressure	7,700	09/17/92
<u>Public Water Supplies Removed from Previous List</u>				
Edgewood (Effingham Co. - 0490200)		Orangeville (Stephenson Co. - 1770350)		
Mason (Effingham Co. - 0490300)				

ENVIRONMENTAL INFORMATION SERVICES
AVAILABLE FROM THE BOARD

The Board has the following information available:

POLLUTION CONTROL BOARD ELECTRONIC BULLETIN BOARD SYSTEM (BBS). The Pollution Control Board operates an electronic BBS at 312-814-1590. The BBS is available 24 hours a day, 7 days a week, to anyone with access to a computer and a modem - there is no charge for access to the BBS. The best communications settings are 8 data bits (or data length 8), no parity (or parity = none) and 1 stop bit, i.e., 8-N-1. The best terminal emulation is ANSI-BBS or just ANSI. The BBS contains Board Agendas, Environmental Registers, Annual Reports, and various documents about the Board. You may download these documents to your computer. For additional information contact Don Brown at the Board Offices 312-814-3461.

SUBSCRIPTION SERVICE OF BOARD OPINIONS AND ORDERS. The subscription service comprises all the Opinions and Orders issued by the Pollution Control Board in a fiscal year (July 1 through June 30). The Board meets approximately twice monthly in order to issue Opinions and Orders. Usually no later than the end of each month, a volume is issued containing the Opinions and Orders of the Board from the preceding month.

HARD COPIES OF BOARD OPINIONS AND ORDERS FOR FISCAL YEAR 1993 (July 1, 1992 through June 30, 1993) ARE AVAILABLE FOR IMMEDIATE DELIVERY. The cost is \$350.00 per set.

Two formats are offered starting July 1 of last year (FY93): a hard paper copy for \$350.00 per year and an electronic version for \$275.00 per year. The electronic version will consist of Opinions and Orders in the WordPerfect 5.1 format on either 3.5" or 5.25" inch diskettes. The electronic format will allow for word searches and other useful tools provided by the WordPerfect software.

When ordering, please specify the choice of either the hard copy or electronic version. If ordering the electronic version, please specify 3.5" or 5.25" diskettes.

SUBSCRIPTION SERVICE FOR BOARD OPINIONS AND ORDERS

Enclosed is a check in the amount of _____ made payable to the Illinois Pollution Control Board for the subscription service to the Board's opinions and orders.

Name _____
(FY92 available in hard copy only).
Address _____

Fiscal Year Ordered _____

City/State/Zip _____

Hard Copy _____

Hard Copy Cost per FY: \$350.00
Electronic Copy Cost for FY93: \$275.00

Electronic Copy _____

Disk Size _____

Please send to:(5.25" 1.2 MB or 3.5" 1.44 MB)
Joseph D'Alessandro
Illinois Pollution Control Board
100 W. Randolph St., Ste. 11-500
Chicago, IL 60601

Printed by Authority of the State of Illinois, April, 1994, 2,000 copies, order #57701.

The Illinois Pollution Control Board is an independent seven member board which adopts the environmental control standards for the State of Illinois and rules on enforcement actions and other environmental disputes. The Board Members are:

Claire A. Manning, Chairman
Springfield, Illinois

Emmett E. Dunham II
Elmhurst, Illinois

Ronald C. Flemal
DeKalb, Illinois

G. Tanner Girard
Grafton, Illinois

Marili McFawn
Palatine, Illinois

J. Theodore Meyer
Chicago, Illinois

Vacant

The Environmental Register is a newsletter published by the Board monthly. The Register provides updates on rulemakings and other information, lists final actions, and contains the Board's hearing calendar. The Register is provided free of charge.

Illinois Pollution Control Board
State of Illinois Center, 11-500
100 West Randolph Street
Chicago, Illinois 60601
(312) 814-3620

Address Correction Requested.

Bulk Rate
U.S. Postage
PAID
Chicago, IL
Permit No.2088