



# ENVIRONMENTAL REGISTER



No. 529 ♦ A Publication of the Illinois Pollution Control Board ♦ July 1998

## **RULEMAKING UPDATE**

### **Board Adopts Second Notice Proposal in *In the Matter of Review of Remediation Costs for Environmental Remediation Tax Credit (Amendments to 35 Ill. Adm. Code 740), R98-27***

On July 8, 1998, the Board adopted for second notice review by the Joint Committee on Administrative Rules amendments to 35 Ill. Adm. Code 740. Part 740 would implement Public Act 90-123, which created an environmental remediation tax credit (tax credit). See Pub. Act 90-123 (1997), eff. July 21, 1997, amending Section 201(l) of the Illinois Income Tax Act (35 ILCS 5/101 *et seq.* (1996)) and Section 58.14 of the Environmental Protection Act (Act) (415 ILCS 5/1 *et seq.* (1996)). Section 58.14 of the Act required the Board to adopt tax credit rules for second notice within six months after the Board received the Illinois Environmental Protection Agency's (IEPA) proposed rules, or by July 21, 1998.

The tax credit allows taxpayers under the Administrative Procedures Act to credit against their Illinois tax liability a portion of the (Rulemaking Update continued on page 2)

## **FEDERAL ACTIONS**

### **United States Environmental Protection Agency Approves State Implementation Plan for Riverside Laboratories, Inc., located in Kane County, Illinois**

On July 1, 1998, the United States Environmental Protection Agency (USEPA) approved a state implementation plan (SIP) revision requested by the State of Illinois on behalf of Riverside Laboratories, Inc. (Riverside), a facility located in Kane County, Illinois. 63 Fed. Reg. 35842 (July 1, 1998).

On August 21, 1995, USEPA promulgated a site-specific volatile organic material (VOM) rule for Riverside. See 60 Fed. Reg. 43388 (August 21, 1995). The rule consisted primarily of a compliance date extension for Riverside through December 31, 1996, after which time Riverside was required to meet the applicable requirements of the Chicago-area federal implementation plan (FIP). On October 10, 1997, Illinois requested that USEPA approve a change in regulatory status for Riverside, based on Riverside's compliance with the applicable SIP rule at that time.

This direct final rule is effective August 31, 1998, unless adverse written comments or a request for public hearing were received by July 31, 1998. ♦

### **United States Environmental Protection Agency Proposes Amendments to the National Emission Standards for Hazardous Air Pollutants for Wood Furniture Manufacturing Operations**

On June 24, 1998, the United States Environmental Protection Agency (USEPA) proposed amendments to the National Emission Standards for Hazardous Air Pollutants (NESHAP) for wood furniture manufacturing operations. 63 Fed. Reg. 34336 (June 24, 1998). The proposal amends rules

(Federal Actions continued on page 3)

---

## Inside This Issue

---

♦ Board Actions	p5
♦ New Cases	p13
♦ Calendar of Meetings	p15
♦ IEPA Restricted Status List	p16

---

## **RULEMAKING UPDATE**

(Continued from page 2)

costs that taxpayers have spent to clean up certain contaminated properties (or "brownfields"). The tax credit is intended to spur the cleanup and redevelopment of brownfields. A taxpayer who wishes to claim the tax credit must first submit to the IEPA an application for review of its cleanup (or "remediation") costs. The Board's first notice proposal establishes the procedures and standards under which the IEPA will consider these applications.

The Board held three public hearings in this matter: the first, in Chicago, on February 24, 1998; the second, in Springfield, on February 27, 1998; and the third, also in Springfield, on March 17, 1998. The March 17, 1998 hearing was solely for the purpose of receiving comment on the Department of Commerce and Community Affairs' decision not to perform an economic impact study on the IEPA's proposed rules pursuant to Pub. Act 90-489, effective January 1, 1998. On April 16, 1998, the Board adopted the proposal for first notice publication in the *Illinois Register*, whereupon a 45-day public comment period commenced.

Any questions regarding this rulemaking may be directed to Richard McGill at 312/814-6983; e-mail address: mcgill@pcb084r1.state.il.us ♦

### **Board Adopts Rules in In the Matter of: Enhanced Vehicle Inspection and Maintenance Regulations: Amendments to 35 Ill. Adm. Code 240, R98-24**

On July 8, 1998, the Board adopted amendments to 35 Ill. Adm. Code 240, the Enhanced Vehicle Inspection and Maintenance (I/M) Regulations. The amendments are required by Sections 182(b) and (c) of the federal Clean Air Act Amendments (CAAA), 42 U.S.C. §§ 7582(b), (c) (1990) and by the Vehicle Emissions Inspection Law, 625 ILCS 5/13B-5 (1996). The CAAA require the use of I/M programs in areas that do not meet the National Ambient Air Quality Standards for ozone or carbon monoxide. In Illinois, the Chicago and Metro-East St. Louis areas are classified as "severe" and "moderate" nonattainment areas for ozone. Pursuant to Section 5/13B-5 of the Vehicle Emissions Inspection Law (625 ILCS 5/13B-5 (1996)), Chicago and Metro-East St. Louis are subject to these I/M regulations. In 1994, the Board adopted the bulk of the I/M standards necessary for implementation of the I/M program (see R94-19, 18 Ill. Reg. 18228 (December 14, 1994) and R94-20, 18 Ill. Reg. 18013 (December 12, 1994)).

The adoption by the Board of these amendments is authorized under Section 28.5 of the Environmental

Protection Act (Act), (415 ILCS 5/28.5 (1996)). The Board found that as the federal Clean Air Act requires the Board to adopt the amendments, the amendments should be adopted in accordance with the Section 28.5 rulemaking procedures. The Board adopted the proposal for first notice publication in the *Illinois Register* on January 22, 1998. See 22 Ill. Reg. 2720 (February 6, 1998). On March 17, 1998, the Board held one hearing on the merits of the proposal. The Board received three public comments in this proceeding. On May 21, 1998, the Board voted to submit amendments for second notice review by the Joint Committee on Administrative Rules (JCAR). On June 16, 1998, JCAR voted "no objection" to the rules as proposed.

The rules contain clarifications and modifications to existing standards, and new standards for the remaining portions of the enhanced I/M testing program. More specifically, the amendments replace the current evaporative system testing program (which uses a pressure test and a purge test to test the entire system's integrity) with a fuel cap only inspection. The rules also add fast-pass standards to allow vehicles undergoing I/M 240 exhaust emissions tests to be tested more quickly. Further, the rules add standards for the required on-road sensing test. Finally, the rules add a program for on-board diagnostic testing that will become mandatory on January 1, 2001, consistent with very recent federal action. See 63 Fed. Reg. 24429 (May 4, 1998).

Please direct any questions regarding this rulemaking to Amy Muran Felton at 312/814-7011; e-mail address: amuranfe@pcb084r1.state.il.us ♦

### **Board Adopts Site-Specific Air Regulation in In the Matter of: Petition of W.R. Grace & Company - Connecticut and the Illinois Environmental Protection Agency for Site-Specific Air Regulation: 35 Ill. Adm. Code 218.940(h), R98-16**

On July 8, 1998, the Board adopted a site-specific air regulation in response to a petition filed on November 19, 1997, by W.R. Grace & Company - Connecticut (Grace) and the Illinois Environmental Protection Agency (IEPA). The petition was filed pursuant to Section 27 of the Environmental Protection Act (Act) (415 ILCS 5/27 (1996)). The order grants the parties' request to add a site-specific regulation for Grace's facility at Subpart QQ of 35 Ill. Adm. Code 218, specifically at Section 218.940(h). Specifically, the site-specific rule pertains solely to volatile organic material emissions resulting from the production of solvent lining compound mixers used to produce solvent-based sealants at Grace's facility. The Agency, as a joint proponent in the rulemaking, agreed that the site-specific relief is appropriate. The Board found that no add-on control technology is reasonably available for the solvation process at Grace,

and that no impact to the land, water, or water supplies will result from the VOM emission from Grace's mixers.

On December 18, 1997, the Board adopted the proposal for first notice publication in the *Illinois Register*. See 22 Ill. Reg. 1091 (January 9, 1998). A hearing in this matter was held on January 8, 1998, and continued on the record until January 21, 1998. An additional hearing was held pursuant to Section 27(b) of the Act (415 ILCS 5/27(b) (1996)) on March 30, 1998, on the single issue of the decision of the Illinois Department of Commerce and Community Affairs not to conduct an Economic Impact Study in connection with this rulemaking. On May 7, 1998, the Board adopted the amendments for second notice review by the Joint Committee on Administrative Rules (JCAR). JCAR voted "no objection" to the rules as proposed at its June 16, 1998, meeting.

Please direct any questions regarding this rulemaking to John Knittle at 312/814-3473; e-mail address: jknittle@pcb084r1.state.il.us ♦

**Board Denies Petition for Adjusted Standard in In the Matter of: Petition of City of Salem for Adjusted Standard from 35 Ill. Adm. Code 814.Subpart D, AS 98-2**

On July 8, 1998, the Board denied the City of Salem's (Salem) petition for an adjusted standard from 35 Ill. Adm. Code 814.Subpart D. Salem operates a landfill, Existing Landfill #2, in Marion County, Illinois. Pursuant to Board regulations at 35 Ill. Adm. Code 814.Subpart D and permits issued by the Illinois Environmental Protection Agency, Salem's landfill was required to close by September 18, 1997. Salem petitioned for the adjusted standard so it could continue to operate the southern unit of its landfill until September 18, 1998, or the date when a new northern unit of the landfill under construction is completed, whichever is sooner. The Board found that Salem did not satisfy the statutory requirements set forth at Section 28.1(a) of the Environmental Protection Act (415 ILCS 5/28.1(a) (1996)) necessary for the Board to grant the adjusted standard it seeks. Specifically, the Board found that Salem did not establish that factors relating to it are substantially and significantly different from those factors considered by the Board in R88-7 (see In the Matter of: Development, Operation and Reporting Requirements for Non-Hazardous Waste Landfills (August 17, 1990), R88-7.)

The Board also denied a related variance in City of Salem v. Illinois Environmental Protection Agency (July 8, 1998), PCB 98-1. Similar to the adjusted standard, Salem petitioned for the variance so that it may continue to operate the southern unit of its landfill, Existing Landfill #2, until either September 18, 1998, or the date

when a new northern unit of the landfill under construction is completed. The Board found that Salem failed to provide a compliance plan and failed to demonstrate that it would suffer an arbitrary or unreasonable hardship if the variance is denied, as required by 35 Ill. Adm. Code 104.121(f).

Please direct any questions regarding this matter to Charles King at 312/814-6926; e-mail address: cking@pcb084r1.state.il.us ♦

**FEDERAL ACTIONS**

(Continued from page 1)

originally promulgated by USEPA on December 7, 1995 (60 Fed. Reg. 62930 (December 7, 1995)). These 1995 standards established emissions limits for, among other things, coating and gluing of wood furniture and wood furniture components. Section 9.1(b) of the Environmental Protection Act (415 ILCS 5/9.1(b) (1996)) provides that NESHAPs are automatically applicable in Illinois.

USEPA's current proposal offers amendments to the rule pursuant to three agreements USEPA reached in settlement of the following petitions for review: Chemical Manufacturers Association v. USEPA, No. 96-1031 (D.C. Cir.); Halogenated Solvents Industry Alliance, Inc. v. USEPA, No. 96-1 (D.C. Cir.); and Society of the Plastic Industry, Inc. v. Browner, No. 96-1038 (D.C. Cir.). USEPA executed settlement agreements with each of these petitioners on December 18, 1997 (see 62 Fed. Reg. 67360 (December 18, 1997)).

The settlement agreement with the Chemical Manufacturers Association requires USEPA to conduct notice and comment rulemaking proposing that certain glycol ethers be removed from the list of volatile hazardous air pollutants of potential concern in table 6 of the wood furniture NESHAP. The settlement with the Halogenated Solvents Industry Alliance requires USEPA: (1) to conduct notice and comment rulemaking in accordance with Section 307(d) of the Clean Air Act (42 U.S.C. § 7607(d) (1990)) proposing that perchloroethylene and trichloroethylene be deleted from the list of pollutants prohibited from use in cleaning and washoff solvents; and (2) to give great weight to the recommendations of the Science Panel of the Joint Methylene Chloride Characterization Task Force regarding whether a reassessment of the cancer risk hazard for methylene chloride should be undertaken based on current scientific information. The settlement agreement with the Society of the Plastic

Industry, Inc. requires USEPA to propose several technical amendments to the wood furniture NESHAP. ♦

### **United States Environmental Protection Agency Proposes Pretreatment Standards for Transportation Equipment Cleaning Operations**

On June 25, 1998, the United States Environmental Protection Agency proposed technology-based effluent limitation guidelines for the discharge of pollutants into waters of the United States and into publicly owned treatment works by existing and new facilities that perform transportation equipment cleaning (TEC) operations. 63 Fed. Reg. 34685 (June 25, 1998). TEC facilities are defined as those facilities that generate wastewater from cleaning the interior of tank trucks, closed-top hopper trucks, rail tank car closed-top hopper rail cars, intermodal tank containers, inland tank barges, closed-top barges, ocean/sea tankers, and other similar tanks (excluding drums and intermediate bulk containers) used to transport materials or cargos that come into direct contact with the tank or container interior. Facilities which do not engage in cleaning the interior of tanks are not considered within the scope of this proposal. ♦

### **Indian Refinery-Texaco in Lawrenceville, Lawrence County, Illinois, and Evergreen Manor in Roscoe, Winnebago County, Illinois Proposed As Additions to the Superfund National Priority List of Hazardous Waste Sites**

On July 29, 1998, the United States Environmental Protection Agency (USEPA) announced that two Illinois sites, Indian Refinery-Texaco, located in Lawrenceville, and Evergreen Manor, located in Roscoe, have been proposed for the Superfund National Priority List of hazardous waste sites. The sites on the list are eligible for long-term cleanup under the Superfund program. The Indian Refinery-Texaco site is an oil refining facility that ceased operations in November 1995. The Evergreen Manor site consists of a 2 ¼ mile long plume of groundwater contaminated with as many as 17 organic compounds. More than 85 residential wells are affected by the plume.

If adopted by USEPA, the Board anticipates that it will adopt these regulations in an identical-in-substance rulemaking.

Public comments may be filed with USEPA on or before September 28, 1998. Contact Mick Hans at 312/353-505 for more information. ♦

### **United States Environmental Protection Agency Proposes Revisions to the Underground Injection Control Regulations for Class V Injection Wells**

On July 29, 1998, the United States Environmental Protection Agency (USEPA) proposed changes to the Class V Underground Injection Control (UIC) regulations that would add new requirements for the three categories of Class V wells that pose a high risk when located in groundwater-based source water protection areas being delineated by states under the 1996 Amendments to the Safe Drinking Water Act (42 U.S.C. § 300f *et seq.* (1996)). 63 Fed. Reg. 40585 (July 29, 1998).

Under the proposed rules, Class V motor vehicles waste disposal wells in such areas would either be banned or would have to get a permit that requires fluids released in those wells to meet the drinking water maximum contaminant levels (MCLs) at the point of injection. Class V industrial waste disposal wells in groundwater-based source water protection areas also would be required to meet the MCLs at the point of injection, and large-capacity cesspools in such areas would be banned. USEPA also proposes these new requirements to address three categories of wells that it has identified as posing a high risk of groundwater contamination based on available information. These are motor vehicle waste disposal wells, industrial waste disposal wells, and cesspools in groundwater-based source water protection areas. USEPA anticipates that targeting the requirements to those wells will achieve substantial protection of underground sources of drinking water.

Send written comments to the UIC Class V, W-98-05 Comment Clerk, Water Docket (MC-4101), USEPA, 401 M Street, S.W., Washington, D.C. 20460. For additional information contact 800/426-4791 and refer to Docket W-98-05. ♦

### **United States Environmental Protection Agency Proposes Revisions to Compliance Program for New Light-Duty Vehicles and Light-Duty Trucks**

On July 23, 1998, the United States Environmental Protection Agency (USEPA) proposed revisions to the compliance procedures for light-duty vehicles and light-duty trucks. 63 Fed. Reg. 39653 (July 23, 1998). USEPA is proposing a new compliance assurance program, referred to as "CAP 2000." CAP 2000 is intended to simplify and streamline the current procedures for pre-production certification of new motor vehicles. Under this proposal, the certification program would provide the same environmental benefits as the current procedures while significantly reducing the certification cost for manufacturers, and would give manufacturers more control of production timing.

USEPA is proposing that manufacturers test in-use motor vehicles to monitor compliance with emission standards. Manufacturers would test samples of in-use vehicles when they are approximately one and four years old. This test data would be used to improve certification processing, predict in-use compliance, and determine the need for further activity by USEPA or the manufacturer to address any in-use compliance problems. USEPA proposes that the CAP 2000 program be implemented beginning with model year 2001 vehicles. Manufacturers would be allowed to voluntarily opt-in to the CAP 2000 procedures beginning with the 2000 model year. USEPA estimates that overall, manufacturers would save about \$55 million dollars a year as a result of this proposal.

For more information, contact 202/260-7548 and reference Docket # A-96-50. ♦

### **D**epartment of Energy Proposes Amendments to Definition of "Alternative Fuel"

On July 28, 1998, the Department of Energy proposed to amend the rules for statutory program requiring certain alternative fuel providers and State government fleets to acquire an annually increasing percentage of alternative fueled vehicles from among their purchases of new light duty vehicles. 63 Fed. Reg. 40202 (July 28, 1998). The proposed regulatory amendments would add certain blends of methyltetrahydrofuran, ethanol, and hydrocarbons known as the "P-series fuels" to the definition of "alternative fuel."

For more information, contact the Department of Energy at 202/586-3012 and reference Docket # EE-98-PURE. ♦

### **U**nited States and Canada to Monitor Toxic Air Pollutants Around the Great Lakes

On July 30, 1998, the United States Environmental Protection Agency (USEPA) and Environment Canada agreed to continue monitoring toxic substances in the air around the Great Lakes. They will do so through the Integrated Atmospheric Deposition Network (IADN), a leading international effort that has helped establish the significance of long-range atmospheric transport of toxic substances. IADN, required by the Great Lakes Water Quality Agreement between the United States and Canada, is a joint USEPA and Environment Canada program.

The network assesses the input to aquatic systems of airborne, persistent, organic pollutants. Moreover, the network is designed to assess the magnitude and trends of atmospheric deposition of target chemicals including polychlorinated biphenyls (PCBs), chlorinated pesticides, and trace metals such as lead and mercury. Stations on remote shores of each Great Lake collect regional contaminant data that is representative of the air over each lake and that is not affected by local sources. Concentrations of target chemicals are measured in rain and snow, airborne particles, and airborne organic vapors. USEPA signed a seven-year plan with Environment Canada to continue the work of IADN.

For more information regarding this program, contact Phillippa Cannon at 312/353-6218. ♦

## **BOARD ACTIONS 7/8/98**

### **RULEMAKINGS**

<b>R98-16</b>	<u>In the Matter of: Petition of W.R. Grace &amp; Co. - Conn. and the IEPA for Site-Specific Air Regulation: 35 Ill. Adm. Code 218.940(h) - Adopted Rule, Final Order, Opinion and Order. The Board adopted a final opinion and order amending the Board's air pollution control regulations.</u>	5-0
---------------	---	-----

**RULEMAKINGS (CONT'D)**


---

<b>R98-24</b>	<u>In the Matter of: Enhanced Vehicle Inspection and Maintenance (I/M) Regulations: Amendments to 35 Ill. Adm. Code 240</u> - Adopted Rule, Final Order, Opinion and Order. The Board adopted a final opinion and order amending the Board's air pollution control regulations.	5-0
<b>R98-27</b>	<u>In the Matter of: Review of Remediation Costs for Environmental Remediation Tax Credit (Amendments to 35 Ill. Adm. Code 740)</u> - Proposed Rule, Second Notice, Opinion and Order. The Board adopted a second notice opinion and order in this proposed rulemaking to amend the Board's site remediation program regulations.	5-0

**ADJUSTED STANDARDS**


---

<b>AS 98-2</b>	<u>In the Matter of: Petition of the City of Salem for an Adjusted Standard from 35 Ill. Adm. Code Part 814, Subpart D</u> - The Board entered an order denying this Marion County facility an adjusted standard from the requirements regarding landfill closure found at 35 Ill. Adm. Code 814 Subpart D.	5-0 Land
----------------	---	-------------

**ADMINISTRATIVE CITATIONS**


---

<b>AC 98-8</b>	<u>County of Will v. William Hunter</u> - The Board entered an order requiring respondent to pay \$136.50 in hearing costs and a civil penalty of \$1,000. This order follows the Board's interim order of May 7, 1998, which found that this Will County respondent had violated Sections 21(p)(1) and 21(p)(3) of the Environmental Protection Act (415 ILCS 5/21(p)(1), (p)(3) (1996)).	5-0
<b>AC 98-22</b>	<u>IEPA v. Terry Wingert</u> - In response to a joint stipulation and settlement agreement in this administrative citation action involving a Stephenson County facility, the Board found respondent violated Section 21(p)(1) of the Environmental Protection Act (415 ILCS 5/21(p)(1) (1996)) and ordered him to pay a civil penalty of \$500.	5-0
<b>AC 98-30</b>	<u>Montgomery County v. Envotech Illinois, Inc.</u> - The Board found that this Montgomery County respondent violated Section 21(o)(5) of the Environmental Protection Act (415 ILCS 5/21(o)(5) (1996)) and ordered respondent to pay a civil penalty of \$500.	5-0
<b>AC 98-31</b>	<u>Montgomery County v. Robert M. Fleming</u> - The Board found that this Montgomery County respondent violated Section 21(p)(1) of the Environmental Protection Act (415 ILCS 5/21(p)(1) (1996)) and ordered respondent to pay a civil penalty of \$500.	5-0

**ADMINISTRATIVE CITATIONS (CONT'D)**

<b>AC 98-32</b>	<u>County of LaSalle v. Tom Dickey</u> - The Board found that this LaSalle County respondent violated Section 21(p)(3) of the Environmental Protection Act (415 ILCS 5/21(p)(3) (1996)) and ordered respondent to pay a civil penalty of \$500.	5-0
<b>AC 98-33</b>	<u>County of LaSalle v. Mike and Janet Brown</u> - The Board found that these LaSalle County respondents violated Section 21(p)(3) of the Environmental Protection Act (415 ILCS 5/21(p)(3) (1996)) and ordered them to pay a civil penalty of \$500.	5-0

**ADJUDICATORY CASES**Decisions

<b>PCB 97-31</b>	<u>People of the State of Illinois v. Johnnie Mae Hendricks</u> - The Board entered an order requiring respondent to pay \$960 in attorney fees and costs. This order follows the Board's interim order of June 17, 1998, which found that this Macoupin County respondent violated various sections of the Environmental Protection Act and Board regulations and ordered respondent to pay a civil penalty of \$39,000.	4-0 Hennessey abstained
<b>PCB 97-62</b>	<u>People of the State of Illinois v. Geon Corporation</u> - The Board granted relief from the hearing requirement of Section 31(c)(2) of the Environmental Protection Act, accepted a stipulation and settlement agreement in this air enforcement action involving a facility in Marshall County, ordered respondent to pay a civil penalty of \$20,000, and ordered respondent to cease and desist from further violations.	5-0
<b>PCB 97-215</b>	<u>People of the State of Illinois v. Keyser Industries, Inc., d/b/a Florida Plastics International, Inc.</u> - The Board granted relief from the hearing requirement of Section 31(c)(2) of the Environmental Protection Act, accepted a stipulation and settlement agreement in this air enforcement action involving a facility in Cook County, ordered respondent to pay a civil penalty of \$22,500, and ordered respondent to cease and desist from further violations.	5-0
<b>PCB 98-1</b>	<u>City of Salem v. IEPA</u> - The Board denied petitioner's request for a variance from 35 Ill. Adm. Code 814.401(a) and 814 Subpart C for its Marion County facility.	5-0

Provisional Variances

<b>PCB 99-1</b>	<u>Citgo Petroleum Corporation v. IEPA</u> - Upon receipt of an IEPA recommendation, the Board granted this Cook County facility a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in 35 Ill. Adm. Code 304.141(b).	4-0 Hennessey abstained
-----------------	---	-------------------------------

Provisional Variances (Cont'd)

<b>PCB 99-2</b>	<u>Illinois Power Company (Baldwin Power Station) v. IEPA</u> - Upon receipt of an IEPA recommendation, the Board granted this facility, located in St. Clair and Randolph Counties, a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in 35 Ill. Adm. Code 304.120 and 304.141(b).	4-0 Hennessey abstained
<b>PCB 99-3</b>	<u>Commonwealth Edison Company (Zion Power Station) v. IEPA</u> - Upon receipt of an IEPA recommendation, the Board granted this Lake County facility a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in 35 Ill. Adm. Code 304.141(b) and 309.102.	4-0 Hennessey abstained
<b>PCB 99-4</b>	<u>Village of Antioch v. IEPA</u> - Upon receipt of an IEPA recommendation, the Board granted this Lake County facility a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in NPDES permit No. IL0020354 and in 35 Ill. Adm. Code 304.141(a).	4-0 Hennessey abstained

Motions and Other Matters

<b>PCB 94-369</b>	<u>People of the State of Illinois v. Landfill 33 Ltd.</u> - Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this air enforcement action against an Effingham County facility, the Board ordered publication of the required newspaper notice.	5-0
<b>PCB 95-143</b>	<u>Gordon Krautsack v. Bhogilal Patel, Subhash Patel, Electronic Interconnect, Inc. and Electronic Interconnect Corporation</u> - The Board denied respondent Electronic Interconnect Corporation's motion for extension of time and granted complainant's motion for default. The issue of penalties will be addressed at hearing.	5-0
<b>PCB 96-76</b>	<u>People of the State of Illinois v. Chemetco, Inc.</u> - The Board denied respondent's motion to dismiss count three of the first amended complaint.	5-0
<b>PCB 96-180</b>	<u>Environmental Site Developers, Inc. v. White &amp; Brewer Trucking, Inc.</u> - The Board granted complainant/counter-respondent's motion for extension of time to respond to respondent's motion for summary judgment.	4-0 Hennessey abstained
<b>PCB 97-50</b>	<u>Lionel P. Trepanier, Daniel Miller, Wes Wager, Maureen Cole, Lorenz Joseph, Maxworks Garden Cooperative and Avi Pandya v. Speedway Wrecking Company and Board of Trustees of the University of Illinois</u> - The Board granted complainant Daniel Miller's motion to withdraw from this matter.	5-0
<b>PCB 97-195</b>	<u>W.R. Meadows, Inc. v. IEPA</u> - The Board denied petitioner's motion for reconsideration or modification of the May 7, 1998 Board order.	5-0

Motions and Other Matters (Cont'd)

<b>PCB 98-31</b>	<u>Roy K. Johnson v. ADM-Demeter, Hoopeston Division</u> - The Board denied respondent's motion to dismiss or in the alternative to strike portions of the complaint.	5-0
<b>PCB 98-84</b>	<u>Scott and Shelly Berhman v. Okawville Farmers Elevator-St. Libory</u> - The Board denied respondent's motion to dismiss the second amended complaint.	5-0
<b>PCB 98-118</b>	<u>Jack Donelson Sales Company v. IEPA</u> - The Board accepted for hearing this appeal of an underground storage tank decision involving a Lake County facility.	5-0
<b>PCB 98-142</b>	<u>Coastal Mart, Inc. v. IEPA</u> - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this Massac County facility.	5-0
<b>PCB 98-150</b>	<u>County Care Centers v. IEPA</u> - Having previously granted a request for a 90-day extension, the Board dismissed the matter because no underground storage tank appeal was timely filed on behalf of this Christian County facility.	5-0
<b>PCB 98-151</b>	<u>John Boos &amp; Company v. IEPA</u> - The Board accepted for hearing this appeal of an underground storage tank decision involving an Effingham County facility.	5-0
<b>PCB 98-168</b>	<u>Good-Wood Finishing Company v. IEPA</u> - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.	5-0
<b>PCB 99-5</b>	<u>People of the State of Illinois v. Griffin Wheel Company</u> - Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this air enforcement action against a Cook County facility, the Board ordered publication of the required newspaper notice.	5-0
<b>PCB 99-6</b>	<u>Colman Steinlauf v. IEPA</u> - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.	5-0

**BOARD ACTIONS 7/23/98**

**ADJUSTED STANDARDS**

<b>AS 97-5</b>	<u>In the Matter of: Petition of Louis Berkman Company, d/b/a The Swenson Spreader Company for an Adjusted Standard from 35 Ill. Adm. Code Part 215 Subpart F</u> - The Board denied petitioner’s motion for reconsideration of the May 7, 1998 Board order.	6-0 Air
----------------	--	------------

**ADMINISTRATIVE CITATIONS**

<b>AC 98-15</b>	<u>County of Jackson v. Michael Noscvitsky</u> - The Board entered an order denying complainant’s motion for order <i>nunc pro tunc</i> .	6-0
-----------------	---	-----

<b>AC 98-34</b>	<u>IEPA v. Jeadon Leasing, Inc.</u> - The Board found that this Saline County respondent violated Sections 21(p)(1), (p)(3), and (p)(4) of the Environmental Protection Act and ordered respondent to pay a civil penalty of \$1,500.	6-0
-----------------	---	-----

<b>AC 98-35</b>	<u>IEPA v. Richard Henderson d/b/a Henderson Salvage</u> - The Board found that this Fulton County respondent violated Section 21(p)(1) of the Environmental Protection Act and ordered respondent to pay a civil penalty of \$500.	6-0
-----------------	---	-----

<b>AC 98-36</b>	<u>County of Vermilion v. Robert M. Fleming</u> - The Board found that this Vermilion County respondent violated Section 21(o)(12) of the Environmental Protection Act and ordered respondent to pay a civil penalty of \$500.	6-0
-----------------	--	-----

**ADJUDICATORY CASES**

Decisions

<b>PCB 94-369</b>	<u>People of the State of Illinois v. Landfill 33 Ltd.</u> - The Board granted relief from the hearing requirement of Section 31(c)(2) of the Environmental Protection Act, accepted a stipulation and settlement agreement in this land enforcement action involving a facility in Effingham County, ordered respondent to pay a civil penalty of \$27,500, and ordered respondent to cease and desist from further violations.	6-0
-------------------	--	-----

Provisional Variances

<b>PCB 99-15</b>	<u>Village of Malta v. IEPA</u> - Upon receipt of an IEPA recommendation, the Board granted this DeKalb County facility a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in 35 Ill. Adm. Code 304.141(a), 35 Ill. Adm. Code 304.120(c), and National Pollutant Discharge Elimination System Permit No. ILG580030.	5-0 Hennessey abstained
------------------	--	-------------------------------

Provisional Variances (Cont'd)

<b>PCB 99-16</b>	<u>Waubensee Community College v. IEPA</u> - Upon receipt of an IEPA recommendation, the Board granted this facility, located in Kane County, a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in 35 Ill. Adm. Code 302.212, 304.120(c), 304.141(a), and National Pollutant Discharge Elimination Permit No. IL0038229.	5-0 Hennessey abstained
<b>PCB 99-17</b>	<u>Commonwealth Edison Company (Dresden Power Station) v. IEPA</u> - Upon receipt of an IEPA recommendation, the Board granted this Grundy County facility a 45-day provisional variance, subject to conditions, from certain thermal effluent discharge requirements, as set forth in 35 Ill. Adm. Code 302.211, 304.141(b) of the Board's water regulations and in the Board's order, <u>In the Matter of: 410(c) Petition for Dresden Nuclear Generating Station</u> (July 8, 1981), PCB 79-134.	5-0 Hennessey abstained

Motions and Other Matters

<b>PCB 96-181</b>	<u>ESG Watts, Inc. v. IEPA</u> - The Board denied petitioner's motion for summary judgment.	6-0
<b>PCB 96-189</b>	<u>Lucent Technologies, Inc. (for and in place of AT&amp;T Corporation) v. IEPA</u> - The Board granted petitioner's motion for withdrawal of this underground storage tank appeal involving a DuPage County facility.	6-0
<b>PCB 97-210</b>	<u>ESG Watts, Inc. v. IEPA</u> - The Board denied petitioner's motion for summary judgment.	6-0
<b>PCB 97-214</b>	<u>People of the State of Illinois v. Village of Carpentersville</u> - Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this water enforcement action against a Kane County facility, the Board ordered publication of the required newspaper notice.	5-0 Hennessey abstained
<b>PCB 98-114</b>	<u>David Mulvain v. Village of Durand, Rockford Blacktop Construction Company, Inc., and the IEPA</u> - The Board granted complainant's motion to file instanter complainant's motion to reconsider the Board's May 21, 1998 order.	5-0 Hennessey abstained
<b>PCB 98-156</b>	<u>Dick's Phillips Service v. IEPA</u> - The Board accepted for hearing this appeal of an underground storage tank decision involving a DuPage County facility.	6-0

Motions and Other Matters (Cont'd)

PCB 98-157	<u>Illinois State Toll Highway Authority v. IEPA</u> - The Board accepted for hearing and consolidated with twelve other cases this appeal of an underground storage tank decision involving a Boone County facility.	5-0 Melas abstained
PCB 98-160	<u>Devro-Teepak, Inc. v. IEPA</u> - The Board granted parties agreed motion to postpone the date by which petitioner must file a motion for <i>in camera</i> hearing.	6-0
PCB 98-161	<u>Devro-Teepak, Inc. v. IEPA</u> - The Board granted parties agreed motion to postpone the date by which petitioner must file a motion for <i>in camera</i> hearing.	6-0
PCB 99-7	<u>L. Keller Oil Properties, Inc. and Charles F. Keller v. IEPA</u> - The Board accepted for hearing this appeal of an underground storage tank decision involving an Effingham County facility.	6-0
PCB 99-8	<u>Maple Investments, L.C. v. IEPA</u> - The Board accepted for hearing this appeal of an underground storage tank decision involving a Macon County facility.	6-0
PCB 99-9	<u>Meade Electric Company, Inc. v. IEPA</u> - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Will County facility.	6-0
PCB 99-10	<u>Ted Pilson v. IEPA</u> - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Gallatin County facility.	6-0
PCB 99-11	<u>Freightliner of Chicago v. IEPA</u> - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a DuPage County facility.	6-0
PCB 99-12	<u>Chemetco, Inc. v. IEPA</u> - The Board accepted for hearing this permit appeal involving a Madison County facility.	6-0
PCB 99-13	<u>International Mill Services v. IEPA</u> - The Board granted this request for a 90-day extension of time to file an air permit appeal on behalf of a Madison County facility.	6-0
PCB 99-14	<u>Bridgestone/Firestone, Inc.</u> - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.	6-0

## **NEW CASES 7/8/98**

**98-172** People of the State of Illinois v. City of Chester - The Board accepted for hearing this water enforcement action against a Randolph County facility.

**98-173** McHenry County Defenders, Inc. v. IEPA - No action was taken concerning this third party National Pollutant Discharge Elimination System permit appeal concerning the permit issued to the McHenry County facility operated by the City of Woodstock.

**98-176** People of the State of Illinois v. Victor Cory - The Board accepted for hearing this water enforcement action against an Adams County facility.

**99-1** Citgo Petroleum Corporation v. IEPA - Upon receipt of an IEPA recommendation, the Board granted this Cook County facility a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in 35 Ill. Adm. Code 304.141(b) and its National Pollutant Discharge Elimination System permit.

**99-2** Illinois Power Company (Baldwin Power Station) v. IEPA - Upon receipt of an IEPA recommendation, the Board granted this facility, located in St. Clair and Randolph Counties, a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in 35 Ill. Adm. Code 304.120 and 304.141(b) and its National Pollutant Discharge Elimination System permit.

**99-3** Commonwealth Edison Company, Zion Power Station v. IEPA - Upon receipt of an IEPA recommendation, the Board granted this Lake County facility a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in 35 Ill. Adm. Code 304.141(b) and 309.102 and its National Pollutant Discharge Elimination System permit.

**99-4** Village of Antioch v. IEPA - Upon receipt of an IEPA recommendation, the Board granted this Lake County facility a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in 35 Ill. Adm. Code 304.141(a) and its National Pollutant Discharge Elimination System permit.

**99-5** People of the State of Illinois v. Griffin Wheel Company - Upon receipt of a complaint and a proposed stipulation and settlement agreement and an agreed

motion to request relief from the hearing requirement in this air enforcement action against a Cook County facility, the Board ordered publication of the required newspaper notice.

**99-6** Colman Steinlauf v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.

**R99-1** In the Matter of: RCRA Subtitle D Update, USEPA Regulations (January 1, 1998 through June 30, 1998) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of January 1, 1998 through June 30, 1998.

**R99-2** In the Matter of: RCRA Subtitle C Update, USEPA Regulations (January 1, 1998 through June 30, 1998) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of January 1, 1998 through June 30, 1998.

**R99-3** In the Matter of: UST Update, USEPA Regulations (January 1, 1998 through June 30, 1998) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of January 1, 1998 through June 30, 1998.

**R99-4** In the Matter of: Wastewater Pretreatment Update, USEPA Regulations (January 1, 1998 through June 30, 1998) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of January 1, 1998 through June 30, 1998.

**R99-5** In the Matter of: Exemptions from the Definition of VOM, USEPA Amendments (January 1, 1998 through June 30, 1998) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of January 1, 1998 through June 30, 1998.

**R99-6** In the Matter of: SDWA Update, USEPA Regulations (January 1, 1998 through June 30, 1998) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of January 1, 1998 through June 30, 1998.

**R99-7** In the Matter of: UIC Update, USEPA Regulations (January 1, 1998 through June 30, 1998) - The Board reserved this docket for a routine identical-in-substance update. The update includes any federal amendments which occurred during the period of January 1, 1998 through June 30, 1998

## **NEW CASES 7/23/98**

**99-7** L. Keller Oil Properties, Inc. and Charles F. Keller v. IEPA - The Board accepted for hearing this appeal of an underground storage tank decision involving an Effingham County facility.

**99-8** Maple Investments, L.C. v. IEPA - The Board accepted for hearing this appeal of an underground storage tank decision involving a Macon County facility.

**99-9** Meade Electric Company, Inc. v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Will County facility.

**99-10** Ted Pilson v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Gallatin County facility.

**99-11** Freightliner of Chicago v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a DuPage County facility.

**99-12** Chemetco, Inc. v. IEPA - The Board accepted for hearing this permit appeal involving a Madison County facility.

**99-13** International Mills Services, Inc. v. IEPA - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Madison County facility.

**99-14** Bridgestone/Firestone, Inc. - The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of a Cook County facility.

**99-15** Village of Malta v. IEPA - Upon receipt of an IEPA recommendation, the Board granted this DeKalb County facility a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in 35 Ill. Adm. Code 304.141(a) and 304.120(c), and its National Pollutant Discharge Elimination System permit.

**99-16** Waubonsee Community College v. IEPA - Upon receipt of an IEPA recommendation, the Board granted this facility, located in Kane County, a 45-day provisional variance, subject to conditions, from certain conditions and effluent discharge limits, as set forth in 35 Ill. Adm. Code 302.212, 304.120(c), and 304.141(a) and its National Pollutant Discharge Elimination System permit.

**99-17** Commonwealth Edison Company (Dresden Power Station) v. IEPA - Upon receipt of an IEPA recommendation, the Board granted this Grundy County facility a 45-day provisional variance, subject to conditions, from certain thermal effluent discharge requirements, as set forth in 35 Ill. Adm. Code 302.211, and 304.141(b), its National Pollutant Discharge Elimination System permit, and in the Board's order, In the Matter of: 410 (c) Petition for Dresden Nuclear Generating Station (July 8, 1981), PCB 79-134.

**AS 99-1** In the Matter of: Petition of the City of Belleville, Illinois for an Adjusted Standard from 35 Ill. Adm. Code 106.705 - The Board acknowledged receipt of this petition for an adjusted standard from certain requirements on behalf of a St. Clair County facility and held it pending receipt of the certificate of publication.

## CALENDAR OF MEETINGS

<b>Date &amp; Time</b>	<b>Docket Number</b>	<b>Case Name</b>	<b>Location of Hearing</b>
<b>8/6/98 10:30 am</b>		<b>Illinois Pollution Control Board Meeting</b>	<b>James R. Thompson Center, 100 West Randolph Street, Suite 9-040, Chicago, IL</b>
8/18/98 9:30 am	PCB 94-373	People of the State of Illinois v. Wayne Berger and Berger Waste Management, Inc.	Olney Public Library, Conference Room, 400 West Main Street, Olney, IL
8/19/98 9:30 am	PCB 94-373	People of the State of Illinois v. Wayne Berger and Berger Waste Management, Inc.	Olney Public Library, Conference Room, 400 West Main Street, Olney, IL
<b>8/20/98 10:30 am</b>		<b>Illinois Pollution Control Board Meeting</b>	<b>James R. Thompson Center, 100 West Randolph Street, Suite 9-040, Chicago, IL</b>
8/20/98 9:30 am	PCB 94-373	People of the State of Illinois v. Wayne Berger and Berger Waste Management, Inc.	Olney Public Library, Conference Room, 400 West Main Street, Olney, IL
8/21/98 9:30 am	PCB 94-373	People of the State of Illinois v. Wayne Berger and Berger Waste Management, Inc.	Olney Public Library, Conference Room, 400 West Main Street, Olney, IL
<b>9/3/98 10:30am</b>		<b>Illinois Pollution Control Board Meeting</b>	<b>James R. Thompson Center, 100 West Randolph Street, Suite 9-040, Chicago, IL</b>
<b>9/17/98 10:30 am</b>		<b>Illinois Pollution Control Board Meeting</b>	<b>James R. Thompson Center, 100 West Randolph Street, Suite 9-040, Chicago, IL</b>
<b>9/17/98 10:00 a.m.</b>	AC 98-37	IEPA v. James Harris (Knoxville/Harris Property) IEPA Docket No. 256-98-AC	Knox County Courthouse 200 South Cherry Street Galesburg, IL
<b>10/5/98</b>	R99-8	In the Matter of: Permitting Procedures for the Lake Michigan Basin: 35 Ill. Adm. Code 301 and 309.141	James R. Thompson Center, 100 West Randolph Street, Suite 9-040, Chicago, IL
<b>12/8/98</b>	R99-8	In the Matter of: Permitting Procedures for the Lake Michigan Basin: 35 Ill. Adm. Code 301 and 309.141	Pollution Control Board, 600 South Second Street, Room 403, Springfield, IL

Illinois Environmental Protection Agency

Division of Public Water Supplies

Restricted Status List -- Public Water Supplies

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of July 1, 1998.

\* Indicates public water supplies which have been added to the list since the previous publication.

RDS:sp/0046g/2

Illinois Environmental Protection Agency  
 Division of Public Water Supplies  
 Restricted Status List -- Public Water Supplies  
 July, 1998

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
Acorn Acres Sbdv (Lake Co - 0975020)	2	Inadequate Pres Tank	250	12/16/83
Alden Long Grove Nursing Center(Lake Co - 0971090)	2	Inadequate Pres Tank	204	06/15/93
Ashley (Washington Co - 1890100)	6	Trihalomethane	825	06/15/92
Bahl Wtr Corp (Jo Daviess Co - 0855200)	1	Inadequate Pres Storage	700	12/15/93
Bartmann Health Care Center (Logan Co-1075169)	5	Inadequate Pres Tank	93	12/16/83
Belmont-Highwood PWD (DuPage Co - 0435180)	2	Trichloroethylene	498	09/16/93
Benld (Macoupin Co - 1170050)	5	Trihalomethane	1,634	09/16/96
Biggsville (Henderson Co - 0710050)	5	Adjusted Gross Alpha	350	03/15/98
Blue & Gold Hmownrs Assn (Winnebago Co - 2015250)	1	Inad Pres Tank & Source of Supply	170	06/17/83
Blue Mound (Macon Co - 1150100)	4	Nitrate	1,165	03/15/97
Bonnie Lane Water Supply (Kendall Co - 0930010)	2	Inadequate Pres Tank	49	09/16/93
* Bradford (Stark Co - 1750050)	1	Gross Alpha	650	06/15/98
Bradley Hts Sbdv (Winnebago Co - 2015050)	1	Inadequate Pres Tank	192	09/13/85
Bryant (Fulton Co - 0570200)	5	Gross Alpha	310	03/15/98
Buck Lake Ests Sbdv (DeKalb Co - 0375100)	1	Inadequate Pres Tank	200	09/14/84

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
Buckingham (Kankakee Co - 0910250)	2	Inadequate Pres Tank	330	03/17/89
Byron Woods Sbdv (Rock Island Co - 1610070)	1	Arsenic	150	03/15/98
Campus (Livingston Co - 1050050)	4	Inadequate Pres Tank	230	03/20/81
Carroll Hts Utl Cmpny (Carroll Co - 0155200)	1	Inadequate Pres Tank	80	03/20/81
Century Pines Apts (Carroll Co - 0150020)	1	Inadequate Pres Tank	50	12/14/90
Claremont Hls Sbdv (McHenry Co - 1115080)	2	Inadequate Pres Tank	330	03/15/96
Clearview Sbdv (Will Co - 1975360)	2	Inadequate Pres Tank	420	01/13/82
Coffeen (Montgomery Co - 1350150)	5	Trihalomethane	800	03/17/92
Community Srvc Corp (McHenry Co - 1115350)	2	Inadequate Pres Tank	750	09/16/83
Coulterville (Randolph Co - 1570150)	6	Trihalomethane	1,100	09/16/96
Coyne Cntr Coop (Rock Island Co - 1615150)	1	Inadequate Pres Tank	150	12/15/97
Cropsey Cmnty Wtr (McLean Co - 1135150)	4	Inadequate Pres Tank	60	03/20/81
Crystal Clear Wtr Cmpny (McHenry Co - 1115150)	2	Inadequate Pres Tank	900	09/16/88
Crystal Hts Assn (McHenry Co - 1115100)	2	Inadequate Pres Tank	93	06/17/96
Ctzns Liberty Ridge Dvn (DuPage Co - 0435650)	2	Inadequate Pres Tank	2,510	03/15/94
D and R Apts (Champaign Co - 0190030)	4	Inadequate Pres Tank	26	09/16/93
Deering Oaks Sbdv (McHenry Co - 1115200)	2	Inadequate Pres Tank	60	12/17/82
DeKalb Univ Dvl Corp (DeKalb Co - 0375148)	1	Inadequate Pres Tank	950	12/16/92
DeWitt Cnty NH (DeWitt Co - 0395129)	4	Inadequate Pres Tank	80	06/17/83
DL Well Owners Assn (Lake Co - 0975380)	2	Inadequate Pres Tank	125	03/18/83
Dorchester (Macoupin Co - 1170250)	5	Trihalomethane	480	09/16/96
Dover (Bureau Co - 0110350)	1	Inadequate Pres Tank	200	05/25/81
Eagerville (Macoupin Co - 1170300)	5	Trihalomethane	187	09/16/96
East Moreland Wtr Assn (Will Co - 1975600)	2	Inadequate Pres Tank	753	03/20/81
East Moreland Wtr Corp (Will Co - 1975640)	2	Inadequate Pres Tank	135	03/15/96
Echo Lake Wtr Sys Block 7 (Lake Co - 0975820)	2	Inadequate Pres Tank	48	09/16/83
Edelstein (Peoria Co - 1435150)	5	Adjusted Gross Alpha	125	03/15/98
Ellis Grove (Randolph Co - 1570200)	6	Trihalomethane	720	12/16/96
Elm Oak Mutual Wtr Syst (Lake Co - 0975736)	2	Inad Pres Tank	45	06/13/86
Emmett Utl Inc (McDonough Co - 1095200)	5	Inadequate Pres Tank	39	12/17/82
Evergreen Vlg Sbdv (Rock Island Co - 1615310)	1	Inadequate Pres Tank	250	03/20/81
Fahnstock Court Sbdv (Peoria Co - 1435200)	5	Inadequate Pres Tank	30	05/25/81
<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
Fair Acres Sbdv (Will Co - 1975680)	2	Inadequate Pres Tank	185	10/19/81
* Farmington (Fulton Co - 0570500)	5	Gross Alpha	2,700	06/15/98
Forest Lake Addn (Lake Co - 0975500)	2	Inadequate Pres Tank	180	12/16/83

Frwrdr-Skyline Cpy (Kane Co - 0895030)	2	Inadequate Pres Tank	1,300	09/19/86
Garden Street Imprv Assn (Will Co - 1975376)	2	Inadequate Pres Tank	62	09/15/89
Glasford (Peoria Co - 1430350)	5	Adjusted Gross Alpha	1,115	12/15/97
Glenkirk Campus North (Lake Co - 0977189)	2	Inadequate Pres Tank	64	06/15/88
Glenkirk Campus South (Lake Co - 0977199)	2	Inadequate Pres Tank	36	06/15/88
Good Shepherd Mnr (Kankakee Co - 0915189)	2	Inadequate Pres Tank	140	03/17/89
Great Oaks&Beacon Hls Apts(Winnebago Co-2015488)	1	Inadequate Pres Tank	943	12/17/82
Hawthorn Woods (Lake Co - 0970450)	2	Inadequate Pres Tank	800	03/15/95
Hazelwood 1st Addn Well 2 (Henry Co - 0735446)	1	Inadequate Pres Tank	32	09/17/82
Heatherfield Sbdv (Grundy Co - 0635150)	2	Inadequate Pres Tank	91	09/17/82
Highland Lake Sbdv (Lake Co - 0975750)	2	Inadequate Pres Tank	294	03/20/81
Highland Sbdv (Kane Co - 0895530)	2	Inadequate Pres Tank	50	09/16/83
Hillview Sbdv (Will Co - 1975800)	2	Inadequate Pres Tank	99	03/15/85
Hull (Pike Co - 1490350)	5	Tetrachloroethylene	529	03/15/97
Huntley Cmnty Sbdv (Will Co - 1975840)	2	Inadequate Pres Tank	48	03/16/84
Hutsonville (Crawford Co - 0330100)	4	Nitrate	650	03/15/98
Ingalls Pk Sbdv (Will Co - 1975880)	2	Inadequate Pres Tank	690	09/16/83
Island Lake Wtr Cmpny (Lake Co - 0975080)	2	Iron	2,250	06/15/90
Joy (Mercer County - 1310100)	1	Inadequate Source	495	09/16/96
Kaho PWD (Macoupin Co - 1170030)	5	Trihalomethane	847	03/15/98
Knoxville (Knox Co - 0950300)	5	Adjusted Gross Alpha	3,243	03/15/98
Lake Lynwood Wtr Sys (Henry Co - 0735330)	1	Inadequate Pres Tank	98	08/31/81
Lakeview Sbdv (Whiteside Co - 1955150)	1	Inadequate Pres Tank	146	03/20/81
Larchmont Sbdv (Winnebago Co - 2015290)	1	Inadequate Pres Tank	106	06/17/83
Larson Court Rentals (Rock Island Co - 1615728)	1	Inadequate Pres Tank	48	01/14/82
Legend Lakes Wtr Assn (Winnebago Co - 2015300)	1	Inadequate Pres Tank	225	03/14/91
Lemon Street Wl Cmpny Inc (Rock Island Co-1615550)	1	Inadequate Pres Tank	470	03/20/81
Liberty Park Homeowners Assn (DuPage Co - 0435600)	2	Inadequate Pres Tank	1,092	09/17/92
Lindenwood Wtr Assn (Ogle Co - 1415300)	1	Inadequate Pres Tank	50	01/13/82
Lisbon North Inc (Grundy Co - 0631000)	2	Inadequate Pres Tank	30	09/14/90
Little Swan Lake Sndst (Warren Co - 1875050)	5	Inad Hydropneumatic Storage	250	03/15/98

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
London Mills (Fulton Co - 0574620)	5	Inadequate Pres Tank	670	12/14/84
Lynn Cntr (Henry Co - 0735100)	1	Inadequate Pres Tank	147	03/15/95
Lynnwood Water Corp (LaSalle Co - 0995336)	1	Inadequate Pres Tank	114	03/18/83
M C L W Sys Inc (Mercer Co - 1315150)	1	Inadequate Source	100	03/20/81
Maple Hill Imprv Assn (DuPage Co - 0435800)	2	Inad Pres Tank & Trichloroethylene	234	08/31/81
Maple Leaf Ests Wtr Corp (Monroe Co - 1335100)	6	Inadequate Pres Tank	39	03/20/81
Mapleton (Peoria Co - 1430500)	5	Adjusted Gross Alpha	350	03/15/98

Mayfair Sbdv (Tazewell Co - 1795750)	5	Inadequate Pres Tank	150	03/16/90
McHenry Shores (McHenry Co - 1115020)	2	Iron	1,460	06/13/97
Mound PWD (St Clair Co - 1635050)	6	Inadequate Plant Capacity	1,800	06/17/96
Mount Clare (Macoupin Co - 1170650)	5	Trihalomethane	297	09/16/96
Mount Gilead Shlcrhm (Greene Co - 0615129)	6	Inadequate Pres Tank	28	09/16/83
Northwest Belmont Imprv Assn (DuPage Co - 0435900)	2	Inadequate Pres Tank	115	09/29/81
Oak Ridge Sndst (Woodford Co - 2035300)	1	Inadequate Pres Tank	240	03/20/81
Oakview Avenue Wtrwks Inc (Will Co - 1977210)	2	Inadequate Pres Tank	350	03/20/81
Olivet Nazarene College (Kankakee Co - 0915279)	2	Inadequate Pres Tank	1,450	03/15/94
Opheim PWS (Henry Co - 0735150)	1	Inadequate Pres Tank	150	06/18/82
Oscos Mutual Wtr Supply Cpy Inc (Henry Co-0735200)	1	Inadequate Pres Tank	115	12/15/89
Park Road Wtr Assn (Will Co - 1977330)	2	Inadequate Pres Tank	60	12/17/82
Park View Wtr Corp (Kane Co - 0895500)	2	Inadequate Pres Tank	150	12/17/82
Patoka (Marion Co - 1210400)	6	Inadequate Plant Capacity	731	03/15/97
Polo Dr & Saddle Rd Sbdv (DuPage Co - 0437000)	2	Inadequate Pres Tank	95	12/17/82
Prairie Ridge Assn (McHenry Co - 1115730)	2	Inadequate Pres Tank	140	03/16/90
Prairie View Wtr Assn (Tazewell Co - 1795900)	5	Inadequate Pres Tank	55	03/20/81
Princeville (Peoria Co - 1430750)	5	Adjusted Gross Alpha	1,815	12/15/97
Ridgecrest North Sbdv (Grundy Co - 0635250)	2	Inadequate Pres Tank	85	09/16/93
Ridgewood Ledges Wtr Assoc(Rock Island Co-1615670)	1	Inadequate Pres Tank	475	03/20/81
Ridgewood Sbdv (Will Co - 1977650)	2	Inadequate Pres Tank	315	06/18/82
Save Site (St Clair Co - 1635289)	6	Trihalomethane	375	06/15/92
Sbdv Wtr Trust No 1 (Kane Co - 0895300)	2	Inadequate Pres Tank	1,120	03/20/81
Scribner Street Sbdv (Will Co - 1977660)	2	Inadequate Pres Tank	50	03/18/83
Shawnta Trc Wtr Assn (Will Co - 1977690)	2	Inadequate Pres Tank	125	09/17/92
Shipman (Macoupin Co - 1170950)	5	Trihalomethane	675	12/16/96

<u>NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #</u>	<u>EPA RGN</u>	<u>NATURE OF PROBLEM</u>	<u>POP SERVED</u>	<u>LISTING DATE</u>
Silvis Heights Wtr Corp (Rock Island Co - 1615750)	1	Inadequate Pres Tank	1,680	03/20/82
Skyview Estates (Kankakee Co - 0915526)	2	Inadequate Pres Tank	65	09/14/84
Sorento (Bond Co - 0050300)	6	Trihalomethane	750	09/16/96
Spring Creek Wtr Assn (Macoupin Co - 1175450)	5	Trihalomethane	60	09/16/96
St Charles Cmsn Wlfnd 3 (DuPage Co - 0437040)	2	Inadequate Pres Tank	30	12/15/89
Staunton Res Rd Wtr (Macoupin Co - 1175250)	5	Trihalomethane	70	12/16/96
Sturm Sbdv (Lake Co - 0977010)	2	Inadequate Pres Tank	63	03/16/84
Suburban Heights Sbdv (Rock Island Co - 1615800)	1	Inadequate Pres Tank	114	12/16/83
Summit Homeowners Assn (Lake Co - 0975280)	2	Inadequate Pres Tank	48	03/16/84
Sunnyland Sbdv (Will Co - 1977730)	2	Inadequate Pres Tank	350	09/16/83
Swedona Wtr Assn (Mercer Co - 1315200)	1	Inadequate Pres Tank	100	06/15/90
Sylvan Lake 1st Sbdv (Lake Co - 0977100)	2	Inadequate Pres Tank	210	06/14/91

Towners Sbdv (Lake Co - 0977250)	2	Inadequate Pres Tank	238	01/14/82
Trivoli PWD (Peoria Co - 1435510)	5	Inadequate Pres Tank	350	06/17/83
Turkey Hollow Well Corp (Rock Island Co - 1615686)	1	Inadequate Pres Tank	32	06/18/82
Utl Inc Northern Hls Utl Co(Stephenson Co-1775050)	1	Inadequate Pres Tank	290	03/15/96
Utl Inc Walk-Up Woods Wtr Co(McHenry Co - 1115800)	2	Inadequate Pres Tank	763	12/17/82
Wermes Sbdv (Kane Co - 0895750)	2	Inadequate Pres Tank	150	12/16/88
West Shoreland Sbdv (Lake Co - 0977050)	2	Inadequate Pres Tank	220	06/14/91
Westfield (Clark Co - 0230200)	4	Inadequate Water Source	700	06/15/93
White City (Macoupin Co - 1171150)	5	Trihalomethane	280	12/16/96
Wienen Estates (Jo Daviess Co - 0850030)	1	Inadequate Pres Tank	70	12/15/97
Wilsonville (Macoupin Co - 1171200)	5	Trihalomethane	609	09/16/96
Wonder Lake Wtr Cmpny (McHenry Co - 1115750)	2	Inadequate Pres Tank	1,161	06/16/94
Woodland Hts Ests Sbdv (Peoria Co - 1435760)	5	Inadequate Pres Tank	245	03/20/81
Woodsmoke Ranch Assn (LaSalle Co - 0990030)	1	Inad Pres Tank	350	06/15/90
Yates City (Knox Co - 0950700)	5	Adjusted Gross Alpha	850	03/15/98
York Cntr Coop (DuPage Co - 0437550)	2	Inadequate Pres Tank	240	06/15/88
2nd Street Wtr Assn (Lake Co - 0971140)	2	Inadequate Pres Tank	33	12/15/95

PUBLIC WATER SUPPLIES REMOVED FROM PREVIOUS LIST

Coalton (Montgomery Co - 1350100)  
 Ctzns Lombard Heights Dvn (DuPage Co - 0435700)  
 Dieterich (Effingham Co - 0490150)  
 Gardner (Grundy Co - 0630400)  
 Lakewood Wtr Sys (Lake Co - 0975400)  
 Mark (Putnam Co - 1550250)

Northside Peterson Wlfnd (DuPage Co - 0435866)  
 Park Crest Wtr Cmpny (Stephenson Co - 1775100)  
 Peru (LaSalle Co - 0990850)  
 Tindalls 3rd & 6th Addn (Rock Island Co - 1617376)  
 Utl Inc Clarendon Wtr Cmpny (DuPage Co - 0435300)  
 White Hall (Greene Co - 0610400)

Illinois Environmental Protection Agency  
 Division of Public Water Supplies  
 Critical Review List -- Public Water Supplies

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of July 1, 1998.

\* Indicates public water supplies which have been added to the list since the previous publication.

Albers (Clinton Co - 0270050) 03/15/96	6	Inadequate Plant Capacity	850
Bayles Lake Lot Owners Assn (Iroquois Co - 0755110) 03/15/98	4	Inad Hydropneumatic Storage	442
Baylis (Pike Co - 1490100) 09/13/85	5	Source Capacity	300
Bluford (Jefferson Co - 0810100) 03/20/81	7	Low System Pressure	465
Browning (Schuyler Co - 1690050) 03/15/98	5	Inadequate Source	495
Ctzns Chickasaw Hills Div (Will Co - 1975320) 09/17/92	2	Low System Pressure	7,700
Clinton (DeWitt Co - 0390050) 06/14/91	4	Inad Plant Capacity	7,437
Columbia (Monroe Co - 1330050) 03/15/98	6	Inad Pumping Capacity	5,893
DePue (Bureau Co - 0110300) 12/15/93	1	Inad Treatment Plant	1,930
Dieterich (Effingham Co - 0490150) 03/15/94	4	Inadequate Source	568
Edwardsville (Madison Co - 1190250) 12/15/93	6	Inad Treatment Plant	30,581
Evansville (Randolph Co - 1570250) 05/25/81	6	Low System Pressure	1,838
Georgetown (Vermilion Co - 1830350) 06/15/93	4	Inadequate Water Plant	3,678
Hardin (Calhoun Co - 0130200) 11/25/81	6	Low System Pressure	1,175
Highland Hills Sndst (DuPage Co - 0435560) 09/17/92	2	Inadequate Pres Tank	1,100

Homer (Champaign Co - 0190300) 03/15/94	4	Inadequate Source	1,300
Kincaid (Christian Co - 0210250) 06/14/85	5	Plant Capacity	2,640
Lee (Lee Co - 1034600) 03/15/98	1	Inad Hydropneumatic Storage	350
McHenry Shores Wtr Cmpny (McHenry Co - 1115020) 09/17/92	2	Low System Pressure	1,170
Mechanicsburg Buffalo Wtr (Sangamon Co - 1675150) 03/15/98	5	Inadequate Source	1,030
Pearl (Pike Co - 1490650) 09/17/82	5	Inadequate Pres Tank	322
Scales Mound (Jo Daviess Co - 0850400) 09/15/97	1	Low System Pressure	400
South Highway PWD (Jackson Co - 0775400) 06/15/92	7	Low System Pressure	8,189
Stockton (Jo Daviess Co - 0850450) 06/15/84	1	Low System Pressure	1,900
Sumner (Lawrence Co - 1010300) 12/13/85	7	Low System Pressure	1,553
Tower Ridge Sbdv (Rock Island Co - 1615780) 03/15/94	1	Inadequate Pres Tank	70
Utl Inc Lake Marian Wtr Corp (Kane Co - 0895200) 09/14/84	2	Low Sys Pres & Inad Pres Storage	800
Walnut Hill (Marion Co - 1210600) 06/14/85	6	Low System Pressure	1,200
West Liberty-Dundas Wtr Dst (Richland Co-1595050) 12/14/84	7	Low System Pressure & Inadequate Source	693
Wonder Lake Wtr Cmpny (McHenry Co - 1115750) 12/14/90	2	Inadequate Storage	1,080

PUBLIC WATER SUPPLIES REMOVED FROM PREVIOUS LIST

Pecatonica (Winnebago Co - 2010250)  
Taylor Springs (Montgomery Co - 1350650)

## ILLINOIS POLLUTION CONTROL BOARD MEETING DATES

The following are regularly scheduled meetings of the Illinois Pollution Control Board.

### REGULAR BOARD MEETING SCHEDULE FOR CALENDAR YEAR 1998\*

August 6	October 1	December 3
August 20	October 15	December 17
September 3	November 5	
September 17	November 19	

**\* All Chicago Board Meetings will be held at 10:30 a.m. in Conference Room 9-040.**

The Illinois Pollution Control Board (IPCB) is an independent seven member board which adopts the environmental control standards for the State of Illinois and rules on enforcement actions and other environmental disputes. The Board Members are:

Claire A. Manning, Chairman Springfield		
Ronald C. Flegal DeKalb	G. Tanner Girard Grafton	Kathleen M. Hennessey Western Springs
Marili McFawn Inverness	Nicholas J. Melas Chicago	Joseph Yi Park Ridge

The *Environmental Register* is a newsletter published by the IPCB monthly, and contains updates on rulemakings, descriptions of final decisions, the Board's hearing calendar, and other environmental law information of interest to the People of the State of Illinois.

Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph, Suite 11-500  
Chicago, Illinois 60601  
(312) 814-3620

Illinois Pollution Control Board  
600 South Second Street  
Suite 402  
Springfield, Illinois 62704  
(217) 524-8500

**Web Site: <http://www.ipcb.state.il.us/>**