

ILLINOIS POLLUTION CONTROL BOARD

July 12, 2001

CCL CUSTOM MANUFACTURING, INC.,)
)
 Petitioner,)
)
 v.) PCB 01-172
) (Permit Appeal - Water)
 ILLINOIS ENVIRONMENTAL)
 PROTECTION AGENCY,)
)
 Respondent.)

ORDER OF THE BOARD (by G.T. Girard):


This petition for review, filed on June 19, 2001, requests that the Board review the Illinois Environmental Protection Agency's (Agency) inclusion of certain conditions on petitioner's operating permit for its groundwater system discharges at the Westville-Belgium Sanitary District located in Danville, Illinois. The Board accepts this matter for hearing.

Hearings shall be scheduled and completed in a timely manner pursuant to the applicable statutory decision deadline or as extended by waiver (see 415 ILCS 5/40(a)(2) (2000), 35 Ill. Adm. Code 101.308)). Unless otherwise ordered by the hearing officer, the Agency shall file the record of the permit application within 14 days of notice of the petition. See 35 Ill. Adm. Code 105.212.

IT IS SO ORDERED.

Board Member T.E. Johnson abstained.

I, Dorothy M. Gunn, Clerk of the Illinois Pollution Control Board, hereby certify that the above order was adopted on the 12th day of July 2001 by a vote of 4-0.



Dorothy M. Gunn, Clerk
Illinois Pollution Control Board