

---

# Environmental Register

July 2003 - Number 589

The Environmental Register is a Publication of the Illinois Pollution Control Board

---

Thomas E. Johnson, Chairman

Board Members:

G. Tanner Girard, Doris C. Karpel, William A. Marovitz,  
Nicholas J. Melas, Lynne P. Padovan, Michael E. Tristano

Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph, Suite 11-500  
Chicago, Illinois 60601  
(312) 814-3620  
(312) 814-6032 TDD

Illinois Pollution Control Board  
600 South Second Street  
Suite 402  
Springfield, Illinois 62704  
(217) 524-8500

Web Site: <http://www.ipcb.state.il.us>

# Letter from the Chairman

---

As I am sure many of you know, the Board's Springfield Office has moved, and is now housed separately, but in the same office space as the Illinois Environmental Protection Agency. The Board's new Springfield address is:

Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, IL 62794-9274



While we have a few minor aesthetic modifications to finalize, the move in Springfield is essentially complete. I want to commend the Board's Springfield, Jacksonville and Urbana staff for their exceptionally hard work during this transition, and thank all Board employees for their patience. The Board's IT staff has been able to complete the move with a minimum of inconvenience to the Board or the public, and the Board, as it has throughout the move, continues to function.

I want to emphasize that, although the Board is now located in the same building as the IEPA, we will continue to function as an entirely independent entity. Aside from minor housekeeping duties that will be shared, the Board will operate in the same manner we always have. All personnel and operational functions will remain, as before, strictly Board business. The Board is cognizant of its status as an independent agency created in 1970 by the Environmental Protection Act. Under the Act, the Board is responsible for adopting Illinois' environmental regulations and deciding contested environmental cases. This would be impossible to do unless we maintain complete substantive independence. I want to assure everybody that they can rely on the Board's continued ability to serve the citizens of the State of Illinois in completing its statutory duties.

Sincerely,

A handwritten signature in black ink, consisting of a large, stylized initial 'T' followed by a horizontal line extending to the right.

Thomas E. Johnson, Chairman

## Inside This Issue:

---

FEDERAL UPDATE	P. 1
RULE UPDATE	P. 3
LISTING OF ADJUSTED STANDARDS	P 5
BOARD ACTIONS	P. 6
NEW CASES	P. 14
BOARD CALENDAR	P. 15
IEPA RESTRICTED STATUS LIST	P. 17
IEPA CRITICAL REVIEW LIST	P. 23

## Federal Update

---

### **United States Environmental Protection Agency Adopts a Ban on Trade of Methyl Bromide With Non-Parties to the Montreal Protocol on Substances that Deplete the Ozone Layer**

On July 25, 2003 (68 Fed. Reg. 43991), the United States Environmental Protection Agency (USEPA) adopted direct final rules to ban the trade of methyl bromide with non-parties to the 1992 Copenhagen Amendments to the Montreal Protocol on Substances that Deplete the Ozone Layer (Protocol). USEPA also proposed an identical rule. If negative comments are received on the direct final rule, USEPA will withdraw and proceed to collect additional comments on the proposed rule.

The direct final rule prohibits the import and exports of methyl bromide (class I, Group VI controlled substance) from or to a foreign state that is not a Party to the Copenhagen Amendments to the Protocol in order to ensure the United States meets its obligations under the Protocol and associated amendments.

Based on an analysis of the U.S. exports of methyl bromide to specific countries, USEPA has determined that only 3 countries of the 50 to whom U.S. producers of methyl bromide have exported over the past three years would be impacted because they have not yet ratified the Copenhagen Amendments to the Protocol. Specifically, the rule would ban the export of 41 metric tonnes to Cyprus, Cote d'Ivoire, and the United Arab Emirates compared to an average export from the entire U.S. of 5,236 metric tonnes. These countries represent less than 1% of all U.S. exports of methyl bromide for the years 2000, 2001, and 2002, so economic impacts for U.S. producers of methyl bromide would be extremely minimal. The rule will not constrain U.S. farmers' ability to obtain methyl bromide from importers because the major methyl bromide exporting countries have already ratified the Copenhagen Amendments.

Comments on the direct final rule must be received on or before August 25, 2003 and should be sent to: Air and Radiation Docket (6102), Air Docket No. A-92-13, Section XIII, U.S. Environmental Protection Agency, Mailcode 6205J, 1200 Pennsylvania Ave. NW., Washington, DC 20460.

For further information about this rule, contact Kate Choban by telephone at (202) 564-3524, by e-mail at [choban.kate@epa.gov](mailto:choban.kate@epa.gov), or by mail at Kate Choban, U.S. Environmental Protection Agency, Global Programs Division, Stratospheric Program Implementation Branch (6205J), 1200 Pennsylvania Avenue, NW., Washington, DC 20460, 202-564-3524.

### **United States Environmental Protection Agency Adopts Amendments to the Rules for Identification and Listing of Hazardous Waste and the Recycled Used Oil Management Standards Under the Resource Conservation and Recovery Act**

On July 30, 2003 (68 Fed. Reg. 44659), the United States Environmental Protection Agency (USEPA) adopted amendments to the Hazardous Waste Management System regulations under the Resource Conservation and

## Environmental Register – July 2003

Recovery Act (RCRA). The amendments correct drafting errors and ambiguities in the used oil management standards.

Specifically, this rule clarifies 1) when used oil contaminated with polychlorinated biphenyls (PCBs) is regulated by RCRA used oil management standards and when it is not, 2) that mixtures of conditionally exempt small quantity generator waste and used oil are subject to RCRA used oil management standards irrespective of how that mixture is to be recycled, and 3) that the initial marketer of used oil that meets the used oil fuel specification need only keep a record of a shipment of used oil to the facility to which the initial marketer delivers the used oil.

This final rule will become effective on September 29, 2003.

For further information contact: RCRA Call Center at (800) 424-9346 or TDD (800) 553-7672 (hearing impaired). For more detailed information on specific aspects of this rulemaking, contact Mike Svizzero by mail at Office of Solid Waste (5303W), U.S. Environmental Protection Agency, 1200 Pennsylvania Avenue NW., Washington, DC 20460, by phone at (703) 308-0046, or by e-mail at [svizzero.michael@epa.gov](mailto:svizzero.michael@epa.gov).

The Board will include any necessary amendments to Board RCRA rules resulting from this federal action in a future RCRA, Subtitle C identical in substance rulemaking pursuant to Sections 7.2 and 22.4 of the Environmental Protection Act (415 ILCS 5/7.2, 22.4 (2002)).

### **United States Environmental Protection Agency Publishes Notice of Reconsideration of Clean Air Act Final Rule; Request for Public Comment; Notice of Public Hearing in the Prevention of Significant Deterioration (PSD) and Non-Attainment New Source Review (NSR) Regulations**

On July 30, 2003 (68 Fed. Reg. 44620), the United States Environmental Protection Agency (USEPA) published a notice of reconsideration of a final rule; request for public comment; notice of public hearing for its recent adopted amendments to the Clean Air Act (CAA) New Source Review (NSR) program regulations.

The final rules were adopted by USEPA on December 31, 2002 and March 10, 2003, and govern the major NSR programs mandated by parts C and D of title I of the CAA. Following these actions, the Administrator of USEPA received a number of petitions for reconsideration. As a result, the USEPA announced that it will reconsider certain issues arising from the final rules of December 31, 2002. The issues that will be covered include: 1) analysis of the environmental impact of the final rule, 2) Plantwide Applicability Limitations (PALs), 3) Actual-to-Projected-Actual Test, and 4) designation of Clean Unit status. USEPA will not respond to any comments addressing any other provisions of the NSR rules or program.

Comments must be received on or before August 29, 2003 and should be sent to: U.S. Environmental Protection Agency, EPA West (Air Docket), 1200 Pennsylvania Ave., NW., Room: B108, Mail Code: 6102T, Washington, DC, 20460, Attention E-Docket ID No. OAR-2001-0004 (Legacy Docket ID No. A-90-37). A public hearing will be held on August 14, 2003 at the Sheraton Imperial Hotel & Convention Center, 4700 Emperor Boulevard, Durham, North Carolina 27703, telephone (919) 941-5050.

For further information contact Ms. Lynn Hutchinson, Information Transfer and Program Integration Division (C339-03), U.S. Environmental Protection Agency, Research Triangle Park, NC 27711, telephone (919) 541-5795, or email at [hutchinson.lynn@epa.gov](mailto:hutchinson.lynn@epa.gov)

### **United States Environmental Protection Agency Proposes Amendments to the Accidental Release Prevention Requirements Under the Clean Air Act**

On July 31, 2003 (68 Fed. Reg. 45123), the United States Environmental Protection Agency (USEPA) proposed amendments to the accidental release prevention requirements for the Clean Air Act (CAA) submission schedule and data regulations.

## Environmental Register – July 2003

The data submission amendments address requirements for the risk management plan (RMP) regulation mandated under the accidental release prevention provisions. These regulations require owners and operators of stationary sources to submit RMPs to be made available to federal, state and local emergency planning and response agencies and to the public through a central location. The first submissions were received in early 1999.

USEPA is now proposing to modify the RMP re-submission schedule for sources who have significant accidents and for those who change the information for the emergency contacts. USEPA is also proposing to 1) add three data elements to the RMP, 2) make several revisions to the submission format for the RMP, and 3) remove the regulatory requirement to discuss the off-site consequence analysis in the RMP executive summary. USEPA intends to issue a final rule addressing all of these proposed changes in time for the majority of facilities to complete their 5-year anniversary re-submissions by June 21, 2004. The modifications proposed seek to improve the accident prevention and reporting programs of regulated sources, and to assist federal, state, and local RMP implementation in light of new homeland security concerns.

Comments must be submitted on or before September 15, 2003 and should be sent to: U.S. Environmental Protection Agency, EPA West (Air Docket), 1200 Pennsylvania Ave., NW., Room B108, Mail Code 6102T, Washington, DC 20460, Attention Docket ID No. OAR-2003-0044.

For further information contact the Emergency Planning and Community Right-to-Know Hotline at (800) 424-9346 or contact Vanessa Rodriguez, Chemical Emergency Preparedness and Prevention Office, Mail Code 5104A, U.S. EPA, 1200 Pennsylvania Avenue, NW., Washington, DC 20004, telephone at (202) 564-7913, or email at [rodriguez.vanessa@epa.gov](mailto:rodriguez.vanessa@epa.gov).

If any amendments to the Illinois air rules become necessary, the Board would expect the Illinois Environmental Protection Agency to propose amendments using the Clean Air Act “fast-track” procedures at Section 28.5 of the Environmental Protection Act (415 ILCS 5/28.5 (2002)).

## Rule Update

### **Board Adopts First Notice Opinion and Order in Noise Rule Update: Amendments to 35 Ill. Adm. Code 901 (R03-09)**

On July 10, 2003, the Board adopted a first notice opinion and order in Noise Rule Update: Amendments to 35 Ill. Adm. Code 901 (R03-09). The rulemaking proposal was sent to the Secretary of State for publication in the July 25, 2003 issue of the *Illinois Register* (27 Ill. Reg. 11908 and 11989).

The Board itself opened this rulemaking to propose updated regulations governing noise found in 35 Ill. Adm. Code Subtitle H. Many of the sound measurement definitions and techniques in the Board’s current rules do not reflect present scientific standards. The Board’s proposal will update the definitions and sound measurement techniques to reflect current standards.

More specifically, the proposal revises outdated numerical sound emission standards for property line noise sources found at 35 Ill. Adm. Code Parts 901. In Part 901, the Board proposes to replace the references to the Standard Land Use Coding System codes with the more appropriate Land-Use Based Classification System. In addition, the proposal adds new Part 910 to the Board’s rules to incorporate noise measurement techniques currently contained only in Illinois Environmental Protection Agency rules at 35 Ill. Adm. Code 951.

This rulemaking is closely associated with the rulemaking Noise Rule Update Amendments to 35 Ill. Adm. Code 900 and 903, (R03-8), currently at second notice, that defines acoustical terms, pollution sources and sound measurement procedures. R03-8 is also based on updated science, including pertinent American National Standards Institute updates from 1998-2001, and other current scientific publications. See Noise Rule Update Amendments to 35 Ill. Adm. Code 900 and 903, R03-08 (April 3, 2003).

For additional information contact William Murphy at 312-814-6062 or email at [murphyw@ipcb.state.il.us](mailto:murphyw@ipcb.state.il.us)

## Environmental Register – July 2003

### **Board Adopts Proposal for Public Comment in SDWA Update, USEPA Amendments (July 1, 2003 through December 31, 2003) (R03-15)**

On July 10, 2003, the Board adopted a proposal for public comment in SDWA Update, USEPA Amendments (July 1, 2003 through December 31, 2003) (R03-15). The rulemaking proposes amendments to the Illinois regulations that are “identical in substance” to drinking water regulations adopted by the United States Environmental Protection Agency (USEPA). The USEPA rules implement Sections 1412(b), 1414(c), 1417(a), and 1445(a) of the federal Safe Drinking Water Act (SDWA) (42 U.S.C. §§ 300g-1(a), 300g-3(c), 300g-6(a), and 300j-4(a) (1994)).

This docket includes federal SDWA amendments that USEPA adopted in the period July 1, 2002 through December 31, 2002. The rulemaking proposal was sent to the Secretary of State for publication in the July 25, 2003 issue of the *Illinois Register* (27 Ill. Reg. 11389).

As explained below, the substantive amendments involved in this proceeding update the analytical methods approved for determining contaminants in drinking water and make minor changes to the consumer confidence report rule.

Analytical Methods Update. On October 23, 2002 (67 Fed. Reg. 65220), USEPA amended the methods for analysis of contaminants in water and wastewater. This included analytical methods used for determining compliance with the SDWA drinking water requirements. The methods are used to determine chemical, microbiological, and radiological contamination of water. USEPA noted that a number of entities updated their published methods: ASTM International, the United States Geological Survey, the United States Department of Energy, the American Public Health Association, the American Water Works Association, and the Water Environment Federation. In updating the references to the various methods, USEPA stated that previously approved versions of the methods are still available for use.

On October 29, 2002, USEPA approved two new methods for analysis of drinking water for various SOC contaminants. USEPA published a correction to the October 29, 2002 notice on November 13, 2002 (67 Fed. Reg. 68911). Persons interested in the details of the federal amendments should consult the *Federal Register* notices of October 23, 2002, October 29, 2002, and November 13, 2002.

The Board incorporated the October 23, 2002 and October 29, 2002 federal amendments into the Illinois drinking water regulations by revision of the various references to the methods, where necessary, and by updating the incorporations of the methods by reference.

Consumer Confidence Rule Changes. On November 27, 2002 (67 Fed. Reg. 70850), USEPA amended aspects of the health effects language for the consumer confidence rule. The principal amendments relate to two chemicals, di(2-ethylhexyl)adipate and di(2-ethylhexyl)phthalate. Other amendments are called minor corrections by USEPA. USEPA published a minor correction to the November 27, 2002 action on December 9, 2002 (67 Fed. Reg. 73011). Persons interested in the details of the federal amendments should consult the *Federal Register* notices of November 27, 2002 and December 9, 2002.

For additional information contact Michael J. McCambridge at 312-814-6924; e-mail address [mccambm@ipcb.state.il.us](mailto:mccambm@ipcb.state.il.us)

### **Board Adopts First Notice Opinion and Order in Site-Specific Rule for City of Effingham Treatment Plant Fluoride Discharge, 35 Ill. Adm. Code 304.233 (R03-11)**

On July 24, 2003, the Board adopted a first notice opinion and order in Site-Specific Rule for City of Effingham Treatment Plant Fluoride Discharge, 35 Ill. Adm. Code 304.233 (R03-11). The rulemaking proposal was filed with the Secretary of State’s Index Department and will be published in the *Illinois Register* on August 15, 2003.

## Environmental Register – July 2003

This rulemaking was initiated by a proposal filed by the City of Effingham (City), Blue Beacon International, Inc. (BBI) and Truckomat Corporation (Truckomat) to add Section 303.326 as a site-specific water quality designation.

The proposed amendments would add a new Section 303.326 setting a site-specific fluoride water quality standard of 5.0 mg/L to accommodate the discharge of fluoride from the City's publicly owned treatment works (POTW). This level of fluoride is gradually reduced downstream from the POTW to 3.2 mg/L and then 2.0 mg/L before it reverts back to the general water quality standard of 1.4 mg/L.

BBI and Truckomat operate truck washes in Effingham, and the wastewater from the truck washes contains fluoride resulting from the brighteners used in washing the trucks. Both companies have testified at hearing that there are no alternative replacements for these brighteners, and that discontinuing their use would cause a severe negative economic impact for both the facilities and for the surrounding businesses that rely on the truck traffic generated by the washing facilities.

The proposal filed by the City, BBI, and Truckomat originally sought relief from the Board's effluent standards at 35 Ill. Adm. Code 304. While the Illinois Environmental Protection Agency (IEPA) testified at hearing that the requested relief from the fluoride rules will continue to be protective of the waters of the state located downstream from the POTW, the IEPA stated that the petitioners should have requested relief from the fluoride water quality standard, rather than the effluent standard. The IEPA explained that site-specific relief from the effluent standards could still leave the City open to the possibility of a violation of the water quality standards and could be inconsistent with federal law. The IEPA suggested that the Board could be viewed as essentially granting a discharger indefinite or permanent permission to violate a water quality standard. The IEPA suggested that the Board instead establish a site-specific water quality standard for the receiving waters of the POTW. Consequently, the Board's proposed rule is a site-specific water quality standard.

A hearing was held in Effingham on April 11, 2003 on the substance of the rulemaking. On July 18, 2003, the Board held a second hearing dealing solely with the Illinois Department of Commerce and Economic Opportunity's decision not to conduct an economic impact study on this proposal.

For additional information contact John Knittle at 217/278-3111; email address [knittlej@ipcb.state.il.us](mailto:knittlej@ipcb.state.il.us).

## Listing of Adjusted Standards

### **LISTINGS OF ADJUSTED STANDARDS AND COMBINED SEWER OVERFLOW EXCEPTIONS GRANTED BY THE BOARD DURING FISCAL YEAR 2003**

Section 28.1(d)(3) of the Environmental Protection Act (Act) (415 ILCS 5/28.1(d)(3) (2002)) requires the Board to annually publish in the *Illinois Register* and *Environmental Register* a listing of all determinations made pursuant to Section 28.1 at the end of each fiscal year. This notice sets forth all adjusted standard and combine sewer overflow exception determinations made by the Board during the fiscal year 2003 (July 1, 2002, through June 30, 2003).

#### **Final Actions Taken by the Pollution Control Board in Adjusted Standards Proceedings During Fiscal Year 2003 (July 1, 2002 through June 30, 2003)**

##### Docket/Docket Title

In the Matter Of: Petition of Ford Motor  
Company (Chicago Assembly Plant) for an  
Adjusted Standard from 35 Ill. Adm. Code  
218.986 (November 21, 2002), AS 02-03

##### Final Determination

The Board granted this Chicago, Cook County facility an adjusted standard from certain volatile organic material (VOM) emissions limitation requirements. The adjusted standard revises a prior adjusted standard granted to the Ford Company (AS 00-06, April 6,

## Environmental Register – July 2003

2000) by lowering the VOM emissions from 390 tons VOM per rolling 12 month total to 340 tons VOM per rolling 12-month total.

In the Matter Of: Petition of Argonne National Laboratory for an Adjusted Standard from 35 Ill. Adm. Code 218.182  
(May 15, 2003), AS 03-03

The Board dismissed the petition filed on behalf of this DuPage County facility for an adjusted standard from certain volatile organic material emissions limitation requirements related to the use of cold cleaning degreasers because the petitioner had failed to timely publish the notice required by Section 28.1(d)(1) of the Act. (Petitioner has since properly refilled its petition, now pending and docketed as AS03-4.)

**In the Matter Of: Petition of Exelon Generation Company for an Adjusted Standard from 35 Ill. Adm. Code 302.208**  
(June 19, 2003), AS 03-01

The Board granted this Will County facility an adjusted standard from the general use water quality standards. The adjusted standard raises the level of allowable discharge of Total Dissolved Solids (TDS) from 1000 milligrams per liter (mg/L) to 1900 mg/L.

### **Final Actions Taken by the Pollution Control Board in Combine Sewer Overflow Exception Proceedings During Fiscal Year 2003 (July 1, 2002 through June 30, 2003)**

The Board took no action in combined sewer overflow exception proceedings during fiscal year (FY) 2003, as none was filed with the Board or pending during FY 2003.

Address **written comments or request copies**, noting the appropriate docket number, to:

Name: Dorothy Gunn, Clerk  
Address: Pollution Control Board  
100 West Randolph Street, Suite 11-500  
Chicago, Illinois 60601  
Telephone: 312-814-3620

Address **questions** concerning this notice, noting the appropriate docket number, to:

Name: Erin Conley  
Address: Pollution Control Board  
600 S. Second St. Suite 402  
Springfield, Illinois 62704  
Telephone: 217-782-2471  
Internet: conley@ipcb.state.il.us

## **Board Actions**

---

**July 10, 2003**  
**Chicago, Illinois**

### **Rulemakings**

R02-22	<u>In the Matter of: Emission Reduction Market System Amendments</u> – On its own motion, the Board dismissed this in active docket to amend the Board's air pollution control regulations.	6-0 R, Air
R03-9	<u>In the Matter of: Noise Rule Update: Amendments to 35 Ill. Adm. Code 901</u> –	6-0

## Environmental Register – July 2003

	The Board adopted a first notice opinion and order in this matter to amend the Board's noise regulations.	R, Noise
R03-15	<u>SDWA Update, USEPA Amendments (July 1, 2002 through December 31, 2002)</u> – The Board adopted a proposal for public comment in this “identical-in-substance” rulemaking to amend the Board's public water supply regulations.	7-0 R, PWS
R03-20	<u>In the Matter of: Brownfields Site Restoration Program; Amendments to 35 Ill. Adm. Code 740</u> – The Board adopted a first notice opinion and order to establish procedures and standards for administering the new Brownfields Site Restoration Program.	6-0 R, Land

### Administrative Citations

AC 03-31	<u>County of Vermilion, Illinois v. Brickyard Disposal and Recycling, Inc.</u> – The Board granted complainant's motion to strike violation B. The Board found that this Vermilion County respondent violated Section 21(o)(4) of the Act (415 ILCS 5/21(o)(4) (2002)) and ordered respondent to pay a civil penalty of \$500.	7-0
AC 03-32	<u>IEPA v. Sharyn Fuller and Carl Benedict</u> – The Board granted complainant's motion to dismiss respondent Sharyn Fuller from this matter. The Board accepted for hearing Peoria County respondent Carl Benedict's petition for review of an administrative citation.	7-0
AC 03-33	<u>IEPA v. Olen G. Parkhill, Jr.</u> – The Board accepted for hearing this petition for review of an administrative citation against this Champaign County respondent.	7-0
AC 03-34	<u>IEPA v. Olen G. Parkhill, Jr.</u> – The Board accepted for hearing this petition for review of an administrative citation against this Champaign County respondent.	7-0
AC 03-35	<u>IEPA v. Denny D. Richey</u> – The Board accepted an administrative citation against this Clark County respondent.	7-0

### Decisions

PCB 00-180	<u>People of the State of Illinois v. Jacobs Energy Corporation</u> – In this air and land enforcement action concerning a Rock Island County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2002)), accepted a stipulation and settlement agreement, ordered the respondent to pay a total civil penalty of \$10,500, and to cease and desist from further violations.	7-0 A&L-E
PCB 01-155	<u>People of the State of Illinois v. Alloy Engineering and Casting Company</u> – In this Resource Conservation and Recovery Act, air, and water enforcement action concerning a Champaign County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act	7-0 A-E

## Environmental Register – July 2003

(415 ILCS 5/31(c)(1) (2002)), accepted a stipulation and settlement agreement, ordered the respondent to pay a total civil penalty of \$75,000, and to cease and desist from further violations.

PCB 03-147	<u>People of the State of Illinois v. Westfield Homes of Illinois</u> – In this water enforcement action concerning a Lake County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2002)), accepted a stipulation and settlement agreement, ordered the respondent to pay a total civil penalty of \$15,000, and to cease and desist from further violations.	7-0 W-E
PCB 03-153	<u>People of the State of Illinois v. C&amp;F Packing Co., Inc.</u> – In this water enforcement action concerning a Lake County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2002)), accepted a stipulation and settlement agreement, ordered the respondent to pay a total civil penalty of \$11,000, and to cease and desist from further violations.	7-0 W-E

### Motions and Other Matters

PCB 00-181	<u>MDI Limited Partnership #42 v. Regional Board of Trustees for Boone and Winnebago Counties, and Board of Education of Belvidere District 100</u> – The Board granted the parties’ joint motion for voluntary dismissal of this citizen’s land enforcement involving a Boone County facility.	7-0 Citizens L-E
PCB 03-117	<u>People of the State of Illinois v. Bi State Tire, Inc.</u> – Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this land enforcement action involving a Rock Island County facility, the Board ordered publication of the required newspaper notice.	7-0 L-E
PCB 03-149	<u>Township of Putnam v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this Fulton County facility.	7-0 UST Appeal
PCB 03-155	<u>Rosignol Marathon (Site Classification Work Plan) v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this Wabash County facility.	7-0 UST Appeal
PCB 03-162	<u>Tasim Fejza v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving a Will County facility.	7-0 UST Appeal
PCB 03-177	<u>Cady Oil Co. v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving a Peoria County facility.	7-0 UST Appeal

## Environmental Register – July 2003

PCB 03-180 PCB 03-186 PCB 03-187	<u>Royer Oil Company v. IEPA</u> – The Board accepted for hearing three underground storage tank appeals involving a Bond County facility and granted the motions to consolidate PCB 03-180, PCB 03-186 and PCB 03-187. The Board also granted petitioner’s motion for leave to file an amended petition in PCB 03-180.	7-0 UST Appeal
PCB 03-185	<u>Swif-T Food Mart v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving a Lake County facility.	7-0 UST Appeal
PCB 03-211	<u>Mark and Cynthia Heywood v. Dan and Darleen Sheehan</u> – The Board found that the alleged violations in the complaint were neither duplicative nor frivolous, and accepted for hearing this matter involving a Cook County facility.	7-0 Citizens N-E
PCB 03-218	<u>Rochelle Waste Disposal, L.L.C. v. City Council of the City of Rochelle</u> – The Board denied Concerned Citizens of Ogle County’s petition to intervene in this pollution control facility siting appeal involving an Ogle County facility.	7-0 P-C-F-S-R
PCB 03-221	<u>Lowe Transfer, Inc. and Marshall Lowe v. County Board of McHenry County, Illinois</u> – The Board denied Village of Cary’s petition to intervene in this pollution control facility siting appeal involving a McHenry County facility.	7-0 P-C-F-S-R
PCB 03-224	<u>People of the State of Illinois v. Village of Sims, Followell Construction Company, Inc., and Lamac Engineering Company</u> – Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this land enforcement action involving a Wayne County facility, the Board ordered publication of the required newspaper notice.	7-0 PWS-E
PCB 03-232	<u>Gas for Less (Vista Marketing Group) v. IEPA</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Winnebago County facility.	7-0 UST Appeal 90-Day Ext.
PCB 03-233	<u>People of the State of Illinois v. Gerald Hewing d/b/a Hewing Technical Services</u> – The Board accepted for hearing this water enforcement action involving a Shelby County facility.	7-0 W-E, NPDES
PCB 03-235	<u>United Disposal of Bradley, Inc. and Municipal Trust &amp; Savings Bank as Trustee Under Trust 0799 v. IEPA</u> – The Board accepted for hearing this permit appeal involving a Kankakee County facility.	7-0 P-A, Land
PCB 03-237	<u>Estate of Olivia Tyberendt, Deceased v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving a Clinton County facility.	7-0 UST Appeal

## Environmental Register – July 2003

PCB 03-238	<u>Tom's Gas Stop v. IEPA</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Cook County facility.	7-0 UST Appeal
PCB 04-1	<u>SCI Illinois Services, Inc. (August 1, 2002 – February 14, 2003) v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving a Cook County facility and granted the motions to consolidate this matter with PCB 04-3. The Board also granted petitioner's motion to strike portions of the petition for review.	7-0 UST Appeal
PCB 04-2	<u>Freedom Oil Company (March 1, 2002 – January 24, 2003) v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving an Edgar County facility and granted the motions to consolidate this matter with PCB 03-54, 03-56, 03-105, and 03-179.	7-0 UST Appeal
PCB 04-3	<u>SCI Illinois Services, Inc. v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving a Cook County facility and granted the motions to consolidate this matter with PCB 04-1.	7-0 UST Appeal
PCB 04-4	<u>People of the State of Illinois v. Best-Way Construction &amp; Remediation, Inc. and Clinton 6 L.L.C.</u> – The Board accepted for hearing this air enforcement action involving a Cook County facility.	7-0 A-E

### July 24, 2003 Chicago, Illinois

#### Rulemakings

R03-11	<u>In the Matter of: Site-Specific Rule for City of Effingham Treatment Plant Fluoride Discharge, 35 Ill. Adm. Code 304.233</u> – The Board adopted a first notice opinion and order in this site-specific rulemaking to amend the Board's water pollution control regulations.	6-0 R, Water
--------	---	-----------------

#### Adjusted Standards

AS 03-2	<u>In the Matter of Metropolitan Water Reclamation District of Greater Chicago for an Adjusted Standard from 35 Ill. Adm. Code 811, 812 and 817, and Modification of AS 95-4 (Sludge Application)</u> – Subject to the conditions, the Board granted an adjusted standard to the Metropolitan Water Reclamation District of Greater Chicago from 35 Ill. Adm. Code 811.204, 811.314(c)(3), 812.313(d), 817.303 and 817.410(c)(2) and (3).	6-0 Land
---------	---	-------------

## Environmental Register – July 2003

### Decisions

PCB 99-19	<u>Anthony And Karen Roti, Paul Rosenstock, and Leslie Weber v. LTD Commodities</u> – The Board entered a final order finding respondent liable for civil penalties in the amount of \$15,000 and ordered respondent to implement operational noise reduction measures to eliminate the unreasonable interference. This order follows the Board's interim order of February 15, 2001, which found that respondent violated the nuisance noise provisions of the Environmental Protection Act and the Board's regulations found at 415 ILCS 5/24 (2002) and 35 Ill. Adm. Code 900.102 at a site located at the northeast corner of the Interstate 94 tollway and Route 22 at 2800 North Lakeside Drive in Bannockburn, Lake County.	4-2 Johnson and Tristano dissented  Citizens N-E
PCB 99-127	<u>Ted Harrison Oil Company v. IEPA</u> – The Board reversed Environmental Protection Agency's denial of reimbursement to petitioner for corrective action activities, and directed payment of \$116,300 from the Underground Storage Tank Fund.	6-0 UST Appeal

### Motions and Other Matters

PCB 96-98	<u>People of the State of Illinois v. Skokie Valley Asphalt, Co., Inc., Edwin L. Frederick, Jr. individually and as owner and President of Skokie Valley Asphalt Co., Inc., and Richard J. Frederick individually and as owner and Vice President of Skokie Valley Asphalt Co., Inc.</u> – The Board denied respondent's motion to reconsider the June 5, 2003 order, striking two affirmative defense and declining to dismiss Fredrick as a respondent.	6-0 W-E
PCB 03-45	<u>Wright Petroleum Company v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this Hancock County facility.	6-0 UST Appeal
PCB 03-71	<u>Wabash Valley Service v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this Gallatin County facility.	6-0 UST Appeal
PCB 03-74	<u>People of the State of Illinois v. T.K. Fleming Construction, Inc.</u> – The Board granted complainant's motion for voluntary dismissal of this public water supply enforcement action involving a Vermilion County facility.	6-0 PWS-E
PCB 03-141	<u>Russell Oil Company v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this Saline County facility.	6-0 UST Appeal
PCB 03-142	<u>Henry Pratt Company v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this Kendall County facility.	6-0 UST Appeal

## Environmental Register – July 2003

PCB 03-154	<u>Rossignol Marathon (Site Classification Completion Report) v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this Wabash County facility.	6-0 UST Appeal
PCB 03-178	<u>Bill’s Full Service v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this McLean County facility.	6-0 UST Appeal
PCB 03-181	<u>Gary Lewis v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this Clinton County facility.	6-0 UST Appeal
PCB 03-184	<u>Northrup Oil Company v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this Princeton County facility.	6-0 UST Appeal
PCB 03-188	<u>Prime Time Citgo, Inc. and Alphonsus Olieh v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving a Kane County facility.	6-0 UST Appeal
PCB 03-189	<u>Brock Oil Company (Bloomington) v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this McLean County facility.	6-0 UST Appeal
PCB 03-192	<u>Owens Oil Company (January 1, 1998 – June 30, 1998) v. IEPA</u> - The Board accepted for hearing six underground storage tank appeals involving a Greene County facility and granted the motions to consolidate PCB 03-194, PCB 03-195, PCB 03-196, PCB 03-197, and PCB 03-203.	6-0 UST Appeal
PCB 03-193	<u>Jim’s Shell &amp; Marine v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving a Macoupin County facility.	6-0 UST Appeal
PCB 03-194	<u>Owens Oil Company (March 1, 1997 – December 31, 1997) v. IEPA</u> - The Board accepted for hearing six underground storage tank appeals involving a Greene County facility and granted the motions to consolidate PCB 03-194, PCB 03-195, PCB 03-196, PCB 03-197, and PCB 03-203.	6-0 UST Appeal
PCB 03-195	<u>Owens Oil Company (May 1, 1999 – December 31, 1999) v. IEPA</u> - The Board accepted for hearing six underground storage tank appeals involving a Greene County facility and granted the motions to consolidate PCB 03-194, PCB 03-195, PCB 03-196, PCB 03-197, and PCB 03-203.	6-0 UST Appeal
PCB 03-196	<u>Owens Oil Company (December 1, 1999 – September 30, 2000) v. IEPA</u> - The	6-0

## Environmental Register – July 2003

	Board accepted for hearing six underground storage tank appeals involving a Greene County facility and granted the motions to consolidate PCB 03-194, PCB 03-195, PCB 03-196, PCB 03-197, and PCB 03-203.	UST Appeal
PCB 03-197	<u>Owens Oil Company (June 1, 1998 – May 31, 1999) v. IEPA</u> - (see The Board accepted for hearing six underground storage tank appeals involving a Greene County facility and granted the motions to consolidate PCB 03-194, PCB 03-195, PCB 03-196, PCB 03-197, and PCB 03-203.	6-0 UST Appeal
PCB 03-199	<u>Thompson Service v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this McLean County facility.	6-0 UST Appeal
PCB 03-201	<u>Howard Warsaw v. IEPA</u> – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this Tazewell County facility.	6-0 UST Appeal
PCB 03-203	<u>Owens Oil Company (March 1, 1997 – May 31, 1997) v. IEPA</u> - The Board accepted for hearing six underground storage tank appeals involving a Greene County facility and granted the motions to consolidate PCB 03-194, PCB 03-195, PCB 03-196, PCB 03-197, and PCB 03-203.	6-0 UST Appeal
PCB 03-236	<u>Citizens Against Landfill Expansion v. American Disposal Services of Illinois, Inc., and Livingston County Board, Livingston County Illinois</u> – The Board denied respondent’s motion to dismiss and accepted for hearing this pollution control facility siting appeal involving a Livingston County facility. Petitioner’s motion to amend the petition was denied as moot.	6-0 P-C-F-S-R 3d Party
PCB 04-5	<u>Lincoln Land FS, Inc. v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving a Menard County facility.	6-0 UST Appeal
PCB 04-6	<u>People of the State of Illinois v. Valley Run Stone</u> – The Board accepted for hearing this air enforcement action involving a Kendall County facility.	6-0 A-E
PCB 04-7	<u>People of the State of Illinois v. 4832 S. Vincennes, L.P. and Batteast Construction Company of Illinois, Inc.</u> – The Board accepted for hearing this air enforcement action involving a Cook County facility.	6-0 A-E
PCB 04-8	<u>People of the State of Illinois v. Greg Prey individually and d/b/a King Tire</u> – The Board accepted for hearing this land enforcement action involving a LaSalle County facility.	6-0 L-E
PCB 04-9	<u>People of the State of Illinois v. Aargus Plastics, Inc.</u> – The Board accepted for hearing this air enforcement action involving a Cook County facility.	6-0 A-E

## Environmental Register – July 2003

PCB 04-10	<u>Illinois State Toll Highway Authority (Belvidere North CACR) v. IEPA</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Boone County facility.	6-0 UST Appeal 90-Day Ext.
PCB 04-11	<u>Illinois State Toll Highway Authority (Belvidere North CAP) v. IEPA</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Boone County facility.	6-0 UST Appeal 90-Day Ext.

## New Cases

---

### July 10, 2003 Board Meeting

- 03-232** Gas for Less (Vista Marketing Group) v. IEPA – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Winnebago County facility.
- 03-233** People of the State of Illinois v. Gerald Hewing d/b/a Hewing Technical Services – The Board accepted for hearing this water enforcement action involving a Shelby County facility.
- 03-235** United Disposal of Bradley, Inc. and Municipal Trust & Savings Bank as Trustee Under Trust 0799 v. IEPA – The Board accepted for hearing this permit appeal involving a Kankakee County facility.
- 03-236** Citizens Against Landfill Expansion v. American Disposal Services of Illinois, Inc., and Livingston County Board, Livingston County Illinois – No action taken.
- 03-237** Estate of Olivia Tyberendt, Deceased v. IEPA – The Board accepted for hearing this underground storage tank appeal involving a Clinton County facility.
- 03-238** Tom’s Gas Stop v. IEPA – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Cook County facility.
- 04-001** SCI Illinois Services, Inc. (August 1, 2002 – February 14, 2003) v. IEPA – The Board accepted for hearing this underground storage tank appeal involving a Cook County facility and granted the motions to consolidate this matter with PCB 04-3. The Board also granted petitioner’s motion to strike portions of the petition for review.
- 04-002** Freedom Oil Company (March 1, 2002 – January 24, 2003) v. IEPA – The Board accepted for hearing this underground storage tank appeal involving a Edgar County facility and granted the motions to consolidate this matter with PCB 03-54, 03-56, 03-105, and 03-179.
- 04-003** SCI Illinois Services, Inc. v. IEPA – The Board accepted for hearing this underground storage tank appeal involving a Cook County facility and granted the motions to consolidate this matter with PCB 04-1.
- 04-004** People of the State of Illinois v. Best-Way Construction & Remediation, Inc. and Clinton 6 L.L.C. – The Board accepted for hearing this air enforcement action involving a Cook County facility.
- AC 03-035** IEPA v. Denny D. Richey – The Board accepted an administrative citation against this Clark County respondent.

### July 24, 2003 Board Meeting

- 04-005** Lincoln Land FS, Inc. v. IEPA – The Board accepted for hearing this underground storage tank appeal involving a Menard County facility.

## Environmental Register – July 2003

**04-006** People of the State of Illinois v. Valley Run Stone – The Board accepted for hearing this air enforcement action involving a Kendall County facility.

**04-007** People of the State of Illinois v. 4832 S. Vincennes, L.P. and Batteast Construction Company of Illinois, Inc. – The Board accepted for hearing this air enforcement action involving a Cook County facility.

**04-008** People of the State of Illinois v. Greg Prey individually and d/b/a King Tire – The Board accepted for hearing this land enforcement action involving a LaSalle County facility.

**04-009** People of the State of Illinois v. Aargus Plastics, Inc. – The Board accepted for hearing this air enforcement action involving a Cook County facility.

**04-010** Illinois State Toll Highway Authority (Belvidere North CACR) v. IEPA – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Boone County facility.

**04-011** Illinois State Toll Highway Authority (Belvidere North CAP) v. IEPA – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Boone County facility.

## Calendar

<b>8/7/03 11:00AM</b>	<b><u>Illinois Pollution Control Board Meeting</u></b>		<b>Videoconference Chicago/Springfield James R. Thompson Center Hearing Room 11-512 100 W. Randolph St./Chicago and 1021 N. Grand Avenue East Oliver Holmes Conference Room 2012 N, Springfield</b>
8/7/03 1:30PM	AS 03-5	In the Matter of: Petition of Cromwell Phoenix, Inc. for an Adjusted Standard from: 35 Ill. Adm. Code Subpart F, Section 218.204(c) (the "Paper Coating Rule")	J. R. Thompson Center Room 11-512 100 W. Randolph Street Chicago, IL
8/14/03 10:30 AM	PCB 2003-221	Lowe Transfer, Inc. and Marshall Lowe v. County Board of McHenry County, Illinois	Cary Junior High Gymnasium 2109 Crystal Lake Road Cary, IL
<b>8/21/03 11:00AM</b>	<b><u>Illinois Pollution Control Board Meeting</u></b>		<b>Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph Room 9-040 Chicago, Illinois</b>
<b>9/4/03 11:00AM</b>	<b><u>Illinois Pollution Control Board Meeting</u></b>		<b>Videoconference Chicago/Springfield James R. Thompson Center Hearing Room 11-512 100 W. Randolph St./Chicago and 1021 N. Grand Avenue East Oliver Holmes Conference Room 2012 N Springfield</b>
9/8/03 8:00AM	PCB 2003-236	Citizens Against Landfill Expansion (CALE) v. American Disposal Services of Illinois, Inc. and Livingston County Board	Pontiac City Hall Council Chambers 115 W. Howard Street Pontiac, IL

## Environmental Register – July 2003

9/9/03 8:00AM	PCB 2003-236	Citizens Against Landfill Expansion (CALE) v. American Disposal Services of Illinois, Inc. and Livingston County Board	Pontiac City Hall Council Chambers 115 W. Howard Street Pontiac, IL
9/10/03 8:00AM	PCB 2003-236	Citizens Against Landfill Expansion (CALE) v. American Disposal Services of Illinois, Inc. and Livingston County Board	Pontiac City Hall Council Chambers 115 W. Howard Street Pontiac, IL
9/11/03 8:00AM	PCB 2003-236	Citizens Against Landfill Expansion (CALE) v. American Disposal Services of Illinois, Inc. and Livingston County Board	Pontiac City Hall Council Chambers 115 W. Howard Street Pontiac, IL
9/15/03 10:00AM	PCB 2002-177	People of the State of Illinois v. John Prior d/b/a Prior Oil Company and James Mezo d/b/a Mezo Oil Company	Washington County Courthouse Courtroom 2 101 East St. Louis Street Nashville, IL
9/16/03 9:00AM	PCB 2002-177	People of the State of Illinois v. John Prior d/b/a Prior Oil Company and James Mezo d/b/a Mezo Oil Company	Washington County Courthouse Courtroom 2 101 East St. Louis Street Nashville, IL
<b>9/18/03 11:00AM</b>	<b><u>Illinois Pollution Control Board Meeting</u></b>		<b>Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph Room 9-040 Chicago, Illinois</b>
9/23/03 10:00PM	PCB 97-2	People of the State of Illinois v. Jersey Sanitation Corporation	Jerseyville City Council Chambers 115 E. Prairie Jerseyville, IL
9/24/03 10:00PM	PCB 97-2	People of the State of Illinois v. Jersey Sanitation Corporation	Jerseyville City Council Chambers 115 E. Prairie Jerseyville, IL
<b>10/2/03 11:00AM</b>	<b><u>Illinois Pollution Control Board Meeting</u></b>		<b>Illinois Pollution Control Board Hearing Room, 1244N 1021 N. Grand Avenue East Springfield, Illinois</b>
<b>10/16/03 11:00AM</b>	<b><u>Illinois Pollution Control Board Meeting</u></b>		<b>Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph Room 9-040 Chicago, Illinois</b>

# Environmental Register – July 2003

## Illinois Environmental Protection Agency

### Division of Public Water Supplies

#### Restricted Status List -- Public Water Supplies

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of July 1, 2003.

\* Indicates public water supplies which have been added to the list since the previous publication.

RDS:sp/0046g/2

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY	EPA #RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Acorn Acres Sbdv (Lake Co - 0975020)	2	Inadequate Pres Tank	250	12/16/83
Alden Long Grove Nursing Center(Lake Co - 0971090)	2	Inadequate Pres Tank	204	06/15/93
Alpha (Henry Co - 0730050)	1	Adjusted Gross Alpha	750	11/01/01
Bahl Wtr Corp (Jo Daviess Co - 0855200)	1	Inadequate Pres Storage	700	12/15/93
Biggsville (Henderson Co - 0710050)	5	Adjusted Gross Alpha	350	03/15/98
Bonnie Lane Water Supply (Kendall Co - 0930010)	2	Inadequate Pres Tank	49	09/16/93
Bradford (Stark Co - 1750050)	1	Gross Alpha	650	06/15/98
Bradley Hts Sbdv (Winnebago Co - 2015050)	1	Inadequate Pres Tank	192	09/13/85
Brimfield (Peoria Co - 1430150)	5	Adjusted Gross Alpha	933	10/15/02
Bryant (Fulton Co - 0570200)	5	Adjusted Gross Alpha	310	03/15/98

## Environmental Register – July 2003

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #	EPA #RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Buckingham (Kankakee Co - 0910250)	2	Inadequate Pres Tank	330	03/17/89
Bushnell (McDonough Co - 1090150)	5	Adjusted Gross Alpha	3,300	03/14/01
Byron Woods Sbdv (Rock Island Co - 1610070)	1	Arsenic	216	03/14/01
Carbon Hill (Grundy Co - 0630100)	2	Adjusted Gross Alpha	376	03/14/01
Carroll Hts Utl Cmpny (Carroll Co - 0155200)	1	Inadequate Pres Tank	80	03/20/81
Century Pines Apts (Carroll Co - 0150020)	1	Inadequate Pres Tank	50	12/14/90
Claremont Hls Sbdv (McHenry Co - 1115080)	2	Inadequate Pres Tank	330	03/15/96
Clearview Sbdv (Will Co - 1975360)	2	Inadequate Pres Tank	420	01/13/82
Coyne Cntr Coop (Rock Island Co - 1615150)	1	Inadequate Pres Tank	150	12/15/97
Cropsey Cmnty Wtr (McLean Co - 1135150)	4	Inadequate Pres Tank	60	03/20/81
Crystal Clear Wtr Cmpny (McHenry Co - 1115150)	2	Inadequate Pres Tank	900	09/16/88
Crystal Hts Assn (McHenry Co - 1115100)	2	Inadequate Pres Tank	93	06/17/96
D and R Apts (Champaign Co - 0190030)	4	Inadequate Pres Tank	26	09/16/93
Deering Oaks Sbdv (McHenry Co - 1115200)	2	Inadequate Pres Tank	60	12/17/82
DeKalb Univ Dvl Corp (DeKalb Co - 0375148)	1	Inadequate Pres Tank	950	12/16/92
DeWitt Cnty NH (DeWitt Co - 0395129)	4	Inadequate Pres Tank	80	06/17/83
DL Well Owners Assn (Lake Co - 0975380)	2	Inadequate Pres Tank	125	03/18/83
Dover (Bureau Co - 0110350)	1	Inadequate Pres Tank	200	05/25/81
East End Wtr Assn (Rock Island Co - 1610140)	1	Inadequate Storage Capacity	40	03/15/02
Eaton PWD (Crawford - 0335100)	4	Indequate Source Capacity	920	03/15/02
East Moreland Wtr Assn (Will Co - 1975600)	2	Inadequate Pres Tank	753	03/20/81
East Moreland Wtr Corp (Will Co - 1975640)	2	Inadequate Pres Tank	135	03/15/96
Edelstein (Peoria Co - 1435150)	5	Adjusted Gross Alpha	125	03/15/98
Edgington Water District (Rock Island Co-1615550)	1	Inadequate Pres Tank	470	03/20/81
Emmett Utl Inc (McDonough Co - 1095200)	5	Inadequate Pres Tank	39	12/17/82

## Environmental Register – July 2003

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #	EPA #RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Evansville (Randolph Co - 1570250)	6	Trihalomethane	850	06/15/02
Evergreen Vlg Sbdv (Rock Island Co - 1615310)	1	Inadequate Pres Tank	250	03/20/81
Fahnstock Court Sbdv (Peoria Co - 1435200)	5	Inadequate Pres Tank	30	05/25/81
Fair Acres Sbdv (Will Co - 1975680)	2	Inadequate Pres Tank	185	10/19/81
Forest Lake Addn (Lake Co - 0975500)	2	Inadequate Pres Tank	180	12/16/83
Frwr-Skyline Cpy (Kane Co - 0895030)	2	Inadequate Pres Tank	1,300	09/19/86
Galva (Henry Co - 0730450)	1	Adjusted Gross Alpha	2,900	03/14/01
Garden Street Imprv Assn (Will Co - 1975376)	2	Inadequate Pres Tank	62	09/15/89
Gardner (Grundy Co - 0630400)	2	Adjusted Gross Alpha	1,450	03/14/01
Glasford (Peoria Co - 1430350)	5	Adjusted Gross Alpha	1,115	12/15/97
Glenkirk Campus North (Lake Co - 0977189)	2	Inadequate Pres Tank	64	06/15/88
Glenkirk Campus South (Lake Co - 0977199)	2	Inadequate Pres Tank	36	06/15/88
Good Shepherd Mnr (Kankakee Co - 0915189)	2	Inadequate Pres Tank	140	03/17/89
Great Oaks&Beacon Hls Apts (Winnebago Co-2015488)	1	Inadequate Pres Tank	943	12/17/82
Greenwood Outback (LaSalle Co - 0990080)	1	Inadequate Pres Tank		12/15/98
Harbor Lites/Pistakee Fshg Cl (McHenry Co - 1110011)	2	Inadequate Pres Tank	100	03/14/01
Hardinville (Crawford Co - 0330020)	4	Inadequate Source Capacity	2,361	03/15/02
Hawthorn Woods (Lake Co - 0970450)	2	Inadequate Pres Tank	800	03/15/95
Heatherfield Sbdv (Grundy Co - 0635150)	2	Inadequate Pres Tank	91	09/17/82
Hettick (Macoupin Co - 1170500)	5	Trihalomethane	220	06/15/02
Highland Sbdv (Kane Co - 0895530)	2	Inadequate Pres Tank	50	09/16/83
Hillview Sbdv (Will Co - 1975800)	2	Inadequate Pres Tank	99	03/15/85
Holy Family Villa (Cook Co - 0310280)	2	Inadequate Pres Tank	200	09/15/99
Hopewell (Marshall Co - 1235150)	1	Adjusted Gross Alpha	805	03/14/01
Huntley Cmnty Sbdv (Will Co - 1975840)	2	Inadequate Pres Tank	48	03/16/84
Ingalls Pk Sbdv (Will Co - 1975880)	2	Inadequate Pres Tank	690	09/16/83

## Environmental Register – July 2003

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #	EPA #RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Kewanee (Henry Co - 0730650)	1	Adjusted Gross Alpha	12,900	03/14/01
Kingston Mines (Peoria Co - 1430450)	5	Adjusted Gross Alpha	295	03/14/01
Kirk Wtr Line (Crawford Co - 0330030)	4	Inadequate Source Capacity	72	03/15/02
Knoxville (Knox Co - 0950300)	5	Adjusted Gross Alpha	3,243	03/15/98
Lake Lynwood Wtr Sys (Henry Co - 0735330)	1	Inadequate Pres Tank	98	08/31/81
Lakeview Acres (McHenry Co - 1110120)	2	Inadequate Hydro Storage	35	11/01/01
Lakeview Hills Wtr Supply Cp (Whiteside Co - 1955150)	1	Inadequate Pres Tank	146	03/20/81
Lakewood Shores Imprv Assn	2	Adjusted Gross Alpha	760	03/14/01
Land and Water Assn (LaSalle Co - 0995050)	1	Inadequate Pres Storage	110	06/15/01
Larchmont Sbdv (Winnebago Co - 2015290)	1	Inadequate Pres Tank	106	06/17/83
Larson Court Rentals (Rock Island Co - 1615728)	1	Inadequate Pres Tank	48	01/14/82
Legend Lakes Wtr Assn (Winnebago Co - 2015300)	1	Inadequate Pres Tank	225	03/14/91
Liberty Park Homeowners Assn (DuPage Co - 0435600)	2	Inadequate Pres Tank	1,092	09/17/92
Lindenwood Wtr Assn (Ogle Co - 1415300)	1	Inadequate Pres Tank	50	01/13/82
Lisbon North Inc (Grundy Co - 0631000)	2	Inadequate Pres Tank	30	09/14/90
Little York (Warren Co - 1870100)	5	Adjusted Gross Alpha	350	03/14/01
London Mills (Fulton Co - 0574620)	5	Inadequate Pres Tank	670	12/14/84
Lostant (LaSalle Co - 0990450)	1	Adjusted Gross Alpha	510	03/14/01
Lynn Cntr (Henry Co - 0735100)	1	Inadequate Pres Tank	147	03/15/95
Lynnwood Water Corp (LaSalle Co - 0995336)	1	Inadequate Pres Tank	114	03/18/83
M C L W Sys Inc (Mercer Co - 1315150)	1	Inadequate Source	100	03/20/81
Maple Leaf Ests Wtr Corp (Monroe Co - 1335100)	6	Inadequate Pres Tank	39	03/20/81
Mapleton (Peoria Co - 1430500)	5	Adjusted Gross Alpha	350	03/15/98
Mayfair Sbdv (Tazewell Co - 1795750)	5	Inadequate Pres Tank	150	03/16/90
Monmouth (Warren Co - 1870150)	5	Adjusted Gross Alpha	9,500	03/14/01
Mound PWD (St Clair Co - 1635050)	6	Inadequate Plant Capacity	1,800	06/17/96

## Environmental Register – July 2003

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #	EPA #RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Northwest Belmont Imprv Assn (DuPage Co - 0435900)	2	Inadequate Pres Tank	115	09/29/81
Oak Ridge Sndst (Woodford Co - 2035300)	1	Inadequate Pres Tank	240	03/20/81
Oakview Avenue Wtrwks Inc (Will Co - 1977210)	2	Inadequate Pres Tank	350	03/20/81
Oblong (Crawford Co - 0330150)	4	Inadequate Source Capacity	2,317	03/15/02
Olivet Nazarene College (Kankakee Co - 0915279)	2	Inadequate Pres Tank	1,450	03/15/94
Opheim PWS (Henry Co - 0735150)	1	Inadequate Pres Tank	150	06/18/82
Oscos Mutual Wtr Supply Cpy Inc (Henry Co-0735200)	1	Inadequate Pres Tank	115	12/15/89
Park Road Wtr Assn (Will Co - 1977330)	2	Inadequate Pres Tank	60	12/17/82
Park View Wtr Corp (Kane Co - 0895500)	2	Inadequate Pres Tank	150	12/17/82
Patoka (Marion Co - 1210400)	6	Inadequate Plant Capacity	731	03/15/97
Polo Dr & Saddle Rd Sbdv (DuPage Co - 0437000)	2	Inadequate Pres Tank	95	12/17/82
Ports of Sullivan Lake Assn (Lake co - 0971160)	2	Inadequate Pres Tank	638	06/15/99
Prairie Oaks Ests Hmown Assn (Grundy Co - 0630060)	2	Adjusted Gross Alpha	96	10/15/02
Prairie Ridge Assn (McHenry Co - 1115730)	2	Inadequate Pres Tank	140	03/16/90
Ridgecrest North Sbdv (Grundy Co - 0635250)	2	Inadequate Pres Tank	85	09/16/93
Ridgewood Ledges Wtr Assoc(Rock Island Co-1615670)	1	Inadequate Pres Tank	475	03/20/81
Ridgewood Sbdv (Will Co - 1977650)	2	Inadequate Pres Tank	315	06/18/82
Riverwoods Spcl Dstrct 3 (Lake Co - 0971451)	2	Inadequate Souce Capacity	234	11/01/01
Robinson Palestine Wtr Cmsn (Crawford Co - 0335030)	4	Inadequate Plant Capacity	10,728	11/01/01
Santa Fe Ests (Peoria Co - 1435490)	5	Adjusted Gross Alpha	84	10/15/02
Sbdv Wtr Trust No 1 (Kane Co - 0895300)	2	Inadequate Pres Tank	1,120	03/20/81
Shawnita Trc Wtr Assn (Will Co - 1977690)	2	Inadequate Pres Tank	125	09/17/92
Skyview Estates (Kankakee Co - 0915526)	2	Inadequate Pres Tank	65	09/14/84
South Wilmington (Grundy Co - 0630650)	2	Adjusted Gross Alpha	698	10/15/02
St Charles Cmsn Wlfnd 3 (DuPage Co - 0437040)	2	Inadequate Pres Tank	30	12/15/89
Standard (Putnam Co - 1550300)	1	Adjusted Gross Alpha	300	03/14/01

## Environmental Register – July 2003

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #	EPA #RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Sturm Sbdv (Lake Co - 0977010)	2	Inadequate Pres Tank	63	03/16/84
Suburban Heights Sbdv (Rock Island Co - 1615800)	1	Inadequate Pres Tank	114	12/16/83
Summit Homeowners Assn (Lake Co - 0975280)	2	Inadequate Pres Tank	48	03/16/84
Sunny Hill Ests Sbdv (Henry Co - 0735300)	1	Inadequate Pres Tank	525	06/15/00
Sunnyland Sbdv (Will Co - 1977730)	2	Inadequate Pres Tank	350	09/16/83
Swedona Wtr Assn (Mercer Co - 1315200)	1	Inadequate Pres Tank	100	06/15/90
Sylvan Lake 1st Sbdv (Lake Co - 0977100)	2	Inadequate Pres Tank	210	06/14/91
Toulon (Stark Co - 1750150)	1	Adjusted Gross Alpha	1,400	12/12/99
Towners Sbdv (Lake Co - 0977250)	2	Inadequate Pres Tank	238	01/14/82
Trimble Wtr Co (Crawford Co - 0335200)	4	Inadequate Source Capacity	350	03/15/02
Trivoli PWD (Peoria Co - 1435510)	5	Inadequate Pres Tank	350	06/17/83
Turkey Hollow Well Corp (Rock Island Co - 1615686)	1	Inadequate Pres Tank	32	06/18/82
Utl Inc Holiday Hills (McHenry Co - 1115350)	2	Inadequate Pres Tank	750	09/16/83
Utl Inc Lake Holiday (LaSalle Co - 0995200)	1	Inad Source & Treat Plt	4,908	09/15/98
Utl Inc Northern Hls Utl Co (Stephenson Co-1775050)	1	Inadequate Pres Tank	290	03/15/96
Utl Inc Walk-Up Woods Wtr Co (McHenry Co - 1115800)	2	Inadequate Pres Tank	763	12/17/82
Viola (Mercer Co - 1310450)	1	Adjusted Gross Alpha	950	10/15/02
Wermes Sbdv (Kane Co - 0895750)	2	Inadequate Pres Tank	150	12/16/88
West Salem (Edwards Co - 0470200)	7	Inadequate Treatment Plant	1,058	03/15/99
West Shore Park Sbdv (Lake Co - 0977370)	2	Inadequate Pres Tank	450	06/15/00
West Shoreland Sbdv (Lake Co - 0977050)	2	Inadequate Pres Tank	220	06/14/91
Westlake Utl (Winnebago Co - 2010070)	1	Inadequate Source Capacity	25	11/01/01
Whispering Lakes Wtr Sys Inc (Lake Co - 0970220)	2	Adjusted Gross Alpha	375	03/14/01
Wienen Estates (Jo Daviess Co - 0850030)	1	Inadequate Pres Tank	70	12/15/97
Wonder Lake Wtr Cmpny (McHenry Co - 1115750)	2	Inadequate Pres Tank	1,161	06/16/94
Woodland Hts Ests Sbdv (Peoria Co - 1435760)	5	Inadequate Pres Tank	245	03/20/81

## Environmental Register – July 2003

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #	EPA #RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Woodsmoke Ranch Assn (LaSalle Co - 0990030)	1	Inadequate Pres Tank	350	06/15/90
York Cntr Coop (DuPage Co - 0437550)	2	Inadequate Pres Tank	240	06/15/88
2nd Street Wtr Assn (Lake Co - 0971140)	2	Inadequate Pres Tank	33	12/15/95

### PUBLIC WATER SUPPLIES REMOVED FROM PREVIOUS LIST

#### Illinois Environmental Protection Agency

#### Division of Public Water Supplies

#### Critical Review List -- Public Water Supplies

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations which would place it on the Restricted Status List.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination. This list reflects the status as of July 1, 2003.

\* Indicates public water supplies which have been added to the list since the previous publication.

RDS:sp/0046g/4

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #	EPA #RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Arenzville (Cass Co - 0170050)	5	Inadequate Pres Tank	492	03/14/01
Beecher (Will Co - 1970050)	2	Inadequate Storage Capacity	2,032	03/14/01
Bluford (Jefferson Co - 0810100)	7	Low System Pressure	465	03/20/81
Browning (Schuyler Co - 1690050)	5	Inadequate Source	495	03/15/98
Clayton Camp Point Wtr Cmsn (Adams Co - 0015200)	5	Inad Pumping Capacity	1,200	09/15/98
Clinton (DeWitt Co - 0390050)	4	Inad Plant Capacity	7,437	06/14/91
Columbia (Monroe Co - 1330050)	6	Inad Pumping Capacity	5,893	03/15/98
DePue (Bureau Co - 0110300)	1	Inad Treatment Plant	1,930	12/15/93

## Environmental Register – July 2003

NAME OF PUBLIC WATER SUPPLY/COUNTY/FACILITY #	EPA #RGN	NATURE OF PROBLEM	POP. SERVED	LISTING DATE
Elizabeth (Jo Daviess Co - 0850150)	1	Low System Pressure	700	06/15/99
Evansville (Randolph Co - 1570250)	6	Low System Pressure	1,838	05/25/81
Galena (Jo Daviess Co - 0850200)	1	Low System Pressure	3,790	06/15/99
Georgetown (Vermilion Co - 1830350)	4	Inadequate Water Plant	3,678	06/15/93
Highland Hills Sndst (DuPage Co - 0435560)	2	Inadequate Pres Tank	1,100	09/17/92
Joy (Mercer Co - 1310100)	1	Low System Pressure	495	06/15/99
LaMoille (Bureau Co - 0110500)	1	Inadequate Plant Capacity	750	06/15/99
Mahomet (Champaign Co - 0190450)	4	Inadequate Plant Capacity	4,877	10/15/02
Marion (Williamson Co - 1990550)	7	Inadequate Source Capacity	14,610	11/01/01
Mathersville (Mercer Co - 1310200)	1	Low System Pressure	793	09/13/00
McHenry Shores Wtr Cmpny (McHenry Co - 1115020)	2	Low System Pressure	1,170	09/17/92
Mechanicsburg Buffalo Wtr (Sangamon Co - 1675150)	5	Inadequate Source	1,030	03/15/98
Pheasant Knolls Sbdv (Lake Co - 0970290)	2	Inadequate Pres Tank	130	09/15/98
Scales Mound (Jo Daviess Co - 0850400)	1	Low System Pressure	400	09/15/97
Seneca (LaSalle Co - 0991050)	1	Inadequate Plant Capacity	1,937	06/15/99
South Highway PWD (Jackson Co - 0775400)	7	Low System Pressure	8,189	06/15/92
Stockton (Jo Daviess Co - 0850450)	1	Low System Pressure	1,900	06/15/84
Sumner (Lawrence Co - 1010300)	7	Low System Pressure	1,553	12/13/85
Utl Inc Lake Marian Wtr Corp (Kane Co - 0895200)	2	Low Sys Pres & Inad Pres Storage	800	09/14/84
Walnut Hill (Marion Co - 1210600)	6	Low System Pressure	1,200	06/14/85
Wonder Lake Wtr Cmpny (McHenry Co - 1115750)	2	Inadequate Storage	1,080	12/14/90

### PUBLIC WATER SUPPLIES REMOVED FROM PREVIOUS LIST



Minonk (Woodford Co - 2030400)



The Illinois Pollution Control Board is an independent seven-member board that adopts environmental control standards, rules on enforcement actions, and other environmental disputes for the State of Illinois.

The Environmental Register is published monthly by the Board, and contains updates on rulemakings, descriptions of final decisions, the Board's hearing calendar, and other environmental law information.

-----CUT HERE-----



Illinois Pollution Control Board  
Environmental Register Coordinator  
1021 N. Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274