

ILLINOIS POLLUTION CONTROL BOARD
November 6, 1997

IN THE MATTER OF:)
)
AMENDMENTS OF 35 ILL. ADM. CODE) R98-12
703, 720, 721, 724, 725, 728, and 733) (Rulemaking - Land)
(STANDARDS FOR UNIVERSAL WASTE)
MANAGEMENT))

Proposed Rule. First Notice.

OPINION AND ORDER OF THE BOARD (by C.A. Manning):

On October 17, 1997, the Illinois Environmental Protection Agency (Agency), pursuant to Sections 27 and 28 of the Environmental Protection Act (Act) (415 ILCS 5/27, 28 (1996)), filed a rulemaking proposal to amend the Board's regulations concerning standards for universal waste management (35 Ill. Adm. Code 733, Standards for Universal Waste Management). Specifically, the Agency's proposal requests that the Board amend certain sections of Part 733 to designate hazardous fluorescent and high intensity discharge lamps, which are currently classified as hazardous waste, as universal waste. Today, the Board finds that the proposal meets the minimum requirements of 35 Ill. Adm. Code 102.121 and accordingly accepts this matter for hearing. Due to the stringent timeframes for adopting these proposed rules, the Board also sends this matter to first notice under the Illinois Administrative Procedure Act (APA) (5 ILCS 100/5-5 *et seq.* (1996)) without commenting on the merits of the proposal.

On May 11, 1995, the United States Environmental Protection Agency (USEPA) adopted streamlined regulations for certain widely-generated wastes (the Universal Waste Rule). See 40 C.F.R. 273; see also 60 Fed. Reg. 25493. Under these regulations, the management of certain wastes was exempt from regulations as hazardous waste if managed within specific limitations. The purpose of the Universal Waste Rule was to reduce the amount of hazardous waste in the municipal solid waste stream, to encourage recycling and proper disposal of common hazardous wastes, and to reduce the regulatory burden on businesses that generate waste. As adopted, the Universal Waste Rule applied to batteries, agricultural pesticides, and mercury-containing thermostats, but did not include mercury-containing lamps, which left these items subject to the generally applicable hazardous waste management rules.

On June 20, 1996, the Board adopted the Universal Waste Rule and codified it at 35 Ill. Adm. Code 733. See In the Matter of: RCRA Update, USEPA Regulations (1-1-95 through 6-30-95, 7-7-95, 9-29-95, 11-13-95 & 6-6-96) (June 20, 1996), R95-20. In this opinion, the Board noted that "USEPA stated in adopting the rules that it intends to expand their applicability to new wastes in the future, such as fluorescent light bulbs." Although USEPA is currently considering the addition of fluorescent light bulbs to the Universal Waste

Rule, it has not taken such action, and final action by USEPA is not expected in the near future.

On August 19, 1997, Governor Jim Edgar signed into law Public Act 90-502 (Pub. Act. 90-502, eff. August 19, 1997 (amended 415 ILCS 5/22.23a (1996))). This legislation specifically designated high intensity discharge lamps and fluorescent lamps as a category of universal waste. It further required the Agency to propose implementing regulations to the Board within 60 days after the effective date of the public act and for the Board to adopt such regulations within 180 days of receipt of the Agency's proposal. The proposal submitted by the Agency is the regulatory proposal mandated by Public Act 90-502.

As noted, the Board is required to complete the proposed revisions to the Board's rules within 180 days of receipt of the Agency's proposal. Thus, the Board must complete this rulemaking on or before April 15, 1998. Due to the stringent timeframe for final adoption, the Board is today sending this proposal to first notice under the APA without commenting on the merits of the proposal. The Board has, however, made some non-substantive grammatical, typographical, and mechanical changes to the proposal to conform the proposal to codification requirements. The Board has also removed certain sections of Part 733 from the proposal because the Agency did not propose amendments to these sections. Further, the Board has included several Board notes in the rules indicating that certain provisions were not federally-derived identical-in-substance rules. Moreover, although the proposal only sought to amend certain sections of Part 733, universal waste disposal is referenced in several other sections of the Board's rules. The Board therefore also today proposes to amend 35 Ill. Adm. Code 703, 720, 721, 724, 725, and 728 to conform to the amendments to Part 733.

The Board anticipates that the rulemaking will follow the schedule below:

First Notice	November 6, 1997
First Hearing	December 9, 1997
Second Hearing	December 15, 1997
Second Notice	January 22, 1998
Final Adoption of Filing	April 2, 1998

Copies of this opinion, the proposed rules, and any hearing officer orders may be viewed and downloaded from the Board's Web site at <http://www.ipcb.state.il.us/>. Copies may also be requested from the Clerk of the Illinois Pollution Control Board, James R. Thompson Center, 100 West Randolph, Suite 11-500, Chicago, Illinois 60601 (312-814-3461).

ORDER

The Board directs the Clerk to cause the filing of the following amendments with the Secretary of State for first notice publication in the *Illinois Register*.

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE G: WASTE DISPOSAL
CHAPTER I: POLLUTION CONTROL BOARD
SUBCHAPTER b: PERMITS

PART 703
RCRA PERMIT PROGRAM

SUBPART A: GENERAL PROVISIONS

Section	
703.100	Scope and Relation to Other Parts
703.101	Purpose
703.110	References

SUBPART B: PROHIBITIONS

Section	
703.120	Prohibitions in General
703.121	RCRA Permits
703.122	Specific Inclusions in Permit Program
703.123	Specific Exclusions from Permit Program
703.124	Discharges of Hazardous Waste
703.125	Reapplications
703.126	Initial Applications
703.127	Federal Permits (Repealed)

SUBPART C: AUTHORIZATION BY RULE AND INTERIM STATUS

Section	
703.140	Purpose and Scope
703.141	Permits by Rule
703.150	Application by Existing HWM Facilities and Interim Status Qualifications
703.151	Application by New HWM Facilities
703.152	Amended Part A Application
703.153	Qualifying for Interim Status
703.154	Prohibitions During Interim Status
703.155	Changes During Interim Status
703.156	Interim Status Standards
703.157	Grounds for Termination of Interim Status
703.158	Permits for Less Than an Entire Facility
703.159	Closure by Removal
703.160	Procedures for Closure Determination

SUBPART D: APPLICATIONS

Section	
703.180	Applications in General
703.181	Contents of Part A

703.182	Contents of Part B
703.183	General Information
703.184	Facility Location Information
703.185	Groundwater Protection Information
703.186	Exposure Information
703.187	Solid Waste Management Units
703.188	Other Information
703.200	Specific Part B Application Information
703.201	Containers
703.202	Tank Systems
703.203	Surface Impoundments
703.204	Waste Piles
703.205	Incinerators that Burn Hazardous Waste
703.206	Land Treatment
703.207	Landfills
703.208	Boilers and Industrial Furnaces Burning Hazardous Waste
703.209	Miscellaneous Units
703.210	Process Vents
703.211	Equipment
703.212	Drip Pads
703.213	Air Emission Controls for Tanks, Surface Impoundments, and Containers

SUBPART E: SHORT TERM AND PHASED PERMITS

Section	
703.221	Emergency Permits
703.222	Incinerator Conditions Prior to Trial Burn
703.223	Incinerator Conditions During Trial Burn
703.224	Incinerator Conditions After Trial Burn
703.225	Trial Burns for Existing Incinerators
703.230	Land Treatment Demonstration
703.231	Research, Development and Demonstration Permits
703.232	Permits for Boilers and Industrial Furnaces Burning Hazardous Waste

SUBPART F: PERMIT CONDITIONS OR DENIAL

Section	
703.240	Permit Denial
703.241	Establishing Permit Conditions
703.242	Noncompliance Pursuant to Emergency Permit
703.243	Monitoring
703.244	Notice of Planned Changes (Repealed)
703.245	Twenty-four Hour Reporting
703.246	Reporting Requirements
703.247	Anticipated Noncompliance

SUBPART G: CHANGES TO PERMITS

Section	
703.260	Transfer
703.270	Modification
703.271	Causes for Modification
703.272	Causes for Modification or Reissuance
703.273	Facility Siting
703.280	Permit Modification at the Request of the Permittee
703.281	Class 1 Modifications
703.282	Class 2 Modifications
703.283	Class 3 Modifications

703.Appendix A Classification of Permit Modifications

AUTHORITY: Implementing Sections 22.4 and 22.23a and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/22.4, 22.23a, and 27].

SOURCE: Adopted in R82-19, 53 PCB 131, at 7 Ill. Reg. 14289, effective October 12, 1983; amended in R83-24 at 8 Ill. Reg. 206, effective December 27, 1983; amended in R84-9 at 9 Ill. Reg. 11899, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 1110, effective January 2, 1986; amended in R85-23 at 10 Ill. Reg. 13284, effective July 28, 1986; amended in R86-1 at 10 Ill. Reg. 14093, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20702, effective December 2, 1986; amended in R86-28 at 11 Ill. Reg. 6121, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13543, effective August 4, 1987; amended in R87-5 at 11 Ill. Reg. 19383, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2584, effective January 15, 1988; amended in R87-39 at 12 Ill. Reg. 13069, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 447, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18477, effective November 13, 1989; amended in R89-9 at 14 Ill. Reg. 6278, effective April 16, 1990; amended in R90-2 at 14 Ill. Reg. 14492, effective August 22, 1990; amended in R90-11 at 15 Ill. Reg. 9616, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14554, effective September 30, 1991; amended in R91-13 at 16 Ill. Reg. 9767, effective June 9, 1992; amended in R92-10 at 17 Ill. Reg. 5774, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20794, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6898, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12392, effective July 29, 1994; amended in R94-5 at 18 Ill. Reg. 18316, effective December 20, 1994; amended in R95-6 at 19 Ill. Reg. 9920, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 11225, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 21 Ill. Reg. _____, effective _____; amended in R98-12 at 22 Ill. Reg. _____, effective _____.

SUBPART B: PROHIBITIONS

Section 703.123	Specific Exclusions from Permit Program
-----------------	---

The following persons are among those who are not required to obtain a RCRA permit:

- a) Generators who accumulate hazardous waste on-site for less than the time periods provided in 35 Ill. Adm. Code 722.134;
- b) Farmers who dispose of hazardous waste pesticides from their own use as provided in 35 Ill. Adm. Code 722.170;
- c) Persons who own or operate facilities solely for the treatment, storage or disposal of hazardous waste excluded from regulations under this Part by 35 Ill. Adm. Code 721.104 or 721.105 (small generator exemption);
- d) Owners or operators of totally enclosed treatment facilities as defined in 35 Ill. Adm. Code 720.110;
- e) Owners and operators of elementary neutralization units or wastewater treatment units as defined in 35 Ill. Adm. Code 720.110;
- f) Transporters storing manifested shipments of hazardous waste in containers meeting the requirements of 35 Ill. Adm. Code 722.130 at a transfer facility for a period of ten days or less;
- g) Persons adding absorbent material to waste in a container (as defined in 35 Ill. Adm. Code 720.110) and persons adding waste to absorbent material in a container, provided that these actions occur at the time waste is first placed in the container; and 35 Ill. Adm. Code 724.117(b), 724.271 and 724.272 are complied with; and
- h) A universal waste handler or universal waste transporter (as defined in 35 Ill. Adm. Code 720.110) that manages the wastes listed below. Such a handler or transporter is subject to regulation under 35 Ill. Adm. Code 733.
 - 1) Batteries, as described in 35 Ill. Adm. Code 733.102;
 - 2) Pesticides, as described in 35 Ill. Adm. Code 733.103; ~~and~~
 - 3) Thermostats, as described in 35 Ill. Adm. Code 733.104; ~~and~~
 - 4) Mercury-containing lamps, as described in 35 Ill. Adm. Code 733.107.

BOARD NOTE: Derived from 40 CFR 270.1(c)(2) (19946), as amended at 60 Fed. Reg. 25542, May 11, 1995. Subsection (h)(4) of this Section was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

TITLE 35: ENVIRONMENTAL PROTECTION
 SUBTITLE G: WASTE DISPOSAL
 CHAPTER I: POLLUTION CONTROL BOARD
 SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 720
 HAZARDOUS WASTE MANAGEMENT SYSTEM: GENERAL

SUBPART A: GENERAL PROVISIONS

Section	
720.101	Purpose, Scope and Applicability
720.102	Availability of Information; Confidentiality of Information
720.103	Use of Number and Gender

SUBPART B: DEFINITIONS

Section	
720.110	Definitions
720.111	References

SUBPART C: RULEMAKING PETITIONS AND OTHER PROCEDURES

Section	
720.120	Rulemaking
720.121	Alternative Equivalent Testing Methods
720.122	Waste Delisting
720.123	Petitions for Regulation as Universal Waste
720.130	Procedures for Solid Waste Determinations
720.131	Solid Waste Determinations
720.132	Boiler Determinations
720.133	Procedures for Determinations
720.140	Additional regulation of certain hazardous waste Recycling Activities on a case-by-case Basis
720.141	Procedures for case-by-case regulation of hazardous waste Recycling Activities

720.Appendix A Overview of 40 CFR, Subtitle C Regulations

AUTHORITY: Implementing Sections 22.4 and 22.23a and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/22.4, 22.23a, and 27].

SOURCE: Adopted in R81-22, 43 PCB 427, at 5 Ill. Reg. 9781, effective May 17, 1982; amended and codified in R81-22, 45 PCB 317, at 6 Ill. Reg. 4828, effective May 17, 1982; amended in R82-19 at 7 Ill. Reg. 14015, effective October 12, 1983; amended in R84-9, 53 PCB 131 at 9 Ill. Reg. 11819, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 968,

effective January 2, 1986; amended in R86-1 at 10 Ill. Reg. 13998, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20630, effective December 2, 1986; amended in R86-28 at 11 Ill. Reg. 6017, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13435, effective August 4, 1987; amended in R87-5 at 11 Ill. Reg. 19280, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2450, effective January 15, 1988; amended in R87-39 at 12 Ill. Reg. 12999, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 362, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18278, effective November 13, 1989; amended in R89-2 at 14 Ill. Reg. 3075, effective February 20, 1990; amended in R89-9 at 14 Ill. Reg. 6225, effective April 16, 1990; amended in R90-10 at 14 Ill. Reg. 16450, effective September 25, 1990; amended in R90-17 at 15 Ill. Reg. 7934, effective May 9, 1991; amended in R90-11 at 15 Ill. Reg. 9323, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14446, effective September 30, 1991; amended in R91-13 at 16 Ill. Reg. 9489, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17636, effective November 6, 1992; amended in R92-10 at 17 Ill. Reg. 5625, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20545, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6720, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12160, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17480, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9508, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 10929, August 1, 1996; amended in R96-10/R97-3/R97-5 at 21 Ill. Reg. _____, effective _____; amended in R98-12 at 22 Ill. Reg. _____, effective _____.

SUBPART B: DEFINITIONS

Section 720.110 Definitions

When used in 35 Ill. Adm. Code 720 through 726 and 728 only, the following terms have the meanings given below:

“Aboveground tank” means a device meeting the definition of “tank” that is situated in such a way that the entire surface area of the tank is completely above the plane of the adjacent surrounding surface and the entire surface area of the tank (including the tank bottom) is able to be visually inspected.

“Act” or “RCRA” means the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act of 1976, as amended (42 U.S.C. 6901 et seq.)

“Active life” of a facility means the period from the initial receipt of hazardous waste at the facility until the Agency receives certification of final closure.

“Active portion” means that portion of a facility where treatment, storage or disposal operations are being or have been conducted after May 19, 1980, and

which is not a closed portion. (See also “closed portion” and “inactive portion”.)

“Administrator” means the Administrator of the U.S. Environmental Protection Agency or the Administrator’s designee.

“Agency” means the Illinois Environmental Protection Agency.

“Ancillary equipment” means any device including, but not limited to, such devices as piping, fittings, flanges, valves and pumps, that is used to distribute, meter or control the flow of hazardous waste from its point of generation to storage or treatment tank(s), between hazardous waste storage and treatment tanks to a point of disposal onsite, or to a point of shipment for disposal off-site.

“Aquifer” means a geologic formation, group of formations or part of a formation capable of yielding a significant amount of groundwater to wells or springs.

“Authorized representative” means the person responsible for the overall operation of a facility or an operational unit (i.e., part of a facility), e.g., the plant manager, superintendent or person of equivalent responsibility.

“Battery” means a device consisting of one or more electrically connected electrochemical cells that is designed to receive, store, and deliver electric energy. An electrochemical cell is a system consisting of an anode, cathode, and an electrolyte, plus such connections (electrical and mechanical) as may be needed to allow the cell to deliver or receive electrical energy. The term battery also includes an intact, unbroken battery from which the electrolyte has been removed.

“Board” means the Illinois Pollution Control Board.

“Boiler” means an enclosed device using controlled flame combustion and having the following characteristics:

The unit must have physical provisions for recovering and exporting thermal energy in the form of steam, heated fluids or heated gases; and the unit’s combustion chamber and primary energy recovery Section(s) must be of integral design. To be of integral design, the combustion chamber and the primary energy recovery Section(s) (such as waterwalls and superheaters) must be physically formed into one manufactured or assembled unit. A unit in which the combustion chamber and the primary energy recovery Section(s) are joined only by ducts or connections carrying flue gas is not integrally designed; however,

secondary energy recovery equipment (such as economizers or air preheaters) need not be physically formed into the same unit as the combustion chamber and the primary energy recovery Section. The following units are not precluded from being boilers solely because they are not of integral design: process heaters (units that transfer energy directly to a process stream), and fluidized bed combustion units; and

While in operation, the unit must maintain a thermal energy recovery efficiency of at least 60 percent, calculated in terms of the recovered energy compared with the thermal value of the fuel; and

The unit must export and utilize at least 75 percent of the recovered energy, calculated on an annual basis. In this calculation, no credit shall be given for recovered heat used internally in the same unit. (Examples of internal use are the preheating of fuel or combustion air, and the driving of induced or forced draft fans or feedwater pumps); or

The unit is one which the Board has determined, on a case-by-case basis, to be a boiler, after considering the standards in Section 720.132.

“Carbon regeneration unit” means any enclosed thermal treatment device used to regenerate spent activated carbon.

“Certification” means a statement of professional opinion based upon knowledge and belief.

“Closed Portion” means that portion of a facility which an owner or operator has closed in accordance with the approved facility closure plan and all applicable closure requirements. (See also “active portion” and “inactive portion”.)

“Component” means either the tank or ancillary equipment of a tank system.

“Confined aquifer” means an aquifer bounded above and below by impermeable beds or by beds of distinctly lower permeability than that of the aquifer itself; an aquifer containing confined groundwater.

“Container” means any portable device in which a material is stored, transported, treated, disposed of or otherwise handled.

“Containment Building” means a hazardous waste management unit that is used to store or treat hazardous waste under the provisions of 35 Ill. Adm. Code 724.Subpart DD and 35 Ill. Adm. Code 725.Subpart DD.

“Contingency plan” means a document setting out an organized, planned and coordinated course of action to be followed in case of a fire, explosion or release of hazardous waste or hazardous waste constituents which could threaten human health or the environment.

“Corrective action management unit” or “CAMU” means an area within a facility that is designated by the Agency under 35 Ill. Adm. Code 724.Subpart S for the purpose of implementing corrective action requirements under 35 Ill. Adm. Code 724.201 and RCRA section 3008(h). A CAMU shall only be used for the management of remediation wastes pursuant to implementing such corrective action requirements at the facility.

BOARD NOTE: USEPA must also designate a CAMU until it grants this authority to the Agency. See the note following 35 Ill. Adm. Code 724.652.

“Corrosion expert” means a person who, by reason of knowledge of the physical sciences and the principles of engineering and mathematics, acquired by a professional education and related practical experience, is qualified to engage in the practice of corrosion control on buried or submerged metal piping systems and metal tanks. Such a person must be certified as being qualified by the National Association of Corrosion Engineers (NACE) or be a registered professional engineer who has certification or licensing that includes education and experience in corrosion control on buried or submerged metal piping systems and metal tanks.

“Designated facility” means a hazardous waste treatment, storage or disposal facility,

Which:

Has received a RCRA permit (or interim status) pursuant to 35 Ill. Adm. Code 702, 703 and 705;

Has received a RCRA permit from USEPA pursuant to 40 CFR 124 and 270 (1992);

Has received a RCRA permit from a state authorized by USEPA pursuant to 40 CFR 271 (1992); or

Is regulated under 35 Ill. Adm. Code 721.106(c)(2) or 266.Subpart F; and

Which has been designated on the manifest by the generator pursuant to 35 Ill. Adm. Code 722.120.

If a waste is destined to a facility in a state, other than Illinois, which has been authorized by USEPA pursuant to 40 CFR 271, but which has not yet obtained authorization to regulate that waste as hazardous, then the designated facility must be a facility allowed by the receiving state to accept such waste.

“Destination facility” means a facility that treats, disposes of, or recycles a particular category of universal waste, except those management activities described in 35 Ill. Adm. Code 733.113(a) and (c) and 733.133(a) and (c). A facility at which a particular category of universal waste is only accumulated is not a destination facility for the purposes of managing that category of universal waste.

“Dike” means an embankment or ridge of either natural or manmade materials used to prevent the movement of liquids, sludges, solids or other materials.

“Director” means the Director of the Illinois Environmental Protection Agency.

“Discharge” or “hazardous waste discharge” means the accidental or intentional spilling, leaking, pumping, pouring, emitting, emptying or dumping of hazardous waste into or on any land or water.

“Disposal” means the discharge, deposit, injection, dumping, spilling, leaking or placing of any solid waste or hazardous waste into or on any land or water so that such solid waste or hazardous waste or any constituent thereof may enter the environment or be emitted into the air or discharged into any waters, including groundwaters.

“Disposal facility” means a facility or part of a facility at which hazardous waste is intentionally placed into or on any land or water and at which waste will remain after closure. The term disposal facility does not include a corrective action management unit (CAMU) into which remediation wastes are placed.

“Drip pad” means an engineered structure consisting of a curbed, free-draining base, constructed of non-earthen materials and designed to convey preservative kick-back or drippage from treated wood, precipitation and surface water run-on to an associated collection system at wood preserving plants.

“Electric lamp” means the bulb or tube portion of a lighting device specifically designed to produce radiant energy, most often in the ultraviolet, visible, and infrared regions of the electromagnetic spectrum.

BOARD NOTE: The definition of “electric lamp” was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

“Elementary neutralization unit” means a device which:

Is used for neutralizing wastes which are hazardous only because they exhibit the corrosivity characteristic defined in 35 Ill. Adm. Code 721.122 or are listed in 35 Ill. Adm. Code 721.Subpart D only for this reason; and

Meets the definition of tank, tank system, container, transport vehicle or vessel in this Section.

“EPA hazardous waste number” or “USEPA hazardous waste number” ~~or~~ ~~“USEPA hazardous waste number”~~ means the number assigned by EPA to each hazardous waste listed in 35 Ill. Adm. Code 721.Subpart D and to each characteristic identified in 35 Ill. Adm. Code 721.Subpart C.

“EPA identification number” or “USEPA identification number” ~~or~~ ~~“USEPA identification number”~~ means the number assigned by USEPA pursuant to 35 Ill. Adm. Code 722 through 725 to each generator, transporter and treatment, storage or disposal facility.

“EPA region” or “USEPA region” means the states and territories found in any one of the following ten regions:

Region I: Maine, Vermont, New Hampshire, Massachusetts, Connecticut and Rhode Island

Region II: New York, New Jersey, Commonwealth of Puerto Rico and the U.S. Virgin Islands

Region III: Pennsylvania, Delaware, Maryland, West Virginia, Virginia and the District of Columbia

Region IV: Kentucky, Tennessee, North Carolina, Mississippi, Alabama, Georgia, South Carolina and Florida

Region V: Minnesota, Wisconsin, Illinois, Michigan, Indiana and Ohio

Region VI: New Mexico, Oklahoma, Arkansas, Louisiana and Texas

Region VII: Nebraska, Kansas, Missouri and Iowa

Region VIII: Montana, Wyoming, North Dakota, South Dakota, Utah and Colorado

Region IX: California, Nevada, Arizona, Hawaii, Guam, American Samoa and Commonwealth of the Northern Mariana Islands

Region X: Washington, Oregon, Idaho and Alaska

“Equivalent method” means any testing or analytical method approved by the Board pursuant to Section 720.120.

“Existing hazardous waste management (HWM) facility” or “existing facility” means a facility which was in operation or for which construction commenced on or before November 19, 1980. A facility had commenced construction if the owner or operator had obtained the federal, state and local approvals or permits necessary to begin physical construction and either:

A continuous on-site, physical construction program had begun or

The owner or operator had entered into contractual obligations -- which could not be ~~cancelled~~canceled or modified without substantial loss -- for physical construction of the facility to be completed within a reasonable time.

“Existing portion” means that land surface area of an existing waste management unit, included in the original Part A permit application, on which wastes have been placed prior to the issuance of a permit.

“Existing tank system” or “existing component” means a tank system or component that is used for the storage or treatment of hazardous waste and that is in operation, or for which installation has commenced on or prior to July 14, 1986. Installation will be considered to have commenced if the owner or operator has obtained all federal, State and local approvals or permits necessary to begin physical construction of the site or installation of the tank system and if either

A continuous on-site physical construction or installation program has begun; or

The owner or operator has entered into contractual obligations -- which cannot be canceled or modified without substantial loss -- for physical construction of the site or installation of the tank system to be completed within a reasonable time.

“Facility” means:

All contiguous land and structures, other appurtenances, and improvements on the land used for treating, storing, or disposing of

hazardous waste. A facility may consist of several treatment, storage, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them).

For the purpose of implementing corrective action under 35 Ill. Adm. Code 724.201, all contiguous property under the control of the owner or operator seeking a permit under Subtitle C of RCRA. This definition also applies to facilities implementing corrective action under RCRA Section 3008(h).

“Federal agency” means any department, agency or other instrumentality of the federal government, any independent agency or establishment of the federal government including any government corporation and the Government Printing Office.

“Federal, state, and local approvals or permits necessary to begin physical construction” means permits and approvals required under federal, state, or local hazardous waste control statutes, regulations or ordinances.

“Final closure” means the closure of all hazardous waste management units at the facility in accordance with all applicable closure requirements so that hazardous waste management activities under 35 Ill. Adm. Code 724 and 725 are no longer conducted at the facility unless subject to the provisions of 35 Ill. Adm. Code 722.134.

“Food-chain crops” means tobacco, crops grown for human consumption and crops grown for feed for animals whose products are consumed by humans.

“Freeboard” means the vertical distance between the top of a tank or surface impoundment dike and the surface of the waste contained therein.

“Free liquids” means liquids which readily separate from the solid portion of a waste under ambient temperature and pressure.

“Generator” means any person, by site, whose act or process produce hazardous waste identified or listed in 35 Ill. Adm. Code 721 or whose act first causes a hazardous waste to become subject to regulation.

“Groundwater” means water below the land surface in a zone of saturation.

“Hazardous waste” means a hazardous waste as defined in 35 Ill. Adm. Code 721.103.

“Hazardous waste constituent” means a constituent which caused the hazardous waste to be listed in 35 Ill. Adm. Code 721.Subpart D, or a constituent listed in of 35 Ill. Adm. Code 721.124.

“Hazardous waste management unit” is a contiguous area of land on or in which hazardous waste is placed, or the largest area in which there is significant likelihood of mixing hazardous waste constituents in the same area. Examples of hazardous waste management units include a surface impoundment, a waste pile, a land treatment area, a landfill cell, an incinerator, a tank and its associated piping and underlying containment system and a container storage area. A container alone does not constitute a unit; the unit includes containers and the land or pad upon which they are placed.

“Inactive portion” means that portion of a facility which is not operated after November 19, 1980. (See also “active portion” and “closed portion”.)

“Incinerator” means any enclosed device that:

Uses controlled flame combustion and neither:

Meets the criteria for classification as a boiler, sludge dryer or carbon regeneration unit, nor

Is listed as an industrial furnace; or

Meets the definition of infrared incinerator or plasma arc incinerator.

“Incompatible waste” means a hazardous waste which is suitable for:

Placement in a particular device or facility because it may cause corrosion or decay of containment materials (e.g., container inner liners or tank walls); or

Commingling with another waste or material under uncontrolled conditions because the commingling might produce heat or pressure, fire or explosion, violent reaction, toxic dusts, mists, fumes or gases or flammable fumes or gases.

(See 35 Ill. Adm. Code 725.Appendix E for examples.)

“Industrial furnace” means any of the following enclosed devices that are integral components of manufacturing processes and that use thermal treatment to accomplish recovery of materials or energy:

Cement kilns

Lime kilns

Aggregate kilns

Phosphate kilns

Coke ovens

Blast furnaces

Smelting, melting and refining furnaces (including pyrometallurgical devices such as cupolas, reverberator furnaces, sintering machines, roasters and foundry furnaces)

Titanium dioxide chloride process oxidation reactors

Methane reforming furnaces

Pulping liquor recovery furnaces

Combustion devices used in the recovery of sulfur values from spent sulfuric acid

Halogen acid furnaces (HAFs) for the production of acid from halogenated hazardous waste generated by chemical production facilities where the furnace is located on the site of a chemical production facility, the acid product has a halogen acid content of at least 3%, the acid product is used in a manufacturing process and, except for hazardous waste burned as fuel, hazardous waste fed to the furnace has a minimum halogen content of 20%, as generated

Any other such device as the Agency determines to be an "Industrial Furnace" on the basis of one or more of the following factors:

The design and use of the device primarily to accomplish recovery of material products;

The use of the device to burn or reduce raw materials to make a material product;

The use of the device to burn or reduce secondary materials as effective substitutes for raw materials, in processes using raw materials as principal feedstocks;

The use of the device to burn or reduce secondary materials as ingredients in an industrial process to make a material product;

The use of the device in common industrial practice to produce a material product; and

Other relevant factors.

“Individual generation site” means the contiguous site at or on which one or more hazardous wastes are generated. An individual generation site, such as a large manufacturing plant, may have one or more sources of hazardous waste but is considered a single or individual generation site if the site or property is contiguous.

“Infrared incinerator” means any enclosed device which uses electric powered resistance heaters as a source of radiant heat followed by an afterburner using controlled flame combustion and which is not listed as an industrial furnace.

“Inground tank” means a device meeting the definition of “tank” whereby a portion of the tank wall is situated to any degree within the ground, thereby preventing visual inspection of that external surface area of the tank that is in the ground.

“In operation” refers to a facility which is treating, storing or disposing of hazardous waste.

“Injection well” means a well into which fluids are being injected. (See also “underground injection”.)

“Inner liner” means a continuous layer of material placed inside a tank or container which protects the construction materials of the tank or container from the contained waste or reagents used to treat the waste.

“Installation inspector” means a person who, by reason of knowledge of the physical sciences and the principles of engineering, acquired by a professional education and related practical experience, is qualified to supervise the installation of tank systems.

“International shipment” means the transportation of hazardous waste into or out of the jurisdiction of the United States.

“Land treatment facility” means a facility or part of a facility at which hazardous waste is applied onto or incorporated into the soil surface; such facilities are disposal facilities if the waste will remain after closure.

“Landfill” means a disposal facility or part of a facility where hazardous waste is placed in or on land and which is not a pile, a land treatment facility, a surface impoundment, an underground injection well, a salt dome formation, a salt bed formation, an underground mine, a cave, or a corrective action management unit (CAMU).

“Landfill cell” means a discrete volume of a hazardous waste landfill which uses a liner to provide isolation of wastes from adjacent cells or wastes. Examples of landfill cells are trenches and pits.

“LDS” means leak detection system.

“Leachate” means any liquid, including any suspended components in the liquid, that has percolated through or drained from hazardous waste.

“Liner” means a continuous layer of natural or manmade materials beneath or on the sides of a surface impoundment, landfill or landfill cell, which restricts the downward or lateral escape of hazardous waste, hazardous waste constituents or leachate.

“Leak-detection system” means a system capable of detecting the failure of either the primary or secondary containment structure or the presence of a release of hazardous waste or accumulated liquid in the secondary containment structure. Such a system must employ operational controls (e.g., daily visual inspections for releases into the secondary containment system of aboveground tanks) or consist of an interstitial monitoring device designed to detect continuously and automatically the failure of the primary or secondary containment structure or the presence of a release of hazardous waste into the secondary containment structure.

“Management” or “hazardous waste management” means the systematic control of the collection, source separation, storage, transportation, processing, treatment, recovery and disposal of hazardous waste.

“Manifest” means the shipping document originated and signed by the generator which contains the information required by 35 Ill. Adm. Code 722.Subpart B.

“Manifest document number” means the USEPA twelve digit identification number assigned to the generator plus a unique five digit document number assigned to the manifest by the generator for recording and reporting purposes.

“Mercury-containing lamp” means an electric lamp into which mercury is purposely introduced by the manufacturer for the operation of the lamp. Mercury-containing lamps include, but are not limited to, fluorescent lamps and high-intensity discharge lamps.

BOARD NOTE: The definition of “mercury-containing lamp” was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

“Mining overburden returned to the mine site” means any material overlying an economic mineral deposit which is removed to gain access to that deposit and is then used for reclamation of a surface mine.

“Miscellaneous unit” means a hazardous waste management unit where hazardous waste is treated, stored or disposed of and which is not a container, tank, tank system, surface impoundment, pile, land treatment unit, landfill, incinerator, boiler, industrial furnace, underground injection well with appropriate technical standards under 35 Ill. Adm. Code 730, containment building, corrective action management unit (CAMU), or a unit eligible for a research, development and demonstration permit under 35 Ill. Adm. Code 703.231.

“Movement” means that hazardous waste transported to a facility in an individual vehicle.

“New hazardous waste management facility” or “new facility” means a facility which began operation, or for which construction commenced, after November 19, 1980. (See also “Existing hazardous waste management facility”.)

“New tank system” or “new tank component” means a tank system or component that will be used for the storage or treatment of hazardous waste and for which installation commenced after July 14, 1986; except, however, for purposes of 35 Ill. Adm. Code 724.293(g)(2) and 725.293(g)(2), a new tank system is one for which construction commences after July 14, 1986. (See also “existing tank system”.)

“Onground tank” means a device meeting the definition of “tank” that is situated in such a way that the bottom of the tank is on the same level as the adjacent surrounding surfaces so that the external tank bottom cannot be visually inspected.

“On-site” means the same or geographically contiguous property which may be divided by public or private right-of-way, provided the entrance and exit between the properties is at a crossroads intersection and access is by crossing as opposed to going along the right-of-way. Noncontiguous properties owned by the same person but connected by a right-of-way which he controls and to which the public does not have access is also considered on-site property.

“Open burning” means the combustion of any material without the following characteristics:

Control of combustion air to maintain adequate temperature for efficient combustion;

Containment of the combustion reaction in an enclosed device to provide sufficient residence time and mixing for complete combustion; and

Control of emission of the gaseous combustion products.

(See also “incineration” and “thermal treatment”.)

“Operator” means the person responsible for the overall operation of a facility.

“Owner” means the person who owns a facility or part of a facility.

“Partial closure” means the closure of a hazardous waste management unit in accordance with the applicable closure requirements of 35 Ill. Adm. Code 724 or 725 at a facility which contains other active hazardous waste management units. For example, partial closure may include the closure of a tank (including its associated piping and underlying containment systems), landfill cell, surface impoundment, waste pile or other hazardous waste management unit, while other units of the same facility continue to operate.

“Person” means an individual, trust, firm, joint stock company, federal agency, corporation (including a government corporation), partnership, association, state, municipality, commission, political subdivision of a state or any interstate body.

“Personnel” or “facility personnel” means all persons who work at or oversee the operations of a hazardous waste facility and whose actions or failure to act may result in noncompliance with the requirements of 35 Ill. Adm. Code 724 or 725.

“Pesticide” means any substance or mixture of substances intended for preventing, destroying, repelling, or mitigating any pest or intended for use as a plant regulator, defoliant, or desiccant, other than any article that fulfills one of the following descriptions:

It is a new animal drug under Section 201(v) of the Federal Food, Drug and Cosmetic Act (FFDCA; 21 U.S.C. § 321(v)), incorporated by reference in Section 720.111,

It is an animal drug that has been determined by regulation of the federal Secretary of Health and Human Services pursuant to FFDCA Section

512, incorporated by reference in Section 720.111, to be an exempted new animal drug, or

It is an animal feed under FFDCFA Section 201(w) (21 U.S.C. § 321(w)), incorporated by reference in Section 720.111 that bears or contains any substances described in either of the two preceding subsections of this definition.

BOARD NOTE: The second exception of corresponding 40 CFR 260.10 reads as follows: “Is an animal drug that has been determined by regulation of the Secretary of Health and Human Services not to be a new animal drug”. This is very similar to the language of Section 2(u) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA; 7 U.S.C. § 136(u)). The three exceptions, taken together, appear intended not to include as “pesticide” any material within the scope of federal Food and Drug Administration regulation. The Board codified this provision with the intent of retaining the same meaning as its federal counterpart while adding the definiteness required under Illinois law.

“Pile” means any noncontainerized accumulation of solid, non-flowing hazardous waste that is used for treatment or storage, and that is not a containment building.

“Plasma arc incinerator” means any enclosed device which uses a high intensity electrical discharge or arc as a source of heat followed by an afterburner using controlled flame combustion and which is not listed as an industrial furnace.

“Point source” means any discernible, confined and discrete conveyance including, but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation or vessel or other floating craft from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture.

“Publicly owned treatment works” or “POTW” is as defined in 35 Ill. Adm. Code 310.110.

“Qualified groundwater scientist” means a scientist or engineer who has received a baccalaureate or postgraduate degree in the natural sciences or engineering, and has sufficient training and experience in groundwater hydrology and related fields, as demonstrated by state registration, professional certifications or completion of accredited university courses that enable the individual to make sound professional judgments regarding groundwater monitoring and contaminant fate and transport.

BOARD NOTE: “State registration” includes, but is not limited to, registration as a professional engineer with the Department of Professional Regulation, pursuant to 225 ILCS 325/1 and 68 Ill. Adm. Code 1380. “Professional

certification” includes, but is not limited to, certification under the certified ground water professional program of the National Ground Water Association.

“Regional Administrator” means the Regional Administrator for the EPA Region in which the facility is located or the Regional Administrator’s designee.

“Remediation waste” means all solid and hazardous wastes, and all media (including groundwater, surface water, soils, and sediments) and debris that contain listed hazardous wastes or which themselves exhibit a hazardous waste characteristic which are managed for the purpose of implementing corrective action requirements under 35 Ill. Adm. Code 724.201 and RCRA Section 3008(h). For a given facility, remediation wastes may originate only from within the facility boundary, but may include waste managed in implementing RCRA sections 3004(v) or 3008(h) for releases beyond the facility boundary.

“Replacement unit” means a landfill, surface impoundment or waste pile unit from which all or substantially all of the waste is removed, and which is subsequently reused to treat, store or dispose of hazardous waste. “Replacement unit” does not include a unit from which waste is removed during closure, if the subsequent reuse solely involves the disposal of waste from that unit and other closing units or corrective action areas at the facility, in accordance with a closure or corrective action plan approved by USEPA or the Agency.

“Representative sample” means a sample of a universe or whole (e.g., waste pile, lagoon, groundwater) which can be expected to exhibit the average properties of the universe or whole.

“Runoff” means any rainwater, leachate or other liquid that drains over land from any part of a facility.

“Runon” means any rainwater, leachate or other liquid that drains over land onto any part of a facility.

“Saturated zone” or “zone of saturation” means that part of the earth’s crust in which all voids are filled with water.

“SIC Code” means Standard Industrial Code as defined in Standard Industrial Classification Manual, incorporated by reference in Section 720.111.

“Sludge” means any solid, semi-solid or liquid waste generated from a municipal, commercial or industrial wastewater treatment plant, water supply treatment plant or air pollution control facility exclusive of the treated effluent from a wastewater treatment plant.

“Sludge dryer” means any enclosed thermal treatment device which is used to dehydrate sludge and which has a total thermal input, excluding the heating value of the sludge itself, of 2500 Btu/lb or less of sludge treated on a wet weight basis.

“Small Quantity Generator” means a generator which generates less than 1000 kg of hazardous waste in a calendar month.

“Solid waste” means a solid waste as defined in 35 Ill. Adm. Code 721.102.

“Sorbent” means a material that is used to soak up free liquids by either adsorption or absorption, or both. “Sorb” means to either adsorb or absorb, or both.

“Sump” means any pit or reservoir that meets the definition of tank and those troughs or trenches connected to it that serve to collect hazardous waste for transport to hazardous waste storage, treatment or disposal facilities; except that, as used in the landfill, surface impoundment and waste pile rules, “sump” means any lined pit or reservoir that serves to collect liquids drained from a leachate collection and removal system or leak detection system for subsequent removal from the system.

“State” means any of the several states, the District of Columbia, the Commonwealth of Puerto Rico, the Virgin Islands, Guam, American Samoa and the Commonwealth of the Northern Mariana Islands.

“Storage” means the holding of hazardous waste for a temporary period, at the end of which the hazardous waste is treated, disposed of or stored elsewhere.

“Surface impoundment” or “impoundment” means a facility or part of a facility which is a natural topographic depression, manmade excavation or diked area formed primarily of earthen materials (although it may be lined with manmade materials) which is designed to hold an accumulation of liquid wastes or wastes containing free liquids and which is not an injection well. Examples of surface impoundments are holding, storage, settling and aeration pits, ponds and lagoons.

“Tank” means a stationary device, designed to contain an accumulation of hazardous waste which is constructed primarily of nonearthen materials (e.g., wood, concrete, steel, plastic) which provide structural support.

“Tank system” means a hazardous waste storage or treatment tank and its associated ancillary equipment and containment system.

“Thermal treatment” means the treatment of hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical or biological character or composition of the hazardous waste. Examples of thermal treatment processes are incineration, molten salt, pyrolysis, calcination, wet air oxidation and microwave discharge. (See also “incinerator” and “open burning”.)

“Thermostat” means a temperature control device that contains metallic mercury in an ampule attached to a bimetal sensing element and mercury-containing ampules that have been removed from such a temperature control device in compliance with the requirements of 35 Ill. Adm. Code 733.113(c)(2) or 733.133(c)(2).

“Totally enclosed treatment facility” means a facility for the treatment of hazardous waste which is directly connected to an industrial production process and which is constructed and operated in a manner which prevents the release of any hazardous waste or any constituent thereof into the environment during treatment. An example is a pipe in which waste acid is neutralized.

“Transfer facility” means any transportation related facility including loading docks, parking areas, storage areas and other similar areas where shipments of hazardous waste are held during the normal course of transportation.

“Transport vehicle” means a motor vehicle or rail car used for the transportation of cargo by any mode. Each cargo-carrying body (trailer, railroad freight car, etc.) is a separate transport vehicle.

“Transportation” means the movement of hazardous waste by air, rail, highway or water.

“Transporter” means a person engaged in the off-site transportation of hazardous waste by air, rail, highway or water.

“Treatability study” means:

A study in which a hazardous waste is subjected to a treatment process to determine:

Whether the waste is amenable to the treatment process.

What pretreatment (if any) is required.

The optimal process conditions needed to achieve the desired treatment.

The efficiency of a treatment process for a specific waste or wastes. Or,

The characteristics and volumes of residuals from a particular treatment process.

Also included in this definition for the purpose of 35 Ill. Adm. Code 721.104(e) and (f) exemptions are liner compatibility, corrosion and other material compatibility studies and toxicological and health effects studies. A “treatability study” is not a means to commercially treat or dispose of hazardous waste.

“Treatment” means any method, technique or process, including neutralization, designed to change the physical, chemical or biological character or composition of any hazardous waste so as to neutralize such waste, or so as to recover energy or material resources from the waste or so as to render such waste non-hazardous or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage or reduced in volume.

“Treatment zone” means a soil area of the unsaturated zone of a land treatment unit within which hazardous constituents are degraded, transformed or immobilized.

“Underground injection” means the subsurface emplacement of fluids through a bored, drilled or driven well; or through a dug well, where the depth of the dug well is greater than the largest surface dimension. (See also “injection well”.)

“Underground tank” means a device meeting the definition of “tank” whose entire surface area is totally below the surface of and covered by the ground.

“Unfit-for-use tank system” means a tank system that has been determined through an integrity assessment or other inspection to be no longer capable of storing or treating hazardous waste without posing a threat of release of hazardous waste to the environment.

“United States” means the 50 States, the District of Columbia, the Commonwealth of Puerto Rico, the U.S. Virgin Islands, Guam, American Samoa and the Commonwealth of the Northern Mariana Islands.

“Universal waste” means any of the following hazardous wastes that are managed under the universal waste requirements of 35 Ill. Adm. Code 733:

Batteries, as described in 35 Ill. Adm. Code 733.102;

Pesticides, as described in 35 Ill. Adm. Code 733.103; ~~and~~

Thermostats, as described in 35 Ill. Adm. Code 733.104-; and

Mercury-containing lamps, as described in 35 Ill. Adm. Code 733.107.

BOARD NOTE: Mercury-containing lamps were added as universal waste pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

“Universal waste handler” means either of the following:

A generator (as defined in this Section) of universal waste; or

The owner or operator of a facility, including all contiguous property, that receives universal waste from other universal waste handlers, accumulates the universal waste, and sends that universal waste to another universal waste handler, to a destination facility, or to a foreign destination.

“Universal waste handler” does not mean:

A person that treats (except under the provisions of Section 733.113(a) or (c) or 733.133(a) or (c)), disposes of, or recycles universal waste; or

A person engaged in the off-site transportation of universal waste by air, rail, highway, or water, including a universal waste transfer facility.

“Universal waste transporter” means a person engaged in the off-site transportation of universal waste by air, rail, highway, or water.

“Unsaturated zone” or “zone of aeration” means the zone between the land surface and the water table.

“Uppermost aquifer” means the geologic formation nearest the natural ground surface that is an aquifer, as well as lower aquifers that are hydraulically interconnected with this aquifer within the facility’s property boundary.

“USDOT” or “Department of Transportation” means the United States Department of Transportation.

“Used oil” means any oil that has been refined from crude oil, or any synthetic oil, that has been used and as a result of such use is contaminated by physical or chemical impurities.

“USEPA” or “EPA” or “U.S. EPA” means the United States Environmental Protection Agency.

“Vessel” includes every description of watercraft, used or capable of being used as a means of transportation on the water.

“Wastewater treatment unit” means a device which:

Is part of a wastewater treatment facility which has an NPDES permit pursuant to 35 Ill. Adm. Code 309 or a pretreatment permit or authorization to discharge pursuant to 35 Ill. Adm. Code 310; and

Receives and treats or stores an influent wastewater which is a hazardous waste as defined in 35 Ill. Adm. Code 721.103, or generates and accumulates a wastewater treatment sludge which is a hazardous waste as defined in 35 Ill. Adm. Code 721.103, or treats or stores a wastewater treatment sludge which is a hazardous waste as defined in 35 Ill. Adm. Code 721.103; and

Meets the definition of tank or tank system in this Section.

“Water (bulk shipment)” means the bulk transportation of hazardous waste which is loaded or carried on board a vessel without containers or labels.

“Well” means any shaft or pit dug or bored into the earth, generally of a cylindrical form, and often walled with bricks or tubing to prevent the earth from caving in.

“Well injection” (See “underground injection”).

“Zone of engineering control” means an area under the control of the owner or operator that, upon detection of a hazardous waste release, can be readily cleaned up prior to the release of hazardous waste or hazardous constituents to groundwater or surface water.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE G: WASTE DISPOSAL
CHAPTER I: POLLUTION CONTROL BOARD
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 721
IDENTIFICATION AND LISTING OF HAZARDOUS WASTE

SUBPART A: GENERAL PROVISIONS

Section	
721.101	Purpose and Scope
721.102	Definition of Solid Waste
721.103	Definition of Hazardous Waste
721.104	Exclusions
721.105	Special Requirements for Hazardous Waste Generated by Small Quantity Generators
721.106	Requirements for Recyclable Materials
721.107	Residues of Hazardous Waste in Empty Containers
721.108	PCB Wastes Regulated under TSCA
721.109	Requirements for Universal Waste

SUBPART B: CRITERIA FOR IDENTIFYING THE CHARACTERISTICS OF HAZARDOUS WASTE AND FOR LISTING HAZARDOUS WASTES

Section	
721.110	Criteria for Identifying the Characteristics of Hazardous Waste
721.111	Criteria for Listing Hazardous Waste

SUBPART C: CHARACTERISTICS OF HAZARDOUS WASTE

Section	
721.120	General
721.121	Characteristic of Ignitability
721.122	Characteristic of Corrosivity
721.123	Characteristic of Reactivity
721.124	Toxicity Characteristic

SUBPART D: LISTS OF HAZARDOUS WASTE

Section	
721.130	General
721.131	Hazardous Wastes From Nonspecific Sources
721.132	Hazardous Waste from Specific Sources
721.133	Discarded Commercial Chemical Products, Off-Specification Species, Container Residues, and Spill Residues Thereof
721.135	Wood Preserving Wastes
721.Appendix A	Representative Sampling Methods
721.Appendix B	Method 1311 Toxicity Characteristic Leaching Procedure (TCLP)
721.Appendix C	Chemical Analysis Test Methods
Table A	Analytical Characteristics of Organic Chemicals (Repealed)
Table B	Analytical Characteristics of Inorganic Species (Repealed)
Table C	Sample Preparation/Sample Introduction Techniques (Repealed)
721.Appendix G	Basis for Listing Hazardous Wastes

721.Appendix H	Hazardous Constituents
721.Appendix I	Wastes Excluded by Administrative Action
Table A	Wastes Excluded by U.S. EPA under 40 CFR 260.20 and 260.22 from Non-Specific Sources
Table B	Wastes Excluded by USEPA under 40 CFR 260.20 and 260.22 from Specific Sources
Table C	Wastes Excluded by U.S. EPA under 40 CFR 260.20 and 260.22 from Commercial Chemical Products, Off-Specification Species, Container Residues, and Soil Residues Thereof
Table D	Wastes Excluded by the Board by Adjusted Standard
721.Appendix J	Method of Analysis for Chlorinated Dibenzo-p-Dioxins and Dibenzofurans (Repealed)
721.Appendix Z	Table to Section 721.102

AUTHORITY: Implementing Sections 22.4 and 22.23a and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/22.4, 22.23a, and 27].

SOURCE: Adopted in R81-22, 43 PCB 427, at 5 Ill. Reg. 9781, effective May 17, 1982; amended and codified in R81-22, 45 PCB 317, at 6 Ill. Reg. 4828, effective as noted in 35 Ill. Adm. Code May 17, 1982; amended in R82-18, 51 PCB 31, at 7 Ill. Reg. 2518, effective February 22, 1983; amended in R82-19, 53 PCB 131, at 7 Ill. Reg. 13999, effective October 12, 1983; amended in R84-34, 61 PCB 247, at 8 Ill. Reg. 24562, effective December 11, 1984; amended in R84-9, at 9 Ill. Reg. 11834, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 998, effective January 2, 1986; amended in R85-2 at 10 Ill. Reg. 8112, effective May 2, 1986; amended in R86-1 at 10 Ill. Reg. 14002, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20647, effective December 2, 1986; amended in R86-28 at 11 Ill. Reg. 6035, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13466, effective August 4, 1987; amended in R87-32 at 11 Ill. Reg. 16698, effective September 30, 1987; amended in R87-5 at 11 Ill. Reg. 19303, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2456, effective January 15, 1988; amended in R87-30 at 12 Ill. Reg. 12070, effective July 12, 1988; amended in R87-39 at 12 Ill. Reg. 13006, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 382, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18300, effective November 13, 1989; amended in R90-2 at 14 Ill. Reg. 14401, effective August 22, 1990; amended in R90-10 at 14 Ill. Reg. 16472, effective September 25, 1990; amended in R90-17 at 15 Ill. Reg. 7950, effective May 9, 1991; amended in R90-11 at 15 Ill. Reg. 9332, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14473, effective September 30, 1991; amended in R91-12 at 16 Ill. Reg. 2155, effective January 27, 1992; amended in R91-26 at 16 Ill. Reg. 2600, effective February 3, 1992; amended in R91-13 at 16 Ill. Reg. 9519, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17666, effective November 6, 1992; amended in R92-10 at 17 Ill. Reg. 5650, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20568, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6741, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12175, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17490, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9522, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 10963, August 1, 1996; amended in R96-10/R97-3/R97-5 at 21 Ill. Reg. _____, effective

_____ ; amended in R98-12 at 22 Ill. Reg. _____, effective
_____.

SUBPART A: GENERAL PROVISIONS

Section 721.109 Requirements for Universal Waste

The wastes listed in this Section are exempt from regulation under 35 Ill. Adm. Code 702 through 705, 722 through 726, and 728, except as specified in 35 Ill. Adm. Code 733, and are therefore not fully regulated as hazardous waste. The wastes listed in this Section are subject to regulation under 35 Ill. Adm. Code 733:

- a) Batteries, as described in 35 Ill. Adm. Code 733.102;
- b) Pesticides, as described in 35 Ill. Adm. Code 733.103; ~~and~~
- c) Thermostats, as described in 35 Ill. Adm. Code 733.104; and
- d) Mercury-containing lamps, as described in 35 Ill. Adm. Code 733.107.

BOARD NOTE: Subsection (d) of this Section was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE G: WASTE DISPOSAL
CHAPTER I: POLLUTION CONTROL BOARD
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 724
STANDARDS FOR OWNERS AND OPERATORS OF HAZARDOUS
WASTE TREATMENT, STORAGE, AND DISPOSAL FACILITIES

SUBPART A: GENERAL PROVISIONS

Section	
724.101	Purpose, Scope and Applicability
724.103	Relationship to Interim Status Standards

SUBPART B: GENERAL FACILITY STANDARDS

Section	
724.110	Applicability
724.111	Identification Number
724.112	Required Notices

724.113	General Waste Analysis
724.114	Security
724.115	General Inspection Requirements
724.116	Personnel Training
724.117	General Requirements for Ignitable, Reactive or Incompatible Wastes
724.118	Location Standards
724.119	Construction Quality Assurance Program

SUBPART C: PREPAREDNESS AND PREVENTION

Section

724.130	Applicability
724.131	Design and Operation of Facility
724.132	Required Equipment
724.133	Testing and Maintenance of Equipment
724.134	Access to Communications or Alarm System
724.135	Required Aisle Space
724.137	Arrangements with Local Authorities

SUBPART D: CONTINGENCY PLAN AND EMERGENCY PROCEDURES

Section

724.150	Applicability
724.151	Purpose and Implementation of Contingency Plan
724.152	Content of Contingency Plan
724.153	Copies of Contingency Plan
724.154	Amendment of Contingency Plan
724.155	Emergency Coordinator
724.156	Emergency Procedures

SUBPART E: MANIFEST SYSTEM, RECORDKEEPING AND REPORTING

Section

724.170	Applicability
724.171	Use of Manifest System
724.172	Manifest Discrepancies
724.173	Operating Record
724.174	Availability, Retention and Disposition of Records
724.175	Annual Report
724.176	Unmanifested Waste Report
724.177	Additional Reports

SUBPART F: RELEASES FROM SOLID WASTE MANAGEMENT UNITS

Section

724.190	Applicability
724.191	Required Programs
724.192	Groundwater Protection Standard

724.193	Hazardous Constituents
724.194	Concentration Limits
724.195	Point of Compliance
724.196	Compliance Period
724.197	General Groundwater Monitoring Requirements
724.198	Detection Monitoring Program
724.199	Compliance Monitoring Program
724.200	Corrective Action Program
724.201	Corrective Action for Solid Waste Management Units

SUBPART G: CLOSURE AND POST-CLOSURE

Section	
724.210	Applicability
724.211	Closure Performance Standard
724.212	Closure Plan; Amendment of Plan
724.213	Closure; Time Allowed For Closure
724.214	Disposal or Decontamination of Equipment, Structures and Soils
724.215	Certification of Closure
724.216	Survey Plat
724.217	Post-closure Care and Use of Property
724.218	Post-closure Plan; Amendment of Plan
724.219	Post-closure Notices
724.220	Certification of Completion of Post-closure Care

SUBPART H: FINANCIAL REQUIREMENTS

Section	
724.240	Applicability
724.241	Definitions of Terms As Used In This Subpart
724.242	Cost Estimate for Closure
724.243	Financial Assurance for Closure
724.244	Cost Estimate for Post-closure Care
724.245	Financial Assurance for Post-closure Care
724.246	Use of a Mechanism for Financial Assurance of Both Closure and Post-closure Care
724.247	Liability Requirements
724.248	Incapacity of Owners or Operators, Guarantors or Financial Institutions
724.251	Wording of the Instruments

SUBPART I: USE AND MANAGEMENT OF CONTAINERS

Section	
724.270	Applicability
724.271	Condition of Containers
724.272	Compatibility of Waste With Container
724.273	Management of Containers
724.274	Inspections

724.275	Containment
724.276	Special Requirements for Ignitable or Reactive Waste
724.277	Special Requirements for Incompatible Wastes
724.278	Closure
724.279	Air Emission Standards

SUBPART J: TANK SYSTEMS

Section	
724.290	Applicability
724.291	Assessment of Existing Tank System's Integrity
724.292	Design and Installation of New Tank Systems or Components
724.293	Containment and Detection of Releases
724.294	General Operating Requirements
724.295	Inspections
724.296	Response to Leaks or Spills and Disposition of Leaking or unfit-for-use Tank Systems
724.297	Closure and Post-Closure Care
724.298	Special Requirements for Ignitable or Reactive Waste
724.299	Special Requirements for Incompatible Wastes
724.300	Air Emission Standards

SUBPART K: SURFACE IMPOUNDMENTS

Section	
724.320	Applicability
724.321	Design and Operating Requirements
724.322	Action Leakage Rate
724.323	Response Actions
724.326	Monitoring and Inspection
724.327	Emergency Repairs; Contingency Plans
724.328	Closure and Post-closure Care
724.329	Special Requirements for Ignitable or Reactive Waste
724.330	Special Requirements for Incompatible Wastes
724.331	Special Requirements for Hazardous Wastes F020, F021, F022, F023, F026 and F027
724.332	Air Emission Standards

SUBPART L: WASTE PILES

Section	
724.350	Applicability
724.351	Design and Operating Requirements
724.352	Action Leakage Rate
724.353	Response Action Plan
724.354	Monitoring and Inspection
724.356	Special Requirements for Ignitable or Reactive Waste
724.357	Special Requirements for Incompatible Wastes

- 724.358 Closure and Post-closure Care
 724.359 Special Requirements for Hazardous Wastes F020, F021, F022, F023, F026 and F027

SUBPART M: LAND TREATMENT

Section

- 724.370 Applicability
 724.371 Treatment Program
 724.372 Treatment Demonstration
 724.373 Design and Operating Requirements
 724.376 Food-chain Crops
 724.378 Unsaturated Zone Monitoring
 724.379 Recordkeeping
 724.380 Closure and Post-closure Care
 724.381 Special Requirements for Ignitable or Reactive Waste
 724.382 Special Requirements for Incompatible Wastes
 724.383 Special Requirements for Hazardous Wastes F020, F021, F022, F023, F026 and F027

SUBPART N: LANDFILLS

Section

- 724.400 Applicability
 724.401 Design and Operating Requirements
 724.402 Action Leakage Rate
 724.403 Monitoring and Inspection
 724.404 Response Actions
 724.409 Surveying and Recordkeeping
 724.410 Closure and Post-closure Care
 724.412 Special Requirements for Ignitable or Reactive Waste
 724.413 Special Requirements for Incompatible Wastes
 724.414 Special Requirements for Bulk and Containerized Liquids
 724.415 Special Requirements for Containers
 724.416 Disposal of Small Containers of Hazardous Waste in Overpacked Drums (Lab Packs)
 724.417 Special Requirements for Hazardous Wastes F020, F021, F022, F023, F026 and F027

SUBPART O: INCINERATORS

Section

- 724.440 Applicability
 724.441 Waste Analysis
 724.442 Principal Organic Hazardous Constituents (POHCs)
 724.443 Performance Standards
 724.444 Hazardous Waste Incinerator Permits
 724.445 Operating Requirements

724.447 Monitoring and Inspections
724.451 Closure

SUBPART S: CORRECTIVE ACTION FOR SOLID WASTE
MANAGEMENT UNITS

Section
724.652 Corrective Action Management Units
724.653 Temporary Units

SUBPART W: DRIP PADS

Section
724.670 Applicability
724.671 Assessment of existing drip pad integrity
724.672 Design and installation of new drip pads
724.673 Design and operating requirements
724.674 Inspections
724.675 Closure

SUBPART X: MISCELLANEOUS UNITS

Section
724.700 Applicability
724.701 Environmental Performance Standards
724.702 Monitoring, Analysis, Inspection, Response, Reporting and Corrective Action
724.703 Post-closure Care

SUBPART AA: AIR EMISSION STANDARDS FOR PROCESS VENTS

Section
724.930 Applicability
724.931 Definitions
724.932 Standards: Process Vents
724.933 Standards: Closed-vent Systems and Control Devices
724.934 Test methods and procedures
724.935 Recordkeeping requirements
724.936 Reporting Requirements

SUBPART BB: AIR EMISSION STANDARDS FOR EQUIPMENT LEAKS

Section
724.950 Applicability
724.951 Definitions
724.952 Standards: Pumps in Light Liquid Service
724.953 Standards: Compressors
724.954 Standards: Pressure Relief Devices in Gas/Vapor Service
724.955 Standards: Sampling Connecting Systems
724.956 Standards: Open-ended Valves or Lines
724.957 Standards: Valves in Gas/Vapor or Light Liquid Service

724.958	Standards: Pumps, Valves, Pressure Relief Devices and Other Connectors
724.959	Standards: Delay of Repair
724.960	Standards: Closed-vent Systems and Control Devices
724.961	Alternative Percentage Standard for Valves
724.962	Skip Period Alternative for Valves
724.963	Test Methods and Procedures
724.964	Recordkeeping Requirements
724.965	Reporting Requirements

SUBPART CC: AIR EMISSION STANDARDS FOR TANKS, SURFACE
IMPOUNDMENTS, AND CONTAINERS

Section	
724.980	Applicability
724.981	Definitions
724.982	Standards: General
724.983	Waste Determination Procedures
724.984	Standards: Tanks
724.985	Standards: Surface Impoundments
724.986	Standards: Containers
724.987	Standards: Closed-vent Systems and Control Devices
724.988	Inspection and Monitoring Requirements
724.989	Recordkeeping Requirements
724.990	Reporting Requirements
724.991	Alternative Control Requirements for Tanks

SUBPART DD: CONTAINMENT BUILDINGS

Section	
724.1100	Applicability
724.1101	Design and operating standards
724.1102	Closure and Post-closure Care
724.Appendix A	Recordkeeping Instructions
724.Appendix B	EPA Report Form and Instructions (Repealed)
724.Appendix D	Cochran's Approximation to the Behrens-Fisher Student's T-Test
724.Appendix E	Examples of Potentially Incompatible Waste
724.Appendix I	Groundwater Monitoring List

AUTHORITY: Implementing Sections 22.4 and 22.23a and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/22.4, 22.23a, and 27].

SOURCE: Adopted in R82-19, 53 PCB 131, at 7 Ill. Reg. 14059, effective October 12, 1983; amended in R84-9 at 9 Ill. Reg. 11964, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 1136, effective January 2, 1986; amended in R86-1 at 10 Ill. Reg. 14119, effective August 12, 1986; amended in R86-28 at 11 Ill. Reg. 6138, effective March 24, 1987; amended in R86-28 at 11 Ill. Reg. 8684, effective April 21, 1987; amended in R86-46 at 11

Ill. Reg. 13577, effective August 4, 1987; amended in R87-5 at 11 Ill. Reg. 19397, effective November 12, 1987; amended in R87-39 at 12 Ill. Reg. 13135, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 458, effective December 28, 1988; amended in R89-1 at 13 Ill. Reg. 18527, effective November 13, 1989; amended in R90-2 at 14 Ill. Reg. 14511, effective August 22, 1990; amended in R90-10 at 14 Ill. Reg. 16658, effective September 25, 1990; amended in R90-11 at 15 Ill. Reg. 9654, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14572, effective October 1, 1991; amended in R91-13 at 16 Ill. Reg. 9833, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17702, effective November 6, 1992; amended in R92-10 at 17 Ill. Reg. 5806, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20830, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6973, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12487, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17601, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9951, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 11244, August 1, 1996; amended in R96-10/R97-3/R97-5 at 21 Ill. Reg. _____, effective _____; amended in R98-12 at 22 Ill. Reg. _____, effective _____.

SUBPART A: GENERAL PROVISIONS

Section 724.101 Purpose, Scope and Applicability

- a) The purpose of this Part is to establish minimum standards that define the acceptable management of hazardous waste.
- b) The standards in this Part apply to owners and operators of all facilities that treat, store, or dispose of hazardous waste, except as specifically provided otherwise in this Part or 35 Ill. Adm. Code 721.
- c) The requirements of this Part apply to a person disposing of hazardous waste by means of ocean disposal subject to a permit issued under the Marine Protection, Research and Sanctuaries Act (16 U.S.C. 1431-1434, 33 U.S.C. 1401) only to the extent they are included in a RCRA permit by rule granted to such a person under 35 Ill. Adm. Code 703.141. A "RCRA permit" is a permit required by Section 21(f) of the Environmental Protection Act and 35 Ill. Adm. Code 703.121.

BOARD NOTE: This Part does apply to the treatment or storage of hazardous waste before it is loaded onto an ocean vessel for incineration or disposal at sea.

- d) The requirements of this Part apply to a person disposing of hazardous waste by means of underground injection subject to a permit issued by the Agency pursuant to Section 12(g) of the Environmental Protection Act only to the extent they are required by 35 Ill. Adm. Code 704.Subpart F.

BOARD NOTE: This Part does apply to the above-ground treatment or storage of hazardous waste before it is injected underground.

- e) The requirements of this Part apply to the owner or operator of a POTW (publicly owned treatment works) that treats, stores, or disposes of hazardous waste only to the extent included in a RCRA permit by rule granted to such a person under 35 Ill. Adm. Code 703.141.
- f) This subsection corresponds with 40 CFR 264.1(f), which provides that the federal regulations do not apply to T/S/D activities in authorized states, except under limited, enumerated circumstances. This statement maintains structural consistency with USEPA rules.
- g) The requirements of this Part do not apply to:
 - 1) The owner or operator of a facility permitted by the Agency under Section 21 of the Environmental Protection Act to manage municipal or industrial solid waste, if the only hazardous waste the facility treats, stores, or disposes of is excluded from regulation under this Part by 35 Ill. Adm. Code 721.105.

BOARD NOTE: The owner or operator may be subject to 35 Ill. Adm. Code 807 and may have to have a supplemental permit under 35 Ill. Adm. Code 807.210.

- 2) The owner or operator of a facility managing recyclable materials described in 35 Ill. Adm. Code 721.106(a)(2) through (a)(4) (except to the extent that requirements of this Part are referred to in 35 Ill. Adm. Code 726.Subparts C, F, G, or H or 35 Ill. Adm. Code 739).
- 3) A generator accumulating waste on-site in compliance with 35 Ill. Adm. Code 722.134.
- 4) A farmer disposing of waste pesticides from the farmer's own use in compliance with 35 Ill. Adm. Code 722.170.
- 5) The owner or operator of a totally enclosed treatment facility, as defined in 35 Ill. Adm. Code 720.110.
- 6) The owner or operator of an elementary neutralization unit or a wastewater treatment unit, as defined in 35 Ill. Adm. Code 720.110, provided that if the owner or operator is diluting hazardous ignitable (D001) wastes (other than the D001 High TOC Subcategory defined in 35 Ill. Adm. Code 728.Table T) or reactive (D003) waste to remove the

characteristic before land disposal, the owner or operator must comply with the requirements set out in Section 724.117(b).

- 7) This subsection corresponds with 40 CFR 264.1(g)(7), reserved by USEPA. This statement maintains structural consistency with USEPA rules.
- 8) Immediate response:
 - A) Except as provided in subsection (g)(8)(B) below, a person engaged in treatment or containment activities during immediate response to any of the following situations:
 - i) A discharge of a hazardous waste;
 - ii) An imminent and substantial threat of a discharge of hazardous waste;
 - iii) A discharge of a material that becomes a hazardous waste when discharged.
 - B) An owner or operator of a facility otherwise regulated by this Part must comply with all applicable requirements of 724.Subparts C and D.
 - C) Any person that is covered by subsection (g)(8)(A) above and that continues or initiates hazardous waste treatment or containment activities after the immediate response is over is subject to all applicable requirements of this Part and 35 Ill. Adm. Code 702, 703, and 705 for those activities.
- 9) A transporter storing manifested shipments of hazardous waste in containers meeting the requirements of 35 Ill. Adm. Code 722.130 at a transfer facility for a period of ten days or less.
- 10) The addition of absorbent materials to waste in a container (as defined in 35 Ill. Adm. Code 720) or the addition of waste to absorbent material in a container, provided these actions occur at the time waste is first placed in the container, and Sections 724.117(b), 724.271, and 724.272 are complied with.
- 11) A universal waste handler or universal waste transporter (as defined in 35 Ill. Adm. Code 720.110) that handles any of the wastes listed below is subject to regulation under 35 Ill. Adm. Code 733 when handling the following universal wastes:

- A) Batteries, as described in 35 Ill. Adm. Code 733.102;
- B) Pesticides, as described in 35 Ill. Adm. Code 733.103;~~and~~
- C) Thermostats, as described in 35 Ill. Adm. Code 733.104~~;~~ and
- D) Mercury-containing lamps, as described in 35 Ill. Adm. Code 733.107.

BOARD NOTE: Subsection (g)(11)(D) of this Section was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

- h) This Part applies to owners and operators of facilities that treat, store, or dispose of hazardous wastes referred to in 35 Ill. Adm. Code 728.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

TITLE 35: ENVIRONMENTAL PROTECTION
 SUBTITLE G: WASTE DISPOSAL
 CHAPTER I: POLLUTION CONTROL BOARD
 SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 725
 INTERIM STATUS STANDARDS FOR OWNERS AND OPERATORS OF
 HAZARDOUS WASTE TREATMENT, STORAGE, AND DISPOSAL
 FACILITIES

SUBPART A: GENERAL PROVISIONS

- Section
- 725.101 Purpose, Scope and Applicability
- 725.104 Imminent Hazard Action

SUBPART B: GENERAL FACILITY STANDARDS

- Section
- 725.110 Applicability
- 725.111 USEPA Identification Number
- 725.112 Required Notices
- 725.113 General Waste Analysis
- 725.114 Security
- 725.115 General Inspection Requirements

- 725.116 Personnel Training
- 725.117 General Requirements for Ignitable, Reactive, or Incompatible Wastes
- 725.118 Location Standards
- 725.119 Construction Quality Assurance Program

SUBPART C: PREPAREDNESS AND PREVENTION

Section

- 725.130 Applicability
- 725.131 Maintenance and Operation of Facility
- 725.132 Required Equipment
- 725.133 Testing and Maintenance of Equipment
- 725.134 Access to Communications or Alarm System
- 725.135 Required Aisle Space
- 725.137 Arrangements with Local Authorities

SUBPART D: CONTINGENCY PLAN AND EMERGENCY PROCEDURES

Section

- 725.150 Applicability
- 725.151 Purpose and Implementation of Contingency Plan
- 725.152 Content of Contingency Plan
- 725.153 Copies of Contingency Plan
- 725.154 Amendment of Contingency Plan
- 725.155 Emergency Coordinator
- 725.156 Emergency Procedures

SUBPART E: MANIFEST SYSTEM, RECORDKEEPING AND REPORTING

Section

- 725.170 Applicability
- 725.171 Use of Manifest System
- 725.172 Manifest Discrepancies
- 725.173 Operating Record
- 725.174 Availability, Retention and Disposition of Records
- 725.175 Annual Report
- 725.176 Unmanifested Waste Report
- 725.177 Additional Reports

SUBPART F: GROUNDWATER MONITORING

Section

- 725.190 Applicability
- 725.191 Groundwater Monitoring System
- 725.192 Sampling and Analysis
- 725.193 Preparation, Evaluation and Response
- 725.194 Recordkeeping and Reporting

SUBPART G: CLOSURE AND POST-CLOSURE

Section	
725.210	Applicability
725.211	Closure Performance Standard
725.212	Closure Plan; Amendment of Plan
725.213	Closure; Time Allowed for Closure
725.214	Disposal or Decontamination of Equipment, Structures and Soils
725.215	Certification of Closure
725.216	Survey Plat
725.217	Post-closure Care and Use of Property
725.218	Post-closure Plan; Amendment of Plan
725.219	Post-Closure Notices
725.220	Certification of Completion of Post-Closure Care

SUBPART H: FINANCIAL REQUIREMENTS

Section	
725.240	Applicability
725.241	Definitions of Terms as Used in this Subpart
725.242	Cost Estimate for Closure
725.243	Financial Assurance for Closure
725.244	Cost Estimate for Post-closure Care
725.245	Financial Assurance for Post-closure Monitoring and Maintenance
725.246	Use of a Mechanism for Financial Assurance of Both Closure and Post-closure Care
725.247	Liability Requirements
725.248	Incapacity of Owners or Operators, Guarantors or Financial Institutions
725.251	Promulgation of Forms (Repealed)

SUBPART I: USE AND MANAGEMENT OF CONTAINERS

Section	
725.270	Applicability
725.271	Condition of Containers
725.272	Compatibility of Waste with Container
725.273	Management of Containers
725.274	Inspections
725.276	Special Requirements for Ignitable or Reactive Waste
725.277	Special Requirements for Incompatible Wastes
725.278	Air Emission Standards

SUBPART J: TANK SYSTEMS

Section	
725.290	Applicability
725.291	Assessment of Existing Tank System's Integrity
725.292	Design and Installation of New Tank Systems or Components
725.293	Containment and Detection of Releases

725.294	General Operating Requirements
725.295	Inspections
725.296	Response to leaks or spills and disposition of Tank Systems
725.297	Closure and Post-Closure Care
725.298	Special Requirements for Ignitable or Reactive Waste
725.299	Special Requirements for Incompatible Wastes
725.300	Waste Analysis and Trial Tests
725.301	Generators of 100 to 1000 kg/mo
725.302	Air Emission Standards

SUBPART K: SURFACE IMPOUNDMENTS

Section	
725.320	Applicability
725.321	Design and Operating Requirements
725.322	Action Leakage Rate
725.323	Response Actions
725.324	Containment System
725.325	Waste Analysis and Trial Tests
725.326	Monitoring and Inspections
725.328	Closure and Post-Closure Care
725.329	Special Requirements for Ignitable or Reactive Waste
725.330	Special Requirements for Incompatible Wastes
725.331	Air Emission Standards

SUBPART L: WASTE PILES

Section	
725.350	Applicability
725.351	Protection from Wind
725.352	Waste Analysis
725.353	Containment
725.354	Design and Operating Requirements
725.355	Action Leakage Rates
725.356	Special Requirements for Ignitable or Reactive Waste
725.357	Special Requirements for Incompatible Wastes
725.358	Closure and Post-Closure Care
725.359	Response Actions
725.360	Monitoring and Inspection

SUBPART M: LAND TREATMENT

Section	
725.370	Applicability
725.372	General Operating Requirements
725.373	Waste Analysis
725.376	Food Chain Crops
725.378	Unsaturated Zone (Zone of Aeration) Monitoring

725.379	Recordkeeping
725.380	Closure and Post-closure
725.381	Special Requirements for Ignitable or Reactive Waste
725.382	Special Requirements for Incompatible Wastes

SUBPART N: LANDFILLS

Section	
725.400	Applicability
725.401	Design Requirements
725.402	Action Leakage Rate
725.403	Response Actions
725.404	Monitoring and Inspection
725.409	Surveying and Recordkeeping
725.410	Closure and Post-Closure
725.412	Special Requirements for Ignitable or Reactive Waste
725.413	Special Requirements for Incompatible Wastes
725.414	Special Requirements for Liquid Wastes
725.415	Special Requirements for Containers
725.416	Disposal of Small Containers of Hazardous Waste in Overpacked Drums (Lab Packs)

SUBPART O: INCINERATORS

Section	
725.440	Applicability
725.441	Waste Analysis
725.445	General Operating Requirements
725.447	Monitoring and Inspection
725.451	Closure
725.452	Interim Status Incinerators Burning Particular Hazardous Wastes

SUBPART P: THERMAL TREATMENT

Section	
725.470	Other Thermal Treatment
725.473	General Operating Requirements
725.475	Waste Analysis
725.477	Monitoring and Inspections
725.481	Closure
725.482	Open Burning; Waste Explosives
725.483	Interim Status Thermal Treatment Devices Burning Particular Hazardous Waste

SUBPART Q: CHEMICAL, PHYSICAL AND BIOLOGICAL TREATMENT

Section	
725.500	Applicability
725.501	General Operating Requirements
725.502	Waste Analysis and Trial Tests

725.503	Inspections
725.504	Closure
725.505	Special Requirements for Ignitable or Reactive Waste
725.506	Special Requirements for Incompatible Wastes

SUBPART R: UNDERGROUND INJECTION

Section	
725.530	Applicability

SUBPART W: DRIP PADS

Section	
725.540	Applicability
725.541	Assessment of existing drip pad integrity
725.542	Design and installation of new drip pads
725.543	Design and operating requirements
725.544	Inspections
725.545	Closure

SUBPART AA: AIR EMISSION STANDARDS FOR PROCESS VENTS

Section	
725.930	Applicability
725.931	Definitions
725.932	Standards: Process Vents
725.933	Standards: Closed-vent Systems and Control Devices
725.934	Test methods and procedures
725.935	Recordkeeping Requirements

SUBPART BB: AIR EMISSION STANDARDS FOR EQUIPMENT LEAKS

Section	
725.950	Applicability
725.951	Definitions
725.952	Standards: Pumps in Light Liquid Service
725.953	Standards: Compressors
725.954	Standards: Pressure Relief Devices in Gas/Vapor Service
725.955	Standards: Sampling Connecting Systems
725.956	Standards: Open-ended Valves or Lines
725.957	Standards: Valves in Gas/Vapor or Light Liquid Service
725.958	Standards: Pumps, Valves, Pressure Relief Devices, Flanges and Other Connectors
725.959	Standards: Delay of Repair
725.960	Standards: Closed-vent Systems and Control Devices
725.961	Percent Leakage Alternative for Valves
725.962	Skip Period Alternative for Valves
725.963	Test Methods and Procedures
725.964	Recordkeeping Requirements

SUBPART CC: AIR EMISSION STANDARDS FOR TANKS, SURFACE
IMPOUNDMENTS, AND CONTAINERS

Section	
725.980	Applicability
725.981	Definitions
725.982	Schedule for Implementation of Air Emission Standards
725.983	Standards: General
725.984	Waste Determination Procedures
725.985	Standards: Tanks
725.986	Standards: Surface Impoundments
725.987	Standards: Containers
725.988	Standards: Closed-vent Systems and Control Devices
725.989	Inspection and Monitoring Requirements
725.990	Recordkeeping Requirements
725.991	Alternative Tank Emission Control Requirements

SUBPART DD: CONTAINMENT BUILDINGS

Section	
725.1100	Applicability
725.1101	Design and operating standards
725.1102	Closure and Post Closure-Care
725.Appendix A	Recordkeeping Instructions
725.Appendix B	EPA Report Form and Instructions (Repealed)
725.Appendix C	EPA Interim Primary Drinking Water Standards
725.Appendix D	Tests for Significance
725.Appendix E	Examples of Potentially Incompatible Waste

AUTHORITY: Implementing Sections 22.4 and 22.23a and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/22.4, 22.23a, and 27].

SOURCE: Adopted in R81-22, 43 PCB 427, at 5 Ill. Reg. 9781, effective May 17, 1982; amended and codified in R81-22, 45 PCB 317, at 6 Ill. Reg. 4828, effective May 17, 1982; amended in R82-18, 51 PCB 831, at 7 Ill. Reg. 2518, effective February 22, 1983; amended in R82-19, 53 PCB 131, at 7 Ill. Reg. 14034, effective October 12, 1983; amended in R84-9, at 9 Ill. Reg. 11869, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 1085, effective January 2, 1986; amended in R86-1 at 10 Ill. Reg. 14069, effective August 12, 1986; amended in R86-28 at 11 Ill. Reg. 6044, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13489, effective August 4, 1987; amended in R87-5 at 11 Ill. Reg. 19338, effective November 10, 1987; amended in R87-26 at 12 Ill. Reg. 2485, effective January 15, 1988; amended in R87-39 at 12 Ill. Reg. 13027, effective July 29, 1988; amended in R88-16 at 13 Ill. Reg. 437, effective December 28, 1988; amended in R89-1 at 13 Ill. Reg. 18354, effective November 13, 1989; amended in R90-2 at 14 Ill. Reg. 14447, effective August 22, 1990;

amended in R90-10 at 14 Ill. Reg. 16498, effective September 25, 1990; amended in R90-11 at 15 Ill. Reg. 9398, effective June 17, 1991; amended in R91-1 at 15 Ill. Reg. 14534, effective October 1, 1991; amended in R91-13 at 16 Ill. Reg. 9578, effective June 9, 1992; amended in R92-1 at 16 Ill. Reg. 17672, effective November 6, 1992; amended in R92-10 at 17 Ill. Reg. 5681, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20620, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6771, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12190, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17548, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9566, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 11078, August 1, 1996; amended in R96-10/R97-3/R97-5 at 21 Ill. Reg. _____, effective _____; amended in R98-12 at 22 Ill. Reg. _____, effective _____.

SUBPART A: GENERAL PROVISIONS

Section 725.101 Purpose, Scope and Applicability

- a) The purpose of this Part is to establish minimum standards that define the acceptable management of hazardous waste during the period of interim status and until certification of final closure or, if the facility is subject to post-closure requirements, until post-closure responsibilities are fulfilled.
- b) Except as provided in Section 725.980(b), the standards in this Part and 35 Ill. Adm. Code 724.652 and 724.653 apply to owners and operators of facilities that treat, store, or dispose of hazardous waste that have fully complied with the requirements for interim status under Section 3005(e) of the Resource Conservation and Recovery Act (RCRA) (42 U.S.C. 6901 et seq.) and 35 Ill. Adm. Code 703, until either a permit is issued under Section 3005 of the Resource Conservation and Recovery Act or Section 21(f) of the Environmental Protection Act, or until applicable closure and post-closure responsibilities under this Part are fulfilled, and to those owners and operators of facilities in existence on November 19, 1980, that have failed to provide timely notification as required by Section 3010(a) of RCRA or that have failed to file Part A of the Permit Application, as required by 40 CFR 270.10(e) and (g) or 35 Ill. Adm. Code 703.150 and 703.152. These standards apply to all treatment, storage, or disposal of hazardous waste at these facilities after November 19, 1980, except as specifically provided otherwise in this Part or 35 Ill. Adm. Code 721.

BOARD NOTE: As stated in Section 3005(a) of RCRA, after the effective date of regulations under that Section (i.e., 40 CFR 270 and 124) the treatment, storage, or disposal of hazardous waste is prohibited except in accordance with a permit. Section 3005(e) of RCRA provides for the continued operation of an existing facility that meets certain conditions until final administrative disposition of the owner's and operator's permit application is made. 35 Ill. Adm. Code 703.140 et seq. provide that a permit is deemed issued under

Section 21(f)(1) of the Environmental Protection Act under conditions similar to federal interim status.

- c) The requirements of this Part do not apply to:
- 1) A person disposing of hazardous waste by means of ocean disposal subject to a permit issued under the Marine Protection, Research and Sanctuaries Act (16 U.S.C. 1431-1434; 33 U.S.C. 1401);

BOARD NOTE: This Part applies to the treatment or storage of hazardous waste before it is loaded into an ocean vessel for incineration or disposal at sea, as provided in subsection (b) above.
 - 3) The owner or operator of a POTW (publicly owned treatment works) that treats, stores or disposes of hazardous waste;

BOARD NOTE: The owner or operator of a facility under subsections (c)(1) through (c)(3) is subject to the requirements of 35 Ill. Adm. Code 724 to the extent they are included in a permit by rule granted to such a person under 35 Ill. Adm. Code 702 and 703 or are required by 35 Ill. Adm. Code 704.Subpart F.
 - 5) The owner or operator of a facility permitted, licensed, or registered by Illinois to manage municipal or industrial solid waste, if the only hazardous waste the facility treats, stores, or disposes of is excluded from regulation under this Part by 35 Ill. Adm. Code 721.105;
 - 6) The owner or operator of a facility managing recyclable materials described in 35 Ill. Adm. Code 721.106(a)(2) through (a)(4), except to the extent that requirements of this Part are referred to in 35 Ill. Adm. Code 726.Subparts C, F, G, or H or 35 Ill. Adm. Code 739;
 - 7) A generator accumulating waste on-site in compliance with 35 Ill. Adm. Code 722.134, except to the extent the requirements are included in 35 Ill. Adm. Code 722.134;
 - 8) A farmer disposing of waste pesticides from the farmer's own use in compliance with 35 Ill. Adm. Code 722.170;
 - 9) The owner or operator of a totally enclosed treatment facility, as defined in 35 Ill. Adm. Code 720.110;
 - 10) The owner or operator of an elementary neutralization unit or a wastewater treatment unit as defined in 35 Ill. Adm. Code 720.110, provided that if the owner or operator is diluting hazardous ignitable

(D001) wastes (other than the D001 High TOC Subcategory defined in 35 Ill. Adm. Code 728. Table T) or reactive (D003) waste in order to remove the characteristic before land disposal, the owner or operator must comply with the requirements set out in Section 725.117(b);

- 11) Immediate response:
 - A) Except as provided in subsection (c)(11)(B) below, a person engaged in treatment or containment activities during immediate response to any of the following situations:
 - i) A discharge of a hazardous waste;
 - ii) An imminent and substantial threat of a discharge of a hazardous waste;
 - iii) A discharge of a material that becomes a hazardous waste when discharged.
 - B) An owner or operator of a facility otherwise regulated by this Part must comply with all applicable requirements of 725.Subparts C and D.
 - C) Any person that is covered by subsection (c)(11)(A) above that continues or initiates hazardous waste treatment or containment activities after the immediate response is over is subject to all applicable requirements of this Part and 35 Ill. Adm. Code 702, 703, and 705 for those activities;
- 12) A transporter storing manifested shipments of hazardous waste in containers meeting the requirements of 35 Ill. Adm. Code 722.130 at a transfer facility for a period of ten days or less;
- 13) The addition of absorbent material to waste in a container (as defined in 35 Ill. Adm. Code 720.110) or the addition of waste to the absorbent material in a container, provided that these actions occur at the time that the waste is first placed in the containers and Sections 725.117(b), 725.271, and 725.272 are complied with;
- 14) A universal waste handler or universal waste transporter (as defined in 35 Ill. Adm. Code 720.110) that handles any of the wastes listed below is subject to regulation under 35 Ill. Adm. Code 733 when handling the following universal wastes:
 - A) Batteries, as described in 35 Ill. Adm. Code 733.102;

- B) Pesticides, as described in 35 Ill. Adm. Code 733.103; ~~and~~
- C) Thermostats, as described in 35 Ill. Adm. Code 733.104; and
- D) Mercury-containing lamps, as described in 35 Ill. Adm. Code 733.107.

BOARD NOTE: Subsection (c)(14)(D) of this Section was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

- d) The following hazardous wastes must not be managed at facilities subject to regulation under this Part: hazardous waste numbers F020, F021, F022, F023, F026, or F027 unless:
 - 1) The wastewater treatment sludge is generated in a surface impoundment as part of the plant's wastewater treatment system;
 - 2) The waste is stored in tanks or containers;
 - 3) The waste is stored or treated in waste piles that meet the requirements of 35 Ill. Adm. Code 724.350(c) and all other applicable requirements of 725.Subpart L;
 - 4) The waste is burned in incinerators that are certified pursuant to the standards and procedures in Section 725.452; or
 - 5) The waste is burned in facilities that thermally treat the waste in a device other than an incinerator and that are certified pursuant to the standards and procedures in Section 725.483.
- e) This Part applies to owners and operators of facilities that treat, store, or dispose of hazardous wastes referred to in 35 Ill. Adm. Code 728, and the 35 Ill. Adm. Code 728 standards are considered material conditions or requirements of the interim status standards of this Part.
- f) Other bodies of regulations may apply a person, facility, or activity, such as 35 Ill. Adm. Code 809 (special waste hauling), 35 Ill. Adm. Code 807 or 810 through 817 (solid waste landfills), 35 Ill. Adm. Code 848 or 849 (used and scrap tires), or 35 Ill. Adm. Code 1420 through 1422 (~~potentially~~ potentially infectious medical waste), depending on the provisions of those other regulations.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE G: WASTE DISPOSAL
CHAPTER I: POLLUTION CONTROL BOARD
SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 728
LAND DISPOSAL RESTRICTIONS

SUBPART A: GENERAL

Section	
728.101	Purpose, Scope and Applicability
728.102	Definitions
728.103	Dilution Prohibited as a Substitute for Treatment
728.104	Treatment Surface Impoundment Exemption
728.105	Procedures for case-by-case Extensions to an Effective Date
728.106	Petitions to Allow Land Disposal of a Waste Prohibited under Subpart C
728.107	Waste Analysis and Recordkeeping
728.108	Landfill and Surface Impoundment Disposal Restrictions (Repealed)
728.109	Special Rules for Characteristic Wastes

SUBPART B: SCHEDULE FOR LAND DISPOSAL PROHIBITION AND
ESTABLISHMENT OF TREATMENT STANDARDS

Section	
728.110	First Third
728.111	Second Third
728.112	Third Third
728.113	Newly Listed Wastes
728.114	Surface Impoundment exemptions

SUBPART C: PROHIBITION ON LAND DISPOSAL

Section	
728.130	Waste Specific Prohibitions -- Solvent Wastes
728.131	Waste Specific Prohibitions -- Dioxin-Containing Wastes
728.132	Waste Specific Prohibitions -- California List Wastes
728.133	Waste Specific Prohibitions: First Third Wastes
728.134	Waste Specific Prohibitions -- Second Third Wastes
728.135	Waste Specific Prohibitions -- Third Third Wastes
728.136	Waste Specific Prohibitions -- Newly Listed Wastes
728.137	Waste Specific Prohibitions -- Ignitable and Corrosive Characteristic Wastes Whose Treatment Standards Were Vacated
728.138	Waste-Specific Prohibitions: Newly-Identified Organic Toxicity Characteristic Wastes and Newly-Listed Coke By-Product and Chlorotoluene Production Wastes
728.139	Statutory Prohibitions

SUBPART D: TREATMENT STANDARDS

Section	
728.140	Applicability of Treatment Standards
728.141	Treatment Standards Expressed as Concentrations in Waste Extract
728.142	Treatment Standards Expressed as Specified Technologies
728.143	Treatment Standards Expressed as Waste Concentrations
728.144	Adjustment of Treatment Standard
728.145	Treatment Standards for Hazardous Debris
728.146	Alternative Treatment Standards Based on HTMR
728.148	Universal Treatment Standards

SUBPART E: PROHIBITIONS ON STORAGE

Section	
728.150	Prohibitions on Storage of Restricted Wastes
728.Appendix A	Toxicity Characteristic Leaching Procedure (TCLP)
728.Appendix B	Treatment Standards (As concentrations in the Treatment Residual Extract)
728.Appendix C	List of Halogenated Organic Compounds
728.Appendix D	Wastes Excluded from Lab Packs
728.Appendix E	Organic Lab Packs (Repealed)
728.Appendix F	Technologies to Achieve Deactivation of Characteristics
728.Appendix G	Federal Effective Dates
728.Appendix H	National Capacity LDR Variances for UIC Wastes
728.Appendix I	EP Toxicity Test Method and Structural Integrity Test
728.Appendix J	Recordkeeping, Notification, and Certification Requirements
728.Table A	Constituent Concentrations in Waste Extract (CCWE)
728.Table B	Constituent Concentrations in Wastes (CCW)
728.Table C	Technology Codes and Description of Technology-Based Standards
728.Table D	Technology-Based Standards by RCRA Waste Code
728.Table E	Standards for Radioactive Mixed Waste
728.Table F	Alternative Treatment Standards for Hazardous Debris
728.Table G	Alternative Treatment Standards Based on HMTR
728.Table H	Wastes Excluded from CCW Treatment Standards
728.Table T	Treatment Standards for Hazardous Wastes
728.Table U	Universal Treatment Standards (UTS)

AUTHORITY: Implementing Sections 22.4 and 22.23a and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/22.4, 22.23a, and 27].

SOURCE: Adopted in R87-5 at 11 Ill. Reg. 19354, effective November 12, 1987; amended in R87-39 at 12 Ill. Reg. 13046, effective July 29, 1988; amended in R89-1 at 13 Ill. Reg. 18403, effective November 13, 1989; amended in R89-9 at 14 Ill. Reg. 6232, effective April

16, 1990; amended in R90-2 at 14 Ill. Reg. 14470, effective August 22, 1990; amended in R90-10 at 14 Ill. Reg. 16508, effective September 25, 1990; amended in R90-11 at 15 Ill. Reg. 9462, effective June 17, 1991; amendment withdrawn at 15 Ill. Reg. 14716, October 11, 1991; amended in R91-13 at 16 Ill. Reg. 9619, effective June 9, 1992; amended in R92-10 at 17 Ill. Reg. 5727, effective March 26, 1993; amended in R93-4 at 17 Ill. Reg. 20692, effective November 22, 1993; amended in R93-16 at 18 Ill. Reg. 6799, effective April 26, 1994; amended in R94-7 at 18 Ill. Reg. 12203, effective July 29, 1994; amended in R94-17 at 18 Ill. Reg. 17563, effective November 23, 1994; amended in R95-6 at 19 Ill. Reg. 9660, effective June 27, 1995; amended in R95-20 at 20 Ill. Reg. 11100, August 1, 1996; amended in R96-10/R97-3/R97-5 at 21 Ill. Reg. _____, effective _____; amended in R98-12 at 22 Ill. Reg. _____, effective _____.

SUBPART A: GENERAL

Section 728.101 Purpose, Scope and Applicability

- a) This Part identifies hazardous wastes that are restricted from land disposal and defines those limited circumstances under which an otherwise prohibited waste may continue to be land disposed.
- b) Except as specifically provided otherwise in this Part or 35 Ill. Adm. Code 721, the requirements of this Part apply to persons that generate or transport hazardous waste and to owners and operators of hazardous waste treatment, storage, and disposal facilities.
- c) Restricted wastes may continue to be land disposed as follows:
 - 1) Where persons have been granted an extension to the effective date of a prohibition under Subpart C or pursuant to Section 728.105, with respect to those wastes covered by the extension;
 - 2) Where persons have been granted an exemption from a prohibition pursuant to a petition under Section 728.106, with respect to those wastes and units covered by the petition;
 - 3) Wastes that are hazardous only because they exhibit a hazardous characteristic and that are otherwise prohibited from land disposal under this Part are not prohibited from land disposal if the wastes:
 - A) Are disposed into a nonhazardous or hazardous waste injection well, as defined in 35 Ill. Adm. Code 704.106(a);
 - B) Do not exhibit any prohibited characteristic of hazardous waste at the point of injection; and

- C) If, at the point of generation, the injected wastes include D001 High TOC subcategory wastes or D012-D017 pesticide wastes that are prohibited under Section 728.117(c), those wastes have been treated to meet the treatment standards of Section 728.140 prior to injection.
- d) This Part does not affect the availability of a waiver under Section 121(d)(4) of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) (42 U.S.C. §§ 9601 et seq.).
- e) The following hazardous wastes are not subject to any provision of this Part:
 - 1) Wastes generated by small quantity generators of less than 100 kg of non-acute hazardous waste or less than 1 kg of acute hazardous waste per month, as defined in 35 Ill. Adm. Code 721.105;
 - 2) Waste pesticides that a farmer disposes of pursuant to 35 Ill. Adm. Code 722.170;
 - 3) Wastes identified or listed as hazardous after November 8, 1984, for which USEPA has not promulgated land disposal prohibitions or treatment standards;
 - 4) De minimis losses to wastewater treatment systems of commercial chemical product or chemical intermediates that are ignitable (D001) or corrosive (D002) or that are organic constituents that exhibit the characteristic of toxicity (D012-D043) and that contain underlying hazardous constituents, as defined in Section 728.102 of this Part, are not considered to be prohibited wastes. “De minimis” is defined as losses from normal material handling operations (e.g., spills from the unloading or transfer of materials from bins or other containers or leaks from pipes, valves, or other devices used to transfer materials); minor leaks of process equipment, storage tanks, or containers; leaks from well-maintained pump packings and seals; sample purging; relief device discharges; discharges from safety showers and rinsing and cleaning of personal safety equipment; and rinsate from empty containers or from containers that are rendered empty by that rinsing;
 - 5) Land disposal prohibitions for hazardous characteristic wastes do not apply to laboratory wastes displaying the characteristic of ignitability (D001), corrosivity (D002), or organic toxicity (D012 through D043) that are mixed with other plant wastewaters at facilities whose ultimate discharge is subject to regulation under the CWA (including wastewaters at facilities that have eliminated the discharge of wastewater), provided

that the annualized flow of laboratory wastewater into the facility's headwork does not exceed one percent or that the laboratory wastes' combined annualized average concentration does not exceed one part per million in the facility's headworks.

- f) A universal waste handler or universal waste transporter (as defined in 35 Ill. Adm. Code 720.110) is exempt from Sections 728.107 and 268.150 for the hazardous wastes listed below. Such a handler or transporter is subject to regulation under 35 Ill. Adm. Code 733.
- 1) Batteries, as described in 35 Ill. Adm. Code 733.102;
 - 2) Pesticides, as described in 35 Ill. Adm. Code 733.103;~~and~~
 - 3) Thermostats, as described in 35 Ill. Adm. Code 733.104~~;~~ and
 - 4) Mercury-containing lamps, as described in 35 Ill. Adm. Code 733.107.

BOARD NOTE: Subsection (c)(4) of this Section was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

- g) This Part is cumulative with the land disposal restrictions of 35 Ill. Adm. Code 729. The Environmental Protection Agency (Agency) shall not issue a wastestream authorization pursuant to 35 Ill. Adm. Code 709 or Sections 22.6 or 39(h) of the Environmental Protection Act [415 ILCS 5/22.6 or 39(h)] unless the waste meets the requirements of this Part as well as 35 Ill. Adm. Code 729.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

TITLE 35: ENVIRONMENTAL PROTECTION
 SUBTITLE G: WASTE DISPOSAL
 CHAPTER I: POLLUTION CONTROL BOARD
 SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

PART 733
 STANDARDS FOR UNIVERSAL WASTE MANAGEMENT

SUBPART A: GENERAL

Section	
733.101	Scope
733.102	Applicability—Batteries
733.103	Applicability—Pesticides
733.104	Applicability—Mercury Thermostats

733.105	Applicability—Household and Conditionally Exempt Small Quantity Generator Waste
733.106	Definitions
733.107	Applicability—Mercury-Containing Lamps

SUBPART B: STANDARDS FOR SMALL QUANTITY HANDLERS

Section	
733.110	Applicability
733.111	Prohibitions
733.112	Notification
733.113	Waste Management
733.114	Labeling and Marking
733.115	Accumulation Time Limits
733.116	Employee Training
733.117	Response to Releases
733.118	Off-Site Shipments
733.119	Tracking Universal Waste Shipments
733.120	Exports

SUBPART C: STANDARDS FOR LARGE QUANTITY HANDLERS

Section	
733.130	Applicability
733.131	Prohibitions
733.132	Notification
733.133	Waste Management
733.134	Labeling and Marking
733.135	Accumulation Time Limits
733.136	Employee Training
733.137	Response to Releases
733.138	Off-Site Shipments
733.139	Tracking Universal Waste Shipments
733.140	Exports

SUBPART D: STANDARDS FOR UNIVERSAL WASTE TRANSPORTERS

Section	
733.150	Applicability
733.151	Prohibitions
733.152	Waste Management
733.153	Accumulation Time Limits
733.154	Response to Releases
733.155	Off-site Shipments
733.156	Exports

SUBPART E: STANDARDS FOR DESTINATION FACILITIES

Section

- 733.160 Applicability
- 733.161 Off-Site Shipments
- 733.162 Tracking Universal Waste Shipments

SUBPART F: IMPORT REQUIREMENTS

- Section
- 733.170 Imports

SUBPART G: PETITIONS TO INCLUDE OTHER WASTES

- Section
- 733.180 General
- 733.181 Factors for Petitions to Include Other Wastes

AUTHORITY: Implementing Sections 22.4 and 22.23a and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/22.4, 22.23a, and 27].

SOURCE: Adopted in R95-20 at 20 Ill. Reg. 11291, effective August 1, 1996; amended in R96-10/R97-3/R97-5 at 21 Ill. Reg. _____, effective _____; amended in R98-12 at 22 Ill. Reg. _____, effective _____.

SUBPART A: GENERAL

- Section 733.101 Scope

- a) This Part establishes requirements for managing the following:
 - 1) Batteries, as described in Section 733.102;
 - 2) Pesticides, as described in Section 733.103;~~and~~
 - 3) Thermostats, as described in Section;~~;~~ and
 - 4) Mercury-containing lamps, as described in Section 733.107.

BOARD NOTE: Subsection (a)(4) of this Section was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

- b) This Part provides an alternative set of management standards in lieu of regulation under 35 Ill. Adm. Code 702 through 705, 720 through 726, and 728.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

Section 733.106 Definitions

“Battery” means a device consisting of one or more electrically connected electrochemical cells which is designed to receive, store, and deliver electric energy. An electrochemical cell is a system consisting of an anode, cathode, and an electrolyte, plus such connections (electrical and mechanical) as may be needed to allow the cell to deliver or receive electrical energy. The term battery also includes an intact, unbroken battery from which the electrolyte has been removed.

“Destination facility” means a facility that treats, disposes of, or recycles a particular category of universal waste, except those management activities described in Sections 733.113 (a) and (c) and 733.133 (a) and (c). A facility at which a particular category of universal waste is only accumulated is not a destination facility for purposes of managing that category of universal waste.

“Electric lamp” means the bulb or tube portion of a lighting device specifically designed to produce radiant energy, most often in the ultraviolet, visible, and infrared regions of the electromagnetic spectrum.

BOARD NOTE: The definition of “electric lamp” was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

“FIFRA” means the Federal Insecticide, Fungicide, and Rodenticide Act (7 U.S.C. §§ 136-136y).

“Generator” means any person, by site, whose act or process produces hazardous waste identified or listed in 35 Ill. Adm. Code 721 or whose act first causes a hazardous waste to become subject to regulation.

“Large quantity handler of universal waste” means a universal waste handler (as defined in this Section) that accumulates 5,000 kilograms or more total of universal waste (batteries, pesticides, ~~or~~ thermostats, or mercury-containing lamps, calculated collectively) at any time. This designation as a large quantity handler of universal waste is retained through the end of the calendar year in which 5,000 kilograms or more total of universal waste is accumulated.

BOARD NOTE: Mercury-containing lamps were added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

“Mercury-containing lamp” means an electric lamp into which mercury is purposely introduced by the manufacturer for the operation of the lamp. Mercury-containing lamps include, but are not limited to, fluorescent lamps and high-intensity discharge lamps.

BOARD NOTE: The definition of “mercury-containing lamp” was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

“On-site” means the same or geographically contiguous property that may be divided by public or private right-of-way, provided that the entrance and exit between the properties is at a cross-roads intersection, and access is by crossing as opposed to going along the right of way. Non-contiguous properties, owned by the same person but connected by a right-of-way that that person controls and to which the public does not have access, are also considered on-site property.

“Pesticide” means any substance or mixture of substances intended for preventing, destroying, repelling, or mitigating any pest or intended for use as a plant regulator, defoliant, or desiccant, other than any article that fulfills one of the following descriptions:

It is a new animal drug under Section 201(v) of the Federal Food, Drug and Cosmetic Act (FFDCA; 21 U.S.C. § 321(v)), incorporated by reference in Section 720.111,

It is an animal drug that has been determined by regulation of the federal Secretary of Health and Human Services pursuant to FFDCA Section 360b(j), incorporated by reference in Section 720.111, to be an exempted new animal drug, or

It is an animal feed under FFDCA Section 201(w) (21 U.S.C. § 321(w)), incorporated by reference in Section 720.111 that bears or contains any substances described in either of the two preceding paragraphs of this definition.

BOARD NOTE: The second exception of corresponding 40 CFR 273.6 reads as follows: “Is an animal drug that has been determined by regulation of the Secretary of Health and Human Services not to be a new animal drug”. This is very similar to the language of Section 2(u) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA; 7 U.S.C. § 136(u)). The three exceptions, taken together, appear intended not to include as “pesticide” any material within the scope of federal Food and Drug Administration regulation. The Board codified this provision with the intent of retaining the same meaning as its federal counterpart while adding the ~~definiteness~~ definiteness required under Illinois law.

“Small quantity handler of universal waste” means a universal waste handler (as defined in this Section) that does not accumulate more than 5,000 kilograms

total of universal waste (batteries, pesticides, ~~or~~ thermostats, or mercury-containing lamps, calculated collectively) at any time.

BOARD NOTE: Mercury-containing lamps were added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

“Thermostat” means a temperature control device that contains metallic mercury in an ampule attached to a bimetal sensing element and mercury-containing ampules that have been removed from such a temperature control device in compliance with the requirements of 35 Ill. Adm. Code 733.113(c)(2) or 733.133(c)(2).

“Universal waste” means any of the following hazardous wastes that are subject to the universal waste requirements of this Part:

Batteries, as described in Section 733.102;

Pesticides, as described in Section 733.103; ~~and~~

Thermostats, as described in Section 733.104; and

Mercury-containing lamps, as described in Section 733.107.

BOARD NOTE: Mercury-containing lamps were added as universal waste pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

“Universal waste handler” means either of the following:

A generator (as defined in this Section) of universal waste; or

The owner or operator of a facility, including all contiguous property, that receives universal waste from other universal waste handlers, accumulates universal waste, and sends universal waste to another universal waste handler, to a destination facility, or to a foreign destination.

“Universal waste handler” does not mean:

A person that treats (except under the provisions of Section 733.113(a) or (c) or 733.133(a) or (c)), disposes of, or recycles universal waste; or

A person engaged in the off-site transportation of universal waste by air, rail, highway, or water, including a universal waste transfer facility.

“Universal waste transfer facility” means any transportation-related facility including loading docks, parking areas, storage areas and other similar areas where shipments of universal waste are held during the normal course of transportation for ten days or less.

“Universal waste transporter” means a person engaged in the off-site transportation of universal waste by air, rail, highway, or water.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

Section 733.107 Applicability--Mercury-Containing Lamps

- a) Mercury-containing lamps covered under this Part. The requirements of this Part apply to persons managing mercury-containing lamps, except those listed in subsection (b) of this Section.
- b) Mercury-containing lamps not covered under this Part. The requirements of this Part do not apply to persons managing the following mercury-containing lamps:
 - 1) Mercury-containing lamps that are not yet wastes under 35 Ill. Adm. Code 721, including those that do not meet the criteria for waste generation in subsection (c) of this Section.
 - 2) Mercury-containing lamps that are not hazardous waste. A mercury-containing lamp is not a hazardous waste if it does not exhibit one or more of the characteristics identified in 35 Ill. Adm. Code 721.Subpart C.
- c) Generation of waste mercury-containing lamps.
 - 1) A used mercury-containing lamp becomes a waste on the date that the handler permanently removes it from its fixture.
 - 2) An unused mercury-containing lamp becomes a waste on the date that the handler decides to discard it.

BOARD NOTE: Section 733.107 was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

(Source: Added at 22 Ill. Reg. _____, effective _____)

SUBPART B: STANDARDS FOR SMALL QUANTITY HANDLERS

Section 733.113 Waste Management

- a) Universal waste batteries. A small quantity handler of universal waste shall manage universal waste batteries in a way that prevents releases of any universal waste or component of a universal waste to the environment, as follows:
 - 1) A small quantity handler of universal waste shall contain any universal waste battery that shows evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions in a container. The container must be closed, structurally sound, compatible with the contents of the battery, and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.
 - 2) A small quantity handler of universal waste may conduct the following activities, as long as the casing of each individual battery cell is not breached and remains intact and closed (except that cells may be opened to remove electrolyte but must be immediately closed after removal):
 - A) Sorting batteries by type;
 - B) Mixing battery types in one container;
 - C) Discharging batteries so as to remove the electric charge;
 - D) Regenerating used batteries;
 - E) Disassembling batteries or battery packs into individual batteries or cells;
 - F) Removing batteries from consumer products; or
 - G) Removing electrolyte from batteries.
 - 3) A small quantity handler of universal waste that removes electrolyte from batteries, or that generates other solid waste (e.g., battery pack materials, discarded consumer products) as a result of the activities listed above, shall determine whether the electrolyte or other solid waste exhibits a characteristic of hazardous waste identified in 35 Ill. Adm. Code 721.Subpart C.

- A) If the electrolyte or other solid waste exhibits a characteristic of hazardous waste, it is subject to all applicable requirements of 35 Ill. Adm. Code 702 through 705, 720 through 726, and 728. The handler is considered the generator of the hazardous electrolyte or other waste and is subject to 35 Ill. Adm. Code 722.
- B) If the electrolyte or other solid waste is not hazardous, the handler may manage the waste in any way that is in compliance with applicable federal, state, or local solid (nonhazardous) waste regulations.

BOARD NOTE: See generally the Act and 35 Ill. Adm. Code 807 through 817 to determine whether additional facility siting, special waste, or nonhazardous waste landfills apply to the waste. Consult the ordinances of relevant units of local government to determine whether local requirements apply.

- b) Universal waste pesticides. A small quantity handler of universal waste shall manage universal waste pesticides in a way that prevents releases of any universal waste or component of a universal waste to the environment. The universal waste pesticides must be contained in one or more of the following:
 - 1) A container that remains closed, structurally sound, compatible with the pesticide, and that lacks evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions;
 - 2) A container that does not meet the requirements of subsection (b)(1) above, provided that the unacceptable container is overpacked in a container that does meet the requirements of subsection (b)(1);
 - 3) A tank that meets the requirements of 35 Ill. Adm. Code 725.Subpart J, except for 35 Ill. Adm. Code 725.297(c), 265.300, and 265.301; or
 - 4) A transport vehicle or vessel that is closed, structurally sound, compatible with the pesticide, and that lacks evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.
- c) Universal waste thermostats. A small quantity handler of universal waste shall manage universal waste thermostats in a way that prevents releases of any universal waste or component of a universal waste to the environment, as follows:

- 1) A small quantity handler of universal waste shall contain any universal waste thermostat that shows evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions in a container. The container must be closed, structurally sound, compatible with the contents of the thermostat, and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.
- 2) A small quantity handler of universal waste may remove mercury-containing ampules from universal waste thermostats provided the handler follows each of the following procedures:
 - A) It removes the ampules in a manner designed to prevent breakage of the ampules;
 - B) It removes ampules only over or in a containment device (e.g., tray or pan sufficient to collect and contain any mercury released from an ampule in case of breakage);
 - C) It ensures that a mercury clean-up system is readily available to immediately transfer any mercury resulting from spills or leaks from broken ampules, from the containment device to a container that meets the requirements of 35 Ill. Adm. Code 722.134;
 - D) It immediately transfers any mercury resulting from spills or leaks from broken ampules from the containment device to a container that meets the requirements of 35 Ill. Adm. Code 722.134;
 - E) It ensures that the area in which ampules are removed is well ventilated and monitored to ensure compliance with applicable OSHA exposure levels for mercury;
 - F) It ensures that employees removing ampules are thoroughly familiar with proper waste mercury handling and emergency procedures, including transfer of mercury from containment devices to appropriate containers;
 - G) It stores removed ampules in closed, non-leaking containers that are in good condition;
 - H) It packs removed ampules in the container with packing materials adequate to prevent breakage during storage, handling, and transportation.

- 3) Required hazardous waste determination and further waste management.
- A) A small quantity handler of universal waste that removes mercury-containing ampules from thermostats shall determine whether the following exhibit a characteristic of hazardous waste identified in 35 Ill. Adm. Code 721.Subpart C:
- i) Mercury or clean-up residues resulting from spills or leaks; or
 - ii) Other solid waste generated as a result of the removal of mercury-containing ampules (e.g., remaining thermostat units).
- B) If the mercury, residues, or other solid waste exhibits a characteristic of hazardous waste, it must be managed in compliance with all applicable requirements of 35 Ill. Adm. Code 702 through 705, 720 through 726, and 728. The handler is considered the generator of the mercury, residues, or other waste and shall manage it is subject to 35 Ill. Adm. Code 722.
- C) If the mercury, residues, or other solid waste is not hazardous, the handler may manage the waste in any way that is in compliance with applicable federal, state, or local solid (nonhazardous) waste regulations.

BOARD NOTE: See generally the Act and 35 Ill. Adm. Code 807 through 817 to determine whether additional facility siting, special waste, or nonhazardous waste landfills apply to the waste. Consult the ordinances of relevant units of local government to determine whether local requirements apply.

- d) Universal waste mercury-containing lamps. A small quantity handler of universal waste shall manage universal waste mercury-containing lamps in a manner which prevents releases of any universal waste or component of a universal waste to the environment, as follows:
- 1) A small quantity handler of universal waste mercury-containing lamps shall, at all times:
 - A) Contain unbroken lamps in packaging which will minimize breakage during normal handling conditions; and
 - B) Contain broken lamps in packaging which will prevent releases of lamp fragments and residues.

- 2) A small quantity handler of universal waste mercury-containing lamps shall, at all times, manage waste lamps in a manner designed to minimize lamp breakage.
- 3) A small quantity handler of universal waste mercury-containing lamps shall immediately contain all releases of lamp fragments and residues from broken lamps.
- 4) A small quantity handler of universal wastes shall undertake hazardous waste determination and further waste management as follows:
- A) A small quantity handler of universal waste mercury-containing lamps shall determine whether the following exhibit a characteristic of hazardous waste identified in 35 Ill. Adm. Code 721.Subpart C:
- i) Any materials resulting from a release;
- ii) Clean-up residues from spills or breakage; or
- iii) Other solid waste generated as a result of handling waste lamps.
- B) If the material, residue, or other solid waste exhibit a characteristic of hazardous waste, it shall be managed in compliance with all applicable requirements of 35 Ill. Adm. Code 702 through 705, 720 through 726, and 728. The handler is considered to be the generator of the material, residue, or other hazardous waste and shall manage it in accordance with 35 Ill. Adm. Code 722.
- C) If the material, residue, or other solid waste is not hazardous, the handler may manage the waste in any manner which is in compliance with applicable federal, state, or local solid (nonhazardous) waste regulations.
- 5) Universal waste mercury-containing lamps shall not be intentionally broken or crushed.

BOARD NOTE: Subsection (d) of this Section was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

Section 733.114 Labeling and Marking

A small quantity handler of universal waste shall label or mark the universal waste to identify the type of universal waste as follows:

- a) Universal waste batteries (i.e., each battery) or a container in which the batteries are contained must be labeled or marked clearly with any one of the following phrases: “Universal Waste-Battery(ies)”, “Waste Battery(ies)”, or “Used Battery(ies)”;
- b) A container (or multiple container package unit), tank, transport vehicle, or vessel in which recalled universal waste pesticides, as described in Section 733.103(a)(1), are contained must be labeled or marked clearly as follows:
 - 1) The label that was on or accompanied the product as sold or distributed; and
 - 2) The words “Universal Waste-Pesticide(s)” or “Waste-Pesticide(s)”;
- c) A container, tank, or transport vehicle, or vessel in which unused pesticide products, as described in Section 733.103(a)(2), are contained must be labeled or marked clearly as follows:
 - (1) Pesticide labeling:
 - A) The label that was on the product when purchased, if still legible;
 - B) If using the labels described in subsection (c)(1)(A) above is not feasible, the appropriate label as required under USDOT regulation 49 CFR 172; or
 - C) If using the labels described in subsections (c)(1)(A) and (c)(1)(B) above is not feasible, another label prescribed or designated by the waste pesticide collection program administered or recognized by a state; and
 - 2) The words “Universal Waste-Pesticide(s)” or “Waste-Pesticide(s)”;
- d) Universal waste thermostats (i.e., each thermostat) or a container in which the thermostats are contained must be labeled or marked clearly with any one of the following phrases: “Universal Waste-Mercury Thermostat(s)”, or “Waste Mercury Thermostat(s)”, or “Used Mercury Thermostat(s)”.
- e) Universal waste mercury-containing lamps or a container in which the lamps are contained shall be labeled or clearly marked with any one of the following

phrases: “Universal Waste--Mercury-Containing Lamp(s)” or “Waste Mercury-Containing Lamp(s)” or “Used Mercury-Containing Lamp(s)”.

BOARD NOTE: Subsection (e) of this Section was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

Section 733.118 Off-Site Shipments

- a) A small quantity handler of universal waste is prohibited from sending or taking universal waste to a place other than another universal waste handler, a destination facility, or a foreign destination.
- b) If a small quantity handler of universal waste self-transportes universal waste off-site, the handler becomes a universal waste transporter for those self-transportation activities and shall comply with the transporter requirements of 733.Subpart D while transporting the universal waste.
- c) If a universal waste being offered for off-site transportation meets the definition of hazardous materials under 49 CFR 171 through 180, a small quantity handler of universal waste shall package, label, mark, and placard the shipment and prepare the proper shipping papers in accordance with the applicable USDOT regulations under 49 CFR 172 through 180.
- d) Prior to sending a shipment of universal waste to another universal waste handler, the originating handler shall ensure that the receiving handler agrees to receive the shipment.
- e) If a small quantity handler of universal waste sends a shipment of universal waste to another handler or to a destination facility and the shipment is rejected by the receiving handler or destination facility, the originating handler shall either:
 - 1) Receive the waste back when notified that the shipment has been rejected, or
 - 2) Agree with the receiving handler on a destination facility to which the shipment will be sent.
- f) A small quantity handler of universal waste may reject a shipment containing universal waste or a portion of a shipment containing universal waste that it has received from another handler. If a handler rejects a shipment or a portion of a shipment, it shall contact the originating handler to notify the originating

handler of the rejection and to discuss reshipment of the load. The handler shall perform either of the following actions:

- 1) Send the shipment back to the originating handler, or
 - 2) If agreed to by both the originating and receiving handler, send the shipment to a destination facility.
- g) If a small quantity handler of universal waste receives a shipment containing hazardous waste that is not a universal waste, the handler shall immediately notify the Agency (Bureau of Land, Illinois EPA, 10021 North Grand Avenue East, ~~P.O. Box 19276~~, Springfield, Illinois 62794-9276 (telephone: 217-782-6761)) of the illegal shipment, and provide the name, address, and phone number of the originating shipper. The Agency will provide instructions for managing the hazardous waste.
- h) If a small quantity handler of universal waste receives a shipment of non-hazardous, non-universal waste, the handler may manage the waste in any way that is in compliance with applicable federal, state, or local solid (nonhazardous) waste regulations.

BOARD NOTE: See generally the Act and 35 Ill. Adm. Code 807 through 817 to determine whether additional facility siting, special waste, or nonhazardous waste landfills apply to the waste. Consult the ordinances of relevant units of local government to determine whether local requirements apply.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

SUBPART C: STANDARDS FOR LARGE QUANTITY HANDLERS

Section 733.132 Notification

- a) Written notification of universal waste management.
 - 1) Except as provided in subsections (a)(2) and (a)(3) below, a large quantity handler of universal waste shall have sent written notification of universal waste management to the Agency, and received a USEPA Identification Number, before meeting or exceeding the 5,000 kilogram storage limit.
 - 2) A large quantity handler of universal waste that has already notified USEPA or the Agency of its hazardous waste management activities and has received a USEPA Identification Number is not required to renotify under this Section.

- 3) A large quantity handler of universal waste that manages recalled universal waste pesticides, as described in Section 733.103(a)(1), and that has sent notification to USEPA or the Agency, as required by 40 CFR 165, is not required to notify for those recalled universal waste pesticides under this Section.
- b) This notification must include:
- 1) The universal waste handler's name and mailing address;
 - 2) The name and business telephone number of the person at the universal waste handler's site who should be contacted regarding universal waste management activities;
 - 3) The address or physical location of the universal waste management activities;
 - 4) A list of all of the types of universal waste managed by the handler (e.g, batteries, pesticides, thermostats);
 - 5) A statement indicating that the handler is accumulating more than 5,000 kilograms of universal waste at one time and the types of universal waste (e.g, batteries, pesticides, thermostats, mercury-containing lamps) the handler is accumulating above this quantity.

BOARD NOTE: At 60 Fed. Reg. 25520-21 (May 11, 1995), USEPA explained that ~~that~~ the generator or consolidation point may use USEPA Form 8700-12 for notification. (To obtain USEPA Form 8700-12 call the Agency at 217-782-6761.) USEPA further explained that it is not necessary for the handler to aggregate the amounts of waste at multiple non-contiguous sites for the purposes of the 5,000 kilogram determination. Mercury-containing lamps were added as universal waste pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

Section 733.133 Waste Management

- a) Universal waste batteries. A large quantity handler of universal waste shall manage universal waste batteries in a way that prevents releases of any universal waste or component of a universal waste to the environment, as follows:
 - 1) A large quantity handler of universal waste shall contain any universal waste battery that shows evidence of leakage, spillage, or damage that

could cause leakage under reasonably foreseeable conditions in a container. The container must be closed, structurally sound, compatible with the contents of the battery, and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.

- 2) A large quantity handler of universal waste may conduct the following activities, as long as the casing of each individual battery cell is not breached and remains intact and closed (except that cells may be opened to remove electrolyte but must be immediately closed after removal):
 - A) Sorting batteries by type;
 - B) Mixing battery types in one container;
 - C) Discharging batteries so as to remove the electric charge;
 - D) Regenerating used batteries;
 - E) Disassembling batteries or battery packs into individual batteries or cells;
 - F) Removing batteries from consumer products; or
 - G) Removing electrolyte from batteries.

- 3) A large quantity handler of universal waste that removes electrolyte from batteries or that generates other solid waste (e.g., battery pack materials, discarded consumer products) as a result of the activities listed above shall determine whether the electrolyte or other solid waste exhibits a characteristic of hazardous waste identified in 35 Ill. Adm. Code 721.Subpart C.
 - A) If the electrolyte or other solid waste exhibits a characteristic of hazardous waste, it must be managed in compliance with all applicable requirements of 35 Ill. Adm. Code 702 through 705, 720 through 726, and 728. The handler is considered the generator of the hazardous electrolyte or other waste and is subject to 35 Ill. Adm. Code 722.
 - B) If the electrolyte or other solid waste is not hazardous, the handler may manage the waste in any way that is in compliance with applicable federal, state or local solid (nonhazardous) waste regulations.

BOARD NOTE: See generally the Act and 35 Ill. Adm. Code 807 through 817 to determine whether additional facility siting, special waste, or nonhazardous waste landfills apply to the waste. Consult the ordinances of relevant units of local government to determine whether local requirements apply.

- b) Universal waste pesticides. A large quantity handler of universal waste shall manage universal waste pesticides in a way that prevents releases of any universal waste or component of a universal waste to the environment. The universal waste pesticides must be contained in one or more of the following:
- 1) A container that remains closed, structurally sound, compatible with the pesticide, and that lacks evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions;
 - 2) A container that does not meet the requirements of subsection (b)(1) above, provided that the unacceptable container is overpacked in a container that does meet the requirements of subsection (b)(1);
 - 3) A tank that meets the requirements of 35 Ill. Adm. Code 725.Subpart J, except for 35 Ill. Adm. Code 725.297(c), 725.300, and 725.301; or
 - 4) A transport vehicle or vessel that is closed, structurally sound, compatible with the pesticide, and that lacks evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.
- c) Universal waste thermostats. A large quantity handler of universal waste shall manage universal waste thermostats in a way that prevents releases of any universal waste or component of a universal waste to the environment, as follows:
- 1) A large quantity handler of universal waste shall contain any universal waste thermostat that shows evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions in a container. The container must be closed, structurally sound, compatible with the contents of the thermostat, and must lack evidence of leakage, spillage, or damage that could cause leakage under reasonably foreseeable conditions.
 - 2) A large quantity handler of universal waste may remove mercury-containing ampules from universal waste thermostats provided the handler follows each of the following procedures:

- A) It removes the ampules in a manner designed to prevent breakage of the ampules;
 - B) It removes ampules only over or in a containment device (e.g., tray or pan sufficient to collect and contain any mercury released from an ampule in case of breakage);
 - C) It ensures that a mercury clean-up system is readily available to immediately transfer any mercury resulting from spills or leaks from broken ampules, from the containment device to a container that meets the requirements of 35 Ill. Adm. Code 722.134;
 - D) It immediately transfers any mercury resulting from spills or leaks from broken ampules from the containment device to a container that meets the requirements of 35 Ill. Adm. Code 722.134;
 - E) It ensures that the area in which ampules are removed is well ventilated and monitored to ensure compliance with applicable OSHA exposure levels for mercury;
 - F) It ensures that employees removing ampules are thoroughly familiar with proper waste mercury handling and emergency procedures, including transfer of mercury from containment devices to appropriate containers;
 - G) It stores removed ampules in closed, non-leaking containers that are in good condition;
 - H) It packs removed ampules in the container with packing materials adequate to prevent breakage during storage, handling, and transportation.
- 3) Required hazardous waste determination and further waste management.
- A) A large quantity handler of universal waste that removes mercury-containing ampules from thermostats shall determine whether the following exhibit a characteristic of hazardous waste identified in 35 Ill. Adm. Code 721.Subpart C:
 - i) Mercury or clean-up residues resulting from spills or leaks; or

ii) Other solid waste generated as a result of the removal of mercury-containing ampules (e.g., remaining thermostat units).

B) If the mercury, residues, or other solid waste exhibits a characteristic of hazardous waste, it must be managed in compliance with all applicable requirements of 35 Ill. Adm. Code 702 through 705, 720 through 726, and 728. The handler is considered the generator of the mercury, residues, or other waste and is subject to 35 Ill. Adm. Code 722.

C) If the mercury, residues, or other solid waste is not hazardous, the handler may manage the waste in any way that is in compliance with applicable federal, state or local solid (nonhazardous) waste regulations.

BOARD NOTE: See generally the Act and 35 Ill. Adm. Code 807 through 817 to determine whether additional facility siting, special waste, or nonhazardous waste landfills apply to the waste. Consult the ordinances of relevant units of local government to determine whether local requirements apply.

d) Universal waste mercury-containing lamps. A large quantity handler of universal waste shall manage universal waste mercury-containing lamps in a manner which prevents releases of any universal waste or component of a universal waste to the environment, as follows:

1) A large quantity handler of universal waste mercury-containing lamps shall, at all times:

A) Contain unbroken lamps in packaging which will minimize breakage during normal handling conditions; and

B) Contain broken lamps in packaging which will prevent releases of lamp fragments and residues.

2) A large quantity handler of universal waste mercury-containing lamps shall, at all times, manage waste lamps in a manner designed to minimize lamp breakage.

3) A large quantity handler of universal waste mercury-containing lamps shall immediately contain all releases of lamp fragments and residues from broken lamps.

- 4) A large quantity handler of universal waste shall undertake a hazardous waste determination and further waste management as follows:
- A) A large quantity handler of universal waste mercury-containing lamps shall determine whether the following exhibit a characteristic of hazardous waste identified in 35 Ill. Adm. Code 721.Subpart C:
- i) Any materials resulting from a release;
- ii) Clean-up residues from spills or breakage; or
- iii) Other solid waste generated as a result of handling waste lamps.
- B) If the material, residue, or other solid waste exhibit a characteristic of hazardous waste, it shall be managed in compliance with all applicable requirements of 35 Ill. Adm. Code 702 through 705, 720 through 726, and 728. The handler is considered to be the generator of the material, residue, or other hazardous waste and shall manage it in accordance with 35 Ill. Adm. Code 722.
- C) If the material, residue, or other solid waste is not hazardous, the handler may manage the waste in any manner which is in compliance with applicable federal, state, or local solid (nonhazardous) waste regulations.
- 5) Universal waste mercury-containing lamps shall not be intentionally broken or crushed.

BOARD NOTE: Subsection (d) of this Section was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

Section 733.134 Labeling and Marking

A large quantity handler of universal waste shall label or mark the universal waste to identify the type of universal waste as follows:

- a) Universal waste batteries (i.e., each battery), or a container or tank in which the batteries are contained, must be labeled or marked clearly with any one of the

following phrases: “Universal Waste-Battery(ies)” ; or “Waste Battery(ies)” ; or “Used Battery(ies)” ;

- b) A container (or multiple container package unit), tank, transport vehicle or vessel in which recalled universal waste pesticides as described in Section 733.103(a)(1) are contained must be labeled or marked clearly as follows:
 - 1) The label that was on or accompanied the product as sold or distributed; and
 - 2) The words “Universal Waste-Pesticide(s)” or “Waste-Pesticide(s)” ;
- c) A container, tank, or transport vehicle or vessel in which unused pesticide products, as described in Section 733.103(a)(2), are contained must be labeled or marked clearly as follows:
 - 1) Pesticide labeling:
 - A) The label that was on the product when purchased, if still legible;
 - B) If using the labels described in subsection (c)(1)(A) above is not feasible, the appropriate label as required under the USDOT regulation 49 CFR 172; or
 - C) If using the labels described in subsections (c)(1)(A) and (c)(1)(B) above is not feasible, another label prescribed or designated by the pesticide collection program; and
 - 2) The words “Universal Waste-Pesticide(s)” or “Waste-Pesticide(s)” ; and
- d) Universal waste thermostats (i.e., each thermostat) or a container or tank in which the thermostats are contained must be labeled or marked clearly with any one of the following phrases: “Universal Waste-Mercury Thermostat(s)”, or “Waste Mercury Thermostat(s)”, or “Used Mercury Thermostat(s)” .
- e) Universal waste mercury-containing lamps or a container in which the lamps are contained shall be labeled or clearly marked with any one of the following phrases: “Universal Waste--Mercury-Containing Lamp(s)” or “Waste Mercury-Containing Lamp(s)” or “Used Mercury-Containing Lamp(s)” .

BOARD NOTE: Subsection (e) of this Section was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

Section 733.138 Off-Site Shipments

- a) A large quantity handler of universal waste is prohibited from sending or taking universal waste to a place other than another universal waste handler, a destination facility, or a foreign destination.
- b) If a large quantity handler of universal waste self-transportes universal waste off-site, the handler becomes a universal waste transporter for those self-transportation activities and shall comply with the transporter requirements of 733.Subpart D while transporting the universal waste.
- c) If a universal waste being offered for off-site transportation meets the definition of hazardous materials under 49 CFR 171 through 180, a large quantity handler of universal waste shall package, label, mark and placard the shipment, and prepare the proper shipping papers in accordance with the applicable USDOT regulations under 49 CFR 172 through 180;
- d) Prior to sending a shipment of universal waste to another universal waste handler, the originating handler shall ensure that the receiving handler agrees to receive the shipment.
- e) If a large quantity handler of universal waste sends a shipment of universal waste to another handler or to a destination facility and the shipment is rejected by the receiving handler or destination facility, the originating handler shall either:
 - 1) Receive the waste back when notified that the shipment has been rejected, or
 - 2) Agree with the receiving handler on a destination facility to which the shipment will be sent.
- f) A large quantity handler of universal waste may reject a shipment containing universal waste, or a portion of a shipment containing universal waste that it has received from another handler. If a handler rejects a shipment or a portion of a shipment, it shall contact the originating handler to notify the originating handler of the rejection and to discuss reshipment of the load. The handler shall perform either of the following actions:
 - 1) Send the shipment back to the originating handler, or
 - 2) If agreed to by both the originating and receiving handler, send the shipment to a destination facility.

- g) If a large quantity handler of universal waste receives a shipment containing hazardous waste that is not a universal waste, the handler shall immediately notify the Agency (Bureau of Land, Illinois EPA, 10021 North Grand Avenue East, ~~P.O. Box 19276~~, Springfield, Illinois 62794-9276 (telephone: 217-782-6761)) of the illegal shipment, and provide the name, address, and phone number of the originating shipper. The Agency will provide instructions for managing the hazardous waste.
- h) If a large quantity handler of universal waste receives a shipment of non-hazardous, non-universal waste, the handler may manage the waste in any way that is in compliance with applicable federal, state or local solid (nonhazardous) waste regulations.

BOARD NOTE: See generally the Act and 35 Ill. Adm. Code 807 through 817 to determine whether additional facility siting, special waste, or nonhazardous waste landfills apply to the waste. Consult the ordinances of relevant units of local government to determine whether local requirements apply.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

Section 733.139 Tracking Universal Waste Shipments

- a) Receipt of shipments. A large quantity handler of universal waste shall keep a record of each shipment of universal waste received at the facility. The record may take the form of a log, invoice, manifest, bill of lading, or other shipping document. The record for each shipment of universal waste received must include the following information:
- 1) The name and address of the originating universal waste handler or foreign shipper from whom the universal waste was sent;
 - 2) The quantity of each type of universal waste received (e.g., batteries, pesticides, thermostats, mercury-containing lamps);
 - 3) The date of receipt of the shipment of universal waste.
- b) Shipments off-site. A large quantity handler of universal waste shall keep a record of each shipment of universal waste sent from the handler to other facilities. The record may take the form of a log, invoice, manifest, bill of lading or other shipping document. The record for each shipment of universal waste sent must include the following information:
- 1) The name and address of the universal waste handler, destination facility, or foreign destination to whom the universal waste was sent;

- 2) The quantity of each type of universal waste sent (e.g., batteries, pesticides, thermostats, mercury-containing lamps);
 - 3) The date the shipment of universal waste left the facility.
- c) Record retention.
- 1) A large quantity handler of universal waste shall retain the records described in subsection (a) above for at least three years from the date of receipt of a shipment of universal waste.
 - 2) A large quantity handler of universal waste shall retain the records described in subsection (b) above for at least three years from the date a shipment of universal waste left the facility.

BOARD NOTE: Mercury-containing lamps were added as universal waste pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

SUBPART D: STANDARDS FOR UNIVERSAL WASTE TRANSPORTERS

Section 733.151 Prohibitions

A universal waste transporter is prohibited from the following:

- a) Disposing of universal waste; and
- b) Diluting or treating universal waste, except by responding to releases as provided in Section 733.154.
- c) Intentionally crushing or breaking universal waste mercury-containing lamps.

BOARD NOTE: Subsection (c) of this Section was added pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

SUBPART E: STANDARDS FOR DESTINATION FACILITIES

Section 733.161 Off-Site Shipments

- a) The owner or operator of a destination facility is prohibited from sending or taking universal waste to a place other than a universal waste handler, another destination facility, or a foreign destination.
- b) The owner or operator of a destination facility may reject a shipment containing universal waste, or a portion of a shipment containing universal waste. If the owner or operator of the destination facility rejects a shipment or a portion of a shipment, it shall contact the shipper to notify the shipper of the rejection and to discuss reshipment of the load. The owner or operator of the destination facility shall perform either of the following actions:
 - 1) Send the shipment back to the original shipper, or
 - 2) If agreed to by both the shipper and the owner or operator of the destination facility, send the shipment to another destination facility.
- c) If the owner or operator of a destination facility receives a shipment containing hazardous waste that is not a universal waste, the owner or operator of the destination facility shall immediately notify the Agency (Bureau of Land, Illinois EPA, 10021 North Grand Avenue East, P.O. Box 19276, Springfield, Illinois 62794-9276 (telephone: 217-782-6761)) of the illegal shipment, and provide the name, address, and phone number of the shipper. The Agency will provide instructions for managing the hazardous waste.
- d) If the owner or operator of a destination facility receives a shipment of non-hazardous, non-universal waste, the owner or operator may manage the waste in any way that is in compliance with applicable federal or state solid (nonhazardous) waste regulations.

BOARD NOTE: See generally the Act and 35 Ill. Adm. Code 807 through 817 to determine whether additional facility siting, special waste, or nonhazardous waste landfills apply to the waste. Consult the ordinances of relevant units of local government to determine whether local requirements apply.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

Section 733.162 Tracking Universal Waste Shipments

- a) The owner or operator of a destination facility shall keep a record of each shipment of universal waste received at the facility. The record may take the form of a log, invoice, manifest, bill of lading, or other shipping document. The record for each shipment of universal waste received must include the following information:

- 1) The name and address of the universal waste handler, destination facility, or foreign shipper from whom the universal waste was sent;
 - 2) The quantity of each type of universal waste received (e.g., batteries, pesticides, thermostats, mercury-containing lamps);
 - 3) The date of receipt of the shipment of universal waste.
- b) The owner or operator of a destination facility shall retain the records described in subsection (a) above for at least three years from the date of receipt of a shipment of universal waste.

BOARD NOTE: Mercury-containing lamps were added as universal waste pursuant to Section 22.23a of the Act [415 ILCS 5.22.23a], as amended by P.A. 90-502, effective August 19, 1997.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

SUBPART G: PETITIONS TO INCLUDE OTHER WASTES

Section 733.180 General

- a) Any person seeking to add a hazardous waste or a category of hazardous waste to this Part may petition for a regulatory amendment as follows:
- 1) If USEPA has already added the waste or category of waste to 40 CFR 273: by identical-in-substance rulemaking, under Section 22.4(a) of the Act, 35 Ill. Adm. Code 101 and 102, 35 Ill. Adm. Code 720.120; or
 - 2) If USEPA has not added the waste or ~~category~~ category of waste to 40 CFR 273: by general rulemaking, under Sections 22.4(b) and 27 of the Act, 35 Ill. Adm. Code 101 and 102, this Subpart, and 35 Ill. Adm. Code 720.120 and 720.123.

BOARD NOTE: The Board cannot add a hazardous waste or category of hazardous waste to this Part by general rulemaking until USEPA either authorizes the Illinois universal waste regulations or otherwise authorizes the Board to add new categories of universal waste. The Board may, however, add a waste or category of waste by identical-in-substance rulemaking.


- b) Petitions for identical-in-substance rulemaking.

- 1) Any petition for identical-in-substance rulemaking under subsection (a)(1) above must include a copy of the ~~the~~ Federal Register notice(s) of adopted amendments in which USEPA promulgated the addition(s) to 40 CFR 273. The Board will evaluate any petition for identical-in-substance rulemaking based on the Federal Register notice(s).
 - 2) If the petitioner desires expedited Board consideration of the proposed ~~amendments~~ amendments to this Part (i.e., adoption within one year of the date of the Federal Register notice), it must explicitly request expedited consideration and set forth the arguments in favor of such consideration.
- c) Petitions for general rulemaking.
- 1) To be successful using the general rulemaking procedure under subsection (a)(2) above, the petitioner must demonstrate to the satisfaction of the Board that each of the following would be true of regulation under the universal waste regulations of this Part:
 - A) It would be appropriate for the waste or category of waste;
 - B) It would improve management practices for the waste or category of waste; and
 - C) It would improve implementation of the hazardous waste program.
 - 2) The petition must include the information required by 35 Ill. Adm. Code 720.120(b). The petition should also address as many of the factors listed in Section 733.181 as are appropriate for the waste or waste category addressed in the petition.
 - 3) The Board will evaluate petitions for general rulemaking and grant or deny the requested relief using the factors listed in Section 733.181. The decision will be based on the weight of evidence showing that regulation under this Part would fulfill the requirements of subsection (c)(1) above.

(Source: Amended at 22 Ill. Reg. _____, effective _____)

IT IS SO ORDERED.

I, Dorothy M. Gunn, Clerk of the Illinois Pollution Control Board, hereby certify that the above opinion and order was adopted on the 6th day of November 1997, by a vote of 7-0.

A handwritten signature in cursive script, reading "Dorothy M. Gunn", is written over a solid horizontal line.

Dorothy M. Gunn, Clerk
Illinois Pollution Control Board