

MAR 01 2004

STATE OF ILLINOIS
Pollution Control Board

2-27-04 AC0445

Ill. Environmental
Protection Agency - Legal Counsel
1021 Nor. Grand Ave. East
PO BOX 19276, Springfield, Ill. 62794-9276

Caption - AC(-FEPA NO. 34-04-AC)

To: Michelle M. Ryan
Asst. Counsel

This is a petition for a review request of Citation,
above.

The property has never been fenced, therefore
allowing anyone to deposit waste when I
was not present at its location. In many cases
it has been a totally uncontrollable circumstance
beyond my control. I'm totally unaware
of the names of the trespassers as I was not
present when it happened.

I do not mind cleaning up and disposing
of the debris. I did burn cut tree waste
at the site with permission from Art White
with the E.P.A. Office, Champaign, Ill.
And permission of our local fire chief and Mayor.
Please see other enclosed material

Yours Truly,
Herbert F. Rust

Feb. 27-2004



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

RECEIVED
CLERK'S OFFICE

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276, 217-781-3397
JAMES R. THOMPSON CENTER, 100 WEST RANDOLPH, SUITE 11-300, CHICAGO, IL 60601, 312-814-6026

ROD R. BLAGOJEVICH, GOVERNOR

RENEE CIPRIANO, DIRECTOR

STATE OF ILLINOIS
Pollution Control Board

217/278-5800
FAX: 217/278-5808

July 24, 2003

Herbert Lust
Bement Plumbing Supply Company
PO Box 197
Bement, IL 61813

Re: LPC #1470055017 — Piatt County
Bement / Bement Plumbing Supply Company
Compliance File

Dear Mr. Lust:

On June 9, 2003, Curt White representing the Illinois Environmental Protection Agency conducted an inspection of the above referenced site. The purpose of this inspection was to determine the site's compliance with the Illinois Environmental Protection Act and 35 Illinois Administrative Code, Land Pollution Regulations.

No violations were noted at the time of this inspection.

Should you have any questions regarding this inspection, please contact **Curt White in the Champaign Regional Office at 217/278-5800.**

Sincerely,

Richard A. Gerard by CDW

Richard A. Gerard, Manager
Champaign Regional Office
Bureau of Land

RAG:CDW

Enclosure

ROCKFORD — 4302 North Main Street, Rockford, IL 61103 — (815) 987-7760 • DES PLAINES — 9511 W. Harrison St., Des Plaines, IL 60016 — (847) 294-4000
ELGIN — 595 South State, Elgin, IL 60123 — (847) 608-3131 • PEORIA — 5415 N. University St., Peoria, IL 61614 — (309) 693-5463
BUREAU OF LAND - PEORIA — 7620 N. University St., Peoria, IL 61614 — (309) 693-5462 • CHAMPAIGN — 2125 South First Street, Champaign, IL 61820 — (217) 278-5800
SPRINGFIELD — 4500 S. Sixth Street Rd., Springfield, IL 62706 — (217) 786-6892 • COLLINSVILLE — 2009 Mall Street, Collinsville, IL 62234 — (618) 346-5120
MARION — 2309 W. Main St., Suite 116, Marion, IL 62959 — (618) 993-7200

Rec'd 2-11-04



ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

1021 NORTH GRAND AVENUE EAST, P.O. BOX 19276, SPRINGFIELD, ILLINOIS 62794-9276, 217-782-3397
JAMES R. THOMPSON CENTER, 100 WEST RANDOLPH, SUITE 11-300, CHICAGO, IL 60601, 312-814-6026

ROD R. BLAGOJEVICH, GOVERNOR

RENEE CIPRIANO, DIRECTOR

NOTICE OF CORRECTIVE ACTION REQUIRED FOR OPEN DUMPS

ILLINOIS ENVIRONMENTAL
PROTECTION AGENCY,
Complainant

vs.

Herbert Lust,
Respondent

LPC# 1470055017 – Piatt County
Bement / Bement Plumbing Supply Company
COMPLIANCE FILE

RECEIVED
CLERK'S OFFICE

MAR 01 2004

STATE OF ILLINOIS
Pollution Control Board

WARNING: CORRECTIVE ACTION REQUIRED

To contest the Administrative Citation you have received you must follow the instructions provided in the Administrative Citation. You may be served with additional Administrative Citations if you fail to complete the following corrective actions, and are found to be in violation of Section 21(p) of the [Illinois] Environmental Protection Act. Additional inspection(s) will be conducted to verify cleanup and compliance.

YOU MUST COMPLETE THE FOLLOWING CORRECTIVE ACTIONS:

- #1 Immediately cease all open dumping and open burning. Do not dispose of any of the waste by open burning.
- #2 By April 15, 2004 remove all waste to a permitted landfill or transfer station. Scrap metal not disposed at a landfill can be taken to a scrap metal facility or recycling center.
- #3 By May 1, 2004 submit to the Illinois EPA copies of receipts that document the proper disposal or recycling of the wastes.

Any written response submitted in reply to the corrective action requirements of this notice must be sent to:

Illinois Environmental Protection Agency
Attn: Curt White
2125 South First Street
Champaign, IL 61820

ROCKFORD – 4302 North Main Street, Rockford, IL 61103 – (815) 987-7760 • DES PLAINES – 9511 W. Harrison St., Des Plaines, IL 60016 – (847) 294-4000
ELGIN – 595 South State, Elgin, IL 60123 – (847) 608-3131 • PEORIA – 5415 N. University St., Peoria, IL 61614 – (309) 693-5463
BUREAU OF LAND - PEORIA – 7620 N. University St., Peoria, IL 61614 – (309) 693-5462 • CHAMPAIGN – 2125 South First Street, Champaign, IL 61820 – (217) 278-5800
SPRINGFIELD – 4500 S. Sixth Street Rd., Springfield, IL 62706 – (217) 786-6892 • COLLINSVILLE – 2009 Mall Street, Collinsville, IL 62234 – (618) 346-5120
MARION – 2309 W. Main St., Suite 116, Marion, IL 62959 – (618) 993-7200

On any correspondence you send concerning this matter, please reference the IEPA designated facility number and facility name listed on the first page of this notice.

Should you have any questions concerning this notice or need further assistance, contact **CURT WHITE** in the **Champaign Regional Office** at **217/278-5800**.

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

By: Richard A. Gerard by CDW

Richard A. Gerard, Regional Manager
Champaign Regional Office
Bureau of Land

Date: February 10, 2004

RAG:CDW

STATEMENT

KINDNESS IS THE OIL THAT TAKES FRICTION OUT OF LIFE

Bement Plumbing Supply Co.

200 W. FRANKLIN ST.
P.O. BOX 197
BEMENT, ILLINOIS 61813
PHONE (217) 678-7151

DATE

2/6/84 (Friday)

TERMS — NET 30 DAYS

TO

Paper to
Curt White
W/ EPA
Meeting

RECEIVED
CLERK'S OFFICE

MAR 01 2004

STATE OF ILLINOIS
Pollution Control Board

QUANTITY

ITEMS

UNITS

TOTALS

Mr white got Soffer at 1:45 PM
left at 2:10 PM
will try to work out problem
with situation.

Jim So call Spfld EPA office
Monday 2-9-04 and explain to them
our meeting 78 day.

Miss Susan Konzelmarm -
217-782-5544 and try to rectify
the problem.

Michele Ryan - I called her at - 217-782-9817
2:30 pm 2-9-04 at
Spfld office. Susan Konzelmarm
217-782-5544

Note above 2-27-04
The above is a copy of handwritten memo dated 2/6/04
when I met him at my office in person to try to resolve
the situation at hand. *Herbert F. Lust*

BEMENT PLUMBING SUPPLY CO. — SINCE 1963

Builders of Complete Municipal Water Systems, Extensions & Repair
Sales of Fire Hydrants, Gatevalves, Pipe & Fittings • We Specialize in Roadboring & Casing
Electronic Leak Detecting