

ILLINOIS POLLUTION CONTROL BOARD

IN THE MATTER OF:)
)
PROPOSED AMENDMENTS TO TIERED) R09-9
APPROACH TO CORRECTIVE ACTION) (Rulemaking – Land)
OBJECTIVES (35 ILL. ADM. CODE 742))

EXHIBIT LIST

First Hearing: January 27, 2009, Springfield

Exhibit 1: *Errata* Sheet Number 1 of IEPA

Exhibit 2: *Errata* Sheet Number 2 of IEPA

Exhibit 3: Prefiled Testimony of Gary King of IEPA

Exhibit 4: Color Hardcopy of Slide Presentation of Dr. Atul Salhotra on behalf of IEPA

Exhibit 5: Prefiled Testimony of Dr. Thomas Hornshaw of IEPA

Exhibit 6: Prefiled Testimony of Tracey Hurley of IEPA

Exhibit 7: Prefiled Questions of Gail Artrip, Carlson Environmental

Exhibit 8: Prefiled Questions of the Illinois Environmental Regulatory Group (IERG)

Exhibit 9: Prefiled Responses of IEPA

Second Hearing: March 17, 2009, Chicago

Exhibit 10: IEPA's "Supplemental Studies and Reports List"

Exhibit 11: Prefiled Testimony of Heather Nifong of IEPA

Exhibit 12: Prefiled Testimony of Dr. Thomas Hornshaw of IEPA

Exhibit 13: USEPA's March 2005 revised "Guidelines for Carcinogen Risk Assessment"

Exhibit 14: Prefiled Testimony of Tracey Hurley of IEPA (filed 2/23/09)

Exhibit 15: *Errata* Sheet Number 3 of IEPA

Exhibit 16: Prefiled Questions of Raymond Reott

Exhibit 17: Prefiled Questions of IERG

Exhibit 18: Prefiled Responses of IEPA

Exhibit 19: Prefiled Testimony of Tracey Hurley of IEPA (filed 3/12/09)

Exhibit 20: *Errata* Sheet Number 4 of IEPA

Exhibit 21: USEPA, Sept. 2005, "Uncertainty and the Johnson-Ettinger Model for Vapor Intrusion Calculations," EPA/600/R-05/110

Exhibit 22: USEPA, Sept. 2005, "Review of Recent Research on Vapor Intrusion," EPA/600/R-05/106

Exhibit 23: USEPA, OSWER Directive 9610.17, Mar. 1, 1995, "Use of Risk-Based Decision-Making In UST Corrective Action Programs"

Exhibit 24: Prefiled Testimony of Brian Martin of the Site Remediation Advisory Committee (SRAC)

Exhibit 25: Prefiled Testimony of Raymond Reott

Exhibit 26: Table attachment in prefiled testimony of Raymond Reott entitled "Comparison of Existing and Proposed TACO Standards (02/19/09) For Residential Property in Communities With an Approved Groundwater Use Institutional Control Ordinance"

Exhibit 27: Prefiled Testimony of Harvey Pokorny of Versar

Exhibit 28: Prefiled Testimony of James Olsta of CETCO

Exhibit 29: 60-mil "Poly-Flex" membrane

Exhibit 30: Prefiled Responses of James Olsta of CETCO

Exhibit 31: Liquid Boot Brownfield Membrane/Liner & Vent System brochure with sample of 60-mil spray-applied membrane