


Chapter 1



SOURCE: USGS 15 MINUTE QUADRANGLE,
WEST UNION. DATED 1966.



0 2000 4000



SCALE IN FEET

CONTOUR INTERVAL 10 FEET



SITE LOCATION MAP

HUTSONVILLE POWER STATION
AMEREN ENERGY GENERATING
HUTSONVILLE, ILLINOIS

PROJECT NO.
1375

DRAWING NO.
1375-A04

FIGURE NO.
1-1


DRAWN BY: RLH 07/18/05 APP'D BY: BRH DATE: 07/18/05

TSD 000002

Chapter 2

LEGEND

- M-1 MONITORING WELL
- M-3 NESTED MONITORING WELL
- M-3D NESTED MONITORING WELL
- MW-11 ABANDONED MONITORING WELL
- GP-11 DIRECT PUSH SOIL BORING
- LP-1 LEACHATE SAMPLE
- EW1 PLANT WATER WELL
- SB-101 SOIL BORING
- LAP SURFACE WATER SAMPLE
- FENCE



SOURCE NOTES:
 THIS MAP WAS OBTAINED FROM A DRAWING BY HANSON ENGINEERS, INC. (HEI), GENERAL PLAN, SHEET NO 502, P.C.M.S. PROJECT, DATED 4/05/00, AND FROM AN AERIAL SURVEY PERFORMED BY SURDEX CORPORATION, HUTSONVILLE ASH POND SURVEY, SURDEX JOB NO. 1100434/190, DATED 4/24/01.
 MONITORING WELLS MW-1 THROUGH MW-12, MW-14 AND TW, SOIL BORINGS SB-101 THROUGH SB-103; AND EXTRACTION WELLS EW-1 AND EW-2 WERE SURVEYED BY AMEREN PERSONNEL ON 10/15/01 AND 10/16/01. ALL OTHER MONITORING WELL, SOIL BORINGS, LEACHATE SAMPLE AND SURFACE WATER SAMPLE LOCATIONS WERE OBTAINED FROM NRT DRAWING 1375-B01, PROJECT NO. 1375/1, DATED 8/18/99.
 TW-115D AND TW-115S WERE SURVEYED BY CONNOR & CONNOR, INC. ROBINSON, ILLINOIS, JULY 2004.

NOTES:
 1. DISCONTINUITIES BETWEEN SURVEYS ARE INDICATED BY BREAKS IN CONTOUR LINES.
 2. SOIL BORINGS GP-1 THROUGH GP-4, GP-8 AND SURFACE WATER SAMPLE P2P ARE SCREENED SINCE THEY ARE ASSOCIATED WITH FORMER ASH LAYDOWN AREA NOW REPLACED WITH THE INTERIM POND AND THE DRAINAGE COLLECTION POND. SEE NRT REPORT "HYDROGEOLOGIC ASSESSMENT" FOR FURTHER INFORMATION.

SITE PLAN

**LEACHATE MANAGEMENT AND FINAL COVER ALTERNATIVES REPORT
 HUTSONVILLE POWER STATION-POND D CLOSURE
 AMEREN ENERGY GENERATING, HUTSONVILLE, ILLINOIS**

PROJECT NO. 1375/6-2
 DRAWN BY: BLK 03/05/08
 CHECKED BY: BSH 03/05/08
 APPROVED BY: [Signature] 03/05/08
 REFERENCE: [Signature] 03/05/08

NATURAL RESOURCE TECHNOLOGY

FIGURE NO. 1

GP-19
 700 FT.
 GP-14

TSD 000004

Chapter 3

Chapter 4




Exhibit 6. Statewide aquifer maps showing no major bedrock aquifers within 300 feet of ground surface at Hutsonville and total dissolved solids concentration greater than 10,000 mg/L in aquifers deeper than 500 feet below ground surface.

CH2\2470678.1