

ILLINOIS POLLUTION CONTROL BOARD  
February 3, 2011

RECEIVED  
CLERK'S OFFICE  
FEB 03 2011  
STATE OF ILLINOIS  
Pollution Control Board

IN THE MATTER OF: )  
)  
PROPOSED SITE-SPECIFIC NO<sub>x</sub> RULE ) R11-17  
AMENDMENT APPLICABLE TO SAINT- ) (Site-Specific Rulemaking - Air)  
GOBAIN CONTAINERS, INC. AT 35 ILL. )  
ADM. CODE 217.152(b) )

ORIGINAL

**HEARING OFFICER ORDER**

As scheduled by a December 10, 2010 order, the hearing in this docket took place on February 3, 2011, in Chicago. However, severe winter weather has impeded travel and caused State offices, including the Board's offices, to close on Wednesday, February 2, 2011. Accordingly, the hearing officer convened the hearing and continued it on the record without accepting testimony or comment. The hearing will resume Thursday, February 17, 2011, at 2:00 PM in Room 11-512, the videoconference room of the Illinois Pollution Control Board at the James R. Thompson Center, 100 W. Randolph, Chicago.

On January 20, 2011, Saint-Gobain Containers, Inc. (SGCI) pre-filed the testimony of Mr. Ty Sibbitt. No other witness pre-filed testimony for the hearing. At the continued hearing, Mr. Sibbitt's pre-filed testimony will be entered into the record as if read. *See* 35 Ill. Adm. Code 102.424(f). The hearing officer intends to begin the hearing with Mr. Sibbitt's pre-filed testimony and any questions based upon it. Participants who have not pre-filed testimony will be allowed to testify after the conclusion of Mr. Sibbitt's pre-filed testimony and questions based upon it.

Any participant who wishes to offer a public comment at the hearing will be allowed to do so as time allows at the close of testimony and questions based upon it. In addition, the Board's procedural rules include an opportunity to file post-hearing comments. *See* 35 Ill. Adm. Code 102.108(b).

IT IS SO ORDERED.

---

Timothy J. Fox  
Hearing Officer  
Illinois Pollution Control Board  
100 W. Randolph St., Suite 11-500  
Chicago, Illinois 60601  
312-814-6085  
foxt@ipcb.state.il.us