

ILLINOIS POLLUTION CONTROL BOARD
March 7, 2011

RECEIVED
CLERK'S OFFICE

MAR - 7 2011

STATE OF ILLINOIS
Pollution Control Board

COUNTY OF VERMILION,)
)
Complainant,)
)
v.)
) AC 10-13
CHARLES LONG,) (Administrative Citation)
)
Respondent.)

ORIGINAL

HEARING OFFICER ORDER

On March 7, 2011, the parties were scheduled to participate in a telephone status conference with the hearing officer. Again, neither party appeared. As last reported, respondent had paid the fine, but had not yet signed the settlement agreement. If the parties are unable to appear at the next status conference, they should contact the hearing officer in advance to reschedule or to provide a status update.

The parties are directed to participate in a telephone status conference with the hearing officer at 9:30 a.m. on April 11, 2011. The status conference shall be initiated by the complainant.

IT IS SO ORDERED.

Carol Webb


Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on March 7, 2011, to each of the person on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on March 7, 2011:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

AC 2010-013
William T. Donahue
Vermilion County State's Attorney
Office
Court House
7 North Vermilion Street
Danville, IL 61832

AC 2010-013
Edwin C. Barney
Saikley, Garrison, & Colombo & Barney, LLC
208 West North Street
P.O. Box 6
Danville, IL 61832

AC 2010-010
Charles Long
1330 W. Williams Street
Danville, IL 61832