

RECEIVED
CLERK'S OFFICE

MAR 21 2011

STATE OF ILLINOIS
Pollution Control Board

ILLINOIS POLLUTION CONTROL BOARD
March 21, 2011

PEOPLE OF THE STATE OF ILLINOIS,)
)
 Complainant,)
)
 v.) PCB 09-60
) (Enforcement)
CROP PRODUCTION SERVICES,)
a Delaware corporation,)
)
 Respondent.)

ORIGINAL

HEARING OFFICER ORDER

On March 21, 2011, 2011, the parties participated in a telephone status conference with the hearing officer. The parties continue to exchange documents and make progress in their settlement discussions on all three sites.

The parties are directed to participate in a telephone status conference with the hearing officer at 11:00 a.m. on April 25, 2011. The status conference shall be initiated by the complainant.

IT IS SO ORDERED.

Carol Webb

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on March 21, 2011, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on March 21, 2011:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

PCB 2009-060
Jane E. McBride
Office of the Attorney General
Environmental Bureau
500 South Second Street
Springfield, IL 62706

PCB 2009-060
Edward W. Dwyer
Hodge Dwyer & Driver
3150 Roland Avenue
Post Office Box 5776
Springfield, IL 62705-5776

PCB 2009-060
Monica T. Rios
Hodge Dwyer & Driver
3150 Roland Avenue
Post Office Box 5776
Springfield, IL 62705-5776

PCB 2009-060
for Crop Production Services
CT Corporation Systems
208 South LaSalle Street
Suite 814
Chicago, IL 60604-1101