

RECEIVED
CLERK'S OFFICE

JAN 23 2012

STATE OF ILLINOIS
Pollution Control Board

ILLINOIS POLLUTION CONTROL BOARD
January 23, 2012

HOLLAND ENERGY, LLC,)
)
Petitioner,)
)
v.) PCB 09-96
) (CAAPP Permit Appeal - Air)
ILLINOIS ENVIRONMENTAL)
PROTECTION AGENCY,)
)
Respondent.)

ORIGINAL
RETURN TO CLERK'S OFFICE

HEARING OFFICER ORDER

On January 23, 2012, petitioner participated in a telephone status conference with the hearing officer. The issues in this case are similar to other cases currently pending before the Board, and progress has been made on one of those cases.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:30 a.m. on March 20, 2012. Petitioner will circulate a conference call-in number.

Petitioner filed an open waiver of the decision deadline.

IT IS SO ORDERED.

Carol Webb

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on January 23, 2012, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on January 23, 2012:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601



Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
webbc@ipcb.state.il.us

PCB 2009-096
Sally A. Carter
IEPA
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

PCB 2009-096
Joan Ritchey
Ice Miller
200 W. Madison Street
Suite 3500
Chicago, IL 60606-3417

PCB 2009-096
Jane E. McBride
Office of the Attorney General
500 South Second Street
Springfield, IL 62706

PCB 2009-096
Susan Charles
Ice Miller
200 W. Madison Street
Suite 3500
Chicago, IL 60606-3417