

---

# Environmental Register

April 2013 - Number 706

The Environmental Register is a Publication of the Illinois Pollution Control Board

Thomas Holbrook, Chairman

Board Members:

Jennifer A. Burke, Deanna Glosser, Jerome D. O'Leary, and Carrie Zalewski

---

Illinois Pollution Control Board  
James R. Thompson Center  
100 W. Randolph, Suite 11-500  
Chicago, Illinois 60601  
(312) 814-3620  
(312) 814-6032 TDD

Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
(217) 524-8500

Web Site: <http://www.ipcb.state.il.us>

# Letter from the Chairman

During March and April, the Board acted in a number of its rulemaking dockets, and I've summarized some of that activity below. As always, information about these rulemakings is available through the Clerk's Office Online (COOL) at our Web site at [www.ipcb.state.il.us](http://www.ipcb.state.il.us).

On March 7, 2013, the Board adopted its second-notice opinion and order in R11-9, Tiered Approach to Corrective Action Objectives (TACO) (Indoor Inhalation): Amendments to 35 Ill. Adm. Code 742. The Board's proposal appears on the agenda of the May 14, 2013, meeting of the Joint Committee on Administrative Rules (JCAR).

On March 21, 2013, the Board adopted an order directing the hearing officer to schedule a hearing on the issue of groundwater monitoring in R12-9(B), Proposed Amendments to Clean Construction or Demolition Debris (CCDD) Fill Operations: Proposed Amendments to 35 Ill. Adm. Code 1100. The hearing will take place in Springfield on May 20, 2013, and continue if necessary on May 21, 2013.

On April 4, 2013, the Board accepted for hearing an Illinois Environmental Protection Agency rulemaking proposal docketed as Vapor Recovery Rules: Amendments to 35 Ill. Adm. Code Parts 201, 218, and 219, R13-18. The Board has scheduled hearings on May 8, 2013, in Springfield and June 5, 2013, in Chicago.

On April 11, 2013, the Board in Water Quality Standards and Effluent Limitations for the Chicago Area Waterway System (CAWS) and the Lower Des Plaines River: Proposed Amendments to 35 Ill. Adm. Code 301, 302, 303 and 304, R-8-9(D), scheduled a hearing on July 29, 2013, in Chicago.

On April 18, 2013, the Board adopted a first-notice opinion and order in Technical Corrections to 35 Ill. Adm. Code 620.420 R8-18(B). Specifically, the Board proposed technical corrections to recently-adopted amendments of the Part 620 groundwater quality standards published in the *Illinois Register* at 36 Ill. Reg. 15206 (Oct. 19, 2012).

Also on April 18, 2013, the Board adopted a second-notice opinion and order in Technical Corrections to Triennial Review of Water Quality Standards Amendments for Fluoride and Manganese: Amendments to 35 Ill. Adm. Code 302.208(b) and (e), R11-18(B). The proposal seeks to make technical corrections to recently-adopted amendments to 35 Ill. Adm. Code 302.208. The corrections occur in reporting requirements for fluoride and manganese water quality standards, and the Board believes that failure to propose correction could result in unintended difficulty in monitoring, reporting, and demonstrating compliance.

Also on April 18, 2013, the Board accepted for hearing a rulemaking proposal docketed as Site-Specific Rule for the Closure of Ameren Energy Resources Ash Ponds: Proposed New 35 Ill. Adm. Code 840, Subpart B, R13-19. The proposal seeks to allow closure of various surface impoundments for management of coal combustion waste located at eight coal-fired power plants.

Please visit our website ([www.ipcb.state.il.us](http://www.ipcb.state.il.us)) for more information on the rulemakings described above, as well as information on our docket of contested cases.



Sincerely,

A handwritten signature in black ink that reads "Thomas Holbrook". The signature is written in a cursive style with a large, sweeping initial "T".

Thomas Holbrook  
Chairman

## Inside This Issue:

---

RULEMAKING UPDATE	P. 1
BOARD ACTIONS	P. 4
NEW CASES	P. 8
BOARD CALENDAR	P. 9
RESTRICTED STATUS/CRITICAL REVIEW	P. 11

## Rulemaking Update

---

### Board Adopts First-Notice Opinion and Order for Proposed Amendments to Vapor Recovery Rules

The Board, on April 4, 2013, adopted a first-notice opinion and order to amend the Board's air pollution rules. The Illinois Environmental Protection Agency (IEPA) filed the rulemaking on March 18, 2013. The rulemaking is docketed as Vapor Recovery Rules: Amendments to 35 Ill. Adm. Code Parts 201, 218, and 219, R13-18.

IEPA proposes phasing out the Chicago ozone nonattainment area (NAA) Stage II vapor recovery systems program. The amendments would phase out the requirement for gasoline dispensing operations to install, maintain, and operate Stage II vapor recovery systems. The amendments would also require the decommissioning of existing Stage II equipment in the Chicago ozone NAA. Specifically, owners and operators of *existing* gasoline dispensing operations (*i.e.*, those operating at any time before January 1, 2014) would be allowed to begin decommissioning Stage II systems on January 1, 2014, but would have to comply with Stage II requirements until decommissioning begins. Decommissioning would have to be completed by December 31, 2016. Additionally, the amendments would remove the requirement for Stage II systems at *new* gasoline dispensing operations (*i.e.*, those that commence operating for the first time on or after January 1, 2014).

IEPA seeks these Stage II amendments based upon the United States Environmental Protection Agency (USEPA) determination that there is widespread use of on-board refueling vapor recovery (ORVR) nationwide. This USEPA determination, effective May 16, 2012, resulted in a waiver of the federal Clean Air Act's Stage II requirement. The waiver means that states now have the option of removing Stage II programs from their ozone State Implementation Plans (SIPs), subject to USEPA approval.

IEPA also seeks to clarify and streamline permitting rules for storage tanks and fuel dispensing. Specifically, clarifications would be made to State air permitting exemptions for Stage II gasoline dispensing operations and Stage I storage tank filling operations at gasoline dispensing operations. In addition, the amendments would add Title V (*i.e.*, Clean Air Act Permit Program (CAAPP)) "insignificant activities" related to small gasoline storage tanks and fuel dispensing.

The geographic regions subject to the Board's Stage I regulations are the Chicago ozone NAA and the Metro-East ozone NAA. The Stage II regulations apply to the Chicago ozone NAA. The Board's permitting rules apply to the entire State of Illinois.

The Board accepted IEPA's rulemaking proposal for hearing and granted IEPA's motion for expedited review. Without commenting on the merits of IEPA's proposal, the Board adopted the proposed amendments for first-notice publication in the *Illinois Register*. Publication in the *Illinois Register* will begin a public comment period of at least 45 days, during which anyone may file a public comment with the Board. The docket number for this rulemaking, R13-18, should be indicated on the public comment.

Public comments must be filed with the Clerk of the Board. Public comments may be filed at the following address: Pollution Control Board, James R. Thompson Center, 100 W. Randolph Street, Suite 11-500, Chicago, IL 60601.

In addition, public comments may be filed electronically through COOL on the Board's Web site at [www.ipcb.state.il.us](http://www.ipcb.state.il.us). Any questions about electronic filing through COOL should be directed to the Clerk's Office at 312-814-3629.

Opinions and orders of the Board, hearing transcripts, and other documents in rulemaking records are posted on the Board's Web site and may be downloaded from the Web without charge. Hard copies may be obtained from the Clerk's Office upon payment of reproduction fees as prescribed by Section 6 of the Freedom of Information Act [5 ILCS 140/6].

For more information, please contact Richard McGill at 312-814-6983 or richard.mcgill@illinois.gov.

### **Board Adopts First-Notice Technical Corrections to Recently-Adopted Amendments of Groundwater Quality Standards**

The Board, on April 18, 2013, opened a subdocket B in the R08-18 rulemaking and proposed, for first notice, technical corrections to recently-adopted amendments of the Part 620 groundwater quality standards (GQS). The adopted amendments were published in the *Illinois Register* at 36 Ill. Reg. 15206 (Oct. 19, 2012) and became effective October 5, 2012. See Proposed Amendments to Groundwater Quality Standards (35 Ill. Adm. Code 620), R08-18 (Oct. 4, 2012). The technical corrections are needed due to scribes' errors that occurred during the R08-18 rulemaking.

R08-18(B) was opened solely to make several technical corrections to Section 620.420(b)(1) (35 Ill. Adm. Code 620.420(b)(1)), which lists organic chemicals and corresponding concentrations and provides that the concentrations must not be exceeded in Class II general resource groundwater. The amendments proposed in subdocket B remedy the inadvertent (1) deletion of trichloroethylene and its Class II GQS, (2) modification of the 1,1,2-trichloroethane Class II GQS, and (3) failure to place an asterisk next to the dibenzo(a,h)anthracene Class II GQS to reflect that the chemical is carcinogenic. The Board has already held the public hearings required by the Environmental Protection Act during the R08-18 rulemaking and does not intend to hold any additional hearing for subdocket B unless requested to do so pursuant to the Illinois Administrative Procedure Act.

Publication of these proposed amendments in the *Illinois Register* will begin a 45-day public comment period, during which anyone may file a public comment with the Board. The docket number for this rulemaking, R08-18(B), should be indicated on the public comment.

Public comments must be filed with the Clerk of the Board. Public comments may be filed at the following address: Pollution Control Board, James R. Thompson Center, 100 W. Randolph Street, Suite 11-500, Chicago, IL 60601.

In addition, public comments may be filed electronically through the Clerk's Office On-Line (COOL) at [www.ipcb.state.il.us](http://www.ipcb.state.il.us). Any questions about electronic filing through COOL should be directed to the Clerk's Office at (312) 814-3629.

Opinions and orders of the Board, hearing transcripts, and other documents in rulemaking records are posted on the Board's Web site and may be downloaded from the Web without charge. Hard copies may be obtained from the Clerk's Office upon payment of reproduction fees as prescribed by Section 6 of the Freedom of Information Act (5 ILCS 140/6 (2010)).

For more information, please contact Richard McGill at (312) 814-6983 or richard.mcgill@illinois.gov.

### **Board Adopts Second Notice Technical Corrections to Fluoride and Manganese Water Quality Standards Recently Amended in Docket R11-18**

The Board, on April 18, 2013, adopted a second-notice opinion and order in a rulemaking to make technical corrections to recently-adopted amendments to 35 Ill. Adm. Code 302.208. The adopted amendments were published in the *Illinois Register* at 36 Ill. Reg. 18863 (Dec. 28, 2012). See Triennial Review of Water Quality Standards for Boron, Fluoride and Manganese: Amendments to 35 Ill. Adm. Code 301.106, 302.Subparts B, C, E, F and 303.312, R11-18 (Nov. 15, 2012). For the technical corrections, the Board opened a subdocket B captioned Technical Corrections to Triennial Review of Water Quality Standards Amendments for Fluoride and Manganese: Amendments to 35 Ill. Adm. Code 302.208(b) and (e), R11-18(B) (Feb.7, 2013).

R11-18(B) was opened for the limited purpose of making two changes to Section 302.208, to correct scribes' errors that occurred during the R11-18 rulemaking process. The errors occurred in the reporting requirements for the fluoride and manganese water quality standards. The Board believes that failure to promptly propose correction to the standards could result in unintended problems for dischargers in monitoring, reporting, and demonstrating compliance with rules that are arguably ambiguous. The intended amendments were those discussed at the three public hearings held in R11-18.

The first-notice comment period in R11-18(B) ended on April 9, 2013, and the only public comment received was that filed by IEPA. IEPA agrees with the need for the changes specified in the first notice, and suggests correction of an additional typographical error appearing in a formula in Section 302.208(e) for lead (dissolved). The Board at second notice agreed that the third set of changes should appropriately be made.

The Board does not intend to hold additional hearings, as none were requested during the first-notice comment period.

Opinions and orders of the Board, hearing transcripts, and other documents in rulemaking records are posted on the Board's Web site and may be downloaded from the Web without charge. Hard copies may be obtained from the Clerk's Office upon payment of reproduction fees as prescribed by Section 6 of the Freedom of Information Act [5 ILCS 140/6].

In addition, documents may be obtained through COOL at [www.ipcb.state.il.us](http://www.ipcb.state.il.us).

For more information, please contact Kathleen Crowley at (312)-814-6929 or [kathleen.crowley@illinois.gov](mailto:kathleen.crowley@illinois.gov).

### **Board Accepts for Hearing a Proposed Rulemaking to Allow Closure of Ash Ponds at Ameren Energy Resources Facilities.**

The Board, on April 18, 2013, accepted for hearing a proposed site-specific rulemaking to address the closure of coal combustion waste surface impoundments. The proposal would add a Subpart B to Part 840 of the Board's regulations. Ameren Energy Resources (AER), on April 9, 2013, filed the proposed rulemaking with the Board, which docketed the rulemaking as Site-Specific Rule for the Closure of Ameren Energy Resources Ash Ponds: Proposed New 35 Ill. Adm. Code 840, Subpart B, R13-19.

AER states that it intends its rulemaking proposal to allow it to close surface impoundments used for managing coal combustion waste at eight coal-fired power plants owned by AER. These eight facilities include approximately 16 ash ponds that "could ultimately be subject to the proposed regulations." AER states that its proposal sets priorities for closing ash ponds "based on existing or future potable water uses in the area," allows establishment of a groundwater monitoring zone where necessary, and requires compliance with closure requirements similar to those adopted by the Board in Ameren Ashpond Closure Rules (Hutsonville Power Station): Proposed 35 Ill. Adm. Code 840.101 through 840.152, R09-21.

The eight plants are the Coffeen Power Station in Montgomery County; the Duck Creek Power Station in Fulton County; the E.D. Edwards Power Station in Peoria County; the Grand Tower Power Station in Jackson County; the Joppa Power Station in Massac County; the Hutsonville Power Station in Crawford County; the Meredosia Power Station in Morgan County; and the Newton Power Station in Jasper County.

The docket number for this rulemaking, R13-19, should be indicated on the public comment. Public comments must be filed with the Clerk of the Board. Public comments may be filed at the following address: Pollution Control Board, James R. Thompson Center, 100 W. Randolph Street, Suite 11-500, Chicago, IL 60601.

In addition, public comments may be filed electronically through COOL at [www.ipcb.state.il.us](http://www.ipcb.state.il.us). Any questions about electronic filing through COOL should be directed to the Clerk's Office at (312) 814-3629.

Opinions and orders of the Board, hearing transcripts, and other documents in rulemaking records are posted on the Board's Web site and may be downloaded from the Web without charge. Hard copies may be obtained from the Clerk's Office upon payment of reproduction fees as prescribed by Section 6 of the Freedom of Information Act [5 ILCS 140/6].

For more information, please contact Tim Fox at 312-814-6085 or [tim.fox@illinois.gov](mailto:tim.fox@illinois.gov).

# Board Actions

---

April 4, 2013

## Rulemakings

**R13-18**      In the Matter of: Vapor Recovery Rules: Amendments to 35 Ill. Adm. Code Parts 201, 218, and 219 – The Board accepted for hearing the Illinois Environmental Protection Agency’s (IEPA) March 18, 2013 proposal to amend the Board’s air pollution control regulations. The Board granted the IEPA’s motion for expedited review, subject to available resources. The Board reserved ruling on the motion for waiver of copy requirements.      5-0  
Air

## Administrative Citations

**AC 09-28**      IEPA v. Theodore and Sally Jackson – The Board granted complainant’s motion for withdrawal of this administrative citation and closed the docket.      5-0

**AC 10-3**      IEPA v. Les Curtis – The Board granted complainant’s motion for withdrawal of this administrative citation and closed the docket.      5-0

**AC 12-13**      IEPA v. Rodney K. Brown – The Board granted complainant’s motion for withdrawal of this administrative citation and closed the docket.      5-0

## Adjudicatory Cases

**PCB 08-30**      E.R. 1, LLC, assignee of Caseyville Sport Choice, LLC v. Erma I. Seiber, Administratrix of the Estate of James A. Seiber, Deceased, and Erma I. Seiber in her individual capacity, and Fairmount Park, Inc. – The Board granted the complainant’s motion for leave to file a second amended complaint and to add a respondent: James A. Seiber Jr., executor of the estate of Erma I. Seiber and of James A. Seiber, deceased.      4-0  
Holbrook  
abstained  
L-E, Citizens

**PCB 10-09**      People of the State of Illinois v. Waste Hauling Landfill, Inc. and Jerry Camfield – The Board granted the complainant’s motion to voluntarily dismiss the complaint against Waste Hauling Landfill, Inc., and Jerry Camfield and closed this docket.      5-0  
L-E

**PCB 13-24**      Midwest Generation, LLC v. IEPA – The Board granted petitioner a variance from two provisions of the Combined Pollutant Standard (CPS) regulations (35 Ill. Adm. Code 225.295, 225.296), subject to conditions. The Board denied petitioner a variance from Condition 1(a) of the variance granted in Midwest Generation, LLC - Waukegan Generating Station v. IEPA, PCB 12-121 (Aug. 23, 2012).      4-0  
Holbrook  
abstained  
Glosser  
Concurred  
A-V, CAAPP

**PCB 13-31**      Exelon Generation LLC, Quad Cities Nuclear Generation Station v. IEPA – The Board granted the petitioner’s motion to voluntarily withdraw its petition for variance and closed this docket.      4-0  
Holbrook  
abstained  
W-V

<b>PCB 13-48</b>	<u>City of O'Fallon v. IEPA</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this St. Clair County facility.	4-0 Holbrook abstained UST Appeal 90 Day Ext.
<b>PCB 13-49</b>	<u>Akzo Nobel Surface Chemistry LLC v. IEPA</u> – The Board accepted for hearing this permit appeal involving a Grundy County facility. No action was taken on petitioner’s motion for partial stay of specified conditions in the construction permit.	4-0 Burke abstained P-A, Water
<b>PCB 13-50</b>	<u>Mildred Loepker Trust v. IEPA</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this St. Clair County facility.	4-0 Holbrook abstained UST Appeal 90 Day Ext.
<b>PCB 13-51</b>	<u>People of the State of Illinois v. Midwest Environmental Consulting Services, Inc. and Universal Asbestos Removal, Inc.</u> – The Board accepted for hearing this land enforcement action concerning a Bureau County facility.	5-0 A-E

**April 18, 2013  
via video conference  
Springfield and Chicago, Illinois**

**Rulemakings**

<b>R08-18(B)</b>	<u>In the Matter of: Technical Corrections to 35 Ill. Adm. Code 620.420</u> – The Board adopted a first notice opinion and order in this rulemaking to amend the Board’s public water supply pollution regulations.	5-0 PWS
<b>R11-18(B)</b>	<u>In the Matter of: Technical Corrections to Triennial Review of Water Quality Standards Amendments for Fluoride and Manganese: Amendments to 35 Ill. Adm. Code 302.208(b) and (e)</u> – The Board adopted a second notice opinion and order in this rulemaking to amend the Board’s water pollution control regulations.	5-0 Water
<b>R13-19</b>	<u>In the Matter of: Site-Specific Rule for the Closure of Ameren Energy Resources Ash Ponds: Proposed New 35 Ill. Adm. Code 840, Subpart B</u> – The Board accepted for hearing petitioner’s April 9, 2013 proposal to amend the Board’s land pollution control regulations. The Board granted petitioner’s motion to waive requirement to submit 200 signatures.	5-0 Land

**Administrative Citations**

<b>AC 13-38</b>	<u>IEPA v. Jeff Wuebbels</u> – The Board found that this Clinton County respondent 21(p)(1) of the Act (415 ILCS 5/21(p)(1) (2010)), and ordered respondent to pay a civil penalty of \$1,500.	5-0
-----------------	--	-----

<b>AC 13-39</b>	<u>County of Jackson v. Elmer Rowe and Greg Rowe</u> – The Board accepted respondents’ petition for review, but directed respondents to file an amended petition to cure deficiencies on or before May 20, 2013.	5-0
<b>AC 13-40</b>	<u>IEPA v. Lloyd Schoenheit and Mark E. Johnson d/b/a MJ Tire Service</u> – The Board accepted respondents’ petition for review, but directed respondents to file an amended petition to cure deficiencies on or before May 20, 2013.	5-0

## Adjudicatory Cases

<b>PCB 04-16</b>	<u>People of the State of Illinois v. Packaging Personified, Inc.</u> – The Board granted complainant’s motion to extend the discovery schedule.	5-0 Glosser and Zalewski concurred A-E
<b>PCB 10-61</b>	<u>People of the State of Illinois v. Freeman United Coal Mining Company, LLC and Springfield Coal Company, LLC;</u>	4-0 Burke
<b>PCB 11-2 (cons.)</b>	<u>Environmental Law and Policy Center v. Freeman United Coal Mining Company, LLC and Springfield Coal Company, LLC</u> – The Board denied respondents’ motion for interlocutory appeal and to stay the pending proceedings.	abstained W-E
<b>PCB 12-21</b>	<u>People of the State of Illinois v. Altivity Packaging, LLC, Intra-Plant Maintenance Corporation, Ironhustler Excavating, Inc., and Ron Bright, d/b/a Quarter Construction</u> – Upon receipt of a proposed stipulation and settlement agreement, as to Altivity only, and an agreed motion to request relief from the hearing requirement in this land enforcement action involving a Tazewell County facility, the Board ordered publication of the required newspaper notice.	5-0 L-E
<b>PCB 13-25</b>	<u>People of the State of Illinois v. Diversified Labeling Solutions, Inc.</u> – Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this air enforcement action involving a DuPage County facility, the Board ordered publication of the required newspaper notice.	5-0 A-E
<b>PCB 13-28</b>	<u>People of the State of Illinois v. Atkinson Landfill Company</u> – The Board granted the parties’ agreed motion for leave to file the People’s first amended complaint and accepted the first amended complaint for hearing. The Board reserved ruling upon Atkinson Landfill Company’s motion to join the Village of Atkinson and the City of Galva as respondents.	5-0 W-E
<b>PCB 13-35</b>	<u>People of the State of Illinois v. The Board of Trustees of the University of Illinois (East Campus)</u> – The Board granted respondent’s motions to consolidate PCB 13-35 and PCB 13-36 for purposes of hearing and decision. The Board also granted respondent’s motion to a limited stay the consolidated proceedings.	5-0 A-E
<b>PCB 13-36</b>	<u>People of the State of Illinois v. The Board of Trustees of the University of Illinois (West Campus)</u> – The Board granted respondent’s motions to consolidate PCB 13-35 and PCB 13-36 for purposes of hearing and decision. The Board also granted respondent’s motion to a limited stay the consolidated proceedings.	5-0 A-E

<b>PCB 13-40</b>	<u>People of the State of Illinois v. Messenger Auto, Inc., d/b/a Messenger Auto &amp; Recycling, William E. Messenger, Sr. and William M. Messenger, Jr.</u> – Upon receipt of a proposed stipulation and settlement agreement and an agreed motion to request relief from the hearing requirement in this land enforcement action involving a Ogle County facility, the Board ordered publication of the required newspaper notice.	5-0 L-E
<b>PCB 13-49</b>	<u>Akzo Nobel Surface Chemistry LLC v. IEPA</u> – The Board granted petitioner’s motion for partial stay of the National Pollutant Discharge Elimination System permit.	4-0 Burke abstained P-A, Water
<b>PCB 13-52</b>	<u>People of the State of Illinois v. Oil Technology, Inc.</u> – Upon receipt of a complaint accompanied by a proposed stipulation and settlement agreement, and an agreed motion to request relief from the hearing requirement in this air enforcement action involving a Madison County facility, the Board ordered publication of the required newspaper notice.	5-0 A-E
<b>PCB 13-53</b>	<u>United States Steel Corporation v. IEPA</u> – The Board accepted for hearing this permit appeal involving a Madison County facility. No action was taken on petitioner’s motion for partial stay of specified conditions in the construction permit.	4-0 Holbrook abstained P-A, Air
<b>PCB 13-54</b>	<u>Jay Bell’s 66 v. IEPA</u> – The Board accepted for hearing this underground storage tank appeal involving a Peoria County facility.	5-0 UST Appeal
<b>PCB 13-55</b>	<u>Equistar Chemicals, LP v. IEPA</u> – The Board found and certified that specified facilities of Equistar Chemicals, LP located in Grundy County are pollution control facilities for the purpose of preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2010)).	5-0 T-C, W
<b>PCB 13-56</b>	<u>Consolidated Ice Company v. IEPA</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this St. Clair County facility.	5-0 UST Appeal 90 Day Ext.
<b>PCB 13-57</b>	<u>Congress Development Company v. IEPA</u> – The Board accepted for hearing petitioner’s petition in this permit appeal involving a Cook County facility.	5-0 P-A, Air
<b>PCB 13-58</b>	<u>ABP Properties, LLC v. IEPA (Incident No. 20120616)</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Charleston County facility.	5-0 UST Appeal 90 Day Ext.
<b>PCB 13-59</b>	<u>ABP Properties, LLC v. IEPA (Incident No. 20120616-62395)</u> – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Charleston County facility.	5-0 UST Appeal 90 Day Ext.

## **New Cases**

---

### **April 4, 2013 Board Meeting**

**PCB 13-48** City of O'Fallon v. IEPA – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this St. Clair County facility.

**PCB 13-49** Akzo Nobel Surface Chemistry LLC v. IEPA – The Board accepted for hearing this permit appeal involving a Grundy County facility. No action was taken on petitioner's motion for partial stay of specified conditions in the construction permit.

**PCB 13-50** Mildred Loepker Trust v. IEPA – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this St. Clair County facility.

**PCB 13-51** People of the State of Illinois v. Midwest Environmental Consulting Services, Inc. and Universal Asbestos Removal, Inc. – The Board accepted for hearing this land enforcement action concerning a Bureau County facility.

**AC 13-41** IEPA v. Robert & Tia Mixer – The Board accepted an administrative citation against these Adams County respondents.

### **April 18, 2013 Board Meeting**

**PCB 13-52** People of the State of Illinois v. Oil Technology, Inc. – Upon receipt of a complaint accompanied by a proposed stipulation and settlement agreement, and an agreed motion to request relief from the hearing requirement in this air enforcement action involving a Madison County facility, the Board ordered publication of the required newspaper notice.

**PCB 13-53** United States Steel Corporation v. IEPA – The Board accepted for hearing this permit appeal involving a Madison County facility. No action was taken on petitioner's motion for partial stay of specified conditions in the construction permit.

**PCB 13-54** Jay Bell's 66 v. IEPA – The Board accepted for hearing this underground storage tank appeal involving a Peoria County facility.

**PCB 13-55** Equistar Chemicals, LP v. IEPA – The Board found and certified that specified facilities of Equistar Chemicals, LP located in Grundy County are pollution control facilities for the purpose of preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2010)).

**PCB 13-56** Consolidated Ice Company v. IEPA – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this St. Clair County facility.

**PCB 13-57** Congress Development Company v. IEPA – The Board accepted for hearing petitioner's petition in this permit appeal involving a Cook County facility.

**PCB 13-58** ABP Properties, LLC v. IEPA (Incident No. 20120616) – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Charleston County facility.

**PCB 13-59** ABP Properties, LLC v. IEPA (Incident No. 20120616-62395) – The Board granted this request for a 90-day extension of time to file an underground storage tank appeal on behalf of this Charleston County facility.

## Calendar

<b>5/2/2012</b> <b>11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>James R. Thompson Center</b> <b>Hearing Room 11-512</b> <b>100 W. Randolph Street</b> <b>Chicago</b>
5/7/2013 10:30 AM	PCB 12-124	<u>Broadus Oil Company v. IEPA</u>	Illinois Pollution Control Board Hearing Room 1021 North Grand Avenue East (North Entrance) Springfield
5/7/2013 10:30 AM	PCB 12-134	<u>Brimfield Auto &amp; Truck v. IEPA</u>	Illinois Pollution Control Board Hearing Room 1021 North Grand Avenue East (North Entrance) Springfield
5/8/2013 11:00 AM	R13-18	<u>In the Matter of: Vapor Recovery</u> <u>Rules: Amendments to 35 Ill. Adm.</u> <u>Code Parts 201, 218, and 219</u>	Illinois Pollution Control Board Conference Room 1244 1021 North Grand Avenue East (North Entrance) Springfield
<b>5/16/2012</b> <b>11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>Videoconference</b> <b>Chicago/Springfield</b> <b>James R. Thompson Center</b> <b>Hearing Room 11-512</b> <b>100 W. Randolph Street</b> <b>Chicago</b> <b>And</b> <b>1021 N. Grand Avenue East</b> <b>Oliver Holmes Conference</b> <b>Room 2012 N</b> <b>Springfield</b>
5/20/2013 10:30 AM	R12-09(B)	<u>In the Matter of: Proposed Amendments</u> <u>to Clean Construction or Demolition</u> <u>Debris (CCDD) Fill Operations:</u> <u>Proposed Amendments to 35 Ill. Adm.</u> <u>Code 1100</u>  (Continues until completed or through May 21, 2013)	Sangamo Room Illinois Environmental Protection Agency 1021 N. Grand Avenue East Springfield
5/21/2013 9:00 AM	PCB 04-16	<u>People of the State of Illinois v.</u> <u>Packaging Personified, Inc., an Illinois</u> <u>Corporation</u>	City Hall Council Room 2 <sup>nd</sup> Floor 209 North York Street Elmhurst
5/21/2013 10:30 AM	AC 12-53	<u>IEPA v. Thomas E. Porter, Beverly J.</u> <u>Bible, and Todd &amp; Tabitha Booten</u> <u>d/b/a C &amp; T Recycling</u>	City Hall Council Chambers 1102 Tower Square Plaza Marion
6/5/2013 1:00 PM	R13-18	<u>In the Matter of: Vapor Recovery</u> <u>Rules: Amendments to 35 Ill. Adm.</u> <u>Code Parts 201, 218, and 219</u>	Michael A. Bilandic Building Room N-505 160 North LaSalle St. Chicago
<b>6/6/2012</b> <b>11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>James R. Thompson Center</b> <b>Hearing Room 11-512</b> <b>100 W. Randolph Street</b> <b>Chicago</b>

<b>6/20/2012</b> <b>11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>James R. Thompson Center</b> <b>Hearing Room 11-512</b> <b>100 W. Randolph Street</b> <b>Chicago</b>
6/26/2013 11:00 AM	R13-11	<u>In the Matter of: National Ambient Air Quality Standards, USEPA Regulations (July 1, 2012 through December 31, 2012)</u>	Illinois Pollution Control Board Conference Room 1021 North Grand Avenue East Springfield
<b>7/1/2012</b> <b>11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>James R. Thompson Center</b> <b>Hearing Room 11-512</b> <b>100 W. Randolph Street</b> <b>Chicago</b>
<b>7/25/2012</b> <b>11:00 AM</b>	<b>Illinois Pollution Control Board Meeting</b>		<b>James R. Thompson Center</b> <b>Hearing Room 11-512</b> <b>100 W. Randolph Street</b> <b>Chicago</b>
7/29/2013 10:30 AM	R08-09(D)	<u>In the Matter of: Water Quality Standards and Effluent Limitations for the Chicago Area Waterway System (CAWS) and the Lower Des Plaines River: Proposed Amendments to 35 Ill. Adm. Code 301, 302, 303, and 304</u>	James R. Thompson Center Room 9-040 100 W. Randolph Street Chicago

**Illinois Environmental Protection Agency**  
**Division of Public Water Supplies**  
**Restricted Status List - Public Water Supplies**

**APRIL 2013**

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
ALTERNATIVE BEHAVIOR TREATMENT CENTER - IL0977189	2	INADEQUATE PRESSURE TANK	50	6/15/1988
ARLINGTON REHABILITATION LIVING CENTER - IL0971110	2	INADEQUATE HYDRO STORAGE	180	12/1/2003
BAHL WATER CORP - IL0855200	1	INADEQUATE PRESSURE TANK	700	12/15/1993
BELMONT WATER INC – IL0755150	4	EXCEEDING MCL FOR ARSENIC	200	6/15/2012
BIGGSVILLE – IL0710050	5	EXCEEDANCES OF GROSS ALPHA AND COMBINED RADIUM MCL'S	350	4/1/2010
BRADLEY HEIGHTS SUBDIVISION - IL2015050	1	INADEQUATE PRESSURE TANK	192	9/13/1985
*** BUDA – IL0110100	1	EXCEEDING THE MCL FOR COMBINED RADIUM	600	6/15/2012
BUFFALO HOLLOW FARMS WATER ASSOCIATION – IL1430080	5	INADEQUATE PRESSURE STORAGE	44	6/16S/2008
CARROLL HEIGHTS UTILITIES COMPANY - IL0155200	1	INADEQUATE PRESSURE TANK	96	3/20/1981
CENTURY PINES APARTMENTS - IL0150020	1	INADEQUATE PRESSURE TANK	50	12/14/1990
COOKSVILLE - IL1130400	4	TTHM & HALOACIDIC ACIDS	300	9/15/2005
COYNE CNTR COOP - IL1615150	1	INADEQUATE PRESSURE TANK	150	12/15/1997
CROSEY COMMUNITY WATER - IL1135150	4	INADEQUATE PRESSURE TANK	31	3/20/1981
CRYSTAL CLEAR WATER COMPANY - IL1115150	2	INADEQUATE GROUND STORAGE AND PRESSURE TANK	885	9/16/1988
CUTLER – IL1450050	7	EXCEEDING THE COMBINED MCL FOR RADIUM	676	6/15/2012
DE KALB UNIV DVL CORP - IL0375148	1	INADEQUATE PRESSURE TANK	1050	12/16/1992
DELAND – IL1470200	4	EXCEEDING THE MAXIMUM CONTAMINANT LEVEL (MCL) FOR ARSENIC	475	3/16/2012
EAST END WATER ASSOCIATION - IL1610140	1	INADEQUATE STORAGE CAPACITY	40	3/15/2002
EAST MORELAND WATER CORPORATION -	2	INADEQUATE PRESSURE	135	3/15/1996

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
IL1975640		TANK		
EDELSTEIN WATER COOPERATIVE – IL1435150	5	EXCEEDING THE MCL's FOR COMBINED RADIUM & GROSS ALPHA PARTICLE ACTIVITY	125	10/1/2010
ELIZABETHTOWN – IL0690100	7	UNSAFE SOURCE	348	6/15/2012
EVERGREEN VILLAGE SUBDIVISION - IL1615310	1	INADEQUATE PRESSURE TANK	130	3/20/1981
FAIR ACRES SUBDIVISION - IL1975680	2	INADEQUATE PRESSURE TANK	156	10/19/1981
FOREST LAKE ADDITION –LAKE CO PW IL0975500	2	INADEQUATE PRESSURE TANK	204	12/16/1983
FRWRD-SKYLINE PLANT - IL0895030	2	INADEQUATE PRESSURE TANK	700	9/19/1986
GREAT OAKS AND BEACON HILLS APARTMENTS - IL2015488	1	INADEQUATE PRESSURE TANK	2420	12/17/1982
GREEN MEADOW ESTATES OF ROCKFORD, LLC – IL2015495	1	INADEQUATE GROUND AND HYDRO- PNEUMATIC STORAGE	970	6/15/2012
HETTICK - IL1170500	5	TRICHALOMETHANE	182	6/15/2002
HIGHLAND SUBDIVISION - IL0895530	2	INADEQUATE PRESSURE TANK	60	9/16/1983
HILLVIEW SUBDIVISION - IL1975800	2	INADEQUATE PRESSURE TANK	100	3/15/1985
INGALLS PARK SUBDIVISION - IL1975880	2	INADEQUATE PRESSURE TANK	745	9/16/1983
LAKE LYNWOOD WATER SYSTEM - IL0735330	1	INADEQUATE PRESSURE TANK	75	8/31/1981
LARCHMONT SUBDIVISION - IL2015290	1	INADEQUATE PRESSURE TANK	64	6/17/1983
LARSON COURT APARTMENTS - IL1615728	1	INADEQUATE PRESSURE TANK	58	1/14/1982
LEGEND LAKES WATER ASSOCIATION - IL2015300	1	INADEQUATE PRESSURE TANK	283	3/14/1991
LIBERTY PARK HOMEOWNERS ASSOCIATION - IL0435600	2	INADEQUATE GROUND STORAGE CAPACITY	837	9/17/1992
LINDENWOOD WATER ASSOCIATION - IL1415300	1	INADEQUATE PRESSURE TANK	50	1/13/1982
LISBON NORTH, INC. - IL0631000	2	INADEQUATE PRESSURE TANK	30	9/14/1990
LONDON MILLS - IL0574620	5	INADEQUATE PRESSURE TANK	447	12/14/1984
LYNN WATER ASSOCIATION INC - IL0735100	1	INADEQUATE PRESSURE TANK	100	3/15/1995
LYNNWOOD WATER CORPORATION -	1	INADEQUATE PRESSURE	110	3/18/1983

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
IL0995336		TANK		
M C L W SYSTEM, INC. - IL1315150	1	INADEQUATE SOURCE	98	3/20/1981
MAEYSTOWN – IL1330200	6	EXCEEDING THE MCL FOR NITRATE	230	6/15/2012
MALTA – IL0370350	1	INADEQUATE STORAGE (NO AUTO-START GENERATOR)	1175	6/15/2012
*METCALF – IL0450250	4	COLIFORM BACTERIA PRESENT IN SOURCE WATER	213	4/1/2013
MOUND PWD - IL1635050	6	INADEQUATE PLANT CAPACITY	2200	6/17/1996
NORTH HENDERSON – IL1310300	1	INADEQUATE HYDROPNEUMATIC STORAGE	184	7/1/2011
NORTHWEST BELMONT IMPRV ASSN - IL0435900	2	INADEQUATE PRESSURE TANK	78	9/29/1981
OAKLANE SUBDIVISION – IL0995250	1	EXCEEDING THE COMBINED RADIUM MCL	60	6/15/2012
OAK RIDGE SD - IL2035300	1	INADEQUATE PRESSURE TANK	240	3/20/1981
OSCO MUTUAL WATER SUPPLY COMPANY, INC. - IL0735200	1	INADEQUATE PRESSURE TANK	115	12/15/1989
PANAMA - IL0054720	6	TTHM, DBP, INAD STORAGE	380	1/1/2006
****PERCY – IL1570350	6	COLIFORM BACTERIA PRESENT IN SOURCE WATER	925	12/16/2012
PORTS SULLIVAN LAKE OWNERS ASSOCIATION - IL0971160	2	INADEQUATE PRESSURE TANK	293	6/15/1999
PRAIRIE RIDGE ASSOCIATION - IL1115730	2	INADEQUATE PRESSURE TANK	130	10/1/2004
PRAIRIE ROAD PUMP ASSOCIATION- IL2015100	1	INADEQUATE STORAGE	150	1/1/2006
RANSOM – IL0990900	1	EXCEEDING MCL FOR COMBINED RADIUM	483	6/15/2012
SHAWNITA TRC WATER ASSOCIATION - IL1977690	2	INADEQUATE PRESSURE TANK	125	9/17/1992
SILVIS HEIGHTS WATER CORP - IL1615750	1	INADEQUATE HYDRO STORAGE	1600	12/1/2003
STRATFORD WEST APARTMENTS - IL1095200	5	INADEQUATE PRESSURE TANK	39	12/17/1982
SUBURBAN HEIGHTS SUBDIVISION - IL1615800	1	INADEQUATE PRESSURE TANK	82	12/16/1983
SUNNY HILL ESTATES SUBDIVISION - IL0735300	1	INADEQUATE PRESSURE TANK	525	6/15/2000
SUNNYLAND SUBDIVISION - IL1977730	2	INADEQUATE PRESSURE TANK	350	9/16/1983
SWEDONA WATER ASSOCIATION - IL1315200	1	INADEQUATE PRESSURE TANK	157	6/15/1990

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
SYLVAN LAKE 1ST SUBDIVISION - IL0977100	2	INADEQUATE PRESSURE TANK	210	6/14/1991
TOWNERS SUBDIVISION - IL0977250	2	INADEQUATE PRESSURE TANK	210	1/14/1982
UTL INC-LAKE HOLIDAY - IL0995200	1	INAD SOURCE & TREATMENT PLT	5460	9/15/1998
UTL INC-NORTHERN HILLS UTILITIES COMPANY - IL1775050	1	INADEQUATE PRESSURE TANK	500	3/15/1996
UTL INC-WALK-UP WOODS WATER COMPANY - IL1115800	2	INADEQUATE PRESSURE TANK	654	12/17/1982
VALLEY VIEW SUBDIVISION – IL2030010	1	INADEQUATE HYDROPNEUMATIC STORAGE	100	6/15/2012
WIENEN ESTATES - IL0850030	1	INADEQUATE PRESSURE TANK	70	12/15/1997
WONDER LAKE WATER COMPANY - IL1115750	2	INADEQUATE PRESSURE TANK	1442	6/16/1994

**WATER SYSTEMS REMOVED FROM PREVIOUS LIST**

\* DENOTES ADDED WATER SUPPLIES

\*\* THESE PUBLIC WATER SUPPLIES OBTAIN WATER FROM ANNA-JONESBORO WATER COMMISSION – (IL1815050)  
WHICH LACKS EXISTING TREATMENT CAPACITY.

\*\*\* CORRECT FACILITY NUMBER

\*\*\*\* CHANGE NATURE OF PROBLEM

**Illinois Environmental Protection Agency**  
**Division of Public Water Supplies**  
**Critical Review List - Public Water Supplies**

**APRIL 2013**

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
ANDALUSIA - IL1610050	1	INADEQUATE PRESSURE TANK	1050	12/1/2003
ANNA-JONESBORO WATER COMMISSION – IL1815050	7	LACKS EXISTING TREATMENT CAPACITY	36	7/1/2011
ANNA WATER COMMISSION – IL1810050	7	**	5750	7/1/2011
BEASON CHESTNUT PWD - IL1075150	5	INAD PLANT & SOURCE CAP	600	6/15/2004
CANTON – IL0570250	5	INSUFFICIENT TREATMENT CAPACITY	13932	3/15/2007
CEDARVILLE - IL1770050	1	EMERGENCY POWER	800	1/1/2006
COLUMBIA - IL1330050	6	INADEQUATE PUMPING CAPACITY	8365	3/15/1998
EDWARDSVILLE – IL1190250	5	INSUFFICIENT PLANT CAPACITY TO HANDLE PEAK SYSTEM WATER DEMAND	24,900	9/16/2008
ELIZABETH - IL0850150	1	LOW SYSTEM PRESSURE	682	6/15/1999
EXETER-MERRITT WATER COOP - IL1710010	5	INADEQUATE PRESSURE TANK	428	10/1/2004
GALENA - IL0850200	1	LOW SYSTEM PRESSURE	3640	6/15/1999
GRIGGSVILLE – IL1490300	5	INADEQUATE TREATMENT PLANT CAPACITY	1259	10/1/2006
HOLIDAY SHORES SD - IL1195110	6	INADEQUATE STORAGE CAPACITY	3192	1/1/2006
IL AMERICAN-ALTON	6	APPROACHING WATER TREATMENT PLANT CAPACITY	51922	4/1/2009
IL AMERICAN-E ST. LOUIS - IL1635040	6	APPROACHING INADEQUATE STORAGE CAPACITY	155382	1/01/2011
JONESBORO PWS – IL1810250	7	**	1853	7/1/2011
JOY - IL1310100	1	LOW SYSTEM PRESSURE	373	6/15/1999
LA SALLE - IL0990300	1	INAD PLANT & SOURCE CAPACITY	9700	11/1/2004
LACON - IL1230100	1	UNDERSIZED WATERMAINS	1979	1/1/2006
LICK CREEK PWD – IL1815100	7	**	1929	7/1/2011
MALDEN - IL0110550	1	UNDERSIZED WATERMAINS	370	1/1/2006

<i>SYSTEM NAME</i>	<i>EPA RGN</i>	<i>NATURE OF PROBLEM</i>	<i>POP SERVED</i>	<i>LISTING DATE</i>
MASON CITY - IL1250350	5	INADEQUATE STORAGE CAPACITY	2558	1/1/2006
MATHERSVILLE - IL1310200	1	INADEQUATE SYSTEM PRESSURE	793	9/13/2000
MC HENRY SHORES WATER COMPANY - IL1115020	2	LOW SYSTEM PRESSURE	1813	9/17/1992
MENDOTA – IL0990550	1	LOW SYSTEM PRESSURE	7272	10/1/2012
MITCHELLSVILLE PWD – IL1655200	7	LOW SYSTEM PRESSURE	1924	10/1/2012
SCALES MOUND - IL0850400	1	LOW SYSTEM PRESSURE	400	9/15/1997
SENECA - IL0991050	1	INADEQUATE PLANT CAPACITY AND UNDERSIZED WATER MAINS	2053	6/15/1999
SHAWNEE VALLEY PWD – IL1815550	7	**	952	7/1/2011
STOCKTON - IL0850450	1	LOW SYSTEM PRESSURE	1871	6/15/1984
SUMNER - IL1010300	7	LOW SYSTEM PRESSURE	1481	12/13/1985
UTL INC-LAKE MARIAN WATER CORPORATION - IL0895200	2	INAD PRES STORAGE & LOW SYS PRES	924	9/14/1984
WALNUT HILL - IL1210600	6	LOW SYSTEM PRESSURE	1470	6/14/1985
WHITE HALL – IL0610400	6	INADEQUATE STORAGE CAPACITY	2950	10/1/2012
WITT – IL1350850	5	INADEQUATE TREATMENT CAPACITY	991	3/17/2008

**WATER SYSTEMS REMOVED FROM PREVIOUS LIST**

**\* DENOTES ADDED WATER SUPPLIES**

**\*\* THESE PUBLIC WATER SUPPLIES OBTAIN WATER FROM ANNA-JONESBORO WATER COMMISSION (IL1815050) WHICH LACKS EXISTING TREATMENT CAPACITY.**

## **Restricted Status/Critical Review**

The Environmental Protection Act prohibits the Agency from issuing a construction permit that will cause or extend a violation. A construction permit to expand the distribution system cannot be granted when a water supply has a maximum contaminant level or treatment technique violation, an inadequate source of raw water supply, inadequate treatment plant capacity, finished water storage or distribution system pressure. A Restricted Status List is published quarterly in the Illinois Pollution Control Board Environmental Register to notify those persons considering expansion of a water supply distribution system of that status before large sums of money have been spent on items such as land acquisition, financing and engineering fees. A companion Critical Review List is published concurrently with the Restricted Status List and has the water supplies that are approaching a point where the supply could be placed on Restricted Status. A permit application from a supply on Critical Review will be examined carefully to ensure that the proposed construction will not cause a violation. Restricted Status and Critical Review are presented as a combined list with the status of the water supply denoted as either RS (Restricted Status) or CR (Critical Review). The current list reflects the status as of April 1, 2013. An asterisk, \*, beside the water supply indicates public water supplies that have been added to the Restricted Status/Critical Review list since the previous publication.

### **Restricted Status List**

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act.

This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.

### **Critical Review List**

The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations that would place it on the Restricted Status List.


This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.



The Illinois Pollution Control Board is an independent five-member board that adopts environmental control standards, rules on enforcement actions, and other environmental disputes for the State of Illinois.

The *Environmental Register* is published monthly by the Board, and contains updates on rulemakings, descriptions of final decisions, the Board's hearing calendar, and other environmental law information.

-----CUT HERE-----



Illinois Pollution Control Board  
Environmental Register Coordinator  
1021 N. Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274