

ILLINOIS POLLUTION CONTROL BOARD
December 8, 2014

RECEIVED
CLERK'S OFFICE

DEC - 8 2014

STATE OF ILLINOIS
Pollution Control Board

PEOPLE OF THE STATE OF ILLINOIS,

Complainant,

v.

AMERENENERGY RESOURCES
GENERATING COMPANY,

Respondent.

PCB 13-41
(Enforcement - Land)



ORIGINAL

HEARING OFFICER ORDER

On December 8, 2014, the parties participated in a telephone status conference with the hearing officer. Respondent recently submitted a proposed technical remedy to the Illinois Environmental Protection Agency, and the Agency has requested additional information.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:30 a.m. on February 9, 2015. The status conference shall be initiated by the People.

IT IS SO ORDERED.

Carol Webb

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.Webb@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were mailed, first class, on December 8, 2014 to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was hand delivered to the following on December 8, 2014:

John T. Therriault
Illinois Pollution Control Board
James R. Thompson Center
100 W. Randolph St., Ste. 11-500
Chicago, Illinois 60601

Carol Webb

Carol Webb
Hearing Officer
Illinois Pollution Control Board
1021 North Grand Avenue East
P.O. Box 19274
Springfield, Illinois 62794-9274
217/524-8509
Carol.Webb@illinois.gov

SERVICE LIST

PCB 2013-041
Renee Cipriano
Schiff Hardin, LLP
6600 Willis Tower
233 S. Wacker Drive
Chicago, IL 60606-6473

PCB 2013-041
Raymond J. Callery
Office of the Attorney General
500 South Second Street
Springfield, IL 62706

PCB 2013-041
Deborah Bone
Schiff Hardin, LLP
6600 Willis Tower
233 S. Wacker Drive
Chicago, IL 60606-6473

PCB 2013-041
Francis X. Lyons
Schiff Hardin, LLP
6600 Willis Tower
233 S. Wacker Drive
Chicago, IL 60606-6473