



ENVIRONMENTAL REGISTER

AUGUST 19, 2016 – NUMBER 743

BOARD MEMBERS

- ❖ Gerald M. Keenan, Chairman
 - ❖ Jennifer A. Burke
 - ❖ Jerome D. O'Leary
 - ❖ Carrie Zalewski
-

The **Illinois Pollution Control Board** is an independent five-member board that adopts environmental control standards and also rules on enforcement actions and other environmental disputes for the State of Illinois.



Board Adopts New Procedural Rules for its Digital Initiative, R16-17

On May 19, 2016, the Board further advanced its Digital Initiative, adopting final procedural rule amendments that will increase electronic filing, e-mail service, videoconference hearings, and on-line record access. Other rule changes include clarified appeal periods and reduced filing obligations. The amendments, which took effect on May 20, 2016, make overwhelming environmental and economic sense. They will be supported by this summer's launch of a new Board website, including a more robust COOL, the Board's electronic filing and docketing system. Here is a link to the Board's final opinion and order adopting the rule amendments: <http://www.ipcb.state.il.us/documents/dsweb/Get/Document-92703> For more information, please contact Richard McGill at 312-814-6983 or richard.mcgill@illinois.gov.

Board Amends Water Pollution Permitting Rules, Docket R15-24

On June 2, 2016, the Board issued an opinion and order declining to modify or withdraw its rulemaking proposal in response to an objection made by the Joint Committee on Administrative Rules (JCAR). After responding to JCAR's concerns, the Board adopted the final amendments to its water pollution permitting rules at 35 Ill. Adm. Code 309, which address National Pollutant Discharge Elimination System (NPDES) permits and non-NPDES permits. The rule amendments streamline the non-NPDES permitting process and provide flexibility to administratively continue NPDES permits. The rulemaking, captioned Water Pollution: Proposed Amendments to 35 Ill. Adm. Code Part 309, was initiated by the Illinois Environmental Protection Agency. Here is a link to the Board's opinion and order. For more information, please contact Jason James at 312-814-6929 or jason.james@illinois.gov.

Board Adopts "Identical-in-Substance" Hazardous Waste Rules, Including Amended Definition of "Solid Waste," R16-7

On June 16, 2016, the Board amended its hazardous waste regulations at 35 Ill. Adm. Code 703, 720 through 722, 724 through 728, and 733. The amendments are "identical in substance" to rules adopted during 2015 by the United States Environmental Protection Agency (USEPA) under Subtitle C of the federal Resource Conservation and Recovery Act (RCRA). Among the RCRA Subtitle C updates, three stand out. First, USEPA significantly amended the Definition of Solid Waste Rule or "DSWR." Second, USEPA removed the "comparable fuels rule" and the "gasification rule." Third, USEPA determined not to regulate coal combustion residuals (CCR) as hazardous waste and adopted new rules to govern the disposal of CCR as non-hazardous solid waste, expanding the "Bevill exemption." The Board's rulemaking is captioned RCRA Subtitle C Update, USEPA Amendments (January 1, 2015 through June 30, 2015 and July 2, 2015).

Here are links to the Board's 85-page opinion; the Board's 767-page order; and the Board's 168-page addendum. For more information, please contact Michael McCambridge at 312-814-6924 or michael.mccambridge@illinois.gov.

Board Adopts "Identical-in-Substance" Rules for UST Corrective Action, R16-16

On July 7, 2016, the Board amended its underground storage tank (UST) regulations at 35 Ill. Adm. Code 731. The amendments are "identical in substance" to corrective action rules adopted by the United States



Environmental Protection Agency (USEPA) during the second half of 2015. USEPA amended many areas of its UST regulations (*e.g.*, secondary containment for tanks and piping; operator training; release prevention and detection technologies), but most of the changes are outside the scope of the Board's identical-in-substance UST mandate, which is limited to corrective action. The Board's rulemaking is captioned UST Update, USEPA Amendments (July 1, 2015 through December 31, 2015). Here are links to the Board's opinion and order; and the Board's addendum. For more information, please contact Michael McCambridge at 312-814-6924 or michael.mccambridge@illinois.gov.

APPELLATE UPDATE

Fifth District Affirms IPCB's Decision on Local Siting of Waste Transfer Station

Roxana Landfill, Inc. et al. v. Illinois Pollution Control Board et al.

2016 IL App (5th) 150096-U

Board dockets PCB 15-65 & PCB 15-69 (consolidated)

In a Rule 23 order issued on July 25, 2016, the Fifth District Appellate Court upheld the Board's decision to affirm the Village of Caseyville's grant of siting approval for a municipal solid waste transfer station. The Board's decision had been appealed to the Fifth District by Roxana Landfill, Inc. and the Village of Fairmont City. These third parties raised a host of challenges, but the appellate court, in a 53-page order, agreed with the Board that:

- The Village of Caseyville had jurisdiction to consider the siting application filed by Caseyville Transfer Station, LLC (CTS) because CTS—with the intent of having the application kept on file—hand-delivered the application to the Village Hall on the submittal date specified in CTS's pre-filing notices, even though Village Hall staff did not date-stamp the application upon receipt and placed it in a zoning office;
- The siting procedures used by the Village of Caseyville were fundamentally fair, including allowing the only witness for CTS to make his hearing statements while not under oath; and
- The Village of Caseyville correctly found that CTS satisfied each of the six contested siting criteria (necessary to accommodate needs; protection of the public; area character and surrounding property value; flooding; impact on existing traffic flows; and consistency with county solid waste management plan).
- Here is a link to the court's order: [2016 IL App \(5th\) 150096-U](#)



BOARD ACTIONS

July 7, 2016

Via videoconference: IPCB Offices in Chicago, Illinois and Springfield, Illinois

Rulemakings

R16-16 UST Update, USEPA Amendments (July 1, 2015, through December 31, 2015) (Land) – The Board adopted a final opinion and order in this “identical-in-substance” rulemaking to amend the Board’s underground storage tank corrective action regulations.

ADMINISTRATIVE CITATIONS

AC 16-14 County of Ogle v. Wayne L. Fisher & Christina C. Fisher – The Board accepted as timely respondents’ petition for review involving an Ogle County facility, but directed respondents to file an amended petition to cure deficiencies identified in the order.

ADJUDICATORY CASES

PCB 14-111 Sanitary District of Decatur v. IEPA (Water – Variance) – Member Glosser reported that this case would be held to allow the time for IEPA to file a response to run, and that the motion would be ripe by the next Board meeting. The Board took no action on this matter.

PCB 15-108 Distressed Properties, Inc. v. IEPA

PCB 16-32 Distressed Properties, Inc. v. IEPA

PCB 16-46 Distressed Properties, Inc. v. IEPA (UST Appeal) – The directed (Cons.) petitioner to obtain attorney representation by July 28, 2016. If the Board does not receive an attorney appearance by July 28, 2016, the Board will promptly dismiss these three consolidated appeals.

PCB 16-11 Wabash Valley Power Association v. IEPA (Air – Permit Appeal, CAAPP) – The Board granted petitioner’s motion for dismissal of this permit appeal.

PCB 16-53 Rabi Management, Inc. v. IEPA (UST Appeal, 90-Day Extension) – Having previously granted a request for a 90-day extension, the Board dismissed this matter because no underground storage tank appeal was filed on behalf of this Cook County facility.



- PCB 16-54** Will County, Illinois v. Village of Rockdale, Board of Trustees of Village of Rockdale and Environmental Recycling and Disposal Services, Inc.
- PCB 16-56** Waste Management of Illinois, Inc. v. Village of Rockdale, Illinois Board of Trustees and Environmental Recycling and Disposal Services, Inc. (Pollution Control Facility Siting Reviews) – The Board granted Will County and Waste Management of Illinois’ motions to reconsider the Board’s April 21, 2016 opinion and order for the limited purpose of considering petitioners’ contention that the Board misapplied the manifest weight of the evidence standard. On reconsideration, the Board disagreed and affirmed its April 21, 2016 opinion and order.
- PCB 16-76** Environmental Recycling and Disposal Services, Inc. v. Will County, Illinois, Will County Board, Waste Management of Illinois, Inc. (Pollution Control Facility Siting Review) – The Board granted petitioner’s unopposed motion for leave to file an amended petition for review, and accepted the amended petition for hearing.
- PCB 16-97** Arnold Magnetic Technologies v. IEPA (Water – Permit Appeal) – The Board accepted for hearing this permit appeal involving a site in McHenry County.
- PCB 16-111** Farina Farms, Inc. v. IEPA (Water – Tax Certification) – The Board found and certified that specified facilities of Farina Farms located in Marion County are pollution control facilities for the purpose of preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2014)).
- PCB 16-112** Calpine Corporation (Zion Energy Center) v. IEPA (Air Variance, CAAPP) – The Board directed petitioner to file an amended petition to cure deficiencies identified in the order.

July 21, 2016

Via videoconference: IPCB Offices in Chicago, Illinois and Springfield, Illinois

ADMINISTRATIVE CITATIONS

- AC 14-6** IEPA v. Jonathon A. Banks d/b/a AMB Auto Repair & Detailing and John T. & Emily D. Howard – The Board granted complainant’s motion for voluntary dismissal of this administrative citation and closed the docket.

ADJUDICATORY CASES

- PCB 04-66** Premcor Refining Group v. IEPA (Permit Appeal – RCRA) – The Board granted petitioner’s request to file its status report *instanter*.



- PCB 10-20** People of the State of Illinois v. Montalbano Builders, Inc., MBC XIV, LLC, Cortland I-88, LLC, RB Resolutions Properties, LLC, and Douglas J. Johnson (Water – Enforcement) – The Board granted complainant’s motion to voluntarily dismiss the last remaining respondents, Montalbano Builders, Inc. and MBC XIV, and closed the docket.
- PCB 13-41** People of the State of Illinois v. AmerenEnergy Resources Generating Company, Inc. (Land – Enforcement) – The Board granted the parties’ joint motion to join Ameren Energy Medina Valley Cogen, LLC as a respondent in this matter. Also, upon receipt of a stipulation and proposed settlement agreement and agreed motion to request relief from the hearing requirement in this land enforcement action involving a Fulton County facility, the Board ordered publication of the required newspaper notice.
- PCB 14-111** Sanitary District of Decatur v. IEPA (Water – Variance) – No action taken.
- PCB 15-138** Dynegy Midwest Generation, LLC (Baldwin Energy Complex) v. IEPA (Water – Permit Appeal, NPDES) – The Board granted petitioner’s motion for voluntary dismissal of this permit appeal.
- PCB 16-100** Blake Leasing Company, LLC - Real Estate Series, as owner of Kirkland Quick Stop v. Illinois Environmental Protection Agency and Village of Kirkland (Water Well Setback) – No action taken.
- PCB 16-102** Friends of the Environment, NFP v. IEPA(UST Appeal) – The Board denied petitioner’s motion for summary judgment and granted respondent’s cross-motion for summary judgment.
- PCB 16-107** People of the State of Illinois v. Jones Hydroblast, Inc. (Land – Enforcement, RCRA) – In this land enforcement action concerning a Franklin County facility, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2014)), accepted a stipulation and settlement agreement, and ordered respondent to pay a \$7,500 civil penalty and to cease and desist from further violations.
- PCB 16-109** People of the State of Illinois v. Village of Lakemoor (Water – Enforcement) – In this water enforcement action concerning respondent’s municipal separate storm sewer system (MS4) which discharges into Sullivan Lake, Likely Lake, Lake Louette, and several other unnamed lake and tributaries in Lake and McHenry Counties, the Board granted relief from the hearing requirement of Section 31(c)(1) of the Environmental Protection Act (415 ILCS 5/31(c)(1) (2014)), accepted a stipulation and settlement agreement, and ordered respondent to pay a \$7,100 civil penalty and to cease and desist from further violations.



Alliance WOR Processing, LLC - Dahlgren v. IEPA
(Air – Tax Certification) – The Board found and certified that specified facilities of Alliance WOR Processing, LLC located in Hamilton County are pollution control facilities for the purpose of preferential tax treatment under the Property Tax Code (35 ILCS 200/11-10 (2014)).



Wednesday, August 10, 2016 11:00 AM

PCB 2016-106

Exelon Generation, LLC (Byron, Clinton, Dresden, and LaSalle stations) v. IEPA

IPCB Office

James R. Thompson Center

100 W Randolph - Room 11-512

Chicago, Illinois

Thursday, August 11, 2016 11:00AM

Board Meeting

IPCB Office

1021 N Grand Ave E - Room 1244 N (First Floor)

Springfield, Illinois

- and -

IPCB Office

James R. Thompson Center

100 W Randolph - Room 11-512

Chicago, Illinois

Thursday, August 11, 2016 12:00PM

Brown Bag Seminar

IPCB Office

1021 N Grand Ave E - Room 1244 N (First Floor)

Springfield, Illinois

- and -

IPCB Office

James R. Thompson Center

100 W Randolph - Room 09-040

Chicago, Illinois

Thursday, August 25, 2016 11:00AM

Board Meeting

IPCB Office

1021 N Grand Ave E - Room 1244 N (First Floor)

Springfield, Illinois

- and -

IPCB Office

James R. Thompson Center

100 W Randolph - Room 11-512

Chicago, Illinois



Thursday, August 25, 2016 11:00AM

Brown Bag Seminar
IPCB Office
1021 N Grand Ave E - Room 1244 N (First Floor)
Springfield, Illinois

- and -

IPCB Office
James R. Thompson Center
100 W Randolph - Room 09-040
Chicago, Illinois

Wednesday, September 7, 2016 10:00 AM

PCB 2016-108
Abel Investments, LLC v IEPA

Illinois Pollution Control Board Hearing Room
1021 North Grand Avenue, North Entrance
Springfield, IL

Thursday, September 8, 2016 11:00AM

Board Meeting
IPCB Office
1021 N Grand Ave E - Room 1244 N (First Floor)
Springfield, Illinois

- and -

IPCB Office
James R. Thompson Center
100 W Randolph - Room 11-512
Chicago, Illinois

Thursday, September 22, 2016 11:00AM

Board Meeting
IPCB Office
1021 N Grand Ave E - Room 1244 N (First Floor)
Springfield, Illinois

- and -

IPCB Office
James R. Thompson Center
100 W Randolph - Room 11-512
Chicago, Illinois

Thursday, September 22, 2016 12:00PM

Brown Bag Seminar
IPCB Office
1021 N Grand Ave E - Room 1244 N (First Floor)
Springfield, Illinois

- and -



IPCB Office
James R. Thompson Center
100 W Randolph - Room 09-040
Chicago, Illinois

* [Link to calendar](#)



**Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies**

July 2016

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
AIR VIEW MHP	IL1615185	1	INADEQUATE PRESSURE TANK	165	9/14/1984
ANDALUSIA (upper elevation area)	IL1610050	1	LOW SYSTEM PRESSURE	1050	10/1/2003
ANDOVER	IL0730100	1	NO BACKUP SOURCE	600	3/24/2016
AQUA ILLINOIS - CRYSTAL CLEAR WATER CO.***	IL1115150	2	NO EMERGENCY POWER & NO PRESSURE TANK	855	9/16/1988
AQUA ILLINOIS - HAWTHORN WOODS	IL0975040	2	INADEQUATE GROUND STORAGE & INADEQUATE PRESSURE TANK	1135	3/24/2016
AQUA ILLINOIS - NUNDA**	IL1115600	2	INADEQUATE PRESSURE TANK	570	4/1/2015
AVANTARA LONG GROVE	IL0971110	2	INADEQUATE PRESSURE TANK	200	12/1/2003
BAHL WATER CORP	IL0855200	1	INADEQUATE PRESSURE TANK	700	12/15/1993
BEVERLY HILLSDALE ESTATES, LLC	IL1615530	1	INADEQUATE PRESSURE TANK	63	3/18/1983
BILL-MAR HEIGHTS MHP	IL2015345	1	INADEQUATE PRESSURE TANK	160	3/18/1983
BUDA	IL0110100	1	RADIUM MCL VIOLATION	600	6/15/2012
BUFFALO HOLLOW FARMS WATER ASSOCIATION	IL1430080	5	INADEQUATE PRESSURE TANK	45	6/16/2008
CAMBRIDGE	IL0730300	1	RADIUM MCL VIOLATION	2108	2/8/2016
CAPRON MHP	IL0075105	1	INADEQUATE PRESSURE TANK	98	3/18/1983
CENTURY PINES APARTMENTS	IL0150020	1	INADEQUATE PRESSURE TANK	50	12/14/1990
CHAIN-O-LAKES MHP	IL0975165	2	INADEQUATE PRESSURE TANK	80	12/15/1989
CLARKS MHP	IL2015425	1	INADEQUATE PRESSURE TANK	80	12/16/1991
COUNTRY ACRES MHP (LaSalle County)*	IL0995365	1	RADIUM MCL VIOLATION	295	5/4/2016
COYNE CNTR COOP	IL1615150	1	INADEQUATE PRESSURE TANK	150	12/15/1997
CRISWELL COURT MHP	IL1975105	3	INADEQUATE PRESSURE TANK	146	12/15/1989
DATTIS MHP	IL0995225	1	INADEQUATE PRESSURE TANK	115	3/18/1983
DAYSRING BIBLE COLLEGE	IL0977189	2	INADEQUATE PRESSURE TANK	60	6/15/1988
DES PLAINES MHP	IL0317775	2	INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK	580	3/16/1984
EAST END WATER ASSOCIATION	IL1610140	1	INADEQUATE PRESSURE TANK	40	3/15/2002
EAST MORELAND WATER CORPORATION	IL1975640	2	INADEQUATE PRESSURE TANK	135	3/15/1995
EDELSTEIN WATER COOPERATIVE	IL1435150	5	INADEQUATE GROUND STORAGE & NO EMERGENCY POWER	125	1/1/2015
EHLERS MHP	IL0195645	4	INADEQUATE PRESSURE TANK	112	12/17/1982
ELIZABETH (upper elevation area)	IL0850150	1	LOW SYSTEM PRESSURE	675	6/15/1999
ERIE	IL1950200	1	NITRATE MCL VIOLATION	1600	2/8/2016
EVERGREEN VILLAGE SUBDIVISION	IL1615310	1	INADEQUATE PRESSURE TANK	130	3/20/1981
EXETER - MERRITT WATER COOP	IL1710010	5	INADEQUATE STORAGE CAPACITY	765	10/1/2013



EXPRESSWAY MHP	IL0015545	5	INADEQUATE PRESSURE TANK	98	3/19/1984
FAIR ACRES SUBDIVISION	IL1975680	2	INADEQUATE PRESSURE TANK	156	10/19/1981
FAMILY MANUFACTURED HOME COMMUNITY, LLC	IL2015125	1	INADEQUATE PRESSURE TANK	240	12/17/1982
FOUR STAR CAMPGROUND	IL0990060	1	INADEQUATE PRESSURE TANK	250	6/15/1999
GERMAN VALLEY*	IL1770250	1	BARIUM MCL VIOLATION	480	5/4/2016
GRANDVIEW MHP	IL1795365	5	INADEQUATE PRESSURE TANK	300	3/18/1983
GREAT OAKS AND BEACON HILLS APARTMENTS	IL2015488	1	INADEQUATE PRESSURE TANK	1816	12/17/1982
GREEN ACRES MHP	IL1035165	1	INADEQUATE PRESSURE TANK	168	6/15/2000
GREEN MEADOWS ESTATES OF ROCKFORD LLC	IL2015495	1	INADEQUATE GROUND STORAGE & INADEQUATE PRESSURE TANK	970	6/15/2012
GREENFIELD	IL0610150	6	HALOACETIC ACIDS MCL VIOLATION	1620	1/5/2016
HIATTS HIDEAWAY MHP	IL1795495	5	INADEQUATE PRESSURE TANK	150	9/15/1989
HIGHLAND SUBDIVISION	IL0895530	2	INADEQUATE PRESSURE TANK	50	9/16/1983
HILLVIEW SUBDIVISION	IL1975800	2	INADEQUATE PRESSURE TANK	100	3/15/1985
HOLLY HOCK HILL MHP	IL0975245	2	INADEQUATE PRESSURE TANK	52	12/16/1983
HONEYCUTT HILL MHP LLC	IL1955225	1	INADEQUATE PRESSURE TANK	75	9/17/1982
IL AMERICAN - RANSOM**	IL0990900	1	RADIUM MCL VIOLATION	483	6/15/2012
INGALLS PARK SUBDIVISION	IL1975880	2	INADEQUATE PRESSURE TANK	745	9/16/1983
LAKE COUNTY PW - HAWTHORN WOODS	IL0970450	2	INADEQUATE GROUND STORAGE & INADEQUATE PRESSURE TANK	672	3/24/2016
LAKE LYNWOOD WATER SYSTEM	IL0735330	1	INADEQUATE PRESSURE TANK	75	8/31/1981
LARCHMONT SUBDIVISION	IL2015290	1	INADEQUATE PRESSURE TANK	64	6/17/1983
LARSON COURT APARTMENTS	IL1615728	1	INADEQUATE PRESSURE TANK	58	1/14/1982
LEGEND LAKES WATER ASSOCIATION	IL2015300	1	INADEQUATE PRESSURE TANK	283	3/14/1991
LIBERTY PARK HOMEOWNERS ASSOCIATION	IL0435600	2	INADEQUATE GROUND STORAGE CAPACITY	847	9/17/1992
LIMA*	IL0010400	5	INADEQUATE SOURCE CAPACITY	163	5/4/2016
LINDENWOOD WATER ASSOCIATION	IL1415300	1	INADEQUATE PRESSURE TANK	50	1/13/1982
LISBON NORTH, INC.	IL0631000	2	INADEQUATE PRESSURE TANK	30	9/14/1990
LOVES PARK	IL2010150	1	RADIUM MCL VIOLATION	22476	10/22/2015
LYNNWOOD WATER CORPORATION	IL0995336	1	INADEQUATE PRESSURE TANK	110	3/18/1983
MAEYSTOWN	IL1330200	6	NITRATE MCL VIOLATION	230	6/15/2012
MALTA	IL0370350	1	INADEQUATE STORAGE (NO AUTO-START GENERATOR)	1175	6/15/2012
MANCUSO VILLAGE PARK MHP	IL2015545	1	INADEQUATE PRESSURE TANK	500	6/18/1982
MANTENO MHP	IL0915385	2	INADEQUATE PRESSURE TANK	144	12/14/1990



**Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies**

July 2016

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
MCLW SYSTEM, INC	IL1315150	1	INADEQUATE SOURCE	98	3/20/1981
MITCHELLSVILLE PWD	IL1655200	7	LOW SYSTEM PRESSURE	1989	10/1/2012
MOUND PWD	IL1635050	6	INADEQUATE PLANT CAPACITY	2200	6/17/1996
MULBERRY GROVE	IL0050100	6	HALOACETIC ACIDS MCL VIOLATION	725	1/5/2016
NEW SALEM PWD	IL1090010	5	TOTAL TRIHOLMETHANES MCL VIOLATION	225	4/1/2015
NORTH HENDERSON	IL1310300	1	INADEQUATE PRESSURE TANK	184	7/1/2011
NORTH TAZEWELL PWD**	IL1795780	5	HALOACETIC ACIDS MCL VIOLATION; TOTAL TRHALOMETHANES MCL VIOLATION; LOW CHLORINE RESIDUAL (area six and seven based upon coliform sample plan)	8300	2/8/2016
NORTHWEST BELMONT IMPROVEMENT ASSN	IL0435900	2	INADEQUATE PRESSURE TANK	78	9/29/1981
OAK GROVE MHP - ROCK ISLAND COUNTY	IL1617785	1	INADEQUATE PRESSURE TANK	100	6/18/1982
OAK RIDGE SD	IL2035300	1	INADEQUATE PRESSURE TANK	240	3/20/1981
OSCO MUTUAL WATER SUPPLY COMPANY, INC.	IL0735200	1	INADEQUATE PUMP CAPACITY	115	12/15/1989
PARADISE MANOR MHP	IL1617665	1	INADEQUATE PRESSURE TANK	200	2/19/1982
PARADISE MHP	IL0310010	2	INADEQUATE PRESSURE TANK	700	6/15/1990
PARK MEADOWLAND WEST MHP	IL0075235	1	INADEQUATE PRESSURE TANK	100	3/18/1982
PAULS MHP	IL0975485	2	INADEQUATE PRESSURE TANK	38	12/16/1983
PLEASANT RIDGE MHP	IL0435945	2	INADEQUATE PRESSURE TANK	284	6/15/1984
PORTS SULLIVAN LAKE OWNERS ASSOCIATION	IL0971160	2	INADEQUATE PRESSURE TANK	293	6/15/1999
PRAIRIE RIDGE ASSOCIATION	IL1115730	2	INADEQUATE PRESSURE TANK	148	10/1/2004
PRAIRIE ROAD PUMP ASSOCIATION	IL2015100	1	INADEQUATE STORAGE	150	1/1/2006
RAINBOW LANE MHP	IL2015645	1	INADEQUATE PRESSURE TANK	85	6/17/1983
RIVER ROAD MHP	IL1775185	1	INADEQUATE PRESSURE TANK	282	6/17/1983
RIVERSIDE ESTATES MHP	IL1955165	1	INADEQUATE PRESSURE TANK	270	12/13/1993
RIVERVIEW MHP (HENRY COUNTY)	IL0735425	1	INADEQUATE PRESSURE TANK	65	9/17/1982
RIVERVIEW MHP (WINNEBAGO COUNTY)	IL2015655	1	INADEQUATE PRESSURE TANK	214	6/17/1983
ROCHELLE*	IL1410500	1	RADIUM MCL VIOLATION	9850	5/4/2016
ROCKLAND MHP	IL0975585	2	INADEQUATE PRESSURE TANK	74	12/16/1983
ROLLING GREEN ESTATES MHP	IL1415245	1	INADEQUATE PRESSURE TANK	191	6/14/1985
ROYAL OAKS MHP	IL1115145	2	INADEQUATE PRESSURE TANK	114	6/17/1983
SCALES MOUND	IL0850400	1	LOW SYSTEM PRESSURE	400	9/15/1997
SHANGRI-LA MHP	IL1415285	1	INADEQUATE PRESSURE TANK	444	9/16/1983
SHAWNITA TRC WATER ASSOCIATION	IL1977690	2	INADEQUATE PRESSURE TANK	135	9/17/1992
SILVIS HEIGHTS WATER CORP	IL1615750	1	INADEQUATE PRESSURE TANK	1600	12/1/2003



**Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status List – Community Water Supplies**

July 2016

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
SIX OAKS MHP	IL2015685	1	INADEQUATE PRESSURE TANK	48	6/18/1982
SOUTH SANGAMON WATER COMMISSION	IL1670080	5	NO ELEVATED OR PRESSURE STORAGE	104	4/1/2015
STEPHENSON MOBILE ESTATES	IL1775235	1	INADEQUATE PRESSURE TANK	223	6/17/1983
STOCKTON	IL0850450	1	LOW SYSTEM PRESSURE	1871	6/15/1984
STRATFORD WEST APARTMENTS	IL1095200	5	INADEQUATE PRESSURE TANK	39	12/17/1982
SUBURBAN APARTMENTS (DE KALB UNIV DVL)	IL0375148	1	INADEQUATE PRESSURE TANK	1050	12/16/1992
SUBURBAN HEIGHTS SUBDIVISION	IL1615800	1	INADEQUATE PRESSURE TANK	82	12/16/1983
SUMNER	IL1010300	7	LOW SYSTEM PRESSURE	1481	12/13/1985
SUNNY HILLS ESTATES SUBDIVISION	IL0735300	1	INADEQUATE PRESSURE TANK	525	6/15/2000
SUNNYLAND SUBDIVISION	IL1977730	2	INADEQUATE PRESSURE TANK	350	9/16/1983
SUNSET MHP	IL0310080	2	RADIUM MCL VIOLATION, INADEQUATE GROUND STORAGE & NO PRESSURE TANK	1290	6/15/1988
SWEDONA WATER ASSOCIATION	IL1315200	1	INADEQUATE PRESSURE TANK	157	6/15/1990
SYLVAN LAKE 1ST SUBDIVISION	IL0977100	2	INADEQUATE PRESSURE TANK	210	6/14/1991
TIMBER RIDGE MOBILE ESTATES	IL1775255	1	INADEQUATE PRESSURE TANK	150	6/17/1996
TOWNERS SUBDIVISION	IL0977250	2	INADEQUATE PRESSURE TANK	204	1/14/1982
TRIANGLE MHP**	IL0195925	1	ARSENIC MCL VIOLATION; HALOACETIC ACIDS MCL VIOLATION; TOTAL TRIHALOMETHANES MCL VIOLATION	90	6/15/2012
UTL INC - LAKE HOLIDAY	IL0995200	1	INADEQUATE TREATMENT CAPACITY	6479	4/1/2015
UTL INC - LAKE WILDWOOD UTILITIES CORP	IL1235200	1	INADEQUATE GROUND STORAGE & INADEQUATE PRESSURE TANK	950	10/22/2015
UTL INC - WALK-UP WOODS WATER COMPANY	IL1115800	2	INADEQUATE PRESSURE TANK	781	12/17/1982
VALLEY VIEW SUBDIVISION (WOODFORD COUNTY)	IL2030010	1	INADEQUATE PRESSURE TANK	100	6/15/2012
VIETZEN MHP	IL0437245	2	INADEQUATE PRESSURE TANK	198	6/17/1983
WALNUT HILL	IL1210600	6	LOW SYSTEM PRESSURE	1470	6/14/1985
WILDLIFE MHP	IL0995425	1	INADEQUATE PRESSURE TANK	73	9/17/1982
WILLOWAY TERRACE MHP	IL0317595	2	INADEQUATE PRESSURE TANK & INADEQUATE SOURCE CAPACITY	450	6/15/1984

**Illinois Environmental Protection Agency
Division of Public Water Supplies
Critical Review List – Community Water Supplies**

July 2016

SYSTEM NAME	SYSTEM ID	EPA REGION	NATURE OF PROBLEM	POPULATION SERVED	LISTING DATE
ANNA	IL1810050	7	INADEQUATE TREATMENT CAPACITY	5043	7/1/2011
ANNA - JONESBORO WATER COMMISSION	IL1815050	7	INADEQUATE TREATMENT CAPACITY INADEQUATE SOURCE CAPACITY & INADEQUATE PRESSURE TANK	36	7/1/2011
BEASON CHESTNUT PWD	IL1075150	5	INADEQUATE TREATMENT CAPACITY	435	6/15/2004
CANTON	IL0570250	5	INADEQUATE STORAGE CAPACITY	13932	3/15/2007
HOLIDAY SHORES SD	IL1195110	6	INADEQUATE TREATMENT CAPACITY INADEQUATE SOURCE CAPACITY & INADEQUATE	3192	1/1/2006
JONESBORO PWS	IL1810250	7	INADEQUATE TREATMENT CAPACITY	1912	7/1/2011
LA SALLE	IL0990300	1	INADEQUATE TREATMENT CAPACITY	9700	11/1/2004
LICK CREEK PWD	IL1815100	7	INADEQUATE TREATMENT CAPACITY INADEQUATE STORAGE TANK	1929	7/1/2011
MASON CITY	IL1250350	5	INADEQUATE PLANT CAPACITY	2558	1/1/2006
SENECA	IL0991050	1	INADEQUATE TREATMENT CAPACITY	2053	6/15/1999
SHAWNEE VALLEY PWD	IL1815550	7	INADEQUATE STORAGE CAPACITY	952	7/1/2011
WHITE HALL	IL0610400	6	INADEQUATE TREATMENT CAPACITY	2950	10/1/2012
WITT	IL1350850	5	INADEQUATE TREATMENT CAPACITY	991	3/17/2008

**Illinois Environmental Protection Agency
Division of Public Water Supplies
Restricted Status and Critical Review Lists – Community Water Supplies**

July 2016

**WATER SYSTEMS REMOVED FROM
PREVIOUS LIST**

Elizabethtown
IL American - East St. Louis
Percy

***WATER SYSTEMS ADDED**

Country Acres MHP (LaSalle County)
German Valley
Lima
Rochelle

****UPDATES**

Aqua Illinois - Crystal Clear Water Co.,
IL1115150 formerly known as Crystal Clear
Water Co.

Aqua Illinois - Nunda, IL1115600 formerly
known as Nunda Utilities Company

IL American - Ransom, IL0990900 formerly
known as Ransom

North Tazewell PWD, IL1795780 has additional
violations for haloacetic acids and total
trihalomethanes

Triangle MHP, IL0195925 has additional
violations for haloacetic acids and total
trihalomethanes

Restricted Status/Critical Review

The Environmental Protection Act prohibits the Agency from issuing a construction permit that will cause or extend a violation. A construction permit to expand the distribution system cannot be granted when a water supply has a maximum contaminant level or treatment technique violation, an inadequate source of raw water supply, inadequate treatment plant capacity, finished water storage or distribution system pressure. A Restricted Status List is published quarterly in the Illinois Pollution Control Board Environmental Register to notify those persons considering expansion of a water supply distribution system of that status before large sums of money have been spent on items such as land acquisition, financing and engineering fees. A companion Critical Review List is published concurrently with the Restricted Status List and has the water supplies that are approaching a point where the supply could be placed on Restricted Status. A permit application from a supply on Critical Review will be examined carefully to ensure that the proposed construction will not cause a violation. Restricted Status and Critical Review are presented as a combined list with the status of the water supply denoted as either RS (Restricted Status) or CR (Critical Review). The current list reflects the status as of April 1, 2015. An asterisk, *, beside the water supply indicates public water supplies that have been added to the Restricted Status/Critical Review list since the previous publication.

Restricted Status List

The Restricted Status List was developed to give additional notification to officials of public water supplies which are in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

The Restricted Status List will include all Public Water Supplies for which the Agency has information indicating a violation of any of the following requirements: Finished water quality requirements of 35 Ill. Adm. Code, Part 604, Subparts B and C; maintenance of adequate pressure on all parts of the distribution system under all conditions of demand; meeting raw water quantity requirements of 35 Ill. Adm. Code 604.502; or maintenance of treatment facilities capable of providing water "assuredly adequate in quantity" as required by Section 18 of the Illinois Environmental Protection Act.

A public water supply on the Restricted Status List will not be issued permits for water main extensions, except for certain limited situations, or unless the supply has been granted a variance from the Illinois Pollution Control Board for the violation, or from permit issuance requirements of Section 39 of the Act. This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.

Critical Review List


The Critical Review List was developed to give additional notification to officials of public water supplies which may be close to being in violation of 35 Ill. Adm. Code, Subtitle F: Public Water Supplies, Chapter I or the Illinois Environmental Protection Act.

A supply will be placed on the Critical Review List when Agency records indicate that it is approaching any of the violations that would place it on the Restricted Status List.



This list is continually being revised as new information becomes available, and therefore, specific inquiries as to the status of any public water supply should be directed to the Division of Public Water Supplies for final determination.





A Publication of the Illinois Pollution Control Board
AUGUST 2016