ILLINOIS POLLUTION CONTROL BOARD October 29, 2019

UNITED STATES STEEL CORPORATION,)	
a Delaware corporation)	
-)	
Petitioner,)	
)	
V.)	PCB 13-62
)	(CAAPP Permit Appeal – Air)
ILLINOIS ENVIRONMENTAL)	· · · · · · · · · · · · · · · · · · ·
PROTECTION AGENCY,)	
)	
Respondent.)	

HEARING OFFICER ORDER

On October 29, 2019, the parties participated in a telephone status conference with the hearing officer. The parties met last week, and another meeting is scheduled for November 19, 2019. While the testing has been completed, petitioner's consultant still has a lot of work to do before a permit application can be submitted to IEPA.

The parties are directed to participate in a telephone status conference with the hearing officer at 2:00 p.m. on November 25, 2019. The status conference shall be initiated by the petitioner.

The decision deadline is June 30, 2020.

IT IS SO ORDERED.

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed on October 29, 2019, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on October 29, 2019:

Don A. Brown Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

@Consents to Electronic Service

PCB 2013-062@ N. LaDonna Driver Heplerbroom, LLC 4340 Acer Grove Drive Springfield, IL 62711

PCB 2013-062@ Molly H. Snittjer Office of the Attorney General 69 W. Washington Street, Suite 1800 Chicago, IL 60602 PCB 2013-062@ Rebecca A. Burlingham Office of the Attorney General 69 W. Washington Street, Suite 1800 Chicago, IL 60602