ILLINOIS POLLUTION CONTROL BOARD May 21, 2020

)

IN THE MATTER OF: DEFINITION OF VOM UPDATE, USEPA REGULATIONS (July 1, 2018 through December 31, 2018)

R19-15 (Identical-in-Substance Rulemaking - Air)

Proposed Rule. Proposal for Public Comment.

OPINION AND ORDER OF THE BOARD (by B.F. Currie):

During the update period of this docket, on November 28, 2018, the United States Environmental Protection Agency (USEPA) added a single exclusion from the federal definition of "volatile organic compound" (VOC) codified at 40 C.F.R. 51.100(s). Accordingly, Section 9.1(e) of the Illinois Environmental Protection Act (Act) (415 ILCS 5/9.1(e) (2018)) requires the Board to expand the exclusion from ozone regulation "due to negligible photochemical reactivity." 415 ILCS 5/9.1(e) (2018). In addition, Section 9.1(e) also requires the Board to use the identical-in-substance procedure of Section 7.2(b) of the Act (415 ILCS 5/7.2(b) (2018)).

The Board today proposes amendments to Illinois' definition of "volatile organic material" (VOM) (35 Ill. Adm. Code 211.7150) that are identical in substance to the USEPA action. The Board also includes corrections to chemical names in the list of excluded compounds.

The Board will submit the proposed amendments for publication in the *Illinois Register* and will accept public comments for 45 days after publication. The Board will also hold a public hearing on July 16, 2020. The Board will then adopt the final rules. The Board requests comment on the amendments. The Board expects to adopt final rules no later than September 30, 2020.

SUMMARY OF PROPOSED AMENDMENTS

Federal Amendment Implemented

USEPA took one action that affected the federal definition of VOC during the second half of 2018 and requires corresponding amendments to the Illinois definition of VOM.

November 28, 2018 (83 Fed. Reg. 61127)

USEPA added one hydrofluoroolefin compound to the list of chemical species excluded from the federal definition of VOC. The Board must add this compound to the list of compounds excluded from the definition of VOM in 35 Ill. Adm. Code 211.7150.

<u>REASONS FOR UNAVOIDABLE DELAY, EXTENDED DUE DATE,</u> <u>AND TIMETABLE TO COMPLETE RULEMAKING</u>

The statutory due date for this proceeding was November 28, 2019 (one year after the

USEPA action requiring Board action in this docket). To complete this proceeding by that date, the Board would have needed to adopt this proposal for public comment by August 22, 2019.

The Board finds that more time is needed to complete rulemaking on the present amendments. The Board encountered several factors that contributed to unavoidable delay in preparing this proposal for public comment. The time needed to complete the amendments in <u>SDWA Update, USEPA Amendments (July 1, 2018 through December 31, 2018)</u>, R19-16 (Apr. 16, 2020) and prepare a proposal in <u>RCRA Subtitle C Update, USEPA Amendments (January 1, 2019 through June 30, 2019)</u>, R20-8, <u>RCRA Subtitle C Update, USEPA Amendments (July 1, 2019 through December 31, 2019)</u>, R20-16 (May 21, 2020) exceeded the normally expected time. Significant absences due to illnesses and injuries of the Board staff member assigned to work on this proposal and the current state of emergency due to the COVID-19 crisis further significantly contributed to the delay.

The Board observes that adopting this proposal for public comment today will enable the Board, assuming no further delay occurs, to follow the schedule below:

Board order proposing amendments:	May 21, 2020
Submission for <i>Illinois Register</i> publication:	June 1, 2020
Estimated Illinois Register publication date:	June 12, 2020
Public Hearing on Amendments	July 16, 2020
Estimated end of 45-day public comment period:	July 27, 2020
Board order adopting amendments:	August 6, 2020
Estimated filing and effective date:	August 17, 2020
Estimated Illinois Register publication date:	August 28, 2020

The Board believes it necessary to add one month to this projected schedule to accommodate minimal further delay. For these reasons, the Board extends the deadline for final Board action until September 30, 2020.

PUBLIC HEARING & RULEMAKING RECORD

The Board expects that the Agency will submit these amendments as a revision to the Illinois State Implementation Plan (SIP) for ozone under section 110 of the federal Clean Air Act (42 U.S.C. § 7410(a) (2018)) and the implementing USEPA regulations. *See* 40 C.F.R. 51.102 and appendix V (2018).

As authorized by 415 ILCS 5/9.1(e) (2018), the Board scheduled a public hearing to allow the public to comment on the proposed amendments and the anticipated SIP revision. The Board will conduct that hearing by videoconference between the Board's offices in Chicago and Springfield, as follows:

11:45 a.m., Thursday, July 16, 2020

James R. Thompson Center Illinois Pollution Control Board Hearing Room 100 West Randolph Street, Room 11-512 Chicago and

Illinois Environmental Protection Agency Building Illinois Pollution Control Board Hearing Room, Room 1244N, First Floor 1021 North Grand Avenue East Springfield

Due to the Coronavirus pandemic and Executive Orders in effect at the time of this opinion and order, the Board is providing remote access through Webex as an additional platform for public participation.

Use the following for remote access via Webex:

Meeting number (access code): <u>288 342 643</u> Meeting password: <u>3NwnDH6pJm3</u>

Remote Access by Webex with Video:

Hyperlink: <u>https://illinois.webex.com/illinois/j.php?MTID=m3</u> da6af1115c11cbd59249d98ff67ad17

Once on the Webex page, click "Join Now", then enter the Meeting number and Password information:

Remote Access by Webex by Telephone without Video:

Phone: 312-535-8110, or 415-655-0002

Only persons physically present at either of the two hearing locations given above and those remotely participating by video will be allowed to give testimony on the record. <u>Testimony will not be allowed by those participating by telephone.</u> This does not limit the right of any person to submit public comments on the proposed amendments.

The Board invites public comment on the proposed amendments. The Board will receive public comments until at least 45 days after a notice of these proposed amendments appears in the *Illinois Register*. Anyone may file a public comment with the Board addressed as follows:

Office of the Clerk Pollution Control Board James R. Thompson Center 100 W. Randolph Street, Suite 11-500 Chicago, Illinois 60601

All comments relating to this rulemaking should clearly refer to consolidated docket R19-14/ R20-3/R20-11.

The record in this docket will include all documents pertaining to this proceeding. All documents in the record are publicly available as provided in 2 Ill. Adm. Code 2175. The documents are also freely available online at the Board's website: www.pcb.illinois.gov.

The record will not include a copy of the following documents, which are publicly available from other sources:

- *Federal Register* notices;
- Federal statutes and regulations; and
- Illinois statutes and regulations.

Concurrent with the Notice of Proposed Amendments for these amendments, the Board will submit a Notice of Public Information on Proposed Rules for publication in the *Illinois Register*. That Notice describes the hearing date and time and sets forth information to obtain documents and participate in this proceeding. Please direct any questions to:

Michael J. McCambridge, Staff Attorney Pollution Control Board 100 West Randolph Street, Room 11-500 Chicago, Illinois 60601 312-814-6924 michael.mccambridge@illinois.gov

Interested persons may request documents from or submit documents to:

Don A. Brown, Clerk of the Board Pollution Control Board 100 West Randolph Street, Room 11-500 Chicago, Illinois 60601 312-814-3629 don.brown@illinois.gov

After the hearing and public comment period, the Board will promptly issue an order adopting final rule amendments. The Board will then file the amendments with the Office of the Secretary of State, and a Notice of Adopted Amendments will appear in the *Illinois Register*. Any Agency submission of the associated SIP revision to USEPA would follow that Notice.

The Board finds that these measures will satisfy the federal requirements for SIP revision, as set forth in 33 U.S.C. § 7410(a) (2018) and 40 C.F.R. 51.102, as to subjects included in this proceeding.

DISCUSSION

Federal Action in This Rulemaking

The Board summarized the federal action during the second half of 2018 above. The USEPA action requires a corresponding amendment to the Illinois regulations in this proceeding. The discussion below considers the Board action.

<u>Addition of One Hydrofluorooelfin to the List of Compounds Excluded from the Definition</u> of VOM (November 28, 2018)

USEPA added (Z)-1,1,1,4,4,4-hexa \neg fluorobut-2-ene¹ (also called HFO-1336mzz-Z; Chemical Abstract Service (CAS) No. 692-49-9) to the list of chemical compounds excluded from the federal definition of VOC. Excluded from the definition of VOC, emissions of HFO-1336mzz-Z are excluded from regulatory control as a precursor of tropospheric ozone (smog).

USEPA excluded HFO-1336mzz-Z in response to a 2014 petition from its manufacturer, DuPont Chemicals & Fluoroproducts. Uses for HFE-347pcf2 include use as a foam expansion or blowing agent having a lower global warming potential than other chemicals for which it could substitute, as for rigid polyurethane insulating foams. It also has a potential as a refrigerant.

USEPA applied its *Interim Guidance on Control of Volatile Organic Compounds in Ozone State Implementation Plans*, 70 Fed. Reg. 54046 (Sep. 13, 2005) in evaluating the DuPont petition. USEPA gauged the maximum incremental reactivity (MIR) and hydroxide radical reaction rate (K_{OH}) in evaluating HFO-1336mzz-Z, using ethane as the benchmark.² USEPA concluded that that HFO-1336mzz-Z has an ozone-forming potential equal to or less than that of ethane. 83 Fed. Reg. at 61129-30.

USEPA further observed that HFO-1336mzz-Z is unlikely to participate in stratospheric ozone depletion; USEPA has listed HFO-1336mzz-Z is an acceptable substitute under its Significant New Alternative Policy program;³ HFO-1336mzz-Z is not a hazardous air pollutant; and the ten-year global warming potential of HFO-1336mzz-Z is lower than those of chemicals for which HFO-1336mzz-Z would substitutes for the same uses.⁴ *Id.* at 61130-31. USEPA also observed that any new use for HFO-1336mzz-Z would need to be reported to USEPA under its Toxic Substances Control Act (TSCA)⁵ Significant New Use Rule (SNUR). *Id.* at 61132; *see* 40 C.F.R. § 721.18030 (2019) (the SNUR for *Id.* at 61130-31).

The International Union of Pure and Applied Chemistry (IUPAC)-accepted name for HFO-1336mzz-Z is (Z)-1,1,1,4,4,4-hexa¬fluorobut-2-ene. USEPA used the similar name, *cis*-

⁵⁵ See section 5(a) of TSCA (15 U.S.C. § 2604(a) (2018)).

¹ This is the IUPAC name for the compound. It is also known as cis-1,1,1,4,4,4-hexa¬fluorobut-2-ene.

² MIR on a mass basis and K_{OH} on a molar basis.

³ At 81 Fed. Reg. 32241, 32243-46 (May 23, 2016).

⁴ Its GWP is nine. USEPA observed that its k_{OH} , being twice as high as ethane, means HFO-1336mzz-Z decay before it ascends to the stratosphere to participate in ozone depletion. 83 Fed. Reg. at 61130.

1,1,1,4,4,4-hexa¬fluorobut-2-ene.⁶ See PubChem Compound, "692-49-9," https:// www.ncbi.nlm.nih.gov/pccompound/?term=692-49-9. Accessed May 15, 2020.

The Board added HFO-1336mzz-Z to the list of compounds excluded from the definition of VOM in 35 Ill. Adm. Code 211.7150(a) to correspond with the USEPA amendment to 40 C.F.R. § 51.100(s). The Board used IUPAC name as the primary name and omits the name used by USEPA. The Board further parenthetically added the alternative designation, HFE-347pcf2, and CAS number to the listing. The Board's addition of alternative identifiers and corrections to the format are listed in Table 1 of the Identical-in-Substance Rulemaking Addendum (Proposed) (IIS-RA(P)), which is part of the record for this proceeding. The IIS-RA(P) is available on the Board's website.

Observed Errors in Chemical Names and Identifiers

In the course of review of the federal text to ascertain amendments, the Board found a number of errors in the text of 40 C.F.R. § 51.100(s)(1). The errors were in chemical names and identifier formats. All of the errors are in space and hyphen use. Table 1 identifies the corrections that USEPA included in this regard that the Board made previously and does not now need to make. Table 3 identifies the errors from the prior version, 40 C.F.R. § 51.100(s)(1) (2018), into the current amendments. The Board identifies the errors to aid USEPA correcting them.

PUBLIC COMMENTS

The Board invites public comment on the proposed amendments. The Board will receive public comments until at least 45 days after a notice of these proposed amendments appears in the *Illinois Register*. The Board specifically requests comments on two revisions to the added exempt compound and the one correction included in this docket:

- 1. Is there any reason the Board should retain the name "cis-1,1,1,4,4,4hexa¬fluorobut-2-ene" and not replace it with the IUPAC-preferred name "(Z)-1,1,1,4,4,4-hexa¬fluorobut-2-ene"?
- 2. Is there any reason the Board should add the CAS registry identifier "CAS No. 692-49-9"?

⁶ The Latin prefix, "*cis*," meaning "on this side of," signifies that the two trifluoromethyl groups are on the same side at the ends of a double bond. "Cis." *Merriam-Webster.com Dictionary*, Merriam-Webster, https://www.merriam-webster.com/dictionary/cis. Accessed May 12, 2020. "(*Z*)" is for the German "zusammen," meaning "together," signifies the same. "*Z*." *Illustrated Glossary of Organic Chemistry*, http://www.chem.ucla.edu/~harding/IGOC/Z/z.html. Accessed May 12, 2020. See E-Z Notation for Geometric Isomerism.

https://www.chemguide.co.uk/basicorg/isomerism/ez.html. Accessed May 12, 2020.

- 3. Is there any reason the Board should not correct "HFC 43-10mee" to "HFC-4310mee" in the entry for 1,1,1,2,3,4,4,5,5,5-decafluoropentane?
- 4. The Board is aware of refrigerant codes as described in ANSI/ASHRAE 34-2019 and earlier versions. Various on-line chemical resources provide codes for nonrefrigerant hydrofluorocarbons (HFCs), hydrochlorofluorocarbons (HCFCs), hydrofluoroolefins (HFOs), hydrofluoroethers (HFEs), etc. The Board requests comment on whether there is a more general coding standard that embraces chemicals in these classes that are not refrigerants?

HISTORICAL SUMMARY OF EXCLUSIONS FROM THE DEFINITION OF VOM AND IMPLEMENTATION IN ILLINOIS

The Board maintains a historical summary of the State and federal definitions of VOM. That summary traces the evolution of the federal *Recommended Policy on the Control of Volatile Organic Compounds*; USEPA's codification of the policy as 40 C.F.R. 51.100(s); subsequent amendments of 40 C.F.R. 51.100(s); and the several rulemakings that the Board undertook to accommodate federal amendments. The historical summary is available on the Board's website.

<u>ORDER</u>

The Board directs the Clerk to provide notice in the *Illinois Register* of the appended proposed amendments to the definition of VOM at 35 Ill. Adm. Code 211.7150. The Board further directs the Clerk to publish notice in the *Illinois Register* to extend the deadline for final Board action in this matter until September 30, 2020.

IT IS SO ORDERED.

I, Don A. Brown, Clerk of the Illinois Pollution Control Board, certify that the Board adopted the above opinion and order on May 21, 2020, by a vote of 4-0.

Don a. Brown

Don A. Brown, Clerk Illinois Pollution Control Board

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE B: AIR POLLUTION CHAPTER I: POLLUTION CONTROL BOARD SUBCHAPTER c: EMISSION STANDARDS AND LIMITATIONS FOR STATIONARY SOURCES

PART 211

DEFINITIONS AND GENERAL PROVISIONS

SUBPART A: GENERAL PROVISIONS

Section

211.101 Incorporated and Referenced Materials

211.102 Abbreviations and Conversion Factors

SUBPART B: DEFINITIONS

- Section 211.121 Other Definitions
- 211.122 Definitions (Repealed)
- 211.130 Accelacota
- 211.150 Accumulator
- 211.170 Acid Gases
- 211.200 Acrylonitrile Butadiene Styrene (ABS) Welding
- 211.210 Actual Heat Input
- Adhesive Adhesive
- 211.233 Adhesion Primer
- 211.235 Adhesive Primer
- 211.240 Adhesion Promoter
- 211.250 Aeration
- 211.260 Aerosol Adhesive and Adhesive Primer
- 211.270 Aerosol Can Filling Line
- 211.290 Afterburner
- 211.310 Air Contaminant
- 211.330 Air Dried Coatings
- 211.350 Air Oxidation Process
- 211.370 Air Pollutant
- 211.390 Air Pollution
- 211.410 Air Pollution Control Equipment
- 211.430 Air Suspension Coater/Dryer
- 211.450 Airless Spray
- 211.470 Air Assisted Airless Spray
- 211.474 Alcohol
- 211.479 Allowance
- 211.481 Ammunition Sealant
- 211.484 Animal
- 211.485 Animal Pathological Waste
- 211.490 Annual Grain Through-Put
- 211.492 Antifoulant Coating

211.493	Antifouling Sealer/Tie Coat
211.495	Anti-Glare/Safety Coating
211.510	Application Area
211.530	Architectural Coating
211.540	Architectural Structure
211.550	As Applied
211.560	As-Applied Fountain Solution
211.570	Asphalt
211.590	Asphalt Prime Coat
211.610	Automobile
211.630	Automobile or Light-Duty Truck Assembly Source or Automobile or Light-Duty
	Truck Manufacturing Plant
211.650	Automobile or Light-Duty Truck Refinishing
211.660	Automotive/Transportation Plastic Parts
211.665	Auxiliary Boiler
211.670	Baked Coatings
211.680	Bakery Oven
211.685	Basecoat/Clearcoat System
211.690	Batch Loading
211.695	Batch Operation
211.696	Batch Process Train
211.710	Bead-Dipping
211.715	Bedliner
211.713	Binders
211.735	Black Coating
211.735	Brakehorsepower (rated-bhp)
211.740	British Thermal Unit
211.750	Brush or Wipe Coating
211.770	Bulk Gasoline Plant
211.790	Bulk Gasoline Terminal
211.810	Business Machine Plastic Parts
211.820	
211.825	Camouflage Coating Can
211.850	Can Coating
211.870	Can Coating Line
211.880	Cap Sealant
211.890	Capture Contras Darias
211.910	Capture Device
211.930	Capture Efficiency
211.950	Capture System
211.953	Carbon Adsorber
211.954	Cavity Wax
211.955	Cement
211.960	Cement Kiln
211.965	Ceramic Tile Installation Adhesive
211.970	Certified Investigation

211.980	Chemical Manufacturing Process Unit
211.900	Choke Loading
211.995	Circulating Fluidized Bed Combustor
211.1000	Class II Finish
211.1000	Clean Air Act
211.1010	Cleaning and Separating Operation
211.1030	Cleaning Materials
211.1070	Clear Coating
211.1030	Clear Topcoat
211.1110	Clinker
211.1120	
211.1128 211.1130	Closed Molding
211.1150	Closed Purge System
	Closed Vent System Coal Refuse
211.1170 211.1190	
	Coating Coating Applicator
211.1210	Coating Applicator
211.1230	Coating Line
211.1250	Coating Plant
211.1270	Coil Coating
211.1290	Coil Coating Line
211.1310	Cold Cleaning
211.1312	Combined Cycle System
211.1315	Combustion Tuning
211.1316	Combustion Turbine
211.1320	Commence Commercial Operation
211.1324	Commence Operation
211.1328	Common Stack
211.1330	Complete Combustion
211.1350	Component
211.1370	Concrete Curing Compounds
211.1390	Concentrated Nitric Acid Manufacturing Process
211.1410	Condensate
211.1430	Condensible PM-10
211.1435	Container Glass
211.1455	Contact Adhesive
211.1465	Continuous Automatic Stoking
211.1467	Continuous Coater
211.1470	Continuous Process
211.1490	Control Device
211.1510	Control Device Efficiency
211.1515	Control Period
211.1520	Conventional Air Spray
211.1530	Conventional Soybean Crushing Source
211.1550	Conveyorized Degreasing
211.1560	Cove Base
211.1565	Cove Base Installation Adhesive

211.1570	Crude Oil
211.1590	Crude Oil Gathering
211.1610	Crushing
211.1630	Custody Transfer
211.1650	Cutback Asphalt
211.1655	Cyanoacrylate Adhesive
211.1670	Daily-Weighted Average VOM Content
211.1690	Day
211.1700	Deadener
211.1710	Degreaser
211.1730	Delivery Vessel
211.1740	Diesel Engine
211.1745	Digital Printing
211.1750	Dip Coating
211.1770	Distillate Fuel Oil
211.1780	Distillation Unit
211.1790	Drum
211.1810	Dry Cleaning Operation or Dry Cleaning Facility
211.1830	Dump-Pit Area
211.1850	Effective Grate Area
211.1870	Effluent Water Separator
211.1872	Ejection Cartridge Sealant
211.1875	Elastomeric Materials
211.1876	Electric Dissipating Coating
211.1877	Electric-Insulating Varnish
211.1878	Electrical Apparatus Component
211.1880	Electrical Switchgear Compartment Coating
211.1882	Electrodeposition Primer (EDP)
211.1883	Electromagnetic Interference/Radio Frequency Interference (EMI/RFI) Shielding
	Coatings
211.1885	Electronic Component
211.1890	Electrostatic Bell or Disc Spray
211.1900	Electrostatic Prep Coat
211.1910	Electrostatic Spray
211.1920	Emergency or Standby Unit
211.1930	Emission Rate
211.1950	Emission Unit
211.1970	Enamel
211.1990	Enclose
211.2010	End Sealing Compound Coat
211.2030	Enhanced Under-the-Cup Fill
211.2040	Etching Filler
211.2050	Ethanol Blend Gasoline
211.2055	Ethylene Propylenediene Monomer (DPDM) Roof Membrane
211.2070	Excess Air
211.2080	Excess Emissions

211.2090	Excessive Release
211.2000	Existing Grain-Drying Operation (Repealed)
211.2110	Existing Grain-Handling Operation (Repealed)
211.2150	Exterior Base Coat
211.2130	Exterior End Coat
211.2170	External Floating Roof
211.2190	
211.2200	Extreme High-Gloss Coating Extreme Performance Coating
211.2230	Fabric Coating
211.2250	Fabric Coating Line
211.2230	e
	Federally Enforceable Limitations and Conditions Feed Mill
211.2285	Feed Milli Fermentation Time
211.2290 211.2300	Fill
211.2300	
211.2310	Final Repair Coat Finish Primer Surfacer
	Finish Finish Surface
211.2330 211.2350	Fixed-Roof Tank
211.2355	Flare
211.2353	Flat Glass
211.2357	Flat Wood Paneling
211.2358	Flat Wood Paneling Coating Line
211.2359	Flexible Coating
211.2365	Flexible Operation Unit
211.2368	Flexible Packaging
211.2369	Flexible Vinyl
211.2370	Flexographic Printing
211.2390	Flexographic Printing Line
211.2410	Floating Roof
211.2415	Fog Coat
211.2420	Fossil Fuel
211.2425	Fossil Fuel-Fired
211.2430	Fountain Solution
211.2450	Freeboard Height
211.2470	Fuel Combustion Emission Unit or Fuel Combustion Emission Source
211.2490	Fugitive Particulate Matter
211.2510	Full Operating Flowrate
211.2525	Gasket/Gasket Sealing Material
211.2530	Gas Service
211.2550	Gas/Gas Method
211.2570	Gasoline
211.2590	Gasoline Dispensing Operation or Gasoline Dispensing Facility
211.2610	Gel Coat
211.2615	General Work Surface
211.2620	Generator
211.2622	Glass Bonding Primer

211.2625	Class Malting Europa
	Glass Melting Furnace Gloss Reducers
211.2630	
211.2650	Grain
211.2670	Grain-Drying Operation
211.2690	Grain-Handling and Conditioning Operation
211.2710	Grain-Handling Operation
211.2730	Green-Tire Spraying
211.2750	Green Tires
211.2770	Gross Heating Value
211.2790	Gross Vehicle Weight Rating
211.2800	Hardwood Plywood
211.2810	Heated Airless Spray
211.2815	Heat Input
211.2820	Heat Input Rate
211.2825	Heat-Resistant Coating
	Heatset
211.2830	
211.2840	Heatset Web Letterpress Printing Line
211.2850	Heatset Web Offset Lithographic Printing Line
211.2870	Heavy Liquid
211.2890	Heavy Metals
211.2910	Heavy Off-Highway Vehicle Products
211.2930	Heavy Off-Highway Vehicle Products Coating
211.2950	Heavy Off-Highway Vehicle Products Coating Line
211.2955	High Bake Coating
211.2956	High Build Primer Surfacer
211.2958	High Gloss Coating
211.2960	High-Performance Architectural Coating
211.2965	High Precision Optic
211.2970	High Temperature Aluminum Coating
211.2980	High Temperature Coating
211.2990	High Volume Low Pressure (HVLP) Spray
211.3010	Hood
211.3030	Hotu Hot Well
211.3050	Housekeeping Practices
211.3030	Incinerator
211.3070	Indirect Heat Transfer
211.3095	Indoor Floor Covering Installation Adhesive
211.3100	Industrial Boiler
211.3110	Ink
211.3120	In-Line Repair
211.3130	In-Process Tank
211.3150	In-Situ Sampling Systems
211.3170	Interior Body Spray Coat
211.3190	Internal-Floating Roof
211.3210	Internal Transferring Area
211.3215	Janitorial Cleaning

Lacquers
Laminate
Large Appliance
Large Appliance Coating
Large Appliance Coating Line
Lean-Burn Engine
Letterpress Printing Line
Light Liquid
Light-Duty Truck
Light Oil
Lime Kiln
Liquid/Gas Method
Liquid-Mounted Seal
Liquid Service
Liquids Dripping
Lithographic Printing Line
Load-Out Area
Load Shaving Unit
Loading Event
Long Dry Kiln
Long Wet Kiln
Low-NOx Burner
Low Solvent Coating
Lubricating Oil
Lubricating Wax/Compound
Magnet Wire
Magnet Wire Coating
Magnet Wire Coating Line
Maintenance Cleaning
Major Dump Pit
Major Metropolitan Area (MMA)
Major Population Area (MPA)
Manually Operated Equipment
Manufacturing Process
Marine Terminal
Marine Vessel
Mask Coating
Material Recovery Section
Maximum Theoretical Emissions
Maximum True Vapor Pressure
Medical Device
Medical Device and Pharmaceutical Manufacturing
Metal Furniture
Metal Furniture Coating
Metal Furniture Coating Line
Metallic Coating

011 0770	
211.3770	Metallic Shoe-Type Seal
211.3775	Metal to Urethane/Rubber Molding or Casting Adhesive
211.3780	Mid-Kiln Firing
211.3785	Military Specification Coating
211.3790	Miscellaneous Fabricated Product Manufacturing Process
211.3810	Miscellaneous Formulation Manufacturing Process
211.3820	Miscellaneous Industrial Adhesive Application Operation
211.3830	Miscellaneous Metal Parts and Products
211.3850	Miscellaneous Metal Parts and Products Coating
211.3870	Miscellaneous Metal Parts or Products Coating Line
211.3890	Miscellaneous Organic Chemical Manufacturing Process
211.3910	Mixing Operation
211.3915	Mobile Equipment
211.3925	Mold Seal Coating
211.3930	Monitor
211.3950	Monomer
211.3960	Motor Vehicles
211.3961	Motor Vehicle Adhesive
211.3965	Motor Vehicle Refinishing
211.3966	Motor Vehicle Weatherstrip Adhesive
211.3967	Mouth Waterproofing Sealant
211.3968	Multi-Colored Coating
211.3969	Multi-Component Coating
211.3970	Multiple Package Coating
211.3975	Multipurpose Construction Adhesive
211.3980	Nameplate Capacity
211.3985	Natural Finish Hardwood Plywood Panel
211.3990	New Grain-Drying Operation (Repealed)
211.4010	New Grain-Handling Operation (Repealed)
211.4030	No Detectable Volatile Organic Material Emissions
211.4050	Non-Contact Process Water Cooling Tower
211.4052	Non-Convertible Coating
211.4055	Non-Flexible Coating
211.4065	Non-Heatset
211.4067	NO _x Trading Program
211.4070	Offset
211.4080	One-Component Coating
211.4090	One Hundred Percent Acid
211.4110	One-Turn Storage Space
211.4130	Opacity
211.4150	Opaque Stains
211.4170	Open Top Vapor Degreasing
211.4190	Open-Ended Valve
211.4210	Operator of a Gasoline Dispensing Operation or Operator of a Gasoline
2110.210	Dispensing Facility
211.4220	Optical Coating
	-r

- 211.4230 Organic Compound
- 211.4250 Organic Material and Organic Materials
- 211.4260 Organic Solvent
- 211.4270 Organic Vapor
- 211.4280 Other Glass
- 211.4285 Outdoor Floor Covering Installation Adhesive
- 211.4290 Oven
- 211.4310 Overall Control
- 211.4330 Overvarnish
- 211.4350 Owner of a Gasoline Dispensing Operation or Owner of a Gasoline Dispensing Facility
- 211.4370 Owner or Operator
- 211.4390 Packaging Rotogravure Printing
- 211.4410 Packaging Rotogravure Printing Line
- 211.4430 Pail
- 211.4450 Paint Manufacturing Source or Paint Manufacturing Plant
- 211.4455 Pan-Backing Coating
- 211.4460 Panel
- 211.4470 Paper Coating
- 211.4490 Paper Coating Line
- 211.4510 Particulate Matter
- 211.4530 Parts Per Million (Volume) or PPM (Vol)
- 211.4540 Perimeter Bonded Sheet Flooring
- 211.4550 Person
- 211.4590 Petroleum
- 211.4610 Petroleum Liquid
- 211.4630 Petroleum Refinery
- 211.4650 Pharmaceutical
- 211.4670 Pharmaceutical Coating Operation
- 211.4690 Photochemically Reactive Material
- 211.4710 Pigmented Coatings
- 211.4720 Pipeline Natural Gas
- 211.4730 Plant
- 211.4735 Plastic
- 211.4740 Plastic Part
- 211.4750 Plasticizers
- 211.4760 Plastic Solvent Welding Adhesive
- 211.4765 Plastic Solvent Welding Adhesive Primer
- 211.4768 Pleasure Craft
- 211.4769 Pleasure Craft Surface Coating
- 211.4770 PM-10
- 211.4790 Pneumatic Rubber Tire Manufacture
- 211.4810 Polybasic Organic Acid Partial Oxidation Manufacturing Process
- 211.4830 Polyester Resin Material(s)
- 211.4850 Polyester Resin Products Manufacturing Process
- 211.4870 Polystyrene Plant

011 4000	
211.4890	Polystyrene Resin
211.4895	Polyvinyl Chloride Plastic (PVC Plastic)
211.4900	Porous Material
211.4910	Portable Grain-Handling Equipment
211.4930	Portland Cement Manufacturing Process Emission Source
211.4950	Portland Cement Process or Portland Cement Manufacturing Plant
211.4960	Potential Electrical Output Capacity
211.4970	Potential to Emit
211.4990	Power Driven Fastener Coating
211.5010	Precoat
211.5012	Prefabricated Architectural Coating
211.5015	Preheater Kiln
211.5020	Preheater/Precalciner Kiln
211.5030	Pressure Release
211.5050	Pressure Tank
211.5060	Pressure/Vacuum Relief Valve
211.5061	Pretreatment Coating
211.5062	Pretreatment Wash Primer
211.5065	Primary Product
211.5070	Prime Coat
211.5075	Primer Sealant
211.5080	Primer Sealer
211.5090	Primer Surfacer Coat
211.5110	Primer Surfacer Operation
211.5130	Primers
211.5140	Printed Interior Panel
211.5150	Printing
211.5170	Printing Line
211.5185	Process Emission Source
211.5190	Process Emission Unit
211.5195	Process Heater
211.5210	Process Unit
211.5230	Process Unit Shutdown
211.5245	Process Vent
211.5250	Process Weight Rate
211.5270	Production Equipment Exhaust System
211.5310	Publication Rotogravure Printing Line
211.5330	Purged Process Fluid
211.5335	Radiation Effect Coating
211.5340	Rated Heat Input Capacity
211.5350	Reactor
211.5370	Reasonably Available Control Technology (RACT)
211.5390	Reclamation System
211.5400	Red Coating
211.5410	Refiner
211.5430	Refinery Fuel Gas
	•

211.5450	Refinery Fuel Gas System
211.5470	Refinery Unit or Refinery Process Unit
211.5480	Reflective Argent Coating
211.5490	Refrigerated Condenser
211.5500	Regulated Air Pollutant
211.5510	Reid Vapor Pressure
211.5520	Reinforced Plastic Composite
211.5530	Repair
211.5535	Repair Cleaning
211.5550	Repair Coat
211.5550	Repaired
	1
211.5580	Repowering
211.5585	Research and Development Operation
211.5590	Residual Fuel Oil
211.5600	Resist Coat
211.5610	Restricted Area
211.5630	Retail Outlet
211.5640	Rich-Burn Engine
211.5650	Ringelmann Chart
211.5670	Roadway
211.5690	Roll Coater
211.5710	Roll Coating
211.5730	Roll Printer
211.5750	Roll Printing
211.5770	Rotogravure Printing
211.5790	Rotogravure Printing Line
211.5800	Rubber
211.5810	Safety Relief Valve
211.5830	Sandblasting
211.5850	Sanding Sealers
211.5860	Scientific Instrument
211.5870	Screening
211.5875	Screen Printing
211.5880	Screen Printing on Paper
211.5885	Screen Reclamation
211.5890	Sealer
211.5910	Semi-Transparent Stains
211.5930	Sensor
211.5950	Set of Safety Relief Valves
211.5970	Sheet Basecoat
211.5980	Sheet-Fed
211.5985	Sheet Rubber Lining Installation
211.5987	Shock-Free Coating
211.5990	Shotblasting
211.6010	Side-Seam Spray Coat
211.6012	Silicone-Release Coating

• • • • • • •	
211.6015	Single-Ply Roof Membrane
211.6017	Single-Ply Roof Membrane Adhesive Primer
211.6020	Single-Ply Roof Membrane Installation and Repair Adhesive
211.6025	Single Unit Operation
211.6030	Smoke
211.6050	Smokeless Flare
211.6060	Soft Coat
211.6063	Solar-Absorbent Coating
211.6065	Solids Turnover Ratio (\tilde{R}_T)
211.6070	Solvent
211.6090	Solvent Cleaning
211.6110	Solvent Recovery System
211.6130	Source
211.6140	Specialty Coatings
211.6145	Specialty Coatings for Motor Vehicles
211.6150	
	Specialty High Gloss Catalyzed Coating
211.6170	Specialty Leather
211.6190	Specialty Soybean Crushing Source
211.6210	Splash Loading
211.6230	Stack
211.6250	Stain Coating
211.6270	Standard Conditions
211.6290	Standard Cubic Foot (scf)
211.6310	Start-Up
211.6330	Stationary Emission Source
211.6350	Stationary Emission Unit
211.6355	Stationary Gas Turbine
211.6360	Stationary Reciprocating Internal Combustion Engine
211.6370	Stationary Source
211.6390	Stationary Storage Tank
211.6400	Stencil Coat
211.6405	Sterilization Indicating Ink
211.6410	Storage Tank or Storage Vessel
211.6420	Strippable Spray Booth Coating
211.6425	Stripping
211.6427	Structural Glazing
211.6430	Styrene Devolatilizer Unit
211.6450	Styrene Recovery Unit
211.6460	Subfloor
211.6470	Submerged Loading Pipe
211.6490	Substrate
211.6510	Sulfuric Acid Mist
211.6530	Surface Condenser
211.6535	Surface Preparation
	-
211.6540	Surface Preparation Materials
211.6550	Synthetic Organic Chemical or Polymer Manufacturing Plant

211 (570	
211.6570	Tablet Coating Operation
211.6580	Texture Coat
211.6585	Thin Metal Laminating Adhesive
211.6587	Thin Particleboard
211.6590	Thirty-Day Rolling Average
211.6610	Three-Piece Can
211.6620	Three or Four Stage Coating System
211.6630	Through-the-Valve Fill
211.6635	Tileboard
211.6640	Tire Repair
211.6650	Tooling Resin
211.6670	Topcoat
211.6690	Topcoat Operation
211.6695	Topcoat System
211.6710	Touch-Up
211.6720	Touch-Up Coating
211.6730	Transfer Efficiency
211.6740	Translucent Coating
211.6750	Tread End Cementing
211.6770	True Vapor Pressure
211.6780	Trunk Interior Coating
211.6790	Turnaround
211.6810	Two-Piece Can
211.6825	Underbody Coating
211.6830	Under-the-Cup Fill
211.6850	Undertread Cementing
211.6860	Uniform Finish Blender
211.6870	Unregulated Safety Relief Valve
211.6880	Vacuum Metallizing
211.6885	Vacuum Metalizing Coating
211.6890	Vacuum Producing System
211.6910	Vacuum Service
211.6930	Valves Not Externally Regulated
211.6950	Vapor Balance System
211.6970	Vapor Collection System
211.6990	Vapor Control System
211.7010	Vapor-Mounted Primary Seal
211.7030	Vapor Recovery System
211.7050	Vapor-Suppressed Polyester Resin
211.7070	Vinyl Coating
211.7090	Vinyl Coating Line
211.7110	Volatile Organic Liquid (VOL)
211.7130	Volatile Organic Material Content (VOMC)
211.7150	Volatile Organic Material (VOM) or Volatile Organic Compound (VOC)
211.7170	Volatile Petroleum Liquid
211.7190	Wash Coat
-	

211.7200	Washoff Operations	
211.7210	Wastewater (Oil/Water) Separator	
211.7220	Waterproof Resorcinol Glue	
211.7230	Weak Nitric Acid Manufacturing Process	
211.7240	Weatherstrip Adhesive	
211.7250	Web	
211.7270	Wholesale Purchase - Consumer	
211.7290	Wood Furniture	
211.7310	Wood Furniture Coating	
211.7330	Wood Furniture Coating Line	
211.7350	Woodworking	
211.7400	Yeast Percentage	
	e	

211.APPENDIX A	Rule into Section Table
211.APPENDIX B	Section into Rule Table

AUTHORITY: Implementing Sections 9, 9.1, 9.9 and 10 and authorized by Sections 27 of the Environmental Protection Act [415 ILCS 5/9, 9.1, 9.9, 10, and 27].

SOURCE: Adopted as Chapter 2: Air Pollution, Rule 201: Definitions, R71-23, 4 PCB 191, filed and effective April 14, 1972; amended in R74-2 and R75-5, 32 PCB 295, at 3 Ill. Reg. 5, p. 777, effective February 3, 1979; amended in R78-3 and 4, 35 PCB 75 and 243, at 3 Ill. Reg. 30, p. 124, effective July 28, 1979; amended in R80-5, at 7 Ill. Reg. 1244, effective January 21, 1983; codified at 7 Ill. Reg. 13590; amended in R82-1 (Docket A) at 10 Ill. Reg. 12624, effective July 7, 1986; amended in R85-21(A) at 11 Ill. Reg. 11747, effective June 29, 1987; amended in R86-34 at 11 Ill. Reg. 12267, effective July 10, 1987; amended in R86-39 at 11 Ill. Reg. 20804, effective December 14, 1987; amended in R82-14 and R86-37 at 12 Ill. Reg. 787, effective December 24, 1987; amended in R86-18 at 12 Ill. Reg. 7284, effective April 8, 1988; amended in R86-10 at 12 Ill. Reg. 7621, effective April 11, 1988; amended in R88-23 at 13 Ill. Reg. 10862, effective June 27, 1989; amended in R89-8 at 13 Ill. Reg. 17457, effective January 1, 1990; amended in R89-16(A) at 14 Ill. Reg. 9141, effective May 23, 1990; amended in R88-30(B) at 15 Ill. Reg. 5223, effective March 28, 1991; amended in R88-14 at 15 Ill. Reg. 7901, effective May 14, 1991; amended in R91-10 at 15 Ill. Reg. 15564, effective October 11, 1991; amended in R91-6 at 15 Ill. Reg. 15673, effective October 14, 1991; amended in R91-22 at 16 Ill. Reg. 7656, effective May 1, 1992; amended in R91-24 at 16 Ill. Reg. 13526, effective August 24, 1992; amended in R93-9 at 17 Ill. Reg. 16504, effective September 27, 1993; amended in R93-11 at 17 Ill. Reg. 21471, effective December 7, 1993; amended in R93-14 at 18 Ill. Reg. 1253, effective January 18, 1994; amended in R94-12 at 18 Ill. Reg. 14962, effective September 21, 1994; amended in R94-14 at 18 Ill. Reg. 15744, effective October 17, 1994; amended in R94-15 at 18 Ill. Reg. 16379, effective October 25, 1994; amended in R94-16 at 18 Ill. Reg. 16929, effective November 15, 1994; amended in R94-21, R94-31 and R94-32 at 19 Ill. Reg. 6823, effective May 9, 1995; amended in R94-33 at 19 Ill. Reg. 7344, effective May 22, 1995; amended in R95-2 at 19 Ill. Reg. 11066, effective July 12, 1995; amended in R95-16 at 19 Ill. Reg. 15176, effective October 19, 1995; amended in R96-5 at 20 Ill. Reg. 7590, effective May 22, 1996; amended in R96-16 at 21 Ill. Reg. 2641, effective February 7, 1997; amended in R97-17 at 21 Ill. Reg. 6489, effective May 16, 1997; amended in R97-24 at 21 Ill. Reg. 7695, effective June 9, 1997; amended in R96-17 at 21 Ill. Reg. 7856, effective June 17, 1997;

amended in R97-31 at 22 Ill. Reg. 3497, effective February 2, 1998; amended in R98-17 at 22 Ill. Reg. 11405, effective June 22, 1998; amended in R01-9 at 25 Ill. Reg. 108, effective December 26, 2000; amended in R01-11 at 25 Ill. Reg. 4582, effective March 15, 2001; amended in R01-17 at 25 Ill. Reg. 5900, effective April 17, 2001; amended in R05-16 at 29 Ill. Reg. 8181, effective May 23, 2005; amended in R05-11 at 29 Ill. Reg. 8892, effective June 13, 2005; amended in R04-12/20 at 30 Ill. Reg. 9654, effective May 15, 2006; amended in R07-18 at 31 Ill. Reg. 14254, effective September 25, 2007; amended in R08-6 at 32 Ill. Reg. 1387, effective January 16, 2008; amended in R07-19 at 33 Ill. Reg. 11982, effective August 6, 2009; amended in R08-19 at 33 Ill. Reg. 13326, effective August 31, 2009; amended in R10-7 at 34 Ill. Reg. 1391, effective January 11, 2010; amended in R10-8 at 34 Ill. Reg. 9069, effective June 25, 2010; amended in R10-20 at 34 Ill. Reg. 14119, effective September 14, 2010; amended in R11-23 at 35 Ill. Reg. 13451, effective July 27, 2011; amended in R12-24 at 37 Ill. Reg. 1662, effective January 28, 2013; amended in R13-1 at 37 Ill. Reg. 1913, effective February 4, 2013; amended in R14-7 at 37 Ill. Reg. 19824, effective November 27, 2013; amended in R14-16 at 38 Ill. Reg. 12876, effective June 9, 2014; amended in R15-5 at 39 Ill. Reg. 5410, effective March 24, 2015; amended in R17-2 at 41 Ill. Reg. 1096, effective January 23, 2017; amended in R17-9 at 41 Ill. Reg. 4173, effective March 24, 2017; amended in R17-11 at 41 Ill. Reg. 13389, effective October 23, 2017; amended in R19-15 at 44 Ill. Reg. _____, effective

SUBPART B: DEFINITIONS

Section 211.7150 Volatile Organic Material (VOM) or Volatile Organic Compound (VOC)

"Volatile organic material" (also "VOM") or "volatile organic compound" (also "VOC") means any compound of carbon, excluding carbon monoxide, carbon dioxide, carbonic acid, metallic carbides or carbonates, and ammonium carbonate, that participates in atmospheric photochemical reactions.

a) This definition of VOM includes any organic compound that participates in atmospheric photochemical reactions, other than the compounds listed in this subsection (a). USEPA has determined that the compounds listed in this subsection (a) have negligible photochemical reactivity.

2-Amino-2-methylpropan-1-ol (CAS No. 124-68-5)
Bis(difluoromethoxy)difluoromethane (HFE-236cal2, CAS No. 78522-47-1)
1,2-Bis(difluoromethoxy)-1,1,2,2-tetrafluoroethane (HFE-338pcc13, CAS No. 188690-78-0)
tertiary-Butyl acetate (1,1-dimethylethyl acetic acid ester, CAS No. 540-88-5)
1-Chloro-1,1-difluoroethane (HCFC-142b, CAS No. 75-68-3)
Chlorodifluoromethane (CFC-22, CAS No. 75-45-6)
1-Chloro-1-fluoroethane (HCFC-151a, CAS No. 1615-75-4)
Chlorofluoromethane (HCFC-31, CAS No. 593-70-4)
Chloropentafluoroethane (CFC-115, CAS No. 76-15-3)
2-Chloro-1,1,1,2-tetrafluoroethane (HCFC-124, CAS No. 2837-89-0)

1-Chloro-4-(trifluoromethyl)benzene (parachlorobenzotrifluoride (PCBTF), CAS No. 98-56-6)			
(1E)-1-Chloro-3,3,3-trifluoroprop-1-ene (trans-1-chloro-3,3,3-			
(1E)-1-Chloro-5,5,5-thhuoroprop-1-ene (trans-1-chloro-5,5,5- trifluoroprop-1-ene, CAS No. 102687-65-0)			
1,1,1,2,2,3,4,5,5,5-Decafluoro-3-methoxy-4-trifluoromethylpentane (HFE-			
7300, CAS No. 132182-92-4)			
1,1,1,2,3,4,4,5,5,5-Decafluoropentane (<u>HFC-4310mee</u> , HFC 43-10mee ,			
CAS No. 138495-42-8)			
Dichlorodifluoromethane (CFC-12, CAS No. 75-71-8)			
1,1-Dichloro-1-fluoroethane (HCFC-141b, CAS No. 1717-00-6)			
Dichloromethane (methylene chloride, CAS No. 75-09-2)			
3,3-Dichloro-1,1,1,2,2-pentafluoropropane (HCFC-225ca, CAS No. 422-			
56-0)			
1,3-Dichloro-1,1,2,2,3-pentafluoropropane (HCFC-225cb, CAS No. 507-			
55-1)			
1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC-114, CAS No. 76-14-2)			
1,1-Dichloro-2,2,2-trifluoroethane (HCFC-123, CAS No. 306-83-2)			
1,2-Dichloro-1,1,2-trifluoroethane (HCFC-123a, CAS No. 354-23-4)			
1,1-Difluoroethane (HFC-152a, CAS No. 75-37-6)			
Difluoromethane (HFC-32, CAS No. 75-10-5)			
(Difloromethoxy)difluoromethane (HFE-134, CAS No. 1691-17-4)			
1-(Difloromethoxy)-2-[(difluoromethoxy)(difluoro)methoxy]-1,1,2,2-			
tetrafluoroethane (HFE-43-10pccc124, CAS No. 188690-77-9)			
2-(Difluoromethoxymethyl)-1,1,1,2,3,3,3-heptafluoropropane (CAS No.			
163702-08-7)			
Dimethyl carbonate (CAS No. 616-38-6)			
Ethane(CAS No. 74-84-0)			
2-(Ethoxydifluoromethyl)-1,1,1,2,3,3,3-heptafluoropropane (CAS No.			
163702-06-5)			
3-Ethoxy-1,1,1,2,3,4,4,5,5,6,6,6-dodecafluoro-2-(trifluoromethyl)hexane			
(HFE-7500, CAS No. 297730-93-9)			
1-Ethoxy-1,1,2,2,3,3,4,4,4-nonafluorobutane (HFE-7200, CAS No.			
163702-05-4)			
Ethylfluoride (HFC-161, CAS No. 353-36-6)			
1,1,1,2,2,3,3-Heptafluoro-3-methoxypropane (HFE-7000, CAS No. 375-			
03-1) 1 1 1 2 2 2 2 Hortz flyangenergy (HEC 227ag, CAS, No. 421, 80, 0)			
1,1,1,2,3,3,3-Heptafluoropropane (HFC-227ea, CAS No. 431-89-0)			
(Z)-1,1,1,4,4,4-hexa¬fluorobut-2-ene (HFO-1336mzz-Z, CAS No. 692- 49-9)			
1,1,1,2,3,3-Hexafluoropropane (HFC-236ea, CAS No. 431-63-0)			
1,1,1,3,3,3-Hexafluoropropane (HFC-236fa, CAS No. 491-09-0)			
Methane (CAS No. 74-82-8)			
Methale (CAS No. 74-82-8) Methyl acetate (methyl ethanoate, CAS No. 79-20-9)			
4-Methyl-1,3-dioxolan-2-one (propylene carbonate, CAS No. 108-32-7)			
Methyl formate (methyl methanoate, CAS No. 107-31-3)			

- 1,1,1,2,2,3,3,4,4-Nonafluoro-4-methoxybutane (HFE-7100, CAS No. 163702-07-6)
- 1,1,1,3,3-Pentafluorobutane (HFC-365mfc, CAS No. 406-58-6) Pentafluoroethane (HFC-125, CAS No. 354-33-6)
- 1,1,2,2,3-Pentafluoropropane (HFC-245ca, CAS No. 679-86-7)
- 1,1,2,3,3-Pentafluoropropane (HFC-245ea, CAS No. 24270-66-4)
- 1,1,1,2,3-Pentafluoropropane (HFC-245eb, CAS No. 431-31-2)
- 1,1,1,3,3-Pentafluoropropane (HFC-245fa, CAS No. 460-73-1)
- Perfluorocarbon compounds that fall into the following classes:
- Cyclic, branched, or linear, completely fluorinated alkanes
- Cyclic, branched, or linear, completely fluorinated ethers with no unsaturations
- Cyclic, branched, or linear, completely fluorinated tertiary amines with no unsaturations
- Sulfur-containing perfluorocarbons with no unsaturations and with sulfur bonds only to carbon and fluorine
- Propan-2-one (acetone or dimethylketone, CAS No. 67-64-1)
- Siloxanes: cyclic, branched, or linear completely-methylated
- Tetrachloroethene (perchloroethylene, CAS No. 127-18-4)
- 1,1,2,2-Tetrafluoroethane (HFC-134, CAS No. 359-35-3)
- 1,1,1,2-Tetrafluoroethane (HFC-134a, CAS No. 811-97-2)
- (1E)-1,3,3,3-Tetrafluoropropene (trans-1,3,3,3-tetrafluoropropene, HFO-1234ze, CAS No. 29118-24-9)
- 2,3,3,3-Tetrafluoroprop-1-ene (HFO-1234yf, CAS No. 754-12-1)
- 1,1,1-Trichloroethane (methyl chloroform, CAS No. 71-55-6)
- 1,1,2,2-tetrafluoro-1-(2,2,2-trifluoroethoxy)ethane (HFE-347pcf2, CAS No. 406-78-0)
- Trichlorofluoromethane (CFC-11, CAS No. 75-69-4)
- 1,1,2-Trichloro-1,2,2-trifluoroethane (CFC-113, CAS No. 76-13-1)
- 1,1,1-Trifluoroethane (HFC-143a, CAS No. 420-46-2)

Trifluoromethane (HFC-23, CAS No. 75-46-7)

- b) For purposes of determining VOM emissions and compliance with emissions limits, VOM will be measured by the test methods in the approved implementation plan or 40 CFR 60, appendix A, incorporated by reference at 35 Ill. Adm. Code 215.105, 218.112, and 219.112, as applicable, or by source-specific test methods that have been established pursuant to a permit issued under a program approved or promulgated under Title V of the Clean Air Act; under 40 CFR 51, subpart I or appendix S, incorporated by reference at 35 Ill. Adm. Code 218.112 and 219.112; or under 40 CFR 52.21, incorporated by reference at 35 Ill. Adm. Code 218.112 and 219.112, as applicable. Where such a method also measures compounds with negligible photochemical reactivity, these negligibly-reactive compounds may be excluded as VOM if the amount of such compounds is accurately quantified and the exclusion is approved by the Agency.
- c) As a precondition to excluding these negligibly-reactive compounds as VOM, or at any time thereafter, the Agency may require an owner or operator to provide

monitoring or testing methods and results demonstrating, to the satisfaction of the Agency, the amount of negligibly-reactive compounds in the source's emissions.

d) The USEPA will not be bound by any State determination as to appropriate methods for testing or monitoring negligibly-reactive compounds if such determination is not reflected in any of the test methods in subsection (b).

(Source: Amended at 44 Ill. Reg. _____, effective _____)