ILLINOIS POLLUTION CONTROL BOARD July 7, 2021

VEOLIA ES TECHNICAL SOLUTIONS, L.L.C.,))	
Petitioner,))	
V.)	PCB 10-50 (Permit Appeal - RCRA)
ILLINOIS ENVIRONMENTAL PROTECTION AGENCY,))	(rennit Appear - KCKA)
Respondent.))	

HEARING OFFICER ORDER

On July 6, 2021, the parties reported that IEPA received additional information from petitioner pertaining to the corrective action portion of the permit. IEPA is considering the information, and continuing work on the draft permit.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:00 a.m. on September 7, 2021. The status conference shall be initiated by the petitioner.

Petitioner has filed an open waiver of the decision deadline.

IT IS SO ORDERED.

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed, on July 7, 2021, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on July 7, 2021:

Don Brown Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

SERVICE LIST

@ Consents to Electronic Service

PCB 2010-050 @ Joseph M. Kellmeyer Thompson Coburn, LLP One US Bank Plaza St. Louis, MO 63101-1693

PCB 2010-050 @ Ryan R. Kemper Thompson Coburn, LLP One US Bank Plaza St. Louis, MO 63101-1693 PCB 2010-050 @ Rachel R. Medina Office of the Attorney General Environmental Bureau 500 South Second Street Springfield, IL 62706

PCB 2010-050 @ Jane E. McBride Office of the Attorney General Environmental Bureau 500 South Second Street Springfield, IL 62706