ILLINOIS POLLUTION CONTROL BOARD December 6, 2021

PEOPLE OF THE STATE OF ILLINOIS,)	
)	
Complainant,)	
)	
V.)	
)	PCB 22-20
PPRE, LLC, an Illinois limited liability)	(Enforcement - Air)
company,)	
)	
Respondent.)	

HEARING OFFICER ORDER

The parties are hereby notified that the above-captioned matter has been assigned to the hearing officer noted below. From this date forward, any document filed with the Clerk of the Board must also be served on the hearing officer.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on January 6, 2022, at 10:30 a.m. The telephonic status conference must be initiated by the complainant, and provide a call-in number, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center, Suite 11-500

Bradly P. 12000

100 W. Randolph Street

Chicago, Illinois 60601

312.814.8917

Brad.Halloran@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed, and mailed, first class, on December 6, 2021, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was delivered to the following on December 6, 2021:

Don Brown Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Bradley P. Halloran
Hearing Officer
Illinois Pollution Control Board
James R. Thompson Center

100 West Randolph Street, Suite 11-500 Chicago, Illinois 60601

312.814.8917

@Consents electronic service.

PCB 2022-020@ Kathryn A. Pamenter Office of the Attorney General 69 W. Washington Street Ste.1800 Chicago, IL 60602 PCB 2022-020 Farrukh Bagasrawala, R.A. PPRE, LLC 300 N. Martingale Road Suite 750 Schaumburg, IL 60173