ILLINOIS POLLUTION CONTROL BOARD January 6, 2022

IN THE MATTER OF:)		
)		
PETITION OF MIDWEST GENERATION	ON,)	AS 21-2	
FOR AN ADJUSTED STANDARD FRO	OM 35)	(Adjusted Standard- Lar	ıd)
ILL. ADM. CODE 845.740(a) AND FINI	DING)		
OF INAPPLICABILITY OF 35)		
ILL ADM CODE PART 845)		

HEARING OFFICER ORDER

On January 10, 2022, the parties were scheduled to participate in a telephone status conference with the hearing officer. As the parties are awaiting action from the Board, this status call is rescheduled as follows.

The parties are directed to participate in a telephone status conference at 10:00 a.m. on February 15, 2022. Petitioner will set up a conference call number.

IT IS SO ORDERED.

Carol Webb

Hearing Officer

Illinois Pollution Control Board 1021 North Grand Avenue East

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

Carol.Webb@illinois.gov

Carol Webb

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed on January 6, 2022, to each of the person on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on January 6, 2022:

Don Brown Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

@ Consents to Electronic Service

AS 2021-002@ Susan M. Franzetti Nijman Franzetti LLP 10 S. LaSalle Street Suite 3600 Chicago, IL 60603

AS 2021-002@ Molly H. Snittner Nijman Franzetti LLP 10 S. LaSalle Street Suite 3600 Chicago, IL 60603 AS 2021-002@ Kristen Laughridge Gale Nijman Franzetti LLp 10 S. LaSalle Street Suite 3600 Chicago, IL 60603

AS 2021-002@ Stefanie N. Diers IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794 AS 2021-002@ Christine Zeivel IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794