ILLINOIS POLLUTION CONTROL BOARD May 10, 2022

IN THE MATTER OF:)	
)	
PETITION OF AMEREN ENERGY MEDI	NA)	AS 21-8
VALLEY COGEN, LLC (OLD)	(Adjusted Standard- Land)
MEREDOSIA), FOR AN ADJUSTED)	,
STANDARD FROM 35 ILL. ADM. CODE	i)	
PART 845	ĺ	

HEARING OFFICER ORDER

On May 9, 2022, the Agency requested an extension of the deadline to file the recommendation. Petitioner did not object. The deadline for the recommendation is extended to June 6, 2022.

The parties are directed to participate in a telephone status conference at 10:00 a.m. on May 25, 2022. Petitioner will circulate a conference call-in number.

IT IS SO ORDERED.

Carol Webb

Hearing Officer

Illinois Pollution Control Board 1021 North Grand Avenue East

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

Carol.Webb@illinois.gov

Carol Webb

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed on May 10, 2022, to each of the person on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on May 10, 2022:

Don Brown Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

@ Consents to Electronic Service

AS 2021-008@ Claire A. Manning Brown, Hay & Stephens LLP 205 South Fifth Street P.O. Box 2459 Suite 700 Springfield, IL 62705

AS 2021-008@ Garrett L. Kinkelaar Brown, Hay & Stephens 205 South Fifth Street P.O. Box 2459 Suite 700 Springfield, IL 62705 AS 2021-008@ Anthony D. Schuering Brown, Hay & Stephens LLP 205 South Fifth Street P.O. Box 2459 Suite 700 Springfield, IL 62705

AS 2021-008@ Stefanie N. Diers IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794 AS 2021-008@ Christine Zeivel IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794