## ILLINOIS POLLUTION CONTROL BOARD July 27, 2022

PEOPLE OF THE STATE OF ILLINOIS,	)	
Complainant,	)	
v.	)	
RAMACHANDRA REDDY, individually and d/b/a BP AMOCO GAS STATION,	) l ) )	PCB 22-97 (Enforcement – Air)
Respondent.	)	

## **HEARING OFFICER ORDER**

The parties are hereby notified that the above-captioned matter has been assigned to the hearing officer noted below. From this date forward, any document filed with the Clerk of the Board must also be served on the hearing officer.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on August 11, 2022, 11:30. The telephonic status conference must be initiated by the complainant, and provide a call-in number, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

James R. Thompson Center, Suite 11-500

Bradly P. 12000

100 W. Randolph Street

Chicago, Illinois 60601

312.814.8917

Brad.Halloran@illinois.gov

## CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed and mailed, first class, on July 27, 2022, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on July 27, 2022:

Don Brown Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

> Bradley P. Halloran Hearing Officer Illinois Pollution Control Board James R. Thompson Center 100 West Randolph Street, Suite 11-500 Chicago, Illinois 60601 312.814.8917

@ Consents to electronic service

## **SERVICE LIST**

PCB 2022-097@ Elizabeth Dubats Office of the Attorney General 69 W. Washington Street Suite 1800 Chicago, IL 60602 PCB 2022-097 Ramachandra Reddy 1051 Killarney Drive Dyner, IN 45311