## ILLINOIS POLLUTION CONTROL BOARD December 6, 2022

COUNTRYSIDE DISPOSAL LLC,	)	
Petitioner,	)	
v.	)	PCB 23-56
FAYETTE COUNTY,	)	(Pollution Control Facility Siting Appeal)
Respondent.	)	

## **HEARING OFFICER ORDER**

The parties are advised that this matter has been assigned to the hearing officer identified below. From this date forward, any pleading filed with the Clerk of the Board in this matter must also be emailed to the hearing officer.

The parties are directed to participate in a telephone status conference with the hearing officer at 10:00 a.m. on December 20, 2022. The status conference shall be initiated by the petitioner.

The decision deadline is currently March 2, 2023. Petitioner agreed to file an open deadline waiver.

IT IS SO ORDERED.

Carol Webb

Hearing Officer

Illinois Pollution Control Board 1021 North Grand Avenue East

P.O. Box 19274

Carol Webb

Springfield, Illinois 62794-9274

217/524-8509

Carol.Webb@illinois.gov

## CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed and mailed, first class, on December 6, 2022, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on December 6, 2022:

Don Brown Illinois Pollution Control Board 60 E. Van Buren Suite 630 Chicago, Illinois 60605

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

## @ Consents to electronic service

PCB 2023-056 Jessica Barker Fayette County Clerk 221 S. 7<sup>th</sup> Street, Room 106 Vandalia, IL 62471

PCB 2023-056@
Joshua C. Morrison
Fayette County State's Attorney
221 S. 7<sup>th</sup> Street, Room 201
Vandalia, IL 62471

PCB 2023-056 Jenny Waggoner County Board Chairperson Fayette County Board 221 S. 7<sup>th</sup> Street Vandalia, IL 62471

PCB 2023-056@ Patrick D. Shaw Law Office of Patrick D. Shaw 80 Bellerive Road Springfield, IL 62704