

Electronic Filing: Received, Clerk's Office 01/05/2023

From: [Paul Pratapas](#)
To: [Kordas, Molly](#)
Cc: [Brown, Don](#); [Halloran, Brad](#)
Subject: [External] Hearing: Horizon 2023-014
Date: Thursday, January 5, 2023 11:01:54 AM

Hi Molly,

I just got off a very troubling call with the IPCB. It would appear the board has little to no understanding of the requirements in the IL CGP as relating to the CWA NPDES Program.

So, a permit holder can ignore all requests from the public and then enter a maze of nothing with the PCB hearings. All the while continuing to pollute based on a SWPPP plan which never should have been approved. As you have seen.

Earlier I forwarded you an email from July where I asked the ILEPA for help viewing the book for the above case.

Everyone is violating my right to petition the government, including the PCB. **Mr. Halloren was particularly grumpy and disrespectful in today's hearing.**

He also told me to file an FOI request or request for discovery for the same type of info the city of warrenville has posted on a webpage dedicated to the development plan of Lexington Trace Unit 3. Because that is what is required by law. This is how disastrous the situation is. I asked Horizon starting in May, as you know. And remember, Batavia hung up on me when I asked about the fifth Pulte site in severe violation.

Do police execute search warrants casually within a year of the date it was signed? Why not?

<https://il-warrenville.civicplus.com/833/Lexington-Trace-Subdivision--Unit-3>

For example, the SWPPP as presented and approved is in the [Site Improvement Plans](#) document. You just need to understand the IL CGP, engineering drawings, weather patterns and steps of construction.

Kind Regards,

Paul Pratapas
630.696.2843