ILLINOIS POLLUTION CONTROL BOARD February 16, 2023

PEOPLE OF THE STATE OF ILLINOIS,)	
)	
Complainant,)	
)	
V.)	
)	PCB 22-70
KJS PROPERTIES, LLC,)	(Enforcement – Air)
)	
Respondent.)	

HEARING OFFICER ORDER

On February 16, 2023, all parties participated in a telephonic status conference. Complainant reported that some progress has been made but that if settlement cannot be achieved it will file a motion for summary judgement on or before the next status conference.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on March 23, 2023, at 11:00 a.m.. The telephonic status conference must be initiated by the complainant, and provide a call-in number, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradly P. 12lon-

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605 312.814.8917 Brad.Halloran@illinois.gov

It is hereby certified that true copies of the foregoing order were e-mailed and mailed, first class, on February 16, 2023, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on February 16, 2023:

Don Brown Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605

Bradly P. Helon-

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605 312.814.8917

@ Consents to electronic service

PCB 2022-070@ Kevin J. Garstka Office of the Attorney General 69 W. Washington Street Suite 1800 Chicago, IL 60602 PCB 2022-070 KJS Properties LLC MIH Financials, Inc. 5600 N. River Road Suite 800 Rosemont, IL 60018

PCB 2022-070 Khalid Siddiqui KJS Properties LLC 1535 W. Grand Avenue Chicago, IL 60642