ILLINOIS POLLUTION CONTROL BOARD April 27, 2023

| PEOPLE OF THE STATE OF ILLINOIS, | |) | |
|----------------------------------|--------------|---|---------------------|
| | |) | |
| | Complainant, |) | |
| | |) | |
| | V. |) | |
| | |) | PCB 23-5 |
| KHALID SIDDIQUI, | |) | (Enforcement – Air) |
| | |) | |
| | Respondent. |) | |

HEARING OFFICER ORDER

On April 27, 2023, all parties participated in a telephonic status conference with the hearing officer. The complainant stated that it is drafting a motion for summary judgement. The respondent stated that it is hopeful for a settlement and will contact the complainant to discuss.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on June 28, 2023, at 10:15 a.m. The telephonic status conference must be initiated by the complainant, and provide a call-in number, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

Bradly P. Helon-

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605 312.814.8917 Brad.Halloran@illinois.gov

It is hereby certified that true copies of the foregoing order were e-mailed on April 27, 2023, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on April 27, 2023:

Don Brown Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605

P. Hlon

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605 312.814.8917

@ Consents to electronic service

SERVICE LIST

PCB 2023-005@ Molly Kordas Office of the Attorney General 69 W. Washington Street Suite 1800 Chicago, IL 60602 PCB 2023-005@ Colin Gage 4046 N. Paulina Chicago, IL 60613