## ILLINOIS POLLUTION CONTROL BOARD July 6, 2023

PEOPLE OF THE STATE OF ILLINOIS,	)	
	)	
Complainant,	)	
	)	
V.	)	
	)	PCB 22-70
KJS PROPERTIES, LLC,	)	(Enforcement – Air)
	)	
Respondent.	)	

## **HEARING OFFICER ORDER**

On July 6, 2023, a telephonic status conference was held. Respondent did not appear. Complainant reported that the parties have reached an agreement and will forward a stipulation and proposal for settlement (stipulation) to the respondent for review and signature.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on October 12, 2023, at 9:30 a.m. The telephonic status conference must be initiated by the complainant, and provide a call-in number, but each party is nonetheless responsible for its own appearance. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing. If, however, a stipulation and proposal for settlement is filed prior to the next status conference, a conference will be cancelled without further notice.

IT IS SO ORDERED.

Bradly P. 12lon-

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605 312.814.8917 Brad.Halloran@illinois.gov

It is hereby certified that true copies of the foregoing order were e-mailed on July 6, 2023, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on July 6, 2023:

Don Brown Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605

Bradly P. Helon

Bradley P. Halloran Hearing Officer Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605 312.814.8917

@ Consents to electronic service

PCB 2022-070@ Kevin J. Garstka Office of the Attorney General 69 W. Washington Street Suite 1800 Chicago, IL 60602 PCB 2022-070@ Colin Gage 4046 N. Paulina Chicago, IL 60613