LLINIOIS POLLUTION CONTROL BOARD September 7, 2023

PEOPLE OF THE STATE OF ILLINOIS,)	
Complainant,)	
v.)	DCD 24.17
CRYSTAL COLD, LLC, an Illinois Limited Liability Company)	PCB 24-17 (Enforcement- Water)
Respondent.)	

HEARING OFFICER ORDER

The parties are advised that this matter has been assigned to the hearing officer identified below. From this date forward, any pleading filed with the Clerk of the Board in this matter must also be emailed to the hearing officer.

The parties are directed to provide a status update or participate in a telephone status conference with the hearing officer as follows:

Time: 10:30 a.m.

Date: September 28, 2023

The People may circulate a conference call number or may initiate the call. If the parties agree that a call is not needed, a status update may be emailed in advance of the scheduled time.

IT IS SO ORDERED.

Carol Webb

Hearing Officer

Illinois Pollution Control Board

1021 North Grand Avenue East

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

Carol.Webb@illinois.gov

Carol Webb

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed, on September 7, 2023, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on September 7, 2023:

Don Brown Illinois Pollution Control Board James R. Thompson Center 100 W. Randolph St., Ste. 11-500 Chicago, Illinois 60601

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

@ Consents to electronic service

SERVICE LIST

PCB 2024-017@ Claire A. Manning Crystal Cold LLC 205 S. Main Street Suite 1000 P.O. Box 2459 Springfield, IL 62701 PCB 2024-017@ Dylan P. Grady Crystal Cold LLC 205 S. Main Street Suite 100 P.O. Box 2459 Springfield, IL 62701

PCB 2024-017@ Natalie Long Office of the Attorney General 500 South Second Street Springfield, IL 62706