## ILLINOIS POLLUTION CONTROL BOARD December 18, 2023

IN THE MATTER OF:	)	
	)	
PETITION OF ELECTRIC ENERGY, INC.	)	AS 21-5
FOR A FINDING OF INAPPLICABILITY	)	(Adjusted Standard- Land)
OR, IN THE ALTERNATIVE, AN	)	
ADJUSTED STANDARD FROM 35 ILL.	)	
ADM. CODE PART 845	)	

## **HEARING OFFICER ORDER**

On December 1, 2023, petitioner filed a status report stating that the parties are making progress towards a resolution and agree for the stay in this matter to be lifted.

The parties are directed to provide a status update or participate in a telephone status conference with the hearing officer as follows:

Time: 10:30 a.m. Date: January 18, 2024

The People may circulate a conference call number or may initiate the call. If the parties agree that a call is not needed, a status update may be emailed in advance of the scheduled time.

IT IS SO ORDERED.

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov It is hereby certified that true copies of the foregoing order were e-mailed on December 18, 2023, to each of the person on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on December 18, 2023:

Don Brown Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60601

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

@ Consents to Electronic Service

AS 2021-005@ Stefanie N. Diers IEPA 1021 North Grand Avenue East P.O. Box 19276 Springfield, IL 62794

AS 2021-005@ Joshua R. More ArentFox Schiff LLP 233 S. Wacker Drive Suite 6600 Chicago, IL 60606-6473 AS 2021-005@ Bina Joshi ArentFox Schiff LLP 233 S. Wacker Drive Suite 6600 Chicago, IL 60606-6473

AS 2021-005@ Sarah L. Lode ArentFox Schiff, LLP 233 S. Wacker Drive Suite 6600 Chicago, IL 60606-6473