### ILLINOIS POLLUTION CONTROL BOARD February 15, 2024

IN THE MATTER OF:	)	
AMENDMENTS TO 35 ILL. ADM. CODE SUBTITLE E	) )	R18-25 (Rulemaking - Land)

Adopted Rule. Final Order.

OPINION AND ORDER OF THE BOARD (by J. Van Wie):

The Board opened this docket to review its agriculture-related pollution rules; determine which of them may be obsolete, repetitive, confusing, or unnecessary; and propose non-substantive clarifications. Today, the Board adopts amendments intended to update and clarify those rules.

In this opinion and order, the Board first provides an abbreviated procedural history of this rulemaking. Next, the Board addresses second-notice review by the Joint Committee on Administrative Rules (JCAR). The Board then discusses technical feasibility and economic reasonableness before concluding to adopt amended rules. The Board directs its Clerk to submit the proposal to the Secretary of State for publication in the *Illinois Register*. The adopted amendments, which take effect upon filing them with the Secretary of State (*see* 5 ILCS 5-40(d) (2022)), follow this opinion.

#### **BACKGROUND**

In 2016, the Board began reviewing its rules to identify obsolete, unclear, or otherwise unnecessary language. In 2018, the Illinois Environmental Protection Agency (IEPA) filed a proposal to amend numerous Board rules, including Part 501 of the Board's agriculture-related pollution regulations. Clean-Up Amendments to 35 Ill. Adm. Code Parts 201, 211, 212, 214, 215, 216, 217, 218, 219, 225, 228, 232, 237, 301, 302, 303, 304, 306, 309, 401, 402, 403, 404, 405, 501, 611, 615, 616, 617, 722, 811, 813, 855, and 1000, R18-21 (Jan. 10, 2018). IEPA's proposal cited Executive Order 2016-13, which required agencies to review existing regulations to identify provisions that are outdated, repetitive, confusing, or unnecessary and then revise or repeal them as appropriate.

The Board opened this rulemaking docket specifically to consider amendments to its Subtitle E agriculture-related pollution regulations. 35 Ill. Adm. Code 501-503, 506. Amendments to 35 Ill. Adm. Code Subtitle E, R18-25 (Mar. 22, 2018). The Board's proposal included both amendments originally proposed by IEPA in R18-21 and those identified by the Board during its own review of Subtitle E. Both IEPA and the Board intend the proposed amendments to be non-substantive in nature.

#### ABBREVIATED PROCEDURAL HISTORY

On February 16, 2023, the Board adopted a first-notice proposal. *See* 47 Ill. Reg. 3159, 3186, 3254, 3259 (Mar. 10, 2023).

On March 27, 2023, the Board docketed as a public comment an email from the staff of JCAR to the Board (PC 4) suggesting 63 changes to Part 501 of the Board's proposal. On April 17, 2023, the Board docketed as a public comment a second email from the staff of JCAR to the Board (PC 5), which included JCAR's suggested changes to Part 501 and also suggested 186 changes to Part 502, seven changes to Part 503, and 55 changes to Part 506.

On April 24, 2023, IEPA filed its first-notice comments (PC 6).

On December 15, 2023, the Board docketed as a public comment an email between staff of JCAR and the Board, which responded to each of JCAR's suggested changes. PC 7.

On January 4, 2023, the Board adopted a second-notice proposal. At its February 6, 2024 meeting, JCAR issued its certificate of no objection to the Board's proposal.

#### **SECOND-NOTICE AMENDMENTS**

The first-notice opinion includes a Part-by-Part discussion of the Board's proposed amendments. The Board does not in this order repeat that entire opinion, which can be viewed on the Board's website (pcb.illinois.gov) under this docket number R18-25. *See* Amendments to 35 Ill. Adm. Code Subtitle E, R18-23 (Feb. 16, 2023).

In its second-notice opinion, the Board discussed additional non-substantive changes, many of which JCAR suggested. <u>Amendments to 35 Ill. Adm. Code Subtitle E</u>, R18-23 (Jan. 4, 2024); see PC 4, 5, 7. The Board also does not today repeat that entire opinion, which can also be viewed on the Board's website.

During second-notice review, JCAR suggested a small number of additional non-substantive changes, many of which are reflected in the adopted rules. Due to the nature and limited number of those changes, the Board does not specifically address them in today's opinion.

#### TECHNICAL FEASIBILITY AND ECONOMIC REASONABLENESS

The Board on September 17, 2021, requested that the Department of Commerce and Economic Opportunity (DCEO) perform an economic impact study of the Board's proposal. *See* 415 ILCS 5/27(b) (2020). In a letter dated October 22, 2021, and received by the Board on November 22, 2021, DCEO responded that it had "conducted a preliminary review of the proposed rule change and an initial economic analysis. The proposed rule changes are administrative in nature, with no meaningful economic impact." DCEO respectfully declined the Board's request to perform a study. No participant at either hearing testified or commented on the Board's request or DCEO's response.

In this proceeding, the Board intends to propose only non-substantive amendments that clarify the language of existing rules. In its first-notice opinion, the Board concluded that its proposal did not make substantive revisions that affect complying with existing rules. The Board found that the proposal was both technically feasible and economically reasonable. *See* 415 ILCS 5/27(a) (2020). The Board also found that its proposed non-substantive amendments would not have any adverse economic impact on the people of the State of Illinois. *See* 415 ILCS 5/27(b) (2020). The Board considered DCEO's response consistent with these findings.

After considering the record in its second-notice opinion, the Board concluded that this record does not dispute the conclusion reached in the first-notice opinion. Because the Board intends its amendments to be non-substantive, it found that its second-notice proposal was both technically feasible and economically reasonable. *See* 415 ILCS 5/27(a) (2022). The Board also found that its proposal would not have any adverse economic impact on the people of the State of Illinois. *See* 415 ILCS 5/27(b) (2022).

The Board finds that no addition to the record alters these earlier conclusions. The Board finds that its non-substantive amendments are technically feasible and economically reasonable and that they would not have any adverse economic impact on the people of the State of Illinois. *See* 415 ILCS 5/27(b) (2022).

#### **CONCLUSION**

The Board concludes to adopt non-substantive amendments to its agriculture-related pollution rules. These amended rules include a limited number of changes suggested by JCAR during its second-notice review. The Board has reviewed the record in this proceeding and finds that the adopted rules are technically feasible and economically reasonable and that they will not have an adverse economic impact on the citizens of Illinois. The adopted rules appear below with additions appearing underlined and deletions struck through.

#### **ORDER**

The Board directs the Clerk to submit the adopted amendments to the Secretary of State for publication in the *Illinois Register*.

#### IT IS SO ORDERED.

Section 41(a) of the Environmental Protection Act provides that final Board orders may be appealed directly to the Illinois Appellate Court within 35 days after the Board serves the order. 415 ILCS 5/41(a) (2022); *see also* 35 Ill. Adm. Code 101.300(d), 101.906, 102.706. Illinois Supreme Court Rule 335 establishes filing requirements that apply when the Illinois Appellate Court, by statute, directly reviews administrative orders. 172 Ill. 2d R. 335. The Board's procedural rules provide that motions for the Board to reconsider or modify its final orders may be filed with the Board within 35 days after the order is received. 35 Ill. Adm. Code 101.520; *see also* 35 Ill. Adm. Code 101.902, 102.700, 102.702. Filing a motion asking that the Board reconsider this final order is not a prerequisite to appealing this order. 35 Ill. Adm. Code 101.902.

I, Don A. Brown, Clerk of the Illinois Pollution Control Board, certify that the Board adopted the above opinion and order on February 15, 2024, by a vote of 4-0.

Don A. Brown, Clerk

Illinois Pollution Control Board

Don a. Brown

# TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE E: AGRICULTURE RELATED POLLUTION CHAPTER I: POLLUTION CONTROL BOARD

### PART 501 GENERAL PROVISIONS

#### SUBPART A: AUTHORITY AND POLICY

Section

501.101	Authority (Repealed)
501.102	Policy
501.102	Organization of this Chapter
501.104	Severability
2011101	Servine may
	SUBPART B: DEFINITIONS AND INCORPORATIONS
Section	
501.200	Incorporations by Reference
501.201	Definitions
501.205	Act
501.210	Administrator
501.215	Air Pollution
501.220	Agency
501.223	Animal Confinement Area
501.225	Animal Feeding Operation
501.230	Animal Unit
501.235	Board
501.236	Chemicals and Other Contaminants
501.238	Concentrated Animal Feeding Operation (CAFO)
501.240	Construction
501.241	CWA
501.242	Dry Lot
501.244	Erosion Factor T
501.245	Existing Livestock Management Facility and Livestock Waste-Handling Facility
501.246	Expansion
501.248	Farm Residence
501.250	Feedlot Runoff
501.252	Frozen Ground
501.253	Grassed Waterway
501.254	Groundwater
501.255	Holding Pond
501.260	Impermeable
501.261	Incorporation
501.263	Injection
501.265	Lagoon

501.267	Land Application Area
501.270	Leachate
501.274	Liquid Livestock Waste
501.275	Liquid Manure-Holding Tank
501.280	Livestock
501.285	Livestock Management Facility
501.290	Livestock Shelter
501.295	Livestock Waste
501.300	Livestock Waste-Handling Facility
501.305	Man-made
501.310	Man-made Ditch
501.312	Manure
501.313	Manure Storage Area
501.315	Manure Storage Structure
501.317	Maximum Feasible Location
501.320	Modification
501.325	Navigable Waters (Repealed)
501.330	New Livestock Management Facility and New Livestock Waste-Handling Facility
501.333	New Source
501.335	NPDES
501.340	NPDES Permit
501.342	Non-farm Residence
501.343	Overflow
501.345	Owner / Operator
501.350	Person
501.355	Pollutant
501.356	Populated Area
501.357	Process Wastewater
501.358	Production Area
501.359	Raw Materials Storage Area
501.360	Revised Universal Soil Loss Equation (RUSLE2)
501.361	Saturated
501.363	Setbacks
501.365	Silvicultural Point Source
501.370	Standard of Performance
501.372	Supernatant
501.373	Surface Land Application
501.375	Temporary Manure Stack
501.377	Vegetative Buffer
501.378	Vegetative Fence Row
501.379	Waste Containment Area
501.380	Water Pollution
501.385	Wet Lot
501.390	25-Year, 24-Hour Precipitation Event
501.395	100-Year, 24-Hour Precipitation Event
	*

### SUBPART C: OPERATIONAL RULES FOR ALL LIVESTOCK MANAGEMENT FACILITIES AND LIVESTOCK WASTE-HANDLING FACILITIES

Section	
501.401	Purpose and Scope of Operational Rules for Livestock Management
	Facilities and Livestock Waste-Handling Facilities
501.402	Location of New Livestock Management Facilities and New Livestock
	Waste-Handling Facilities
501.403	Protection of Livestock Management Facilities and Livestock Waste-
	Handling Facilities
501.404	Handling and Storage of Livestock Waste
501.405	Field Application of Livestock Waste
501.406	Inspections and Disease Prevention

501.APPENDIX A References to Previous Rules (Repealed)

AUTHORITY: Implementing and authorized by Sections 9, 12, 13, 21, 22, and 27 of the Environmental Protection Act [415 ILCS 5/9, 12, 13, 21, 22, and 27].

SOURCE: Filed and effective Janua	ry 1, 1978; amended a	at 2 Ill. Reg. 44, p	o. 137, effective
October 30, 1978; codified at 7 Ill. R	leg. 10592; amended i	in R90-7 at 15 Ill.	Reg. 10075,
effective July 1, 1991; amended in R	12-23 at 38 Ill. Reg. 1	17661, effective A	August 11, 2014;
amended in R18-25 at 48 Ill. Reg.	, effective	•	

#### SUBPART A: AUTHORITY AND POLICY

#### Section 501.101 Authority (Repealed)

0 - - 4 : - - -

Pursuant to authority granted by Sections 9, 12, 13, 21 and 22 of the Environmental Protection Act, which empowers the Board to designate equipment or facilities capable of causing or contributing to air and water pollution and to set standards for the issuance of permits for the construction, installation and operation and for the inspection of said equipment or facilities; and to adopt regulations to promote the purpose of the Act which prohibits the deposit of any contaminants upon the land in such a place and manner as to create a water pollution hazard; and to set standards limiting the amounts or concentrations of contaminants that may be discharged into the waters; and to set standards for the disposal of any refuse and to set procedures for monitoring and reporting contaminant discharges at their source; and which directs the Board to adopt requirements, standards and procedures which will enable the State to implement and participate in the National Pollutant Discharge Elimination System (NPDES) established by the Federal Water Pollution Control Act Amendments of 1972 and 1977 also called the Clean Water Act (CWA) (12 U.S.C. 24; 15 U.S.C. 633 and 636; 31 U.S.C. 711; 33 U.S.C. 1251 et seq.), the Board adopts the following rules and regulations:

(Source:	Repealed at 48	III Reg	. effective	)
LOULICC.	NCDCalculat 40	III. IXC9.	. CHCCLIVC	

Section 501.102 Policy

- a) It is the purpose of the General Assembly in adopting the Environmental Protection Act to restore, maintain, and enhance the purity of the air and waters of Illinois in order to protect health, welfare, property, and the quality of life. An adequate supply of healthy livestock is essential to the well-being of Illinois citizens and the nation. They provide athe daily source of meat, milk, and eggs. Their efficient, economic production must be the concern of both producers and consumers if we are to have a continued abundance of high-qualityhigh quality, wholesome food and of other livestock products at reasonable prices. The policy mustshall be to establish regulations that will provide a balance between a wholesome environment and the efficient production of adequate livestock products.
- b) Livestock produce wastes <u>thatwhich</u>, when properly used, supply nutrients and organic matter to soils. The mere presence of livestock waste in a given location does not denote pollution, but may, when improperly stored, transported, or disposed of, undesirably affect the environment.
- c) It is hereby determined that the construction, establishment, and operation of specified eertain livestock management facilities and livestock waste-handling facilities without environmental planning and safeguards or the use of specified eertain livestock wastes for agricultural purposes causes, threatens, or allows the discharge of contaminants into the air or waters of Illinois so as to cause or threaten to cause pollution or to render those such waters harmful to public health, safety, or welfare, or to domestic, commercial, industrial, agricultural, and recreational uses, or to humansman, livestock, wild animals, birds, or fish or other aquatic life.
- d) It is hereby determined that the construction, establishment, and operation of livestock management facilities and livestock waste-handling facilities without environmental planning and safeguards or the use of livestock wastes for agricultural purposes causes, threatens, or allows air pollution, The discharge of contaminants into the air of Illinois in sufficient quantities and of such characteristics and duration as to be injurious to human, plant, or animal life, to health, or to property, or to unreasonably interfere with the enjoyment of life or property. [415 ILCS 5/3.115]THE DISCHARGE OF CONTAMINANTS INTO THE AIR OF ILLINOIS IN SUFFICIENT QUANTITIES AND OF SUCH CHARACTERISTICS AND DURATION AS TO BE INJURIOUS TO HUMAN, PLANT OR ANIMAL LIFE, TO HEALTH, OR TO PROPERTY, OR TO UNREASONABLY INTERFERE WITH THE ENJOYMENT OF LIFE OR PROPERTY. (III. Rev. Stat. ch. 111 1/2 par. 1003.2) It is recognized that the presence of odor is an inherent characteristic of livestock management facilities and livestock waste-handling facilities, and that the detection of that such odor is does not per se constitute air pollution.

e) It is the purpose of this Chapter to prevent pollution of the air and waters of Illinois caused by failure to plan with regard to regarding proper environmental safeguards for the construction, location, and operation of specified certain livestock management facilities and livestock waste-handling facilities. A permit system is established to ensure that those such activities take account of environmental considerations and to meet the requirements for federal approval, as established by the CWA. It is also the purpose of these regulations to prevent pollution from the numerous point and non-point discharges, both continuous and fluctuating, which are present in specified certain livestock management facilities or livestock waste-handling facilities. To this end, procedural safeguards are required, in addition to compliance with the CWA, NPDES filing requirements, and the feedlot category of point source effluent guidelines.

Source. Timenaca at 40 m. Reg. , effective	Source:	Amended at 48 Ill. Re	g. , effective )
--	---------	-----------------------	------------------

#### Section 501.104 Severability

If any provision of this Part is adjudged invalid, or if the application of this Part to any person or in any circumstance is adjudged invalid, that invalidity <u>willshall</u> not affect the validity of this Chapter as a whole, or of any Part, Subpart, sentence or clause of this Part not adjudged invalid.

(Source:	Amended at 48 Ill. Reg.	, effective

#### SUBPART B: DEFINITIONS AND INCORPORATIONS

#### Section 501.200 Incorporations by Reference

a) The Board incorporates the following material by reference:

ASABE. American Society of Agricultural and Biological Engineers, 2950 Niles Road, St. Joseph, MI 49085 (269-429-0300), fax 269-429-3852, hq@asabe.org

"Management of Manure Odors," ASABE, EP379.4 (January 2007).

"Design of Anaerobic Lagoons for Animal Waste Management," ASABE, EP403.4 (R2011)

"Illinois Agronomy Handbook, 24th Edition"," University of Illinois, College of Agriculture, Consumer and Environmental Sciences. Urbana, IL, July 2009. Available from University of Illinois, Office of Extension and Outreach, 111 Mumford Hall (MC-710), 1301 W. Gregory Dr., Urbana, IL 61801 (217) 333-5900.

MWPS. Available from MidWest Plan Service, 122 Davidson Hall, Iowa State University, Ames, IA 50011-3080 (515) 294-4337.

"Livestock Waste Facilities Handbook, Third Edition," MWPS-18. MidWest Plan Service. April 1993.

"Manure Characteristics"," Section 1. Second Edition MWPS-18-S1. MidWest Plan Service. 2004.

"Recommended Chemical Soil Test Procedures for the North Central Region"," North Central Regional Publication No. 221, Missouri Agricultural Experiment Station Bulletin SB 1001 (January 1998). Available from North Central Region-University of Missouri Soil Testing Lab, 23 Mumford Hall, University of Missouri, Columbia, MO 65211 (573) 884-4288.

"Average Crop, Pasture, and Forestry Productivity Ratings for Illinois Soils; Bulletin No. 810"," University of Illinois, College of Agricultural, Consumer and Environmental Sciences, Office of Research (2000), revised January 15, 2011 to amend Table 2 for B810. Available from University of Illinois, College of Agricultural, Consumer, and Environmental Sciences, Office of Research, 228 Mumford Hall, 1301 W. Gregory Dr., Urbana IL 61801 (217) 333-0240.

"Optimum Crop Productivity Ratings for Illinois Soils; Bulletin 811"," University of Illinois, College of Agricultural, Consumer and Environmental Sciences, Office of Research (2000), revised January 15, 2011 to amend Table S2 for B811. Available from University of Illinois, College of Agricultural, Consumer, and Environmental Sciences, Office of Research, 228 Mumford Hall, 1301 W. Gregory Dr., Urbana IL 61801 (217) 333-0240.

"NOAA Atlas 14: Precipitation Frequency Atlas of the United States"," United States Department of Commerce, National Oceanic and Atmospheric Administration, National Weather Service, Volume 2, Version 3.0 (2004), revised 2006. Available from NOAA, NWS, Office of Hydrologic Development, 1325 East West Highway, Silver Spring MD 20910 (Available online at <a href="https://www.weather.gov/media/owp/oh/hdsc/docs/Atlas14\_Volume2.pdf">https://www.weather.gov/media/owp/oh/hdsc/docs/Atlas14\_Volume2.pdf</a> <a href="https://www.nws.noaa.gov/oh/hdsc/PF\_documents/Atlas14\_Volume2.pdf">https://www.nws.noaa.gov/oh/hdsc/PF\_documents/Atlas14\_Volume2.pdf</a>.

Code of Federal Regulations. Available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20401 (202) 783-3238:

40 CFR 412.46(a)(1)(ii) (2008), New Source Performance Standards (NSPS).

40 CFR 412.46(a)(1)(vi) (2008), New Source Performance <u>Standards</u> Standard (NSPS).

"Agricultural Waste Management Field Handbook"," United States Department of Agriculture, Natural Resources Conservation Service (2009). Available from

USDA, NRCS, 1400 Independence Ave., S.W., Washington, DC 20250. (Available online at http://directives.sc.egov.usda.gov/viewerFS.aspx?hid=21430).

	b)	This Section incorporates no later editions or amendments.
	(Sourc	e: Amended at 48 Ill. Reg, effective)
		SUBPART B: DEFINITIONS
Sectio	n 501.2	01 Definitions
	a)	Except as otherwise stated in this Part, and unless a different meaning of the term is clear from its context, the definitions of terms used in this Chapter <u>are shall be</u> the same as those used in the Act and 35 Ill. Adm. Code: Subtitle C, Chapter I.
	b)	The definitions contained in this Subpart <u>apply</u> are applicable to 35 Ill. Adm. Code 501, 502, and 503.
	(Sourc	e: Amended at 48 Ill. Reg, effective)
Sectio	n 501.2	23 Animal Confinement Area
nouses	s, stall b	nement area includes, but is not limited to, open lots, housed lots, feedlots, confinement arns, free stall barns, milkrooms, milking centers, cowyards, barnyards, medication pens, al walkways, and stables.
	(Sourc	e: Amended at 48 Ill. Reg, effective)
Sectio	n 501.2	25 Animal Feeding Operation
	a)	A lot or facility (other than an aquatic animal production facility) where the following

- A lot or facility (other than an aquatic animal production facility) where the following a) conditions are met:
  - Animals have been, are, or will be stabled or confined and fed or maintained for a 1) total of 45 days or more in any 12-month period, and
  - Crops, vegetation, forage growth, or post-harvest residues that are grown in place 2) are not sustained in the normal growing season over any portion of the lot or facility.
- Two or more animal feeding operations under common ownership are considered deemed b) to be a single animal feeding operation if they are adjacent to each other or if they use utilize a common area or system to dispose for the disposal of wastes.

(Source: Amended at 48 III. Reg, effective)
Section 501.238 Concentrated Animal Feeding Operation (CAFO)
An Animal Feeding Operation (AFO) that is defined as a Large CAFO <u>underpursuant to 35 Ill.</u> Adm. Code 502.103 or as a medium CAFO <u>underpursuant to 35 Ill.</u> Adm. Code 502.104, or that is designated as a CAFO <u>underpursuant to 35 Ill.</u> Adm. Code 502.106.
(Source: Amended at 48 Ill. Reg, effective)
Section 501.240 Construction
Start Commencement of on-site fabrication, erection, or installation.
(Source: Amended at 48 Ill. Reg, effective)
Section 501.245 Existing Livestock Management Facility and Livestock Waste-Handling Facility
Any livestock management facility and livestock waste-handling facility, the construction or modification of which started before has commenced prior to the effective date of this Chapter.
(Source: Amended at 48 Ill. Reg, effective)
Section 501.246 Expansion
Start Commencement of construction at a livestock management facility or livestock waste-handling facility where the fixed capital cost of the new components constructed within a 2-year period exceeds 50% of a comparable entirely new facility's the fixed capital cost of a comparable entirely new facility.
(Source: Amended at 48 Ill. Reg, effective)
Section 501.248 Farm Residence
Any residence on a farm owned or occupied by the farm owners, operators, tenants, or seasonal or year-round hired workers. For purposes of this definition, a "farm" is the land, buildings, and machinery used in the commercial production of farm products, and "farm products" are those plants and animals and their products that which are produced or raised for commercial purposes and include but are not limited to forages and sod crops, grains and feed crops, dairy and dairy products, poultry and poultry products, livestock, fruits, vegetables, flowers, seeds, grasses, trees fish, honey and other similar products, or any other plant, animal, or plant or animal product which supplies people with food, feed, fiber, or fur.
(Source: Amended at 48 Ill. Reg., effective)

#### Section 501.290 Livestock Shelter

Any covered structure, including but not limit are enclosed at any time.	ted to livestock ho	ouses or barns, in	which livestock
•	00	,	
(Source: Amended at 48 Ill. Reg.	, effective	)	

#### Section 501.295 Livestock Waste

Manure, litter, process wastewater, overflow from watering systems, wash waters, sprinkling waters from livestock cooling, precipitation polluted by falling on or flowing onto an Animal Feeding Operation, and other materials polluted by livestock, including but not limited to soils and sludges removed from livestock waste storage structures. Livestock waste does not include agricultural stormwater discharge.

(Source: Amended at 48 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

#### Section 501.300 Livestock Waste-Handling Facility

Individually or collectively those constructions or devices, except sewers, used for collecting, pumping, treating, or disposing of livestock waste or for the recovery of by-products from-such livestock waste. The Such a facility includes acceptable disposal areas, such as pasture or other suitable agricultural land, which can serve as an adequate filtering device to settle out and assimilate pollutants from livestock waste before the clarified water reaches a stream or other body of surface water or groundwater.

(Source: Amended at 48 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

#### Section 501.313 Manure Storage Area

Includes but is not limited to lagoons, runoff ponds, storage sheds, stockpiles, under-the-house or pit storages, liquid impoundments, static piles, and composting piles.

(Source: Amended at 48 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

#### **Section 501.317 Maximum Feasible Location**

Any location for <u>establishing</u> the <u>establishment of</u> a new livestock management facility or new livestock waste-handling facility where one of the following conditions <u>exists</u>:

- a) The site is located closer to the livestock owner's or operator's residence than to a neighboring farm or non-farm residence or populated area; or
- b) The site is adjacent to an existing livestock management facility or livestock waste-handling facility, or is farther away from a neighboring farm or non-farm residence or populated area than the existing livestock management facility or

livestock waste-handling facility, when the livestock owner or operator does not reside on the farm where the livestock are to be kept or raised; or

c) The site is accessible to roads, water, and electricity and is at the farthest location from a neighboring farm or non-farm residence or populated area; there is no existing livestock management facility or livestock waste-handling facility on the site, and the livestock owner or operator does not reside on the farm where the livestock are to be kept or raised.

(Source: Amended at 48 Ill. Reg.	, effective	)
----------------------------------	-------------	---

#### **Section 501.320 Modification**

<u>The Such</u> physical change in or alteration in the method of operation of any livestock management facility or livestock waste-handling facility <u>thatwhich</u> increases the <u>amount of livestock</u> waste amount over the level authorized by the NPDES permit.

### Section 501.330 New Livestock Management Facility and New Livestock Waste-Handling Facility

Any livestock management facility or livestock waste-handling facility the construction or modification of which is <u>started after December 31, 1977-commenced on or after January 1 1978</u>.

(Source: A	mended at 48	I11 I	Reo	. effective )
(Doubte, A	menaca at 40	1111. 1	ILCE.	CITCCITYC

#### **Section 501.333 New Source**

Any building, structure, facility, or installation from which there is or may be a discharge of pollutants, the construction of which started <del>commenced</del> after either of the following dates:

- a) after the promulgation of standards of performance under Section section-306 of the Clean Water Act that apply are applicable to the source; or
- b) after the proposal of standards of performance in compliance accordance with Sectionsection 306 of the Clean Water Act that apply are applicable to the source, but only if the standards are promulgated in compliance accordance with Sectionsection 306 within 120 days after their proposal.

(Caumaa, /	Amended at 48 Ill	Dag	offontivo
isouice. F	amenaea at 40 m	. Keg.	. effective

#### Section 501.335 NPDES

The National Pollutant Discharge Elimination System for issuing, establishing conditions for, and denying permits under Section 402 of the CWA. All terms used <u>regarding in connection</u>

with NPDES that which have been defined in the CWA or regulations adopted under the

<u>CWA</u> thereunder shall have the meanings specified in the <u>CWA</u> or those regulations therein, unless specifically noted otherwise.
(Source: Amended at 48 Ill. Reg, effective)
Section 501.340 NPDES Permit
A permit issued <u>underpursuant to</u> the NPDES.
(Source: Amended at 48 Ill. Reg, effective)
Section 501.359 Raw Materials Storage Area
Includes , but is not limited to, feed silos, silage bunkers, and bedding materials stacks.
(Source: Amended at 48 Ill. Reg, effective)
Section 501.363 Setbacks
A specified distance from surface waters or potential conduits to surface waters where livestock waste may not be land applied. Examples of conduits to surface waters include, but are not limited to, open tile intake structures, sinkholes, and agriculture well heads.
(Source: Amended at 48 Ill. Reg, effective)
Section 501.365 Silvicultural Point Source
Any discernible, confined, and discrete conveyance related to rock crushing, gravel washing, log sorting, or log storage facilities that is which are operated for in connection with silvicultural activities and from which pollutants are discharged into navigable waters.
(Source: Amended at 48 Ill. Reg, effective)
Section 501.370 Standard of Performance
A standard for the control of the discharge of pollutants <u>reflectingwhich reflects</u> the greatest degree of effluent reduction <u>thatwhich</u> the Administrator determines to be achievable through <u>applying application of</u> the best available demonstrated control technology, processes, operating methods, or other alternatives, including, where practicable, a standard permitting no discharge of pollutants, as defined in Section 306 of CWA.
(Source: Amended at 48 Ill. Reg, effective)
Section 501.377 Vegetative Buffer

A narrow Narrow, permanent strip of dense perennial vegetation established parallel to the <u>land</u> contours of the land and perpendicular to the <u>field's</u> dominant slope of the field for the purposes of slowing water runoff, enhancing water infiltration, and minimizing the risk of any potential nutrients or pollutants from leaving the field and reaching surface waters.

(Source: Amended at 48 Ill. Reg	, effective
---------------------------------	-------------

#### Section 501.379 Waste Containment Area

Includes, but is not limited to, settling basins, and areas within berms and diversions that separate uncontaminated stormwater from livestock waste.

(Source: Amended at 48 Ill. Reg	, effective
---------------------------------	-------------

#### **Section 501.380 Water Pollution**

<u>The Such</u> alteration of the physical, thermal, chemical, biological, or radioactive properties of any waters of the State, or <u>the such</u> discharge of any contaminant into any waters of the State, as will or is likely to create a nuisance or render <u>those such</u> waters harmful or detrimental or injurious to public health, safety, or welfare, <del>or</del> to domestic, commercial, industrial, agricultural, recreational, or other legitimate uses, or to <u>humansman</u>, livestock, wild animals, birds, or fish or other aquatic life.

(Source:	Amended at 48 Ill. Reg.	, effective
(Dource.	Timenaca at 10 iii. Iteg.	, chiective

SUBPART C: OPERATIONAL RULES FOR ALL LIVESTOCK MANAGEMENT FACILITIES AND LIVESTOCK WASTE-HANDLING FACILITIES

### Section 501.401 Purpose and Scope of Operational Rules for Livestock Management Facilities and Livestock Waste-Handling Facilities

- a) Besides the regulations contained within this Chapter, every person <u>mustshall</u> also comply with <del>provisions of the Act and other Board regulations.</del>
- b) The owner or operator of any livestock management facility or livestock waste-handling facility <u>mustshall</u> comply with the CWA, NPDES filing requirements, and the feedlot category of point source effluent guidelines. All livestock management facilities and livestock waste-handling facilities <u>must determine have</u> the obligation to make a site specific determination of whether the facility is subject to NPDES permit requirements and to follow those requirements when and where they <u>apply are applicable</u>. CAFOs are subject to additional requirements applicable under 35 Ill. Adm. Code 502.
- c) This Subpart <u>applies shall apply</u> to stockyards and similar operations where animals are held briefly, as well as to conventional livestock operations.

- d) The transportation of livestock wastes <u>mustshall</u> be planned and conducted so as not to cause, threaten, or allow any violation of the Act and applicable regulations.
- e) Any runoff or overflow from a livestock management facility or a livestock waste handling facility <u>mustshall</u> not cause a water quality violation <u>underpursuant to</u> the Act or 35 Ill. Adm. Code Subtitle C: Water Pollution.

(Source:	Amended at 48 Ill. Reg.	, effective
(~~~~~~	i minemaca at 10 min iteg.	, 011001110

### Section 501.402 Location of New Livestock Management Facilities and New Livestock Waste-Handling Facilities

- a) <u>ANo</u> new livestock management facility or new livestock waste-handling facility must not shall contain within its boundaries any stream or other surface waters except small temporary accumulations of water occurring as a direct result of precipitation.
- b) New livestock management facilities and new livestock waste-handling facilities located within a 10-year flood height as recorded by the United States Geological Survey or as officially estimated by the Illinois State Water Survey <u>mustshall</u> be protected against <u>that such</u> flood.
- c) Limitations Effective July 15, 1991
  - 1) Upon July 15, 1991, new or expanded livestock management facilities and new or expanded livestock waste-handling facilities <u>mustshall</u> not be located within ½ mile of a populated area or <del>within ¼</del> mile of a non-farm residence.
  - 2) For purposes of this subsection (c), the following are not considered locating shall not be considered location of a new or expanded livestock management or waste\_handling facility:
    - A) <u>StartingCommencement of operations at an idle facility thatwhich</u> has livestock shelters left intact, and that has been operated as a livestock management facility or livestock waste-handling facility for four consecutive months at any time within the 10 previous years;
    - B) <u>StartingCommencement of</u> operations at a facility reconstructed after partial or total destruction due to natural causes, i.e., tornado, fire, or earthquake.
  - 3) Adequate odor control methods and technology <u>mustshall</u> be practiced by operators of new and existing livestock management facilities and livestock waste-handling facilities so as not to cause air pollution.

- d) The setback requirements of subsection (c) <u>do shall</u> not apply to any livestock management facility or livestock waste-handling facility that meets any of the following conditions:
  - The facility is located in an agricultural area, <u>so</u> designated <u>under as such</u> pursuant to the Agricultural Areas Conservation and Protection Act, [505 ILCS 5];
  - 2) The facility undergoes expansion, and the owner of the facility owner certifies and notifies the Agency in writing that the facility was operating as a livestock management facility or livestock waste-handling facility for at least one year before prior to the existence of any non-farm residence within ½ mile of the facility or of a populated area within ½ mile of the facility; or
  - The use of the facility as a livestock management or livestock waste handling facility is allowed by local zoning or municipal ordinance. If no local zoning or municipal ordinance exists that covers that use, the facility is shall be exempt if the livestock are not raised or kept at the facility primarily for hire or the raising or keeping of livestock at the facility does not have financial profit as a primary aim.
- e) A new livestock management facility or new livestock waste-handling facility that locates within ½ mile of a neighboring farm residence <u>mustshall</u> locate at the maximum feasible location from that residence.
- f) A new livestock management facility or new livestock waste-handling facility that locates within ½ mile of a non-farm residence or within-½ mile of a populated area, as allowed by subsection (d), mustshall locate at the maximum feasible location from the residence or populated area.
- g) New livestock management facilities or new livestock waste-handling facilities located on soil types or geological formations where the deposition of livestock waste is likely to cause groundwater pollution <a href="mailto:mustshall">mustshall</a> be constructed in such a way that pollution will be prevented, or supplementary measures <a href="mustshall">mustshall</a> be adopted that will prevent pollution.

(0	Amended at 48 Ill. Reg.	CC 1.
( Source.	Amended at 4X III. Rea	, effective
(Bource.	Amenaca at 40 m. Reg.	. CHECHYC

## Section 501.403 Protection of Livestock Management Facilities and Livestock Waste-Handling Facilities

a) Existing livestock management facilities and livestock waste-handling facilities mustshall have adequate diversion dikes, walls, or curbs that will prevent excessive outside surface waters from flowing through the animal feeding

operation and will direct runoff to an appropriate disposal, holding, or storage area. The diversions are required on all theseaforementioned structures unless there is negligible outside surface water that which can flow through the facility or the runoff is tributary to an acceptable disposal area or a livestock waste-handling facility. If inadequate diversions cause or threaten to cause a violation of the Act or applicable regulations, the Agency may require corrective measures.

**b**) New livestock management facilities and livestock waste-handling facilities mustshall have adequate diversions, dikes, walls, or curbs that will prevent excessive outside surface runoff waters from flowing through the animal feeding operation and will direct runoff to an appropriate disposal, holding, or storage area. The diversions are required on all theseaforementioned structures unless there is negligible outside surface water that which can flow through the facility or the runoff is tributary to an acceptable disposal area or a livestock waste-handling facility. A holding pond must be capable of storing a volume equal to or exceeding the area of the animal feeding operation's area operation, plus any tributary area that is not<del>not a part of the animal feeding operation (including roof</del> area if tributary to the facility), multiplied by 12 inches for runoff from earthen areas or 15 inches for runoff from concrete areas unless the operator has justifiable reasons substantiating that a lesser storage volume is adequate. If inadequate storage volumes cause or threaten to cause a violation of the Act or applicable regulations, the Agency may require corrective measures. The In no case shall the storage volume of the containment facility must never be less than the 25-year 24-hour storm effluent guidelines as required by the new source performance standards of the U.S. Environmental Protection Agency in 40 C.F.R 412for the feedlot point source category.

(Source:	Amended	d at 48 Ill. Reg.	. effective
Source.	Amenace	i at 40 m. Reg.	, CHCCHVC

#### Section 501.404 Handling and Storage of Livestock Waste

- a) Any livestock waste stored <u>for more thanin excess of</u> six months <u>mustshall</u> be contained in a manure storage structure.
- b) Temporary Manure Stacks
  - 1) A temporary manure stack is a potential secondary source, as defined by the Act. As a potential secondary source, a temporary manure stack is subject to the minimum setback zones established in Title IV of the Act.
  - 2) A temporary manure stack <u>mustshall</u> not be located within 75 feet <u>offrom</u> any water well, except monitoring wells.
  - 3) A temporary manure stack <u>mustshall</u> be constructed or established and maintained in a manner to prevent runoff and leachate from entering surface waters or groundwaters. A cover and pad or other control must be

provided to prevent runoff and leachate from entering surface waters and groundwater.

#### c) Livestock Waste-Holding Facilities

- Liquid manure-holding tanks <u>mustshall</u> be impermeable and capable of withstanding pressures and loadings to which <u>those tanks</u> such a tank may be subjected.
- 2) Holding ponds and lagoons <u>mustshall</u> be impermeable or so sealed as to prevent groundwater or surface water pollution.
- For livestock management facilities and livestock <u>waste-handling</u> waste handling facilities that are not required to obtain an NPDES permit, the contents of livestock waste-handling facilities <u>mustshall</u> be kept at levels such that there is adequate storage capacity so that an overflow does not occur except in the case of precipitation <u>exceeding in excess of</u> a 25-year 24-hour storm.

#### 4) Liquid Livestock Waste

- A) Existing livestock management facilities that handle the waste in a liquid form mustshall have adequate storage capacity in a liquid manure-holding tank, lagoon, holding pond, or any combination thereof so as not to cause air or water pollution as defined in the Act or applicable regulations. If inadequate storage time causes or threatens to cause a violation of the Act or applicable regulations, the Agency may require that additional storage time be provided. In those such cases, interim pollution prevention measures may be required by the Agency.
- B) New livestock waste-handling facilities that handle the waste in a liquid form <u>mustshall</u> provide a minimum of 120-day storage with a liquid manure-holding tank, lagoon, holding pond, or any combination thereof unless the operator has justifiable reasons substantiating that a lesser storage volume is adequate. If inadequate storage volumes cause or threaten to cause a violation of the Act or applicable regulations, the Agency may require corrective measures.

#### d) Runoff Field Application Systems

Any livestock management facility not meeting the definition of a CAFO in Section 501.238 may construct and operate a runoff field application system for treating the treatment of livestock waste from fewer than 300 animal units, complying with meeting the requirements of 35 Ill. Adm. Code 570, in lieu of

- utilizing liquid manure-holding tanks, holding ponds, or lagoons in compliance with subsection (c), or other livestock waste-handling systems that would assure compliance with the Act and this Subtitle E.
- e) Subsections (a) through (d) <u>do</u> shall not apply to livestock management facilities with fifty (50) or fewer animal units <u>if</u>, <del>provided that</del> the following conditions exist:
  - 1) The <u>facility's location location of the facility</u> relative to <u>the waters of the State is such that there is no discharge of livestock waste into <u>the waters of the State</u>, in violation of Section 12 of the Act;</u>
  - There is no discharge of livestock waste into the waters of the State through by means of a human-mademan-made ditch, flushing system, or other similar human-mademan-made device, in violation of Section 12 of the Act; and
  - 3) The facility is managed so that livestock waste is not allowed to accumulate to an extent that threatens to cause a discharge <u>into theto</u> waters of the State, in violation of Section 12 of the Act.

(Source: Amended at 48 Ill. Reg.	, effective	)
----------------------------------	-------------	---

#### **Section 501.405 Field Application of Livestock Waste**

- a) For livestock management facilities and livestock waste handling facilities that are not required to obtain an NPDES permit, the quantity of livestock waste applied on soils <u>mustshall</u> not exceed a practical limit as determined by soil type, especially its permeability, the <u>soil</u> condition (frozen or unfrozen) of the soil, the percent slope of the land, cover mulch, proximity to surface waters and likelihood of reaching groundwater, and other relevant considerations. These livestock waste application guidelines will be adopted <u>underpursuant to 35 Ill.</u> Adm. Code 502.305, unless otherwise provided for by Board regulations. Facilities required to obtain an NPDES permit are subject to the requirements in 35 Ill. Adm. Code 502. Subpart F. Unpermitted Large CAFOs claiming an agricultural stormwater exemption must comply with 35 Ill. Adm. Code 502.102 and the practices listed in Section 502.510(b) to qualify for the exemption.
- b) Operators of livestock waste handling facilities <u>mustshall</u> practice odor control methods during the course of manure removal and field application so as not to affect a neighboring farm or non-farm residence or populated area by causing air pollution as described in Section 501.102(d). Odor control methods include, but are not limited to:
  - 1) Soil injection or other methods of incorporation of waste into the soil including disking or plowing;

- 2) Consideration of climatic conditions, including wind direction and inversions;
- For liquid livestock waste: whether supernatant used for irrigation purposes has been stored in a livestock waste lagoon system that <u>complies</u> is designed and operated in accordance with "Design of Anaerobic Lagoons for Animal Waste Management", as incorporated by reference at Section 501.200.
- 4) Other methods as described in "Management of Manure Odor", as incorporated by reference at Section 501.200.

(	Source:	Amended at 48	III. Reg.	, effective

#### **Section 501.406 Inspections and Disease Prevention**

- a) The Agency has shall have the authority to enter at all reasonable times upon any private or public property for the purpose of inspecting and investigating to ascertain possible violations of the Act or regulations thereunder, in compliance accordance with constitutional limitations, except that a no representative of the Agency must notshall enter a livestock management facility or livestock waste-handling facility unless sanitized footwear and sanitized outer garments provided by the Agency are used (unless waived by the farm owner or operator) and any other reasonable disease prevention procedures or equipment, as provided by the owner or operator of the facility owner or operator, are used utilized.
- b) The activities of inspecting and investigating include:
  - 1) Having access to and the right to copy any records required to be kept under the terms of the permit; and
  - 2) Having access to, sampling, and monitoring any discharge of pollutants to ground and surface waters.

(C 0114001	Amended at 48 Ill. R	affactive	
i Source.	Amended at 40 m. K	leg. effective	;

#### Section 501.APPENDIX A References to Previous Rules (Repealed)

The following table is provided to aid in referencing old Board rule numbers to section numbers pursuant to codification.

Chapter 5: Agriculture Related Pollution 35 Ill. Admin. Code 501

Part I, General Provisions

Rule 101	Section 501.101
Rule 102	Section 501.102
Rule 103	Section 501.201
Rule 104(a)	Section 501.401
Rule 104(b)	Section 501.402
Rule 104(c)	Section 501.403
Rule 104(d)	Section 501.404
Rule 104(e)	Section 501.405
Rule 105	Section 502.305
Rule 106	Section 501.406

(Source: Repealed at 48 Ill. Reg.\_\_\_\_\_, effective \_\_\_\_\_)

### TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE E: AGRICULTURE RELATED POLLUTION CHAPTER I: POLLUTION CONTROL BOARD

### PART 502 PERMITS

#### SUBPART A: PERMITS REQUIRED

Section 502.101 502.102 502.103 502.104 502.105 502.106	NPDES Permit Requirement and Duty to Maintain Permit Coverage Land Application Discharges and Agricultural Stormwater Large CAFOs Medium CAFOs Small CAFOs Case-By-Case Designation Requiring NPDES Permits
	SUBPART B: PERMIT APPLICATIONS
Section 502.201 502.202 502.203 502.204 502.205 502.206 502.207	Permit Applications Permit Application Submissions New Applications (Repealed) Renewal New Operations (Repealed) Signatures Disclosure Required for Land Trusts
	SUBPART C: PERMIT ISSUANCE AND CONDITIONS
Section 502.301 502.302 502.303 502.304 502.305 502.310 502.315 502.320 502.325	Standards for Issuance Duration of Permits New Source Standards Issuance and Conditions Agency Criteria CAFOs Seeking Coverage Under NPDES General Permits CAFO Permit Requirements Recordkeeping Requirements Annual Report
	SUBPART D: APPEAL AND ENFORCEMENT
Section 502.401 502.402	Appeals from Conditions in Permits Defenses

502.403	Modification or Termination of Permits
	SUBPART E: REQUIREMENTS FOR DEVELOPING AND IMPLEMENTING NUTRIENT MANAGEMENT PLANS
Section	
502.500	Purpose, Scope, and Applicability
502.505	Nutrient Management Plan Information
502.510	Nutrient Management Plan Requirements
502.515	Terms of Nutrient Management Plan
502.520	Changes to the Nutrient Management Plan
	SUBPART F: LIVESTOCK WASTE DISCHARGE LIMITATIONS AND TECHNICAL STANDARDS
Section	
502.600	Applicability
502.605	Livestock Waste Discharge Limitations for the Production Area for Permitted
	CAFOs
502.610	Additional Measures for CAFO Production Areas
502.615	Nutrient Transport Potential
502.620	Protocols to Land Apply Livestock Waste
502.625	Determination of Livestock Waste Application Rates
502.630	Protocols to Land Apply Livestock Waste During Winter
502.635	Manure and Soil Sampling and Analysis
502.640	Inspection of Land Application Equipment for Leaks
502.645	Land Application Setback Requirements
SUB	PART G: ADDITIONAL LIVESTOCK WASTE DISCHARGE LIMITATIONS
Section	
502.710	New Source Performance Standards for Dairy Cows and Cattle Other Than Veal
502.720	Calves Horse and Sheep CAFOs: BPT, BAT, and NSPS
502.720	Duck CAFOs: BPT and NSPS
302.730	Buck Crit os. Bi i and Nors
	SUBPART H: NEW SOURCE PERFORMANCE STANDARDS FOR NEW SWINE, POULTRY AND VEAL LARGE CAFOS
Section	
502.800	Applicability
502.810	Production Area Requirements
502.820	Land Application Area Requirements
502.830	Alternative Best Management Practice Livestock Waste Discharge Limitations
502.840	Technical Evaluation

#### 502.APPENDIX A References to Previous Rules (Repealed)

AUTHORITY: Implementing Sections 9, 10, 12, 13, 21, and 22 of the Environmental Protection Act [415 ILCS 5/9, 10, 12, 13, 21, 22] and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/27].

SOURCE:	Filed and effective	January 1, 1978	; amended at 2	2 III. Reg	44, p. 137,	effective
October 30,	, 1978; codified at 7	Ill. Reg. 10594	; amended in I	R12-23 at 1	38 Ill. Reg.	17687,
effective Au	ugust 11, 2014; ame	ended in R18-25	at 48 Ill. Reg.		, effective	

#### SUBPART A: PERMITS REQUIRED

#### Section 502.101 NPDES Permit Requirement and Duty to Maintain Permit Coverage

- a) A Concentrated Animal Feeding Operation (CAFO) is a point source. Any discharge of pollutants into <u>the</u> waters of the United States from a CAFO is prohibited unless authorized by an NPDES permit or unless the discharge is an agricultural stormwater discharge as described in Section 502.102(b). <u>ANo person must not shall</u> cause or allow a discharge from a CAFO <u>that violates in violation of federal or State law, including but not limited to the Clean Water Act (CWA) (33 USC 1251), the Act, or Board <u>rules regulations</u>.</u>
- b) The owner or operator of a CAFO must seek coverage under an NPDES permit if the CAFO discharges.
- c) The owner or operator of a CAFO that discharges must either apply for an individual NPDES permit or submit a notice of intent for coverage under an NPDES general permit. If the Agency has not made a general permit available to the CAFO, the CAFO owner or operator must applysubmit an application for an individual permit to the Agency. All permit applications and applications for permit modifications must contain the information statedset forth in Subpart B.
- d) Any permitted CAFO <u>mustshall</u> apply for reissuance of the NPDES permit <u>at least</u> not less than 180 days <u>before the NPDES</u> prior to the permit expiresexpiration date of the permit unless the CAFO will not discharge after <u>the NPDES</u> permit expires the expiration date of the NPDES permit.
- e) The owner or operator of a new CAFO that will discharge must apply for NPDES permit coverage at least 180 days <u>beforeprior to</u> the time that the CAFO begins<del>commences</del> operation.
- f) Once an Animal Feeding Operation is defined as a CAFO for at least one type of animal, the NPDES permit requirements for CAFOs apply with respect to all confined animals in confinement at the animal feeding operation and all livestock waste generated by those animals or the production of those animals.

(0	A 1 1	at 48 III. Re	cc .	
(Source:	Amended a	at 4X III Ke	g. effective	

#### Section 502.102 Land Application Discharges and Agricultural Stormwater

- a) <u>Livestock The discharge of livestock</u> waste <u>discharge into the to waters of the United States from a CAFO resulting from as a result of the CAFO's livestock waste application by the CAFO to land application areas is a discharge from that CAFO subject to NPDES permit requirements, except when it is an agricultural stormwater discharge and therefore exempt from the definition of a point source under section 502 of the Clean Water Act.</u>
- b) Where livestock waste has been <u>land-applied land applied</u> both according to site-specific naccordance with site specific nutrient management practices that ensure appropriate agricultural utilization of the <u>livestock waste's</u> nutrients in the <u>livestock waste</u> and in compliance with Section 502.510 for permitted CAFOs and Section 502.510(b) for unpermitted Large CAFOs, a precipitation-related discharge of livestock waste from land application areas of an unpermitted large CAFO or a permitted CAFO<sub>5</sub> is an agricultural stormwater discharge.
- c) Unpermitted large CAFOs must maintain the documentation specified in Section 502.510(b)(16) either on site or at a nearby office, or otherwise make that documentation readily available to the Agency upon request.

(Source: Amended at 48 Ill. Reg., effective	
---	--

#### Section 502.103 Large CAFOs

An Animal Feeding Operation is defined as a Large CAFO if at least the numbers of animals specified in any of the following categories are stabled or confined:

Number of Animals	Kind of Animals
700	Mature dairy cows, whether milked or dry
1,000	Veal calves
1,000	Cattle other than mature dairy cows or veal calves. Cattle includes but is not limited to heifers, steers, bulls, and cow/calf pairs.
2,500	Swine, each weighing 55 pounds or more
10,000	Swine, each weighing less than 55 pounds
500	Horses
10,000	Sheep or lambs
55,000	Turkeys
30,000	Laying hens or broilers, if the Animal Feeding Operation uses a liquid manure handling system
125,000	Chickens (other than laying hens), if the Animal Feeding Operation uses other than a liquid manure handling system
82,000	Laying hens, if the Animal Feeding Operation uses other than a liquid manure handling system

30,000	Ducks, if the Animal Feeding Operation uses other than a liquid manure
	handling system
5,000	Ducks, if the Animal Feeding Operation uses a liquid manure handling
	system
(Source: A	mended at 48 Ill. Reg, effective)

#### Section 502.104 Medium CAFOs

a) An Animal Feeding Operation is defined as a Medium CAFO if the following numbers of animals specified in any of the following categories are stabled or confined and the provisions of subsection (b), (c) or (d) of this Section is met:

Number of Animals	Kind of Animals
200 to 699	Mature dairy cows, whether milked or dry
300 to 999	Veal calves
300 to 999	Cattle other than mature dairy cows or veal calves. Cattle includes but is not limited to heifers, steers, bulls, and cow/calf pairs.
750 to 2,499	Swine, each weighing 55 pounds or more
3,000 to 9,999	Swine, each weighing less than 55 pounds
150 to 499	Horses
3,000 to 9,999	Sheep or lambs
16,500 to 54,999	Turkeys
9,000 to 29,999	Laying hens or broilers, if the Animal Feeding Operation uses a liquid manure handling system
37,500 to 124,999	Chickens (other than laying hens), if the Animal Feeding Operation uses other than a liquid manure handling system
25,000 to 81,999	Laying hens, if the Animal Feeding Operation uses other than a liquid manure handling system
10,000 to 29,999	Ducks, if the Animal Feeding Operation uses other than a liquid manure handling system
1,500 to 4,999	Ducks, if the Animal Feeding Operation uses a liquid manure handling system

- b) Pollutants are discharged into <u>the waters of the United States through a human-made man-made</u> ditch, flushing system, or <del>other</del> similar <u>human-made man-made</u> device;
- c) Pollutants are discharged directly into <u>the waters of the United States that</u> originate outside of and pass over, across, through, or otherwise come into direct contact with the animals confined in the operation; or

d) The Agency designates the Animal Feeding Operation is designated as a CAFC by the Agency underpursuant to Section 502.106.
(Source: Amended at 48 Ill. Reg, effective)
Section 502.105 Small CAFOs
An Animal Feeding Operation is a Small CAFO if <u>the Agency designates</u> it <del>is designated</del> as a CAFO <del>by the Agency <u>underpursuant to Section 502.106</u>, and it is not a Medium CAFO.</del>
(Source: Amended at 48 Ill. Reg, effective)
Section 502 100 Cose Dr. Cose Designation Descripting NDDES Descrits

#### Section 502.106 Case-By-Case Designation Requiring NPDES Permits

- a) <u>DespiteNotwithstanding</u> any other provision of this Part, the Agency may require any Animal Feeding Operation not falling within Section 502.103 or 502.104 to obtain an NPDES permit by designating the Animal Feeding Operation as a CAFO upon determining that it <u>significantly contributes is a significantly contributor of pollutants</u> to waters of the United States. In <u>determiningmaking the determination of whether the Animal Feeding Operation significantly contributes is a significant contributor of pollutants, the Agency <u>mustshall</u> consider the following factors:</u>
  - 1) The size of the Animal Feeding Operation's size Operation and the amount of livestock wastes reaching the waters of the United States;
  - 2) The <del>location of the</del> Animal Feeding <u>Operation</u>'s <u>location Operation</u> relative to <u>the</u> waters of the United States;
  - 3) The means to conveyof conveyance of livestock wastes into the waters of the United States;
  - 4) The slope, vegetation, rainfall, and other factors relative to the likelihood or frequency of <u>livestock discharge of livestock</u> waste <u>discharge</u> into waters of the United States; and
  - 5) Other such factors <u>signifying</u>bearing on the significance of the pollution problem sought to be regulated.
- b) The Agency, however, may not require a permit under subsection (a) for any Animal Feeding Operation with less than the number of animals <u>statedset forth</u> in Section 502.104, unless it meets either of the following conditions:
  - 1) Pollutants are discharged into <u>the</u> waters of the United States through a <u>human-made</u> ditch, flushing system, or <del>other</del>-similar <u>human-made</u> mademan-made device; or

- 2) Pollutants are discharged directly into waters of the United States that originate outside of and pass over, across, through, or otherwise come into direct contact with the animals confined in the operation.
- c) In no case may a permit application be required from an Animal Feeding Operation designated <u>underpursuant to</u> this Section until <u>the operation has been inspected and determined</u> there has been an onsite inspection of the operation and a <u>determination</u> that the operation should and could be regulated under the permit program.
- d) Beforeprior to designating an Animal Feeding Operation as a CAFO, the Agency mustshall send the Animal Feeding Operation a written notice that it intends to designate the Animal Feeding Operation as a CAFO. The notice mustshall include grounds for the designation and information regarding the opportunity to request a meeting with the Agency within 90 days after the Animal Feeding Operation's receipt of the notice to present evidence that it is not significantly contributing a significant contributor of pollutants to the waters of the United States as provided in subsection (a). Beginning 90 days after the Animal Feeding Operation receives initial written notice is received by the Animal Feeding Operation, the Agency may designate the Animal Feeding Operation as a CAFO. The Agency mustshall send the Animal Feeding Operation a written notice of its designation decision and the grounds to designate for the designation in writing.
- e) Upon receipt of the Agency's designation decision to designate, the owner or operator must apply for an shall make an NPDES permit with application to the Agency within 90 days. The Agency may issue an NPDES permit with a compliance schedule detailing interim steps to be taken along with a final date, not to exceed 14 months from the date the permit is issued, by which compliance with the Act and all applicable regulations must shall be achieved.
- f) The question of whether the designation was proper will remain open while the permit application is pendingduring the pendency of the permit application. Any appeal of the Agency's designation decision must be made as part of an NPDES permit appeal.

(Source: Amended at 48 Ill. Reg. , effective )

#### SUBPART B: PERMIT APPLICATIONS

#### **Section 502.201 Permit Applications**

- a) All applications from a new or existing CAFO for any permit, including an individual permit or a general permit, required under this Chapter <u>mustshall</u> contain, <u>whenwhere</u> appropriate, the following information and documents:
  - 1) The name of the owner or operator;

- 2) The facility location and mailing addresses;
- 3) The latitude and longitude <u>ofat</u> the entrance to the production area;
- 4) Specific information about the average and maximum number and type of animals, whether in open confinement or housed under <u>a</u> roof (beef cattle, broilers, layers, swine weighing 55 pounds or more, swine weighing less than 55 pounds, mature dairy cows, dairy heifers, veal calves, sheep and lambs, horses, ducks, turkeys, other);
- 5) A statement as to any projected changes in the size of the livestock operation's size operation and when they may occur during the term of the permit;
- The type of containment and storage (anaerobic lagoon, roofed storage shed, storage ponds, underfloor pits, <u>above-groundabove ground</u> storage tanks, <u>below-groundbelow ground</u> storage tanks, concrete pad, impervious soil pad, other) and total capacity for manure, litter, and process wastewater storage (in tons or gallons);
- 7) A topographic map of the geographic area in which the CAFO is located showing the specific location of the production area and land application areas, and indicating the following:
  - A) Direction and location of surface and subsurface drainage and other discharges from the facility; and
  - B) Location of waterways in the area.
- 8) Estimated amounts of livestock waste generated per year (in tons or gallons);
- 9) The total <u>acreage number of acres</u> of <u>the land application</u> area and the estimated amount of waste to be applied to those acres per year;
- 10) Estimated amount of livestock waste transferred to other persons per year (in tons or gallons);
- A nutrient management plan that is consistent with the requirements of Subpart E;
- 12) A stormwater pollution prevention plan;
- 13) A spill control and prevention plan; and

- A statement identifying and justifying any departure from current design criteria the Agency promulgates promulgated by the Agency.
- b) The Agency may adopt procedures requiring such additional information as is necessary to determine whether the CAFO will meet the requirements of the Act and applicable Board rules regulations.
- c) Applicable requirements of 35 Ill. Adm. Code 309: Subpart A shall apply to applications for NPDES permits required by this Chapter. The Agency may prescribe the form in which information required under this Section <u>mustshall</u> be submitted.

(Source: Amended at 48 Ill.	Reg	effective )
(Bource: 1 milenaea at 10 mil.	105.	, 011001110

#### **Section 502.202 Permit Application Submissions**

All permit applications <u>mustshall</u> be mailed or delivered to Illinois Environmental Protection Agency, Bureau of Water, 1021 N. Grand Ave. E., Springfield IL 62794 or electronically <u>submitted at CAFO@EPA.state.il.us</u>.

Source: Amended at 48 Ill. Reg.	, effective
---------------------------------	-------------

#### Section 502.204 Renewal

Permittees seeking reissuance of their NPDES permit <u>underpursuant to-Section 502.101(d)</u> must apply for reissuance of the permit, using proper forms, <u>at leastnot less than</u> 180 days <u>beforeprior</u> to the <u>permit expires</u>. <u>permit expiration date</u>. The Agency will notify those persons of the need for renewal at least 60 days <u>beforeprior to</u> the date on which the renewal application must be submitted; however, failure to do so does not excuse <u>noncompliance</u>non-compliance with this Chapter.

(Source: Amended at 48 Ill. Reg.	CC '.
(Source: Amended at 4x III. Reg	. effective
150urce. Amenaca at 40 m. Reg.	. CHCCHVC

#### Section 502.206 Signatures

An application submitted by a corporation <u>mustshall</u> be signed by a principal executive officer of at least the level of <u>vice president</u>vice-president, or <u>ahis</u> duly authorized representative; if <u>that</u> such representative is responsible for <u>operatingthe overall operation of</u> the facility. In the case of a partnership or a sole proprietorship, the application must be signed by a general partner or the proprietor, respectively. In the case of a publicly-owned facility, the application must be signed by either a principal executive officer, ranking elected official, or <u>anotherother</u> duly authorized employee.

(Source: Amended at 48 Ill. Reg.	, effective
----------------------------------	-------------

#### **Section 502.207 Disclosure Required for Land Trusts**

An applicant filing for an NPDES permit <u>mustshall</u> satisfy the requirements of the Land Trust Beneficial Interest Disclosure Act [735 ILCS 405 et. seq.] before the Agency grants the applican its permit.			
(Source: Amended at 48 Ill. Reg, effective)			
SUBPART C: PERMIT ISSUANCE AND CONDITIONS			
Section 502.301 Standards for Issuance			
The Agency <u>mustshall</u> not grant any NPDES permit unless the applicant submits proof that the subject facility:			
a) Will be constructed, modified, or operated so as not to <u>violate</u> cause a violation of the Act or of applicable Board <u>rules</u> regulations or of the Federal Water Pollution Control Act (CWA) (12 U.S.C. 24), or has been granted a variance under Title IX of the Act; and			
b) Either conforms to the design criteria the Agency promulgates promulgated by the Agency under Section 502.305 or is based on such other criteria which the applicant proves will produce consistently satisfactory results.			
(Source: Amended at 48 Ill. Reg, effective)			
Section 502.303 New Source Standards			
Despite Notwithstanding any other provision of this Subtitle regulation, if any point source started construction, the construction of, which is commenced after the date of enactment date of the CWA and was which is so constructed as to meet the applicable federal "standard of performance" as defined in Section 306 of the CWA, the point source is shall not be subject to any more stringent federal "standard of performance" during a ten-year period beginning on the date the construction is completed of completion of such construction or during the period of depreciation or amortization period of the such facility for the purposes of Section 167 or 169 (or both) of the Internal Revenue Code of 1954, whichever period ends first (26 U.S.C. 167 and 169).			
(Source: Amended at 48 Ill. Reg, effective)			

#### **Section 502.304 Issuance and Conditions**

a) The provisions of 35 Ill. Adm. Code 309: Subpart A <u>applies shall apply</u> to the issuance, conditions, and modification of NPDES permits under this Chapter in the same manner as those provisions apply to NPDES permits issued <u>underpursuant to 35 Ill.</u> Adm. Code 309. Specific provisions applicable to CAFOs seeking coverage under NPDES general permits are found in Section 502.310.

1)		
b)	In addition to specific conditions authorized under this Part, the Agency may impose such conditions in any permit issued <u>underpursuant to</u> this Part as may be necessary to accomplish the purposes of the Act or Board <u>rules</u> regulations.	
(Source: Amended at 48 Ill. Reg, effective)		
Section 502.305 Agency Criteria		
a)	Unless otherwise provided for by Board <u>rulesregulations</u> , the Agency may adopt procedures <u>that state</u> <u>which set forth</u> criteria for the design and maintenance of facilities subject to this chapter. These procedures <u>mustshall</u> be revised from time to time to reflect current engineering judgment and advances in the state of the	

- b) Before adopting new criteria or making substantive changes in any criteria <u>the Agency adoptsadopted by the Agency</u>, the Agency <u>mustshall</u> publish a summary of the proposed changes in the Environmental Register and, at the Agency's expense, in a widely circulated agricultural periodical.
- c) In adopting new or revised criteria, the Agency <u>mustshall</u> comply with the requirements of the Illinois Administrative Procedure Act, [5 ILCS 100 et seq](Ill. Rev. Stat. 1981, ch. 127, par. 1001 et seq).

(Source: Amended at 48 Ill. Reg.	, effective
----------------------------------	-------------

art.

#### Section 502.310 CAFOs Seeking Coverage Under NPDES General Permits

- a) CAFO owners or operators must submit a notice of intent that meets the requirements of Section 502.201 and Subpart E of this Part when seeking authorization to discharge under a general permit.
- b) When additional information is necessary to complete the notice of intent or to clarify, modify, or supplement previously submitted material, the Agency may request that information from the owner or operator as provided in 35 Ill. Adm. Code 309.106.
- c) The Agency must notify the public of its proposal to grant coverage under the general permit to the CAFO. This public notice must include the CAFO's nutrient management plan.
- d) The process for submitting public comments and hearing requests, and the hearing process if a request for a hearing is granted, will follow the procedures applicable to draft individual permits found in 35 Ill. Adm. Code 309.109(b) and 309.115 through 309.118.
- e) The time period for the public to comment and request a hearing is 30 days following the date of the notice issued <u>underpursuant to</u> subsection (c).

- f) When a public hearing is held, the Agency must respond to significant comments received during the comment period as provided in 35 Ill. Adm. Code 309.119 and 309.120, except that notice and transmission to the USEPA Regional Administrator is not required. If no hearing is held, the Agency mustshall follow the procedures in 35 Ill. Adm. Code 309.112 and 309.120 for Agency action after the comment period. The If necessary, the Agency must will require the CAFO owner or operator to revise the nutrient management plan if necessary in order to be granted permit coverage.
- g) When the Agency authorizes coverage for the CAFO owner or operator under the general permit, the terms of the nutrient management plan <u>mustshall</u> become incorporated as terms and conditions of the permit for the CAFO.

  <u>IncorporatingThis incorporation of</u> terms and conditions does not require a modification of the general permit.
- h) The Agency <u>mustshall</u> notify the CAFO owner or operator and inform the public that coverage has been authorized and of the terms of the nutrient management plan, incorporated as terms and conditions of the permit applicable to the CAFO.
- i) Nothing in this Section <u>limits shall limit</u> the Agency's authority to require an individual NPDES permit <u>underpursuant to</u> Section 39(b) of the Act.

(Source: Amended at 48 III. Reg.	, effective
----------------------------------	-------------

#### **Section 502.315 CAFO Permit Requirements**

NPDES permits issued to CAFOs under this Part must include:

- a) Requirements to implement a nutrient management plan that meets the provisions of Subpart E.
- Bequirements for the permittee to create, a complete copy of the records required in Section 502.320, maintain the records on-site for five years from creation-on site, and make the records available to the Agency, upon request, a complete copy of the records required in Section 502.320.
- c) Annual reporting requirements for permitted CAFOs. The permittee must submit an annual report to the Agency. The annual report must include the information specified in Section 502.325.
- d) Requirements to comply with the livestock waste discharge limitations in Subparts F, G, and H, if applicable.

(Source:	Amended at 48 Ill. Reg.	. effective	`
(Bource.	Amenaca at 40 m. Reg.	, CHCCHVC	

#### **Section 502.320 Recordkeeping Requirements**

The permittee must create, maintain for five years, and make available to the Agency, upon request, the following records:

- a) A copy of all applicable records identified <u>underpursuant to Section</u> 502.510(b)(16);
- b) A copy of the information required under Section 502.201;
- c) Records documenting the visual inspections required under Section 502.610(c);
- d) Weekly records of the depth of the manure and process wastewater in the liquid livestock waste storage as indicated by the depth marker, as described in Section 502.610(d);
- e) Records documenting any actions taken to correct deficiencies as required by Sections 502.610(e) and (f). Deficiencies not corrected within 30 days must be accompanied by explanation of the factors preventing immediate correction;
- f) Records of mortalities management and practices the facility uses used by the facility to meet the requirements of Section 502.610(g);
- g) Records documenting the current design of any livestock waste storage structures, including volume for solids accumulation, design treatment volume, total design volume, and approximate number of days of storage capacity;
- h) Records of the date, time, and estimated volume of any overflow;
- i) A copy of the facility's site-specific nutrient management plan;
- j) Expected crop yields for land application areas;
- k) The dates livestock waste is applied to each land application area;
- l) Records documenting subsurface drainage inspections conducted according to the plan developed <u>underpursuant to-Section 502.510(b)(13)</u>;
- m) Results from livestock waste and soil sampling;
- n) Explanation of the basis for determining livestock waste application rates;
- o) Calculations showing the total nitrogen and phosphorus to be applied to each field, including sources other than livestock waste;
- p) Total amount of nitrogen and phosphorus actually applied to each field, including documentation of calculations for the total amount applied;

- q) The method used to apply the livestock waste;
- r) Date of livestock waste application equipment inspection;
- s) Maximum number and type of animals, whether in open confinement or housed under roof by the following types: beef cattle, broilers, layers, swine weighing 55 pounds or more, swine weighing less than 55 pounds, mature dairy cows, dairy heifers, veal calves, sheep and lambs, horses, turkeys, ducks, other;
- t) All records necessary to prepare the annual report required by Section 502.325;
- u) Total <u>acreage number of acres</u> of land application area <u>the nutrient management</u> <u>plan coverscovered by the nutrient management plan</u>;
- v) The quantity of livestock waste removed when a manure storage area or waste containment area is dewatered;
- w) The following information for each day during which livestock wastes are applied to land:
  - 1) the amount applied to each field in either gallons, wet tons, or dry tons per acre;
  - 2) soil water conditions at the time of application (such as dry, saturated, flooded, frozen, snow-covered);
  - 3) an estimate of the <u>precipitation</u> amount <u>of precipitation</u> 24 hours <u>beforeprior to</u>, and for 24 hours after, the application;
  - 4) the type of application method used (surface, surface with incorporation, or injection);
  - 5) the location of the field where livestock waste was applied;
  - 6) <u>Leak inspection results of the results of leak inspection of livestock waste</u> application equipment;
  - 7) the name and address of off-site recipients of livestock waste, the amount of waste transferred to each off-site recipient in gallons or dry tons, off-site location on a topographic map, and acreage of each site the off-site recipient used by the off-site recipient;
  - 8) Weather conditions, including precipitation, air temperature, wind speed, wind direction, and dew point, at <u>the time</u> of land application and for 24 hours <u>before, prior to</u> and for 24 hours following, the application; and

- 9) Records of the weather forecasts required to be maintained <u>underpursuant</u> to-Sections 502.620(d) and 502.630(b)(3), (4), and (5);
- x) The laboratory analysis sheets reporting the analysis of the livestock waste samples <u>mustshall</u> be kept on file at the facility for the <u>permit's</u> term <del>of the permit</del> and for 5 years after <u>the permit expiresexpiration of the permit</u>; and
- y) Records documenting the test methods and sampling protocols for manure, litter, and process wastewater and soil analyses.

(Source: Amended at 48 Ill. Reg.	, effective
----------------------------------	-------------

## **Section 502.325 Annual Report**

- a) The NPDES permit must specify annual reporting requirements for the CAFO. The annual report must be submitted to the Agency.
- b) The annual report must contain the following minimum elements:
  - Maximum number and type of animals, whether in open confinement or housed under roof by the following types: beef cattle, broilers, layers, swine weighing 55 pounds or more, swine weighing less than 55 pounds, mature dairy cows, dairy heifers, veal calves, sheep and lambs, horses, turkeys, ducks, other;
  - 2) Quantity of livestock waste <u>the facility</u> generated-by the facility in the previous 12 months (tons/gallons);
  - 3) Quantity of livestock waste <u>the facility</u> transferred to another person <del>by</del> the facility in the previous 12 months (in tons or gallons);
  - 4) Total <u>acreagenumber of acres</u> of land application area <u>the nutrient</u> management plan covers <del>covered by the nutrient management plan</del>;
  - 5) Total <u>acreagenumber of acres</u> the CAFO used for land application of livestock waste in the previous 12 months and <u>that waswere</u> under the control of the CAFO through ownership, lease, or consent agreement;
  - A statement indicating whether the current version of the CAFO's nutrient management plan for land application of livestock waste was developed or approved by a certified nutrient management planner and by whowhom issued the certificatethe certification was issued;
  - 7) Summary of all livestock waste discharges from the production area that have occurred in the previous 12 months, including date, time, and approximate volume;

8) A report of instances of noncompliance<del>non-compliance</del> with the NPDES permit in the previous 12 months; 9) The actual crops planted and actual yields for each field; The actual nitrogen and phosphorus content of the livestock waste; 10) The results of calculations conducted underin accordance with Section 11) 502.515(d)(3) and (e)(3); The amount of livestock waste land applied to each field during the 12) previous 12 months; 13) For any CAFO that implements a nutrient management plan that addresses application rates under<del>of application in accordance with</del> Section 502.515(e): Aa) the results of any soil testing for nitrogen and phosphorus taken during the preceding 12 months; data used to calculate underin calculations conducted in accordance Bb) with Section 502.515(e)(3), and the amount of any supplemental fertilizer applied during the Ce) previous 12 months; and 14) Annual review of the nutrient management practices to be implemented and an update of the nutrient management plan when there is a change in the nutrient management practices change.

(Source: Amended at 48 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

#### SUBPART D: APPEAL AND ENFORCEMENT

# **Section 502.401 Appeals from Conditions in Permits**

An applicant may consider any condition the Agency imposes imposed by the Agency in a permit as the Agency refusing a refusal by the Agency to grant a permit. An applicant or others who have been a party or participant at an Agency hearing are shall be entitled to appeal the Agency's decision to the Board underpursuant to Section 40 of the Act, 35 Ill. Adm. Code 105 and 35 Ill. Adm. Code: Subtitle C, Chapter I.

1	Cource	Amended at	- 18 III Dag	, effective	)
(	Source.	Amended at	40 III. Keg.	, enective _	)

#### Section 502.402 Defenses

- a) <u>Issuing or possessingThe issuance or possession of</u> a permit does not allow the permittee to violate the Act or Board <u>rules regulations</u> and <u>is not does not constitute</u> a defense to <u>such</u> a violation other than an alleged violation for construction or operation without a permit.
- b) Compliance with an NPDES permit <u>must shall</u> be considered deemed compliance for purposes of Sections 42, 43, and 44 of the Act (Penalties), with the Act and applicable <u>rulesregulations</u>, to the extent that <del>such</del> compliance would be a defense to enforcement action under the CWA.
- c) Except for federally-imposed requirements <u>for with respect to NPDES permits</u>, <u>complying-compliance</u> with the rules <u>the Board promulgates and regulations</u> <u>promulgated by the Board under the Act will be shall constitute</u> a prima facie defense to any action, legal, equitable, or criminal, or an administrative proceeding for a violation of the Act, brought by any person.

(Source: Amended at 48 Ill. Reg.	, effective	`

#### **Section 502.403 Modification or Termination of Permits**

The Board may, after petition and <u>opportunity for hearing underin accordance with</u> the Act and its <u>procedural rules in 35 Ill. Adm. Code 101 through 130Procedural Rules</u>, terminate any permit or modify it in any manner <u>thatwhich</u> is consistent with the Act and applicable Board <u>rules regulations</u> or federal requirements upon proof of cause, including <u>but not limited to</u>, the following:

- a) <u>Violating Violation of</u> any condition of the permit (including, but not limited to, conditions concerning monitoring, entry and inspection);
- b) Obtaining a permit by misrepresentation or failure to disclose fully all relevant facts; or
- c) Change in any condition that requires either a temporary or permanent reduction or elimination of the permitted discharge.

(Source: Amended at 48 Ill.)	Dag	affactiva	)
(Source: Amended at 48 III.	Reg.	. effective	

# SUBPART E: REQUIREMENTS FOR DEVELOPING AND IMPLEMENTING NUTRIENT MANAGEMENT PLANS

# Section 502.500 Purpose, Scope, and Applicability

The requirements in this Subpart are intended to minimize the <u>transportation</u>transport of nitrogen and phosphorus <u>into the to</u> waters of the United States <u>to comply within compliance with</u> the nutrient management plan.

- a) The requirements in this Subpart apply to CAFOs required to obtain an NPDES permit. Unpermitted large CAFOs claiming an agricultural stormwater exemption underpursuant to Section 502.102 are not required to have a nutrient management plan but must comply with the requirements listed in Section 502.510(b) to qualify for the exemption.
- b) The CAFO owner or operator <u>mustshall</u> develop, submit, and implement a <u>site-specific site specific</u> nutrient management plan. This plan <u>mustshall</u> specifically identify and describe practices that will be implemented to assure compliance with this Subpart and the livestock waste discharge limitations and technical standards of Subparts F, G, and H.

(Source: Amended at 48 Ill. Reg	. effective
(Source: I milenaea at 10 mil 1teg	, 011000110

# **Section 502.505 Nutrient Management Plan Information**

The nutrient management plan <u>must include shall contain</u>, at a minimum, the following items:

- a) Name, address, and phone number of the <u>CAFO</u> owners of the <u>CAFO</u>;
- b) Name, address, and phone number of the managers or operators if different than the owners;
- c) Address, phone number, and plat location of the CAFO production area;
- d) Name of the person who developed the nutrient management plan and a statement indicating whether it was developed or approved by a certified nutrient management planner and by whom the certification was issued;
- e) Type of waste storage for the CAFO;
- f) Species, size, and maximum number of animals at the CAFO;
- g) Scaled aerial photos or maps depicting each field available and intended for livestock waste applications with available acreage listed and indicating residences, non-farm businesses, common places of assembly, streams, wells, waterways, lakes, ponds, rivers, drainage ditches, subsurface drainage systems, other water sources, 10-year flood plain, buffers, slope, locations of structural Best Management Practices, setbacks and areas restricted from application by this Subpart E;
- h) For land application areas the owner or operator of the CAFO does not own or rentnot owned or rented by the owner or operator of the CAFO, copies of the consent statement statements of consent between the livestock facilities' owner or operator of the livestock facilities and the landowner owner of the land where livestock waste will be applied;

- i) Cropping schedule for each field for the past year, anticipated crops for the current year, and anticipated crops for the <u>five-year</u> term of the permit;
- j) Realistic crop yield goal for each crop in each field;
- k) An estimate of the <u>livestock waste</u>'s nutrient value of the <u>livestock waste</u> or <u>the</u> results of livestock waste analysis results determined <u>underpursuant to</u> Section 502.625(c);
- 1) Livestock waste application methods;
- m) Results of the Bray P1 or Mehlich 3 test for soil phosphorus, <u>conducted according to in accordance with Recommended Chemical Soil Test Procedures for the North Central Region</u>, incorporated by reference in 35 Ill. Adm. Code 501.200, reported in pounds of elemental phosphorus per acre. If the livestock waste is to be land applied based on a <u>single-year single year</u> or multi-year phosphorus application on the land application area, the following items must be provided:
  - 1) An estimate of the volume of livestock waste to be disposed of annually;
  - 2) The phosphorus content of the livestock waste;
  - 3) The phosphorus amount needed for each crop in the planned crop rotation, expressed as pounds of P<sub>2</sub>0<sub>5</sub> per acre, obtained from the Illinois Agronomy Handbook, 24<sup>th</sup> Edition, incorporated by reference at 35 Ill. Adm. Code 501.200; and
  - 4) The maximum livestock waste application rate based on phosphorus for each field, determined <u>underpursuant to-Section 502.625(g)</u>.
- n) Calculations showing the following:
  - 1) An estimate of the volume of livestock waste to be disposed of annually;
  - 2) Nitrogen loss due to the method of storage, if applicable;
  - 3) Amount of nitrogen available for application;
  - 4) Nitrogen loss due to the method of application;
  - 5) Amount of plant-available nitrogen including <u>mineralized</u> first-year <u>mineralization of</u> organic nitrogen;
  - 6) Amount of nitrogen required by each crop in each field based on realistic crop yield goal;

- 7) Nitrogen credits from previous crops, from other sources of fertilizer applied for the growing season, and from any livestock waste applications during the previous three years for each field;
- 8) Livestock waste application rate based on nitrogen for each field; and
- 9) Land area required for application;
- o) A listing of fields and the planned livestock waste application amounts for each field.

(Source: Amended at 48 Ill. Reg., effective)
--

### Section 502.510 Nutrient Management Plan Requirements

- a) Any permit issued to a CAFO must <u>require implementing include a requirement</u> to implement a nutrient management plan by the date of permit coverage that <u>includes</u>, at a minimum, contains best management practices necessary to meet the requirements of this Section and the applicable livestock discharge limitations and technical standards in 35 Ill. Adm. Code 501 and 502.
- b) The nutrient management plan must specify and demonstrate:
  - The livestock waste application rate of nitrogen in a single year and phosphorus in a single year or multiple years, not to exceed the <u>single-yearsingle year</u> crop nitrogen and <u>single-yearsingle year</u> or multi-year phosphorus requirements for realistic crop yield goals in the rotation;
  - 2) Adequate land application area for livestock waste application which may include:
    - A) land the CAFO owner or operator owns owned by the CAFO owner or operator;
    - B) land the CAFO rents or leases rented or leased by the CAFO;
    - C) land covered by a consent agreement between the CAFO owner or operator and the property owner; or
    - D) any combination of the land described in subsection (b)(2)(A) through (C);
  - 3) Adequate storage of livestock waste, including procedures to ensure proper operation and maintenance of the storage facilities is proper;

- 4) Proper management of mortalities to ensure that they are not disposed of in a liquid livestock waste or stormwater storage or treatment system that is not specifically designed to treat animal mortalities;
- 5) That clean water is diverted, as appropriate, from the production area;
- 6) <u>That Prevention of direct contact of confined animals with waters of the United States is prevented;</u>
- 7) That chemicals and other contaminants handled on-site are not disposed of in any livestock waste or stormwater storage or treatment system unless specifically designed to treat those chemicals and other contaminants;
- 8) Appropriate <u>site-specific</u>site specific conservation practices to be implemented, including, as appropriate, buffers or equivalent practices, to control pollutant runoff of pollutants to waters of the United States;
- 9) Protocols for appropriate <u>livestock waste and soil</u> testing of <u>livestock waste and soil</u>. Livestock waste must be analyzed <u>at least a minimum of</u> once annually for nitrogen and phosphorus content, and soil analyzed <u>at least a minimum of</u> twice every five years for phosphorus content. The results of these analyses are to be used in determining application rates for livestock wastes;
- 10) Protocols to land application of livestock waste <u>according to</u> in accordance with site-specific nutrient management practices that ensure appropriate agricultural utilization of the nutrients in the livestock waste;
- 11) Livestock waste <u>mustshall</u> not be applied within the distance from residences provided in Section 502.645(a) and within the areas prohibited from land application by this Part;
- 12) A winter time-land application plan that meets the requirements of Section 502.630;
- The plan for inspecting for the inspection, monitoring, managing, and repairing management and repair of subsurface drainage systems at the livestock waste application site. Inspecting Inspection of subsurface drainage systems mustshall include visual inspection before prior to land application to determine failures that may cause discharges and visual inspection during and after land application to identify discharges. For purposes of this subsection (b)(13), visual inspection means a person inspecting inspection by a person of the tile inlet, tile outlet, and unobstructed land surface to assess the structural ability of the subsurface drainage system;

- 14) A spill prevention and control plan;
- Annual review of the nutrient management practices to be implemented and an update of the nutrient management plan when there is a change in the nutrient management practices change;
- Specific records that will be maintained to document <u>implementingthe</u> implementation and <u>managing management of</u> the minimum elements described in subsections (b)(2) through (15); and
- 17) A description of the storage provisions and schedules provided for livestock waste when cropping practices, soil conditions, weather conditions, or other conditions prevent applying the application of livestock waste to land or prevent other methods of livestock waste disposal.

(Source: Amended at 4	8 Ill. Reg.	. effective
(~		,

# Section 502.515 Terms of Nutrient Management Plan

Any permit issued to a CAFO must require compliance with the terms of the CAFO's site-specific nutrient management plan. These terms include:

- a) The terms of the nutrient management plan are the information, protocols, best management practices, and other conditions in the nutrient management plan the Agency determines are determined by the Agency to be necessary to meet the requirements of Sections 502.505 and 502.510.
- b) The terms of the nutrient management plan, <u>regardingwith respect to</u> protocols for land application of livestock waste as required by Subpart F, must include:
  - 1) the fields available for land application;
  - 2) field-specific rates of application properly developed <u>underpursuant to</u> subsection (d) or (e) to ensure appropriate agricultural utilization of the nutrients in the livestock waste; and
  - 3) any timing limitations identified in the nutrient management plan concerning land application on the fields available for land application.
- c) The terms of the nutrient management plan must address rates of application using either the linear approach as described in subsection (d) or the narrative rate approach as described in subsection (e), unless the Agency specifies that only one of these approaches may be used.

- d) The linear approach is an approach that expresses <u>application rates</u> rates of <u>application</u> as pounds of nitrogen and phosphorus, according to the following specifications:
  - 1) The terms include maximum application rates from livestock waste for each year of permit coverage, for each crop identified in the nutrient management plan, in chemical forms determined to be acceptable to the Agency, in pounds per acre, per year, for each field to be used for land application, and thecertain factors necessary to determine those rates.
  - 2) The At a minimum, the factors that are terms must include:
    - A) the outcome of <u>assessing</u> the field-specific <del>assessment of the</del> potential for nitrogen and phosphorus transport from each field;
    - B) the crops to be planted in each field or any other uses of a field such as pasture or fallow fields;
    - C) the realistic yield goal for each crop or use identified for each field;
    - D) the nitrogen and phosphorus recommendations, according to Section 502.625, for each crop or use identified for each field;
    - E) credits for all nitrogen in the field that will be plant available;
    - F) consideration of multi-year phosphorus application;
    - G) accounting for all other additions of <u>plant-available</u> plant available nitrogen and phosphorus to the field;
    - H) the form and source of livestock waste to be land-applied;
    - I) the timing and method of land application; and
    - J) the methodology by which the nutrient management plan accounts for the amount of nitrogen and phosphorus in the livestock waste to be applied.
  - 3) CAFOs that use this linear approach must calculate the maximum amount of livestock waste to be land applied at least once each year using the results of the most recent representative livestock waste tests for nitrogen and phosphorus taken within 12 months <u>beforeprior to</u> the date of land application required by Section 502.635.
- e) The narrative rate approach is an approach that expresses <u>application</u> rates <del>of</del> <del>application</del> as a narrative rate of application that results in the amount, in tons or

gallons, of livestock waste to be land applied, according to the provisions of this subsection (e).

### 1) The terms include:

- A) maximum amounts of nitrogen and phosphorus derived from all sources of nutrients, for each crop identified in the nutrient management plan, in chemical forms determined to be acceptable to the Agency, in pounds per acre, for each field, and thecertain factors necessary to determine those amounts;
- B) the outcome of <u>assessing</u> the field-specific <del>assessment of the</del> potential for nitrogen and phosphorus transport from each field;
- C) the crops to be planted in each field or any other uses, such as pasture or fallow fields, including alternative crops identified underin accordance with subsection (e)(1)(G);
- D) the realistic yield goal for each crop or use identified for each field;
- E) the nitrogen and phosphorus recommendations according to Section 502.625 for each crop or use identified for each field;
- F) the methodology by which the nutrient management plan accounts for the following factors when calculating the amounts of livestock waste to be land applied:
  - i) results of soil tests conducted <u>usingin accordance with</u> protocols identified in the nutrient management plan, as required by Section 502.510(b)(9);
  - ii) credits for all nitrogen in the field that will be plant available;
  - iii) the amount of nitrogen and phosphorus in the livestock waste to be applied;
  - iv) consideration of multi-year phosphorus application;
  - v) accounting for all other additions of plant nitrogen and phosphorus to the field;
  - vi) the form and source of livestock waste;
  - vii) the timing and method of land application; and

- viii) <u>volatilizingvolatilization of</u> nitrogen and <u>mineralizingmineralization of</u> organic nitrogen.
- G) alternative crops identified in the CAFO's nutrient management plan that are not in the planned crop rotation.
  - i) When a CAFO includes alternative crops in its nutrient management plan, the crops must be listed by field, in addition to the crops identified in the planned crop rotation for that field, and the nutrient management plan must include realistic crop yield goals and the nitrogen and phosphorus recommendations according to Section 502.625 for each crop.
  - ii) Maximum amounts of nitrogen and phosphorus from all sources of nutrients and the amounts of livestock waste to be applied must be determined <u>usingin accordance with</u> the methodology described in subsections (e)(1)(A) through (F).
- 2) For CAFOs using this narrative approach, the following projections must be included in the nutrient management plan submitted to the Agency, but are not terms of the nutrient management plan:
  - A) the CAFO's planned crop rotations for each field for the period of permit coverage;
  - B) the projected amount of livestock waste to be applied;
  - C) projected credits for all nitrogen in the field that will be plant available;
  - D) consideration of multi-year phosphorus application;
  - E) accounting for all other additions of <u>plant-available</u> plant available nitrogen and phosphorus to the field;
  - F) the predicted form, source, and method of <u>applyingapplication of</u> livestock waste for each crop; and
  - G) timing of application for each field, insofar as it concerns calculating the the calculation of rates of application.
- 3) CAFOs that use this narrative rate approach must calculate maximum amounts of livestock waste to be land applied at least once each year using

the methodology required in subsections (e)(1)(A) through (F) before land applying livestock waste and must rely on the following data:

- A) a field-specific determination of nitrogen that will be plant available consistent with the methodology required by subsections (e)(1)(A) through (F), and for phosphorus, the results of the most recent soil test conducted <u>using Agency-approvedin accordance</u> with soil testing requirements <del>approved by the Agency</del>; and
- B) the results of most recent representative livestock waste tests for nitrogen and phosphorus taken within 12 months <u>beforeprior to</u> the date of land application, in order to determine the amount of nitrogen and phosphorus in the livestock waste to be applied.

## Section 502.520 Changes to the Nutrient Management Plan

When a CAFO owner or operator makes changes to the CAFO's nutrient management plan previously submitted to the Agency, the procedures in this Section are applicable.

- a) The CAFO owner or operator must identify changes to the nutrient management plan, except that the results <u>calculated underof ealculations made in accordance</u> with the requirements of Sections 502.515(d)(3) and (e)(3) are not subject to the requirements of this Section. These calculations may be revised without submittal to the Agency <u>if provided</u> the calculation revisions do not change the terms of the nutrient management plan.
- b) The Agency must determine whether the changes to the nutrient management plan necessitate <u>revisingrevision to</u> the terms of the nutrient management plan incorporated into the permit issued to the CAFO.
  - 1) If <u>revising</u> revision to the terms of the nutrient management plan is not necessary, the Agency must notify the CAFO owner or operator and, upon <u>that</u>such notification, the CAFO may implement the revised nutrient management plan.
  - 2) If <u>revisingrevision to</u> the terms of the nutrient management plan is necessary, the Agency must determine whether the changes are substantial changes as described in subsection (d).
  - 3) If the Agency determines that the changes to the terms of the nutrient management plan are not substantial, the Agency must notify the owner or operator and inform the public of any changes to the terms of the nutrient management plan that are incorporated into the permit.

- c) If the Agency determines that the changes to the terms of the nutrient management plan are substantial, the Agency must notify the public and make the proposed changes and the information the CAFO owner or operator submits submitted by the CAFO owner or operator available for public review and comment.
  - The process and time limits for submitting public comments and hearing requests, the hearing process if a request for a hearing is granted, and the process for responding to significant comments received during the comment period will follow the procedures applicable to draft general permits found in Section 502.310(d) through (f).
  - 2) The Agency will require the CAFO owner or operator to further revise the nutrient management plan; if necessary, in order to approve the revision to the terms of the nutrient management plan incorporated into the CAFO's permit.
  - 3) Once the Agency incorporates the revised terms of the nutrient management plan into the permit, the Agency must notify the owner or operator and inform the public of the final decision concerning the revisions to the terms and conditions of the permit.
- d) Substantial changes to the terms of the nutrient management plan incorporated as terms and conditions of a permit include, but are not limited to:
  - 1) Adding Addition of new land application areas not previously included in the CAFO's nutrient management plan; except that, if the land application area that is being added to the nutrient management plan is covered by the terms of a nutrient management plan incorporated into an existing NPDES permit in compliance accordance with the requirements of Section 502.515, and the CAFO owner or operator applies livestock waste on the newly added land application area in compliance accordance with the existing field-specific permit terms applicable to the newly added land application area, adding addition of new land would be a change to the new CAFO owner's or operator's nutrient management plan but not a substantial change for purposes of this Section;
  - 2) For nutrient management plans using the linear approach stated as set forth in Section 502.515(d), changes to the field-specific maximum annual rates of land application (pounds of nitrogen and phosphorus from livestock waste). For nutrient management plans using the narrative rate approach, changes to the maximum amounts of nitrogen and phosphorus derived from all sources for each crop;
  - 3) <u>Adding Addition of</u> any crop or other uses not included in the terms of the CAFO's nutrient management plan and corresponding field-specific

- <u>application rates</u> rates of application expressed in accordance with Section 502.515; and
- 4) Changes to site-specific components of the CAFO's nutrient management plan, when the changes are likely to increase the risk of nitrogen and phosphorus transport to waters of the United States.

(	Source: Amended at 48 Ill.	. Reg.	effective
٠,	Source: I milenaea at 10 mil	,	

# SUBPART F: LIVESTOCK WASTE DISCHARGE LIMITATIONS AND TECHNICAL STANDARDS

## Section 502.600 Applicability

- a) This Subpart provides livestock waste discharge limitations and technical standards for permitted CAFOs. Permitted CAFOs must achieve the livestock waste discharge limitations and technical standards in this Subpart by the permit coverage date as of the date of permit coverage. This Subpart does not apply to CAFOs that stable or confine horses, sheep, or ducks. CAFOs that stable or confine horses or sheep are subject to applicable production area livestock waste discharge limitations and technical standards found in Section 502.720. CAFOs that confine ducks in either a dry lot or wet lot are subject to applicable production area livestock waste discharge limitations and technical standards found in Section 502.730.
- b) Unpermitted Large CAFOs claiming an agricultural stormwater exemption underpursuant to Section 502.102 are not required to have a nutrient management plan but must comply with the requirements listed in Section 502.510(b) to qualify for the exemption.

# Section 502.605 Livestock Waste Discharge Limitations for the Production Area for Permitted CAFOs

- a) Except as provided in subsections (a)(1), (a)(2), and (c), there must be no <u>livestock waste</u> discharge of livestock wastes into the waters of the United States from the CAFO production area. Whenever precipitation causes an overflow of livestock wastes from the containment or storage structure, livestock wastes in the overflow may be discharged into the waters of the United States ifprovided:
  - 1) The production area is designed, constructed, operated, and maintained to contain all livestock wastes, including the runoff and the direct precipitation from a 25-year, 24-hour precipitation event, except that, for swine, poultry, or veal, large CAFOs that are new sources must comply with Subpart H, and

- 2) The production area is operated in accordance with the additional measures and records required by Section 502.610.
- b) Any point source subject to this Subpart must achieve the livestock waste discharge limitations in this Section by the permit coverage date as of the date of the permit coverage.
- c) Voluntary Alternative Performance Standards. Any CAFO subject to this Subpart may request the Agency to establish NPDES permit livestock waste discharge limitations based upon site-specific alternative technologies that achieve a quantity of pollutants discharged from the production area equal to or less than the quantity of pollutants that would be discharged under the baseline performance standards as provided by subsection (a).
  - In requesting site-specific livestock waste discharge limitations to be included in the NPDES permit, the CAFO owner or operator must submit a supporting technical analysis and any other relevant information and data that would support those site-specific livestock waste discharge limitations within the time frame the Agency provides provided by the Agency.
  - The supporting technical analysis must include <u>calculatingealculation of</u> the quantity of pollutants discharged, on a mass basis when appropriate, based on a site-specific analysis of a system designed, constructed, operated, and maintained to contain all livestock waste, including the runoff from a 25-year, 24-hour rainfall event.
  - 3) The technical analysis of the discharge of pollutants must include:
    - A) all daily inputs to the storage system, including livestock waste, direct precipitation, and runoff;
    - B) all daily outputs from the storage system, including losses due to evaporation, sludge removal, and removal of wastewater removal for use on cropland at the CAFO or transport off-siteoff site;
    - C) a calculation determining the predicted median annual overflow volume based on a 25-year period of actual rainfall data applicable to the site;
    - D) site-specific pollutant data, including nitrogen, phosphorus, BOD<sub>5</sub>, and total suspended solids, for the CAFO from representative sampling and <u>analyzing</u> analysis of all sources of input to the storage system, or other appropriate pollutant data; and

- E) predicted annual average <u>pollutant discharge discharge of</u> pollutants, expressed, when appropriate, as a mass discharge on a daily basis (lbs/day), and calculated considering subsections (c)(3)(A) through (D).
- 4) The Agency <u>may</u> has the discretion to request additional information to supplement the supporting technical analysis, including <u>inspecting inspection of</u> the CAFO.

(	Source: Amended at 48 I	[11. Reg.	. , effective

#### Section 502.610 Additional Measures for CAFO Production Areas

Each CAFO subject to this Subpart must implement the following:

- a) The CAFO owner or operator must at all times properly operate and maintain all structural and operational aspects of the facilities, including all systems for livestock waste treatment, storage, management, monitoring, and testing.
- b) Livestock within a CAFO production area <u>mustshall</u> not come into contact with <u>the</u> waters of the United States.
- c) Visual Inspections. There must be routine visual inspections of the CAFO production area, including the . At a minimum, the following must occur:
  - 1) <u>Inspecting weekly Weekly inspections of</u> all stormwater diversion devices, runoff diversion structures, and devices channeling contaminated stormwater to the wastewater and manure storage and containment structure;
  - 2) <u>Inspecting Daily inspection of water lines daily</u> in the production areas, including drinking water or cooling water lines; and
  - 3) <u>Inspecting Weekly inspections of the livestock waste storage facilities weekly</u>. The inspection will note the level of total volume of materials in the liquid livestock waste storage facility using the depth marker required in subsection (d).
- d) Depth Marker. All open-surface open surface liquid livestock waste storage facilities must have a depth marker that clearly indicates the minimum capacity necessary to contain the runoff and direct precipitation of the 25-year, 24-hour rainfall event. In the case of new sources subject to livestock waste discharge limitations established underpursuant to Section 502.830, all open surface livestock waste storage structures associated with the sources must include a depth marker that clearly indicates the minimum capacity necessary to contain the maximum runoff and direct precipitation associated with the design storm used in sizing the storage facility for no discharge.

- e) Corrective Actions. Any deficiencies found <u>because of as a result of</u> these inspections must be corrected as soon as possible.
- f) In addition to the requirement in subsection (e), deficiencies not corrected within 30 days must be accompanied by an explanation of the factors preventing immediate correction.
- g) <u>Pollutant discharge Discharge</u> to <u>the</u> waters of the United States <u>of pollutants</u>-from dead livestock or dead animal disposal facilities is prohibited. Dead livestock and water contaminated by dead livestock <u>mustshall</u> not be disposed of in the liquid manure storage structures, egg wash wastewater facilities, egg processing wastewater facilities, or areas used to hold products, by-products, or raw materials that are set aside for disposal, or contaminated stormwater facilities, other than facilities used solely to dispose<del>for disposal of dead livestock</del>.
- h) Chemicals and other contaminants <u>mustshall</u> not be disposed of in any livestock waste or stormwater storage or treatment system unless specifically designed to treat those chemicals and other contaminants.
- i) A CAFO owner or operator utilizing an earthen lagoon or other earthen manure storage area or waste containment area <u>mustshall</u> inspect all berm tops, exterior berm sides, and non-submerged interior berm sides for evidence of erosion, burrowing animal activity, and other indications of berm degradation on a frequency of <u>at leastnot less than</u> once every week.
- j) The CAFO owner or operator <u>must periodically remove</u> shall perform periodic removal of livestock waste solids from liquid manure storage areas and the waste containment area to <u>continue operatingmaintain proper operation of</u> the storage structures <u>properly</u>. Soils that are contaminated with livestock waste removed from earthen manure storage structures <u>mustshall</u> be considered livestock waste.
- k) Requirements Relating to the Transfer of Livestock Waste to Other Persons-
  - 1) <u>Before prior to transferring livestock waste to other persons, CAFOs must provide the recipient of the livestock waste with the most current nutrient analysis.</u>
  - 2) The analysis provided must be consistent with applicable requirements to sample livestock wastes in Section 502.635(b).
  - 3) CAFOs must retain for five years records of the date, recipient name and address, and approximate amount of livestock waste transferred to another person.
- 1) Livestock Waste Storage Requirements

- 1) Livestock waste storage structures at the CAFO production area <u>mustshall</u> be designed to contain a volume equal to or greater than the <u>totalsum of the</u> volumes of the following:
  - A) the amount of waste generated during a 180-day period of operation at design capacity;
  - B) the runoff volumes generated during a 180-day period, including all runoff and precipitation from lots, roofs, and other surfaces where precipitation is directed into the storage structure;
  - C) the volume of all <u>wash-down</u> wash down liquid generated during the 180-day period that is directed into the manure storage structure;
  - D) the volume of runoff and precipitation directed to the storage structure during a 25-year, 24-hour storm event;
  - E) the design volatile solids loading volume, if applicable;
  - F) the sludge accumulation volume, if applicable; and
  - G) a freeboard of 2 feet, except for structures with a cover or otherwise protected from precipitation.
- 2) The storage volume requirements in this subsection (1) do not apply to pump stations, settling tanks, pumps, piping, or other components of the CAFO production area that temporarily hold or transport waste to a storage facility meeting the requirements of this subsection (1).

(Source:	Amended at 48	111 F	Rea	. effective	)
i boui cc.	Amenaca at $\tau$		\C2.	. CHCCHVC	

# **Section 502.615 Nutrient Transport Potential**

- a) Field Assessment. An individual field assessment of the potential for nitrogen and phosphorus transport from the field to surface waters must be conducted and the results contained in the nutrient management plan. The following factors must be identified for each field to determine nitrogen and phosphorus transport potential to <u>the</u> waters of the United States.
  - 1) Soil type;
  - 2) Slope;
  - 3) Conservation practices;

- 4) Soil erodibility or potential for soil erosion;
- 5) Soil test phosphorus;
- 6) Tile inlet locations;
- 7) Distance to surface waters;
- 8) Proximity to wells;
- 9) Location of conduits to surface water, including preferential flow paths; and
- 10) Subsurface drainage tiles.
- b) The applicant <u>must use shall utilize</u> the field assessment information obtained in subsection (a) to determine the appropriate phosphorus-based or nitrogen-based application rate for each assessed field. The determination of phosphorus based or nitrogen based application of livestock waste on an assessed field must <u>comply</u> be consistent with subsection (c) or (d) and Sections 502.620, 502.625, 502.630, and 502.635.
- c) Nitrogent-based application of livestock waste must <u>comply</u> <del>be conducted</del> <del>consistent</del> with the following requirements:
  - 1) livestock waste <u>application must comply</u> is applied consistent with the setback requirements in Section 502.645;
  - 2) available soil phosphorus (median Bray P1 or Mehlich 3 <u>usingin</u> accordance with Recommended Chemical Soil Test Procedures for the North Central Region, incorporated by reference in 35 Ill. Adm. Code 501.200) is equal to or less than 300 pounds per acre;
  - 3) the soil loss calculated using the Revised Universal Soil Loss Equation 2 (RUSLE2) is less than the Erosion Factor T;

BOARD NOTE: Soil loss may be calculated using the Revised Universal Soil Loss Equation 2 (RUSLE 2) software program available at http://fargo.nserl.purdue.edu/rusle2\_dataweb/RUSLE2\_Index.htm. Additional information may be obtained from the United States Department of Agriculture, Agricultural Research Service, 1400 Independence Avenue, S.W., Washington DC 20250, (202) 720-3656. Erosion Factor T for Illinois soils is available from the United States Department of Agriculture, Natural Resources Conservation Service, Illinois Office, 2118 W. Park Court, Champaign IL 61821, (217) 353-

- 6600. The published soil surveys for Illinois are available at <a href="http://www.nrcs.usda.gov">http://www.nrcs.usda.gov</a>.
- 4) if conduits on the field are less than 400 feet from surface waters, the setback requirements in Section 502.645(b)(2) do not apply. Instead, the following setbacks apply:
  - A) Livestock waste application <u>mustshall</u> be conducted no closer than:
    - i) 150 feet from a tile inlet, agricultural well head, sinkhole, or edge of a ditch that has no vegetative buffer; or
    - ii) 50 feet from a tile inlet, agricultural well head, sinkhole, or edge of a ditch that has a 50-foot50 foot vegetative buffer or 50 feet from the center of a grass waterway;
  - B) These setbacks do not apply if the CAFO <u>demonstrates</u> is able to <u>demonstrate</u> to the Agency that a setback or buffer is not necessary because <u>implementingimplementation of</u> alternative conservation practices (including, but not limited to, injection and incorporation) or field-specific conditions will provide pollutant reductions equivalent to or better than the reductions that would be achieved by the 150-foot setback under subsection (c)(4)(A)(i) or the 50-foot setback under subsection (c)(4)(A)(ii);
- 5) if conduits on the field are more than 400 feet from surface waters, the setback requirements in subsection (c)(4) do not apply;
- where surface waters are on the assessed field or within 200 feet of the field, the livestock waste applied to the field mustshall be injected or incorporated within 24 hours after the application or equivalent conservation practices must be installed and maintained on the field underpursuant to USDA-NRCS practice standards; and
- 7) if nitrogen-based application cannot be conducted <u>underin accordance</u> with this subsection (c), then phosphorus-based application must be conducted as specified in subsection (d).
- d) Phosphorus-based application of livestock waste must <u>complybe conducted</u> consistent with the following requirements:
  - 1) livestock waste <u>application</u> must <u>comply be applied consistent</u> with the setback requirements in Section 502.645;

- 2) the livestock waste application rate must not exceed the annual agronomic nitrogen demand of the next crop grown as provided in Section 502.625(a);
- 3) if the soil contains greater than 50 pounds of available soil phosphorus per acre (median Bray P1 or Mehlich 3 in accordance with Recommended Chemical Soil Test Procedures for the North Central Region, incorporated by reference in 35 Ill. Adm. Code 501.200), phosphorus-based application rates must maintain or lower the soil test phosphorus during the nutrient management plan period;
- 4) if the soil contains greater than 300 pounds of available soil phosphorus per acre (median Bray P1 or Mehlich 3 in accordance with Recommended Chemical Soil Test Procedures for the North Central Region, incorporated by reference in 35 Ill. Adm. Code 501.200), the amount of phosphorus applied in the livestock waste must not exceed the amount of phosphorus removed by the next year's crop grown and harvested removes; and
- 5) livestock waste <u>mustshall</u> not be applied to fields with available soil phosphorus (median Bray P1 or Mehlich 3 in accordance with Recommended Chemical Soil Test Procedures for the North Central Region, incorporated by reference in 35 Ill. Adm. Code 501.200) greater than 400 pounds per acre.

(C	ded at 48 Ill. Reg.	- CC 4 i-v-
		. effective

## Section 502.620 Protocols to Land Apply Livestock Waste

- a) Livestock wastes <u>mustshall</u> not be applied to <u>the</u> waters of the United States. Livestock waste application <u>mustshall</u> not cause runoff <u>into the</u> to waters of the United States during non-precipitation events. Livestock waste application <u>mustshall</u> not occur on land that is saturated at the time of application. Livestock waste <u>mustshall</u> not be applied onto land with ponded water.
- b) Discharge of livestock waste to waters-of the United States or off-site during dry weather through subsurface drains is prohibited.
- c) Livestock waste <u>mustshall</u> not be applied during precipitation when runoff of livestock waste will be produced.
- d) Surface land application of livestock waste <u>mustshall</u> not occur within 24 hours preceding a <u>precipitation</u> forecast of 0.5 inches or more of <u>precipitation</u> in a 24-hour period as measured in liquid form. The CAFO owner or operator <u>mustshall</u> use one of the following two methods for determining whether these conditions exist and must<del>shall</del> maintain a record of the forecast from the source used.

1) A prediction of a 60 percent or greater chance of 0.5 inches or more of precipitation in a 24-hour period as measured in liquid form, obtained from the National Weather Service's Meteorological Development Laboratory, Statistical Modeling Branch, 1325 East West Highway, Silver Spring MD 20910 for the location nearest to the land application area; or

BOARD NOTE: The prediction in subsection (d)(1) may be obtained from the National Weather Service at <a href="https://www.wpc.ncep.noaa.gov/pqpf/conus\_hpc\_pqpf.php">https://www.nws.noaa.gov/pqpf/conus\_hpc\_pqpf.php</a> <a href="http://www.nws.noaa.gov/mdl/forecast/graphics/MAV/">http://www.nws.noaa.gov/mdl/forecast/graphics/MAV/</a>.

A prediction of 0.5 inches or more of precipitation in a 24 hour period as measured in liquid form and identified as higher than Quantitative Precipitation Forecast (QPF) category 3, obtained from the National Weather Service's Meteorological Development Laboratory, Statistical Modeling Branch, 1325 East West Highway, Silver Spring MD 20910 for the land application area location.

BOARD NOTE: The prediction in subsection (d)(2) may be obtained from the National Weather Service at <a href="https://www.wpc.ncep.noaa.gov/qpf/qpf2.shtml">https://www.wpc.ncep.noaa.gov/qpf/qpf2.shtml</a>

http://www.nws.noaa.gov/mdl/synop/products/bullform.mex.htm

e) Determination of soil loss must be made for each field using Revised Universal Soil Loss Equation 2 (RUSLE2).

BOARD NOTE: Soil loss may be calculated using the RUSLE2 software program available at http://fargo.nserl.purdue.edu/rusle2\_dataweb/RUSLE2\_Index.htm. Additional information may be obtained from the United States Department of Agriculture, Agricultural Research Service, 1400 Independence Avenue, S.W., Washington DC 20250, (202) 720-3656

f) Surface land application may be used when the land slope is no greater than 5% or when the yearly average soil loss calculated using RUSLE2 is equal to or less than 5 tons per acre per year or Erosion Factor T, whichever is less, regardless of slope. Injection or incorporation within 24 hours <u>mustshall</u> be used when the land slope is greater than 5% and the yearly average soil loss calculated using RUSLE2 is greater than 5 tons per acre per year or Erosion Factor T, whichever is less. Fields with varying or steep slopes must be divided into separate areas for calculating yearly average soil loss using RUSLE2 to comply with this subsection.

BOARD NOTE: Soil loss may be calculated using the RUSLE2 software program available at

http://fargo.nserl.purdue.edu/rusle2\_dataweb/RUSLE2\_Index.htm. Additional information on RUSLE2 may be obtained from the United States Department of Agriculture, Agricultural Research Services, 1400 Independence Avenue, S.W., Washington DC 20250, (202) 720-3656. Erosion Factor T for Illinois soils is available from the United States Department of Agriculture, Natural Resources Conservation Service, Illinois Office, 2118 W. Park Court, Champaign IL 61821, (217) 353-6600. The published soil surveys for Illinois are available at <a href="http://www.nrcs.usda.gov">http://www.nrcs.usda.gov</a>.

- g) Land application of livestock waste is prohibited on slopes greater than 15%.
- h) Liquid livestock waste <u>mustshall</u> not be applied to land with less than 36 inches of soil covering fractured bedrock, sand, or gravel. The depth of soil cover may be determined by using NRCS soil surveys, Illinois State Geological Survey well logs, or soil probes.
- i) Livestock waste must<del>shall</del> not be applied to bedrock outcrops.
- j) Livestock waste <u>mustshall</u> be applied at no greater than 50 percent of the agronomic nitrogen rate determined <u>underpursuant to Section 502.625</u> when there is less than 60 inches of unconsolidated material over bedrock. The depth of unconsolidated material may be determined by using NRCS surveys, Illinois State Geological Survey well logs, or soil probes.
- k) Livestock waste <u>mustshall</u> be applied at no greater than 50 percent of the agronomic nitrogen rate determined <u>underpursuant to</u> Section 502.625 when the minimum soil depth to seasonal high water table is less than or equal to 2 feet. The depth of soil to <u>the</u> seasonal high water table may be determined by using information from NRCS soil surveys, soil probes, and water table levels from Illinois State Geological Survey well log data or well points.

1)	Livestock waste <u>mustshall</u> not be applied at rates that exceed the infiltration rates
	of the soil.

## Section 502.625 Determination of Livestock Waste Application Rates

(Source: Amended at 48 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_)

a) Livestock waste application <u>mustshall</u> not exceed the agronomic nitrogen rate, which is defined as the annual application rate of nitrogen that can be expected to be required for a realistic crop yield goal. Multi-year phosphorus application is allowed when the application is specified in a nutrient management plan and meets the requirements in Section 502.615. Any such application must be consistent with nutrient management plan requirements. The agronomic rate must be determined in a manner consistent with this Section and Section 502.615.

- b) Livestock Waste Volumes. The estimate of the annual volume of available livestock waste for application <u>mustshall</u> be obtained by multiplying the number of animals constituting the maximum design capacity of the facility by the appropriate amount of waste <u>the animals generategenerated by the animals</u>. For <u>purposes of</u> this Section, "maximum design capacity" means the maximum number of animals that can be housed at any time for a minimum of 45 days at a CAFO. The following sources may be used to obtain the amount of waste generated:
  - 1) Livestock Waste Facilities Handbook, Third Edition, Table 2-1, incorporated by reference at 35 Ill. Adm. Code 501.200(a);
  - 2) 35 Ill. Adm. Code 560. Table 1;
  - 3) Manure Characteristics, 2<sup>nd</sup> ed., 2004 (MWPS-18 Section 1), MidWest Plan Service, incorporated by reference at 35 Ill. Adm. Code 501.200(a); and
  - 4) NRCS Agricultural Waste Management Field Handbook Chapter 4, incorporated by reference at 35 Ill. Adm. Code 501.200(a).
- Nutrient Value of Livestock Waste. For new livestock facilities that have not generated livestock waste, the owner or operator must prepare a plan based on an average of the minimum and maximum numbers in the table values derived from Livestock Waste Facilities Handbook, Third Edition, Table 2-1, 10-6, or 10-7, or Manure Characteristics, incorporated by reference at 35 Ill. Adm. Code 501.200, or 35 Ill. Adm. Code 560.Table 1 or Table 2. If "as produced" or "as excreted" nutrient values are used, the nitrogen value mustshall be adjusted, to account for losses due to the type of storage system used, utilized using an average of the ranges in Livestock Waste Facilities Handbook, Third Edition, Table 10-1. Other sources of nutrient values may be used if approved by the Agency. Owners or operators of existing livestock facilities, must prepare the plan based on representative sampling and analysis of the livestock waste the CAFOs generategenerated by the CAFOs in accordance with Section 502.635(b).
- d) Adjustments to Nitrogen Availability. Adjustments <u>mustshall</u> be made to nitrogen availability to account for the following:
  - 1) Nitrogen loss from livestock waste due to method of application, based on an average of the ranges in Livestock Waste Facilities Handbook, Third Edition, Table 10-2; and
  - 2) The first-year mineralization of organic nitrogen into a <u>plant-available</u> form, as obtained from Livestock Waste Facilities Handbook, Third Edition, Table 10-5.

## e) Realistic Crop Yield Goal

- The realistic crop yield goal <u>mustshall</u> be determined for each field where the livestock waste is to be land applied. The realistic crop yield goal <u>mustshall</u> be determined using an average yield over a five-year period from the field where livestock waste is to be land applied. The source of data <u>used</u> to determine the realistic crop yield goal is provided in subsection (e)(2).
- Whenever five years of data <u>areis</u> available for the field where livestock waste is to be land applied, proven yields <u>mustshall</u> be used in calculating the realistic crop yield, unless there is an agronomic basis for predicting a different realistic crop yield goal. The owner or operator <u>mustshall</u> indicate the method used to determine the proven yield. Data from years with crop disasters may be discarded.
  - A) If five years of proven yield data <u>areis</u> not available for the field where the livestock waste is to be land applied, or if an agronomic basis exists for predicting a different realistic crop yield goal, the owner or operator may calculate the realistic crop yield goal using crop insurance yields or Farm Service Agency USDA yields. If either of these sources is used, a copy of the insurance or assigned crop yields <u>mustshall</u> be included with the nutrient management plan.
  - B) If data is not available on proven yields, crop insurance yields, or Farm Service Agency yields; or if an agronomic basis exists for predicting a different realistic crop yield goal, the owner or operator must use soil-based soils based yield data from the University of Illinois "Average Crop, Pasture, and Forestry Productivity Ratings for Illinois Soils; Bulletin No. 810" (Bulletin 810) or "Optimum Crop Productivity Ratings for Illinois Soils; Bulletin 811" (Bulletin 811), incorporated by reference at 35 Ill. Adm. Code 501.200, to comply with subsection (e)(1) to calculate the realistic crop yield goal. shall be used by the owner or operator to calculate the realistic crop yield goal pursuant to subsection (e)(1).
    - i) If Bulletin 810 or 811 is used to calculate the realistic crop yield goal, a soil map of the land application areas mustshall be included in the nutrient management plan.
    - ii) If Bulletin 810 or 811 is used, the realistic crop yield goal mustshall be determined by a weighted average of the soil interpretation yield estimates for the fields where livestock waste is to be land applied.

iii) If Bulletin 811 is used, the owner or operator <u>mustshall</u> demonstrate in the nutrient management plan that the operational management and field conditions of the facility and land application areas meet the requirements for optimum conditions as provided in Bulletin 811.

# f) Nitrogen Credits

- The CAFO owner or operator must calculate nitrogen Nitrogen credits shall be calculated by the CAFO owner or operator, underpursuant to Section 502.505(n)(7), for nitrogen-producing crops grown the previous year, for other sources of nitrogen applied for the growing season, and for mineralized organic nitrogen in livestock waste applied during the previous three years.
- 2) The CAFO owner or operator must calculate nitrogen Nitrogen credits shall be calculated by the CAFO owner or operator for the mineralized organic nitrogen in livestock waste applied during the previous three years at the rate of 50%, 25%, and 12.5%, respectively, of that mineralized during the first year.
- g) Phosphorus. The <u>CAFO owner or operator must develop or amend the plan shall</u> be developed or amended by the <u>CAFO owner or operator</u> to determine the maximum livestock waste application rate for each field. The plan for that field must<del>shall</del> contain the following:
  - 1) The phosphorus content of the livestock waste <u>mustshall</u> be determined in accordance with subsection (c);
  - 2) The realistic crop yield goal of each crop in the field, obtained underpursuant to subsection (e)(1);
  - The phosphorus amount needed for each crop in the planned crop rotation, expressed as P<sub>2</sub>O<sub>5</sub>, obtained from the Illinois Agronomy Handbook, 24<sup>th</sup> Edition, incorporated by reference at 35 Ill. Adm. Code 501.200. The determination of this Determining this phosphorus amount mustshall be based on the realistic crop yield goal for each planned crop and the soil test for available phosphorus (Bray P1 or Mehlich 3 conducted according to their accordance with Recommended Chemical Soil Test Procedures for the North Central Region, incorporated by reference in 35 Ill. Adm. Code 501.200);
  - 4) The phosphorus carryover from previous years' application of phosphorus or livestock waste;

- 5) Soil test phosphorus results for that field; and
- 6) The maximum livestock waste application rate, consistent with nitrogenbased or phosphorus-based applications allowed under Section 502.615.

h)	Nitrogen and phosphorus fertilization rates for the realistic crop yield goal may be
	obtained from the Illinois Agronomy Handbook, 24 <sup>th</sup> Edition, incorporated by
	reference at 35 Ill. Adm. Code 501.200, or 35 Ill. Adm. Code 560.Appendix A.

(Source: Amend	ded at 48 Ill. Reg.	. effective	`

# Section 502.630 Protocols to Land Apply Livestock Waste During Winter

- a) Winter Application Prohibition. Surface land application of livestock waste on frozen, ice-covered, or snow-covered ground is prohibited except as specified in subsection (a)(1).
  - 1) <u>DespiteNotwithstanding</u> the winter application prohibition in subsection (a), surface land application of livestock waste on frozen, ice-covered, or snow-covered ground is allowed if all of the following conditions are met:
    - A) No practical alternative measures are available to handle the livestock waste within storage facilities or to dispose of the livestock waste at other sites. Examples of practical alternative measures may include, but are not limited to, the transfer of waste to another waste handling facility or sewage treatment plant, rental or acquisition of a storage tank, reduction of herd size or depopulation, and protection of the facility from direct precipitation and clean stormwater runoff;
    - B) Liquid livestock waste cannot be injected or incorporated within 24 hours after application due to soil conditions;
    - C) <u>Beforeprior to</u> December 1, the owner or operator has taken steps to provide 120 days of available <u>capacity for manure storage areas</u> storage capacity of manure storage areas. Examples of steps that could be taken may include, but are not limited to, land application of livestock waste, transfer of waste to another party, protection of waste storage structures from direct precipitation and stormwater runoff, and depopulating facilities to reduce the amount of waste generated;
    - D) The owner or operator has complied with subsection (a)(1)(C) and yet the storage volume available on December 1 of that winter season is less than 120 days of storage;

- E) The owner or operator has notified the Agency in writing on December 1 of that winter season that the CAFO has less than 120 days of storage available; and
- F) The discharge of livestock waste from the structure to the surface waters is expected to occur due to <u>a</u> shortage in storage capacity.
- The storage volume calculation in subsection (a)(1)(C) must include runoff and direct precipitation plus the volume of livestock excreta, wash water, and other process wastewater generated and expected to enter the storage structure <u>from during the period of December 1 to April 1</u>. Runoff volume calculations must meet the following requirements:
  - A) Runoff calculations must be based on the runoff transferred into the storage structure under frozen ground conditions;
  - B) Direct precipitation that will reduce the available storage volume must be based on normal precipitation for the December 1 to April 1 period for the nearest weather station and, for facilities exposed to precipitation, the 25-year, 24-hour storm event volume or the design storm event volume determined under Subpart H for swine, poultry, and veal large CAFOs that are new sources. The determination of Normal precipitation determinations must shall be based on National Weather Service or State Water Survey Records;

BOARD NOTE: The following sources may be used to determine normal precipitation:

http://www.isws.illinois.edu/atmos/statecli/newnormals/newnormals.htm

or

https://www.ncei.noaa.gov/products/land-based-station/us-climate-normals

http://www.isws.illinois.edu/atmos/stateeli/newnormals/newnormals.htm or http://edo.nede.noaa.gov/egibin/climatenormals/climatenormals.pl.

- C) The owner or operator <u>mustshall</u> keep a record of the precipitation value used and the source from which the value was obtained; and
- D) Calculations must allow for a freeboard of two feet.

3) If In the event winter land application is necessary, it must be conducted underpursuant to a winter application plan described in subsection (b) and according to the conditions of subsection (c).

## b) Winter Application Plan

<u>To In order to conduct surface land application on frozen, ice-coveredice covered,</u> or <u>snow-covered snow covered</u> ground, the requirements of this subsection (b) must be met.

- 1) No land application may occur within ¼ mile of a non-farm residence.
- 2) No discharge may occur during the land application of livestock waste.
- Surface land application on frozen ground <u>mustshall</u> not occur within <u>24</u> <u>hours24-hours</u> preceding a <u>precipitation</u> forecast of 0.25 inches or more of <u>precipitation</u> in a 24-hour period as measured in liquid form. The CAFO owner or operator <u>mustshall</u> use one of the following two methods for determining whether these conditions exist and <u>mustshall</u> maintain a record of the forecast from the source used.
  - A) A prediction of a 60 percent or greater chance of 0.25 inches or more of precipitation in a 24-hour period as measured in liquid form, obtained from the National Weather Service's Meteorological Development Laboratory, Statistical Modeling Branch 1325 East West Highway, Silver Spring MD 20910, for the location nearest to the land application area; or
    - BOARD NOTE: The prediction in subsection (b)(3)(A) may be obtained from the National Weather Service at <a href="https://www.wpc.ncep.noaa.gov/pqpf/conus\_hpc\_pqpf.php">https://www.nws.noaa.gov/pqpf/conus\_hpc\_pqpf.php</a> <a href="https://www.nws.noaa.gov/mdl/forecast/graphics/MAV/">https://www.nws.noaa.gov/mdl/forecast/graphics/MAV/</a>.
  - B) A <u>precipitation</u> prediction of 0.25 inches or more <u>of precipitation</u> in a 24-hour period as measured in liquid form and identified as higher than QPF category 2 obtained from the National Weather Service Meteorological Development Laboratory, Statistical Modeling Branch, 1325 East West Highway, Silver Spring MD 20910, for the land application area location.

BOARD NOTE: The prediction in subsection (b)(3)(B) may be obtained from the National Weather Service at <a href="https://www.wpc.ncep.noaa.gov/qpf/qpf2.shtml">https://www.wpc.ncep.noaa.gov/qpf/qpf2.shtml</a> <a href="http://www.nws.noaa.gov/mdl/synop/products/bullform.mex.htm">http://www.nws.noaa.gov/mdl/synop/products/bullform.mex.htm</a>.

- 4) Surface land application of livestock waste on <u>ice-coveredice covered</u> or <u>snow-coveredsnow covered</u> land <u>mustshall</u> not occur within 24 hours preceding a <u>precipitation</u> forecast of 0.1 inches or more <u>of precipitation</u> in a <u>24-hour24 hour</u> period as measured in liquid form. The CAFO owner or operator <u>mustshall</u> use one of the two methods provided below for determining whether or not these conditions exist and <u>mustshall</u> maintain a record of the forecast from the source used.
  - A) A <u>precipitation</u> prediction of a 60 percent or greater chance of 0.1 inches or more of precipitation in a 24-hour period as measured in liquid form obtained from the National Weather Service's Meteorological Development Laboratory, Statistical Modeling Branch, 1325 East West Highway, Silver Spring MD 20910 for the location nearest to the land application area; or

BOARD NOTE: The prediction in subsection (b)(4)(A) may be obtained from the National Weather Service at <a href="https://www.wpc.ncep.noaa.gov/pqpf/conus">https://www.wpc.ncep.noaa.gov/pqpf/conus</a> <a href="https://www.nws.noaa.gov/mdl/forecast/graphics/MAV/">https://www.nws.noaa.gov/mdl/forecast/graphics/MAV/</a>.

B) A <u>precipitation prediction</u> of 0.1 inches or more of <u>precipitation</u> in a 24-hour period as measured in liquid form and identified as higher than QPF category 1 obtained from the National Weather Service's Meteorological Development Laboratory, Statistical Modeling Branch, 1325 East West Highway, Silver Spring MD 20910 for the land application area location.

BOARD NOTE: The prediction in subsection (b)(4)(B) may be obtained from the National Weather Service at <a href="https://www.wpc.ncep.noaa.gov/qpf/qpf2.shtml">https://www.wpc.ncep.noaa.gov/qpf/qpf2.shtml</a> <a href="https://www.nws.noaa.gov/mdl/synop/products/bullform.mex.htm">https://www.nws.noaa.gov/mdl/synop/products/bullform.mex.htm</a>.

5) If the land application of livestock waste is on <u>ice-coveredice covered</u> or <u>snow-coveredsnow covered-land</u>, surface land application <u>mustshall</u> not occur when the predicted high temperature exceeds 32 degrees F on the day of land application or on any of the 7 days following land application as predicted by the National Weather Service's Meteorological Development Laboratory, Statistical Modeling Branch, 1325 East West Highway, Silver Spring MD 20910 for the location nearest to the land application area. The owner or operator <u>mustshall</u> maintain a record of the forecast from the source used.

BOARD NOTE: The predicted high temperature in subsection (b)(5) may be obtained from the National Weather Service at <a href="https://www.weather.gov">https://www.weather.gov</a>

http://www.nws.noaa.gov/mdl/forecast/graphics/MEX/index.html or

http://www.nws.noaa.gov/mdl/synop/products/bullform.mex.htm.

- 6) If the surface land application of livestock waste is on <u>ice-coverediee</u> covered or <u>snow-coveredsnow coveredland</u>, the CAFO owner or operator <u>mustshall</u> visually monitor for runoff from the site. The CAFO owner or operator daily must monitor each <u>ice-coveredice covered</u> or <u>snow-coveredsnow coveredfield</u> where land application has been conducted when the ambient temperature is 32 degrees F or greater following winter land application until all the ice or snow melts from the land application area.
- 7) If the surface land application of livestock waste is on <u>ice-coverediee</u> covered or <u>snow-coveredsnow covered</u> land and a runoff from the land application area occurs, the CAFO owner or operator <u>mustshall</u> report any discharge of livestock waste within 24 hours after the discovery of the discharge as follows:
  - A) The report <u>mustshall</u> be made to the Agency through the Illinois Emergency Management Agency by calling 1-800-782-7860 or 1-217-782-7860;
  - B) Within 5 days after this telephone report, the CAFO owner or operator <u>mustshall</u> file a written report with the Agency that includes the name and telephone number of the person filing the report, <u>the discharge location, location of the discharge, an estimated estimate of the quantity of the discharge, the discharge's time and duration of the discharge, actions taken in response to the discharge, and observations on the discharge's condition of the condition of the discharge with regards to turbidity, color, foaming, floatable solids and other deleterious conditions of the runoff for each day of <u>the each</u> runoff event until the ice or snow melts off the site.</u>
- c) Availability of Individual Fields for Winter Application

If livestock waste is to be surface applied on frozen ground, <u>ice-coverediee</u> eovered land, or <u>snow-coveredsnow covered</u> land, the land application may only be conducted on land that meets the following requirements:

- Adequate erosion and runoff control practices exist, including, but not limited to, vegetative fence rows around the site, contour farming, terracing, catchment basins, and buffer areas that intercept surface runoff from the site;
- 2) A crop stubble, crop residue, or vegetative buffer of 200 feet exists between the land application area and surface waters, waterways, open tile

line intake structures, sinkholes, agricultural wellheads, or other conduits to surface water and the vegetative buffer zone is down gradient of the livestock waste application area;

- 3) Application on land with slopes greater than 5% is prohibited;
- 4) Application may only occur on sites that have <u>field-specific field specific</u> soil erosion loss calculated using Revised Universal Soil Loss Equation less than Erosion Factor T<sub>7</sub> and have a median Bray P1 or Mehlich 3 soil level of phosphorus, <u>equal to or less than 300 pounds per acre using in accordance with Recommended Chemical Soil Test Procedures for the North Central Region, incorporated by reference in 35 Ill. Adm. Code 501.200, <u>equal to or less than 300 pounds per acre</u>;</u>

BOARD NOTE: Soil loss may be calculated using the Revised Universal Soil Loss Equation 2 (RUSLE2) software program available at http://fargo.nserl.purdue.edu/rusle2\_dataweb/RUSLE2\_Index.htm. Additional information may be obtained from the United States Department of Agriculture, Agricultural Research Service, 1400 Independence Avenue, S.W., Washington DC 20250, (202) 720-3656. Erosion Factor T for Illinois soils is available from the United States Department of Agriculture, Natural Resources Conservation Service, Illinois Office, 2118 W. Park Court, Champaign IL 61821, (217) 353-6600. The published soil surveys for Illinois are available at http://www.nrcs.usda.gov.

- 5) Surface application may only occur if the setbacks equal three times the otherwise applicable setbacks by Sections 502.615 and 502.645 if the slope of the field is between 2 percent and 5 percent. This setback requirement does not include the <u>quarter-milequarter mile</u> distance from residences contained in Section 502.645(a); and
- 6) For fields with slopes of less than 2 percent, the surface application may only occur if the setbacks equal two times the otherwise applicable setbacks required by Sections 502.615 and 502.645. This setback requirement does not include the <u>quarter-milequarter mile</u> distance from residences contained in Section 502.645(a).

# Section 502.635 Manure and Soil Sampling and Analysis

a) Soil Phosphorus Sampling. Soil samples <u>mustshall</u> be obtained and analyzed from each field of the land application area where applications are planned. Fields where livestock waste is applied <u>mustshall</u> be sampled twice for each field during the <u>permit's</u> term of the <u>permit</u>. Soil testing must be conducted as follows:

- 1) Soil sampling for phosphorus <u>must shall be followin accordance with</u> the sampling protocols in Chapter 8 of the Illinois Agronomy Handbook, 24<sup>th</sup> Edition, incorporated by reference at 35 Ill. Adm. Code 501.200.

  Laboratory analysis for soil phosphorus (Bray P1 or Mehlich 3) <u>must shall</u> be in accordance with Recommended Chemical Soil Test Procedures for the North Central Region, incorporated by reference at 35 Ill. Adm. Code 501.200;
- 2) Soil samples <u>mustshall</u> be at the same time in the cropping cycle and rotation so that results are comparable year to year; and
- 3) The two required soil samples for each field must be taken at least one year apart.

## b) Manure Sampling.

- The CAFO owner or operator <u>mustshall</u> annually obtain a laboratory analysis of the nutrient content representative of the livestock waste to be land applied as provided within the nutrient management plan. Livestock waste <u>mustshall</u> be sampled during the application process. Multiple subsamples <u>mustshall</u> be obtained and combined into one sample so that a representative sample is obtained for analysis. Results of a sample taken during waste application the previous year can be used for plan preparation unless there has been a change in the waste management practices during the year. The analytical results of livestock waste samples <u>mustshall</u> be used for <u>calculatingealeulation of</u> the application rate <u>the NPDES permit allows</u> allowed by the NPDES permit.
- The laboratory analysis of the livestock waste sample <u>mustshall</u> include total <u>Kjeldahlkjeldahl</u> nitrogen, ammonia or ammonium nitrogen, total phosphorus, total potassium, and percent total solids. The nutrient results <u>mustshall</u> be reported on the laboratory analysis sheet on a lb/ton or mg/kg dry weight basis or lb/1000 gal or mg/L wet weight basis. The results of these analyses are to be used in determining application rates for livestock waste.

(Source: Amended at 48 III. Reg.	, effective	
----------------------------------	-------------	--

## Section 502.640 Inspection of Land Application Equipment for Leaks

- a) For all permitted CAFOs that land apply livestock waste, the CAFO owner or operator must periodically inspect equipment used for land application of livestock waste for leaks or problems that result in improper operation.
- b) The CAFO owner or operator must ensure that the land application equipment is properly calibrated <u>on a routine basis</u> for <del>application of</del> livestock waste <u>application</u> on a routine basis.

	c)	Calibration procedures and schedules <u>mustshall</u> be described for all equipment in the CAFO's nutrient management plan.				
	(Sourc	e: Ame	nded at 48 III. Reg	, effective	)	
Sectio	n 502.6	45 Lan	nd Application Setback	Requirements		
	a)	Distance from Residences				
		Livestock waste <u>mustshall</u> not be land applied within ½ mile of any residence not part of the CAFO; unless it is injected or incorporated on the day of application.				
	b)	Setbacks from Waters				
		1)	water, unless the water includes, but is not limit	is upgrade or there is ted to, diking that pr	ed within 200 feet of surface s adequate diking, which events runoff from the land t are within 200 feet of the	
		2)	drainage wells, sinkholo waters, unless a 35-foot application area and the	dient open subsurfaces, grassed waterway 35 foot vegetative be grassed waterways,	ed within 100 feet of e drainage intakes, agricultura es, or other conduits to surface uffer exists between the land open subsurface drainage es, or other conduits to surface	
		3)	demonstrates is able to	demonstrate to the A implementing imple including, but not line specific conditions we or better than the re	vill provide pollutant eductions that <del>would be</del>	
	c)		ock waste mustshall not on or incorporation meth	• •	ear flood plain unless the used.	
	d)	Livestock waste <u>mustshall</u> not be land applied to waters of the United States, grassed waterways, or other conduits to surface waters.				
	e)	Livestock waste <u>mustshall</u> not be land applied within 150 feet of potable water supply wells.				
	(Sourc	e: Ame	ource: Amended at 48 Ill. Reg. , effective )			

### SUBPART G: ADDITIONAL LIVESTOCK WASTE DISCHARGE LIMITATIONS

# Section 502.710 New Source Performance Standards for Dairy Cows and Cattle Other Than Veal Calves

- a) New Source Performance Standards (NSPS) Applicability
  - Any CAFO with the capacity to stable or confine 700 or more mature dairy cows, whether milked or dry, or 1,000 or more cattle other than mature dairy cows or veal calves that is a new source must achieve the livestock waste discharge limitations representing the application of NSPS as of the date of permit coverage or within the timelines provided in Section 502.303.
- b) The livestock waste discharge limitations representing NSPS for the CAFO production area for CAFOs subject to this Section are the livestock waste discharge limitations found in Sections 502.605 and 502.610.
- c) The livestock waste discharge limitations representing NSPS for the CAFO land application area are the livestock waste discharge limitations and requirements found in Sections 502.615 through 502.645.
- d) <u>CAFOs subject to this Section must comply with Subpart F as of the date of permit coverage or within the timelines provided in Section 502.303CAFOs subject to this Section shall attain the limitations and requirements in Subpart F as of the date of permit coverage or within the timelines provided in Section 502.303.</u>

(	Source:	Amended	I at 48 II.	I. Reg.	, effective

# Section 502.720 Horse and Sheep CAFOs: BPT, BAT, and NSPS

This Section contains the effluent limitations applicable to discharges resulting from the production area at horse and sheep CAFOs. The limitations and requirements of this Section are applicable on the date of permit coverage. CAFOs subject to this Section shall attain the limitations and requirements of this Section as of the date of permit coverage. CAFOs with the capacity to stable or confine fewer than 10,000 sheep or fewer than 500 horses are exempt from these effluent limitations.

- a) Effluent Limitations Attainable by the Application of the Best Practicable Control Technology Currently Available (BPT) for Horse and Sheep CAFOs
  - 1) Except as provided in subsection (a)(2), any existing point source subject to this Section <u>mustshall</u> have no <u>process wastewater pollutant</u> discharge <u>into theof process wastewater pollutants</u> to waters of the United States.

    <u>AchievingAchievement of no process wastewater discharge to waters of</u>

- the United States is the effluent limitation representing the application of BPT for horse and sheep CAFOs.
- Process waste pollutants in the overflow may be discharged to waters of the United States whenever rainfall events, either chronic or catastrophic, cause <u>process wastewater toan</u> overflow of process waste water from a facility designed, constructed, and operated to contain all <u>process-generated process generated</u> wastewaters plus the runoff from a 10-year, 24-hour rainfall event for the <u>location of the point source's location source</u>.
- b) Effluent Limitations Attainable by the Application of the Best Available Technology Economically Achievable (BAT) for Horse and Sheep CAFOs
  - 1) Except when the provisions of subsection (b)(2) appliesapply, any existing point source subject to this Section must not shall have no discharge of process wastewater pollutants into the to-waters of the United States.

    Achieving Achievement of no process wastewater discharge into the to waters of the United States is the effluent limitation representing the application of BAT for Horse and Sheep CAFOs.
  - Whenever rainfall events cause an overflow of process wastewater from a facility designed, constructed, operated, and maintained to contain all process-generated wastewaters plus the runoff from a 25-year, 24-hour rainfall event at the location of the point source's location source, any process wastewater pollutants in the overflow may be discharged to waters of the United States.
- c) New Source Performance Standards (NSPS) for Horse and Sheep CAFOs Except as provided in subsection (b)(2), any new source subject to this Section mustshall have no discharge of process wastewater pollutants into theto waters of the United States. Achieving Achievement of no process wastewater discharge into the to-waters of the United States is the performance standard representing NSPS for horse and sheep CAFOs.

	- EE A !
(Source: Amended at 48 Ill. Reg.	, effective

#### Section 502.730 Duck CAFOs: BPT and NSPS

This Section contains the effluent limitations applicable to discharges resulting from the production areas at dry lot and wet lot duck CAFOs. CAFOs subject to this Section <u>mustshall</u> attain the limitations and requirements of this Section as of the date of permit coverage. CAFOs with the capacity to stable or confine fewer than 5,000 ducks are exempt from these effluent limitations.

a) Effluent Limitations Attainable by the Application of the Best Practicable Control Technology Currently Available (BPT) for Wet Lot and Dry Lot Duck CAFOs.

Any existing point source subject to this Section <u>mustshall</u> achieve the following effluent limitations representing the degree of effluent reduction attainable by <u>applyingthe application of BPT</u>:

- 1) BOD<sub>5</sub> is limited to a maximum daily limit of 3.66 pounds/1,000 ducks or 1.66 kg/1,000 ducks.
- 2) BOD<sub>5</sub> is limited to a maximum monthly average of 2.0 pounds/1,000 ducks or 0.91 kg/1,000 ducks.
- 3) Fecal coliform is not to exceed the most probable number (MPN) of 400/100 ml at any time.
- b) New Source Performance Standards for Wet Lot and Dry Lot Duck CAFOs
  - 1) Except as provided in subsection (b)(2), any new source subject to this Section <u>mustshall not have no</u> discharge of process wastewater pollutants <u>into the to waters of the United States. Achieving Achievement of no process wastewater discharge <u>into the to-waters of the United States is the performance standard representing NSPS for duck CAFOs.</u></u>
  - Whenever rainfall events cause an overflow of process wastewater from a facility designed, constructed, operated, and maintained to contain all process-generated wastewaters plus the runoff from a 25-year, 24-hour rainfall event at the location of the point source's location source, any process wastewater pollutants in the overflow may be discharged to waters of the United States.

,	Source	Amended at	19 III Dag	, effective )	
(	Source:	Amended at	40 m. Keg.	, effective	,

# SUBPART H: NEW SOURCE PERFORMANCE STANDARDS FOR NEW SWINE, POULTRY AND VEAL LARGE CAFOS

#### Section 502.800 Applicability

- a) This Subpart applies to all new swine, poultry, and veal CAFOs with the capacity to stable or confine the <u>total amount of specific animals numbers of animals of the types</u> provided for in the definition of large CAFOs in Section 502.103.
- b) <u>This The requirements of this Subpart H isare</u> in addition to the livestock waste discharge limitations and technical standards in Subpart F, except Section 502.605.
- c) The limitations and requirements of this Subpart must be attained are applicable on the date of NPDES permit coverage as of the date of NPDES permit coverage or within the timelines provided in Section 502.303.

(Sourc	e: Amended at 48 Ill. Reg, effective)
Section 502.8	20 Land Application Area Requirements
	abject to this Subpart, the land application areas <u>mustshall</u> attain the same d requirements as specified in Sections 502.615 through 502.645.
(Sourc	e: Amended at 48 Ill. Reg, effective)
Section 502.8 Limitations	30 Alternative Best Management Practice Livestock Waste Discharge
a)	Any CAFO subject to this Subpart may request that the Agency establish NPDES permit best management practice (BMP) livestock waste discharge limitations designed to ensure no discharge of livestock waste based upon a site-specific evaluation of the CAFO's open surface livestock storage structure.
b)	The NPDES permit <u>BMPs for BMP</u> -livestock waste discharge limitations must address the CAFO's entire production area. In the case of any CAFO using an open surface livestock waste storage structure for which the Agency establishes <del>such</del> livestock waste discharge limitations, "no discharge of livestock waste pollutants," as used in this Subpart H, means that the storage structure is designed operated, and maintained in accordance with <u>BMPs BMP established by</u> the Agency <u>established</u> on a site-specific basis after a technical evaluation of the storage structure.
c)	The technical evaluation must address the elements listed in Section 502.840.
(Source	e: Amended at 48 Ill. Reg, effective)
Section 502.8	40 Technical Evaluation

All technical evaluations conducted <u>underpursuant to</u> this Subpart H must address the minimum elements contained in this Section. Waste management and storage facilities designed, constructed, operated, and maintained consistent with the analysis conducted in subsections (a) through (g) and operated in accordance with the additional measures and records required by Section 502.610 will fulfill the requirements of this Subpart.

- a) Information to be used in the design of the open manure storage structure including, but not limited to:
  - 1) Minimum storage periods for rainy seasons;
  - 2) Additional minimum capacity for chronic rainfalls;

- 3) Applicable technical standards that prohibit or otherwise limit land application on frozen, saturated, or snow-covered ground found in Section 502.630;
- 4) Planned emptying and dewatering schedules consistent with the CAFO's nutrient management plan;
- 5) Additional storage capacity for livestock waste intended to be transferred to another recipient at a later time; and
- 6) Any other factors that would affect the sizing of the structure.
- b) The design of the open livestock waste storage structure as determined <u>underin</u> accordance with 40 CFR 412.46(a)(1)(ii), incorporated by reference at 35 Ill. Adm. Code 501.200, or equivalent design software or procedures approved by the Agency.

BOARD NOTE: NRCS Animal Waste Management (AWM) software specified under 40 CFR 412.46(a)(1)(ii) is available at http://www.nrcs.usda.gov. Additional information may be obtained from the United States Department of Agriculture, Agricultural Research Service, 1400 Independence Avenue, S.W., Washington DC 20250, (202) 720-3656.

- c) All inputs used in the open livestock waste storage structure design, including:
  - 1) actual climate data for the previous 30 years, consisting of historical average monthly precipitation and evaporation values;
  - 2) the number and types of animals;
  - 3) anticipated animal sizes or weights;
  - 4) any added water and bedding;
  - 5) any other process wastewater; and
  - 6) the size and condition of outside areas exposed to rainfall and contributing runoff to the open livestock waste storage structure.
- d) The planned minimum period of storage in months, including, but not limited to, the factors for designing an open livestock waste storage structure described in subsection (a). Alternatively, the CAFO may determine the minimum period of storage by specifying times the storage pond will be emptied consistent with the CAFO's nutrient management plan.
- e) Site-specific predicted design specifications, including:

- 1) dimensions of the storage facility;
- 2) daily manure and wastewater additions;
- 3) the size and characteristics of the land application areas; and
- 4) the total calculated storage period in months.
- f) An evaluation of the adequacy of the designed manure storage structure <u>underin</u> accordance with 40 CFR 412.46(a)(1)(vi), incorporated by reference at 35 Ill. Adm. Code 501.200.
  - 1) The evaluation must include all inputs used in the simulation, including but not limited to:
    - A) daily precipitation, temperature, and evaporation data for the previous 100 years;
    - B) user-specified soil profiles representative of the CAFO's land application areas;
    - C) planned crop rotations consistent with the CAFO's nutrient management plan; and
    - D) the final modeled result of no overflows from the designed open livestock waste storage structure.
  - 2) For those CAFOs where 100 years of local weather data for the CAFO's location is not available, CAFOs may use a simulation with a confidence interval analysis conducted over a period of 100 years.
  - The adequacy of the designed manure storage structure may be evaluated using equivalent evaluation and simulation procedures approved by the Agency approves.

BOARD NOTE: The Soil Plant Air Water (SPAW) Hydrology Tool specified at 40 CFR 412.46(a)(1)(vi) is available at <a href="https://hrsl.ba.ars.usda.gov/SPAW/Index.htm">https://hrsl.ba.ars.usda.gov/SPAW/Index.htm</a>
<a href="http://hydrolab.arsusda.gov/SPAW/Index.htm">http://hydrolab.arsusda.gov/SPAW/Index.htm</a>. Additional information may be obtained from the United States Department of Agriculture.

may be obtained from the United States Department of Agriculture, Agricultural Research Service, 1400 Independence Avenue, S.W., Washington DC 20250, (202) 720-3656.

g) The Agency may waive the requirement in subsection (f) for a site-specific evaluation of the designed livestock waste storage structure and instead authorize

a CAFO to use a technical evaluation developed for a class of specific facilities within a specified geographical area.

h) The Agency may request additional information to support a request for livestock waste discharge limitations based on a site-specific open surface livestock waste storage structure.

(Source: Amended at 48 Ill. Reg. \_\_\_\_\_, effective \_\_\_\_\_)

#### Section 502.APPENDIX A References to Previous Rules (Repealed)

The following table is provided to aid in referencing old Board rule numbers to sections numbers pursuant to codification.

Chapter 5: Agriculture Related Pollution Part II, Permits	35 Ill. Admin. Code 502
Rule 201	Section 502.101
Rule 202	Section 502.102
Rule 202(a)	Section 502.103
Rule 202(b)	Section 502.104
Rule 202	Section 502.105
Rule 203	Section 502.106
Rule 204	Section 502.201
Rule 205	Section 502.202
Rule 206(a)	Section 502.203
Rule 206(b)	Section 502.204
Rule 207(a)	Section 502.205
Rule 207(b)	Section 502.206
Rule 207(c)	Section 502.207
Rule 208	Section 502.301
Rule 209(a)	Section 502.302
Rule 209(b)	Section 502.303
Rule 210	Section 502.304
Rule 105	Section 502.305
Rule 211	Section 502.401
Rule 212	Section 502.402
Rule 213	Section 502.403
(Source: Repealed at 48 III. Reg.	, effective)

# TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE E: AGRICULTURE RELATED POLLUTION CHAPTER I: POLLUTION CONTROL BOARD

#### PART 503 OTHER AGRICULTURAL AND SILVICULTURAL ACTIVITIES

503.101 503.102 503.103	Fish and Aquatic Animal Production Facilities Irrigation Activities Silvicultural Activities	
503.APPENDIX A	References to Previous Rules (Repealed)	
AUTHORITY: Implementing Sections 9, 12, 13, 21, and 22 of the Environmental Protection Act [415 ILCS 5/9, 12, 13, 21 and 22] and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/27].		
SOURCE: Filed and effective January 1, 1978; amended at 2 Ill. Reg. 44, p. 137, effective October 30, 1978; codified at 7 Ill. Reg. 10592; amended in R18-25 at 48 Ill. Reg, effective		

#### Section 503.101 Fish and Aquatic Animal Production Facilities

Section

- a) A National Pollutant Discharge Elimination System (NPDES) permits <u>isare</u> required for the construction, modification, or operation of <u>a facility that contains</u>, <u>grows</u>, or holds facilities such as hatcheries, fish farms or other facilities which contain, grow or hold aquatic animals in ponds, raceways, or other similar structures for purposes of production, <u>such as a hatchery or fish farm</u>, and that <u>discharges</u> and from which there is or may be a discharge for any 30 or more days per year, except that <u>an NPDES permit is NPDES permits are</u> not required for:
  - 1) <u>A closed pond Closed ponds</u> that discharges which discharge only during periods of excess runoff; or
  - 2) <u>A facility that produces Facilities which produce</u> less than 20,000 pounds of aquatic animals per year.
- h NPDES permit is NPDES permits are required for any fish or aquatic animal facility that which contains, grows, or holds any species of fish or other aquatic animal life non-native to the United States, and that discharges from which there is a discharge to a navigable water at any time. Non-native The non-native species of fish are identified as defined in Special Publication No. 6 of the American Fisheries Society, entitled "A List of Common and Scientific Names of Fishes from the United States and Canada" (Washington, D.C., American Fisheries Society, 1970); except that carp (Cyprinus Cyprinum carpio), goldfish (Carassius)

auratus), and brown trout (Salm purposes of this regulation.	no trutta) are considered to be native species for
(Source: Amended at 48 Ill. Reg	, effective)
Section 503.APPENDIX A References to P	revious Rules (Repealed)
The following table is provided to aid in reference section numbers pursuant to codification.	encing old Board rule numbers to
Chapter 5: Agriculture Related	
Pollution Part III, Other Agricultural	
and Silvicultural Activities	35 Ill. Admin. Code 503

Section 503.101

Section 503.103

(Source: Repealed at 48 Ill. Reg.\_\_\_\_\_, effective\_\_\_\_)

Section 503.102

Rule 303

# TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE E: AGRICULTURE RELATED POLLUTION CHAPTER I: POLLUTION CONTROL BOARD

#### PART 506 LIVESTOCK WASTE REGULATIONS

#### SUBPART A: GENERAL PROVISIONS

Section	
506.101	Applicability
506.102	Severability
506.103	Definitions
506.104	Incorporations by Reference
506.105	Recordkeeping (Repealed)
506.106	Alternatives, Modifications, and Waivers

## SUBPART B: STANDARDS FOR THE DESIGN AND CONSTRUCTION OF LIVESTOCK WASTE LAGOONS

Section	
506.201	Applicability
506.202	Site Investigation
506.203	Registration (Repealed)
506.204	Lagoon Design Standards
506.205	Liner Standards
506.206	Groundwater Monitoring
506.207	Construction in a Karst Area
506.208	Construction in a Flood Fringe Area
506.209	Lagoon Closure and Ownership Transfer (Repealed)
506.210	Secondary Containment

### SUBPART C: STANDARDS FOR THE DESIGN AND CONSTRUCTION OF LIVESTOCK WASTE HANDLING FACILITIES OTHER THAN LAGOONS

Section	
506.301	Applicability
506.302	Site Investigation
506.303	Non-lagoon Livestock Waste Storage Volume Requirements
506.304	General Design and Construction Standards
506.305	Additional Concrete Design and Construction Standards
506.306	Additional Metal Design and Construction Standards
506.307	Additional Earthen Material Design and Construction Standards
506.308	Additional Synthetic Material Design and Construction Standards
506.309	Additional Wooden Material Design and Construction Standards

506.310	Additional Design and Construction Standards for Construction in an Area with		
506.311	Shallow Aquifer Material Additional Design and Construction Standards for Construction in a Flood Fringe		
300.311	Area		
506.312	Additional Design and Construction Standards for Construction in a Karst Area		
506.313	Plan Updates (Repealed)		
506.314	Penalties (Repealed)		
	SUBPART D: CERTIFIED LIVESTOCK MANAGER		
Section			
506.401	Applicability (Repealed)		
	SUBPART E: PENALTIES		
	SUBPART E: PENALTIES		
Section			
506.501	General (Repealed)		
	SUBPART F: FINANCIAL RESPONSIBILITY		
Section			
506.601	Scope, Applicability, and Definitions (Repealed)		
506.602	Mechanisms for Providing Evidence of Financial Responsibility (Repealed)		
506.603	Level of Surety (Repealed)		
506.604	Upgrading Surety Instrument (Repealed)		
506.605	Release of Lagoon Owner and Financial Institution (Repealed)		
506.606	Financial Responsibility Proceeds (Repealed)		
506.607	Use of Multiple Surety Instruments (Repealed)		
506.608	Use of a Single Surety Instrument for Multiple Lagoons (Repealed)		
506.610	Commercial or Private Insurance (Repealed)		
506.611	Guarantee (Repealed)		
506.612	Surety Bond (Repealed)		
506.613	Letter of Credit (Repealed)		
506.614	Certificate of Deposit or Designated Savings Account (Repealed)		
506.615	Participation in a Livestock Waste Lagoon Closure Fund (Repealed)		
506.620	Penalties (Repealed)		
	SUBPART G: SETBACKS		
Section			
506.701	Applicability (Repealed)		
506.702	Procedures (Repealed)		
506.703	Initial Determination of Setbacks (Repealed)		
506.704	Penalties (Repealed)		
506.APPEND	OIX Surety Instruments (Repealed)		

506.ILLUSTRATION A Surety Bond (Repealed)506.ILLUSTRATION B Irrevocable Standby Letter of Credit (Repealed)

AUTHORITY: Authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/27] and Section 55 of the Livestock Management Facilities Act and implementing the Livestock Management Facilities Act [510 ILCS 77].

SOURCE: Adopted in R97-15(A) at 21 III. Reg. 6851, effective May 20, 1997; amended in R97-15(B) at 22 III. Reg.20605, effective November 12, 1998; amended in R01-28 at 25 III. Reg. 14883, effective November 15, 2001; amended in R18-25 at 48 III. Reg.\_\_\_\_\_\_, effective

#### SUBPART A: GENERAL PROVISIONS

#### Section 506.101 Applicability

This Subpart applies to 35 Ill. Adm. Code 506. The applicability of Subpart B, Standards for the Design and Construction of Livestock Waste Lagoons, is <u>stated inset forth at Section 506.201 of this Part</u>. The applicability of Subpart C, Standards for the Design and Construction of Livestock Waste Handling Facilities Other Than Lagoons, is <u>stated inset forth at Section 506.301 of this Part</u>.

BOARD NOTE: Upon the effective date of this Part, the emergency rules at 35 Ill. Adm. Code 505, Livestock Waste Regulations, will no longer apply. This Part will take the place of those emergency rules. Additionally, the standards and specifications for the construction of livestock waste handling facilities contained in this Part shall be used in conjunction with the regulations at 8 Ill. Adm. Code 900.

(8	Source:	Amended a	at 48 Ill. Reg.	. effective

#### **Section 506.103 Definitions**

Except as stated in this Section, or unless a different meaning of a word or term is clear from the context, the definition of words or terms in this Part <u>mustshall</u> be the same as that applied to the same words or terms in the Environmental Protection Act [415 ILCS 5] or the Livestock Management Facilities Act [510 ILCS 77]. For the purposes of this Part, the terms included in this Section shall have the following meanings:

"Animal Feeding Operation" means a feeding operation as defined in the Illinois Environmental Protection Act and the rules promulgated under that Act concerning agriculture related pollution. [510 ILCS 77/10.7]

"Animal Unit" means a unit of measurement for any animal feeding operation calculated as follows:

*Brood cows and slaughter and feeder cattle multiplied by 1.0.* 

*Milking dairy cows multiplied by 1.4.* 

Young dairy stock multiplied by 0.6.

Swine weighing over 55 pounds multiplied by 0.4.

Swine weighing under 55 pounds multiplied by 0.03.

84

Sheep, lambs, or goats multiplied by 0.1.

Horses multiplied by 2.0.

Turkeys multiplied by 0.02.

Laying hens or broilers multiplied by 0.005.

Laying hens or broilers multiplied by 0.01 (if the facility has continuous overflow watering).

Laying hens or broilers multiplied by 0.03 (if the facility has a liquid manure handling system).

Ducks multiplied by 0.02. [510 ILCS 77/10.10]

For species of animals in an animal feeding operation not specifically listed in this definition, the animal unit factor is shall be determined by dividing the average mature animal weight by 1,000. The Department must determine the average mature animal weight The average mature animal weight shall be determined by the Department-with guidance from the University of Illinois Cooperative Extension Service.

"Aquifer material" means sandstone that is five feet or more in thickness, or fractured carbonate that is ten feet or more in thickness; or sand, gravel, or sand and gravel, as defined in this Section, such that there is at least two feet or more present within any <u>five-footfive foot</u> section of a soil boring performed in <u>compliance accordance</u> with Sections 506.202 and 506.302 of this Part.

"Department" means the Illinois Department of Agriculture. [510 ILCS 77/10.20].

"Filter Strip" means a strip or area of vegetation for removing sediment, organic material, organisms, nutrients, and chemicals from runoff or wastewater. A filter strip must be sized to process the amount of material expected to be released from the lagoon.

"Flood fringe" means that portion of the floodplain outside the floodway.

"Floodplain" means thethat land adjacent to a body of water with ground surface elevations at or below the 100-year frequency flood elevation.

85

"Floodway", for the six counties including Cook, DuPage, Kane, Lake, McHenry, and Will, means the channel and that portion of the floodplain adjacent to a stream or watercourse as designated by the Illinois Department of Natural Resources underpursuant to-Section 18g of the Rivers, Lakes, and Streams Act [615 ILCS 5/18g], which is needed to store and convey the anticipated future 100-year frequency flood discharge with no more than a 0.1-foot increase in stage due to the loss of flood conveyance or storage, and no more than a 10% increase in velocities. [615 ILCS 5/18g(d)(1)] For the remaining 96 counties, "floodway" means the channel of a river, lake, or stream and that portion of the adjacent land area that is needed to safely store and convey flood waters. Where floodways have been delineated for regulatory purposes, the mapped lines show the floodway encroachment limits and will be used. For other areas, floodway limits will be estimated, using hydrologic and hydraulic calculations, to preserve adequate conveyance and storage so that stage increases for the 100-year frequency flood would not exceed 0.1 foot.

"Grass Waterway" means a natural or constructed waterway, usually broad and shallow covered with erosion-resistant grasses, used to conduct surface water from or through a cropland. A grass waterway is used to convey any lagoon release to an area or structure where it would be contained, such as at an additional berm, or processed, such as at a filter strip, or conveyed to another area, such as by a terrace.

"Gravel" or "Sand and gravel" means unconsolidated materials that contain a matrix (particles of two millimeters or less) that is consistent with the definition of "sand" and particles larger than two millimeters in size.

"Karst Area" means an area with a land surface containing sinkholes, large springs, disrupted land drainage, and underground drainage systems associated with karstified carbonate bedrock and caves or a land surface without these features but containing a karstified carbonate bedrock unit generally overlain by less than 60 feet of unconsolidated materials. [510 ILCS 77/10.24]

"Karstified Carbonate Bedrock" means a carbonate bedrock unit (limestone or dolomite) that has a pronounced conduit or secondary porosity due to dissolution of the rock along joints, fractures, or bedding plains. [510 ILCS 77/10.26]

"Lagoon" or "earthen livestock waste lagoon" means any excavated, diked, or walled structure or combination of structures designed for biological stabilization and storage of livestock wastes. A lagoon does not include structures such as manufactured slurry storage structures or pits under buildings as defined in rules under the Environmental Protection Act concerning agriculture related pollution. [510 ILCS 77/10.25]

"Licensed Professional Engineer" means a person, corporation, or partnership licensed under the laws of the State of Illinois to practice professional engineering. [415 ILCS 5/57.2]

"Licensed Professional Geologist" means an individual who is licensed under the laws of the State of Illinois to engage in the practice of professional geology in Illinois. [225 ILCS 745/15]

"Livestock Management Facility" means any animal feeding operation, livestock shelter, or on-farm milking and accompanying milk-handling area. Two or more livestock management facilities under common ownership, where the facilities are not separated by a minimum distance of ½ ½ ½/4-mile, and that share a common livestock waste handling facility willshall be considered a single livestock management facility. Livestock management facilities at educational institutions, livestock pasture operations, facilities where animals are housed on a temporary basis such as county and state fairs, livestock shows, race tracks, and horse breeding and foaling farms, and market holding facilities are not subject to the Livestock Management Facilities Act or the requirements of this Part. [510 ILCS 77/10.30]

"Livestock shelter" means any covered structure, including but not limited to livestock houses or barns, in which livestock are enclosed at any time.

"Livestock Waste" means livestock excreta and associated losses, bedding, wash waters, sprinkling waters from livestock cooling, precipitation polluted by falling on or flowing onto an animal feeding operation, and other materials polluted by livestock. [510 ILCS 77/10.35]

"Livestock Waste Handling Facility" means individually or collectively those immovable constructions or devices, except sewers, used for collecting, pumping, treating, or disposing of livestock waste or for the recovery of by-products from the livestock waste. Two or more livestock waste handling facilities under common ownership and where the facilities are not separated by a minimum distance of 1/4 mile willshall be considered a single livestock waste handling facility. [510 ILCS 77/10.40] The Livestock Management Facilities Act and this Part do not apply to: livestock waste handling facilities at educational institutions; livestock pasture operations; or facilities where animals are housed on a temporary basis, such as county and State fairs, livestock shows, race tracks, horse breeding and foaling farms, and market holding facilities.

"Maintained" means, with reference to a livestock waste lagoon, that the livestock waste lagoon is inspected (including but not limited to inspection for burrow holes, trees and woody vegetation, proper freeboard, erosion, settling of the berm, berm-topberm top integrity, leaks, and seepage) and preventive action is taken as necessary to assure the integrity of the lagoon and its berm and associated appurtenances.

"Modified" means structural changes to a lagoon that increase its volumetric capacity. [510 ILCS 77/10.43]

"New Facility" means a livestock management facility or a livestock waste handling facility the construction or expansion of which is commenced on or after May 1921, 1996 (the effective date of the Livestock Management Facilities Act). Expanding a facility where the fixed capital cost of the new components constructed within a 2-year period does not exceed 50% of the fixed capital cost of a comparable entirely new facility will not be consideredshall not be deemed a new facility as used in the Livestock Management Facilities Act. [510 ILCS 77/10.45] For facilities that have stopped eased operation on or after July 12<del>13</del>, 1999, starting<del>commencement of operations at a facility that has</del> livestock shelters left intact and that has completed the requirements imposed under Section 13(k) of the Livestock Management Facilities Act [510 ILCS 77/13(k)] and 8 Ill. Adm. Code 900.508. [510 ILCS 77/13(k)] For facilities that have stoppedeeased operation before<del>prior to</del> July 13, 1999, starting<del>commencement of</del> operations at a facility that has livestock shelters left intact and that has been operated as a livestock management facility or livestock waste handling facility for 4 consecutive months at any time within the previous 10 years is shall not be considered a new or expanded livestock management or waste handling facility.

87

"Owner or Operator" means any person who owns, leases, controls, or supervises a livestock management facility or livestock waste-handling facility. [510 ILCS 77/10.50]

"Person" means any individual, partnership, co-partnership, firm, company, corporation, association, joint stock company, trust, estate, political subdivision, state agency, or any other legal entity or their legal representative, agent, or assigns. [510 ILCS 77/10.55]

"Placed in service" means the placement of livestock waste in a livestock waste handling facility <u>once the upon the completion of</u> construction or modification <u>is completed</u> in <u>complianceaccordance</u> with <u>the requirements of</u> this Part.

"Sand" means unconsolidated materials, where 70% or more of the particles are of size 0.06 millimeters to 2.00 millimeters, and which, according to the USDA soil texture classification scheme, includes soil textures of sand, and loamy sand, and portions of sandy loam and sandy clay loam.

"Seasonal high water table" means the highest level of the water table encountered annually on a yearly basis, where water table is the surface on which the fluid pressure in the soil pore space is equal to the atmospheric pressure. The location of the water table is determined by the level at which water stands in a shallow well open along its length and penetrating the surficial deposits just deeply enough to encounter standing water in the bottom.

"Terrace" means an embankment or combination of embankment and channel constructed across a slope to control erosion by diverting and temporarily storing surface runoff instead of permitting it to flow uninterrupted down the slope. A terrace may be used to convey the released material to a grass waterway, a filter strip, or a secondary berm.

"USDA-NRCS" means the United States Department of Agriculture's Natural Resources Conservation Service.

"Void" means an underground opening generally produced by <u>the</u> dissolution of rock in a karst area.

"Water table" means the surface on which the fluid pressure in the soil pore space is equal to the atmospheric pressure. The location of the water table is determined by the level at which water stands in a shallow well open along its length and penetrating the surficial deposits just deeply enough to encounter standing water in the bottom.

(Source:	Amended at 48 Ill. Reg.	, effective
(Dource.	i illicitaca at 10 illi. iteg.	, 011001110

#### Section 506.106 Alternatives, Modifications, and Waivers

- a) All requests for alternatives, modifications, and waivers to this Part, where allowed by Sections 13(e) and 15(a) of the Act [510 ILCS 77/13(e),15(a)] or this Part <u>mustshall</u> be made in writing to the Department. Construction <u>mustmay</u> not begin or continue until the request for alternative, modification, or waiver is granted.
- b) Each request for an alternative, modification, or waiver <u>mustshall</u> contain a certification from a Licensed Professional Engineer or Licensed Professional Geologist, as relevant, that the grant of the modification is at least as protective of the groundwater, <u>the</u> surface water, and the structural integrity of the livestock waste management facility as the stated requirements or that the alternative or waiver is at least as protective as the stated requirements.
- c) The Department <u>mustshall</u> notify the applicant in writing of its determination within 30 days after receipt of the request for an alternative, modification, or waiver. To grant the requested alternative, modification, or waiver, the Department must determine that the modification is at least as protective of the groundwater, <u>the</u> surface water, and the structural integrity of the livestock waste management facility as the stated requirements or that the alternative or waiver is at least as protective as the stated requirements.

(Source: Amended at 48 Ill. Reg.	, effective	)

SUBPART B: STANDARDS FOR THE DESIGN AND CONSTRUCTION OF LIVESTOCK WASTE LAGOONS

#### Section 506.201 Applicability

This Subpart <u>applies</u> shall apply to any new or modified lagoon, <u>that the Department has not approved</u> the design for before November 15, 2001. the design of which has not been approved

by the Department prior to November 15, 2001. The standards and specifications for livestock waste lagoon construction contained in this Subpart <u>mustshall</u> be <u>usedutilized</u> in the design plans and construction of the lagoon in <u>compliance accordance</u> with the registration of lagoons required in 8 Ill. Adm. Code 900.Subpart F.

(Source: Amended at 48 Ill. Reg	, effective)
---------------------------------	--------------

#### Section 506.202 Site Investigation

- a) The owner or operator of a lagoon constructed <u>underpursuant to</u> this Subpart <u>mustshall</u> conduct a site investigation in <u>compliance</u> with the <u>requirements of this Section to determine the following:</u>
  - 1) Whether aquifer material is considered present (or not present) within 50 feet of the planned bottom of the lagoon;
  - 2) Whether the proposed lagoon is to be located within the floodway or flood fringe of a 100-year floodplain; and
  - Whether the proposed lagoon is to be located within a karst area or within 400 feet of a natural depression in a karst area.
- b) The owner or operator <u>mustshall</u> perform one or more soil borings that <u>mustshall</u> be located within the final lagoon area or within 20 feet of the final exterior berm toe. The boring <u>mustshall</u> be performed to determine the presence of aquifer material or karstified carbonate bedrock as follows:
  - 1) The soil boring <u>mustshall</u> extend to a depth that includes 50 feet below the planned bottom of lagoon native soil or to bedrock;
  - 2) If bedrock is encountered, additional soil borings may be necessary to verify the presence of aquifer material or karstified carbonate bedrock;
  - 3) Continuous samples must<del>shall</del> be recovered from each soil boring; and
  - 4) Upon completion, the <u>borings must</u> <del>boring(s) shall</del> be properly abandoned and sealed <u>underpursuant to</u> the Illinois Water Well Construction Code at 77 Ill. Adm. Code 920.120.
- c) If the Department determines that additional soil borings are necessary to ensure the protection of the groundwater, the surface water, or the structural integrity of the livestock waste management facility, the Department mustshall require additional soil borings.
- d) As an alternative to performing the soil <u>borings</u> <del>boring(s)</del> required under subsection (b) or (c) <del>of this Section</del>, the owner or operator of the lagoon may

propose to the Department to <u>useutilize</u> alternative information <u>sources</u> <u>source(s)</u>. The Department <u>mustshall</u> evaluate the proposal; determine whether the alternative information <u>sources</u> <u>source(s)</u> will result in a site investigation that will be at least as protective of the groundwater, <u>the</u> surface water, and the structural integrity of the livestock waste management facility as would have resulted from data resulting from soil borings; and notify the owner or operator of the Department's finding.

- e) <u>DespiteNotwithstanding</u> the other requirements of this Subpart, if the site investigation determines that the lagoon is to be located in the flood fringe of a 100-year floodplain, the design of the lagoon <u>must comply with shall include the additional requirements of Section 506.206 of this Subpart.</u>
- f) If the results of the soil boring conducted <u>underpursuant to Section 506.202(b) of this Subpart</u> indicate the proposed lagoon is to be located in a karst area or if the proposed lagoon is to be located within an area designated as "Sink hole areas" on "Karst Terrains and Carbonate Rocks of Illinois", IDNR-ISGS Illinois Map 8, the following requirements must<del>shall</del> be met:
  - The Department <u>mustshall</u> conduct a visual inspection of the surrounding area to determine the presence of natural depressions during the preconstruction site inspection as required <u>underpursuant to 8 Ill.</u> Adm. Code 900.604(a). Construction <u>mustmay</u> not occur within 400 feet of a natural depression in a karst area; and
  - The Licensed Professional Engineer or Licensed Professional Geologist mustshall evaluate the results of the soil boring conducted underpursuant to subsection (b) of this Section. If the soil boring reveals as a result of the soil boring, a void of 1 foot or greater in vertical distance is discovered, the following requirements mustshall be met:
    - A) The Department may require additional borings to determine the extent of the void;
    - B) <u>DespiteNotwithstanding</u> the other requirements of this Subpart, the owner or operator <u>mustshall</u> submit to the Department a plan for the design of the lagoon that <u>mustshall</u> include the additional design requirements <u>statedset forth</u> in Section 506.207 of this Part and <u>mustshall</u> include any additional design requirements <u>deemed</u> necessary by the Licensed Professional Engineer; and
    - C) The Department <u>mustshall</u> review and approve the plan required <u>underpursuant to</u> subsection (f)(2)(B) of this Section <u>before prior</u> to construction. The Department may also require additional design criteria before the plan is approved and construction may begin. If as a result of the soil boring, no voids of 1 foot or greater

in vertical distance are discovered from the soil boring performed, the design must shall include the additional requirements set forth in Section 506.207 of this Subpart.

g) The site investigation in <u>compliance accordance</u> with subsection (b), (c), (d), (e), or (f) <u>must of this Section shall</u> be conducted under the direction of a Licensed Professional Engineer or Licensed Professional Geologist.

(Source: Amended at 48 Ill. Reg., effective	ctive )
---	---------

#### Section 506.204 Lagoon Design Standards

- a) The owner or operator of *any livestock waste lagoon subject to* this Subpart mustshall construct or modify the lagoon in accordance with:
  - "Design of anaerobic lagoons for animal waste management", ASAE Engineering Practice 403.2; or the guidelines published by the United States Department of Agriculture's Natural Resource Conservation Service titled "Waste Treatment Lagoon", which are incorporated by reference in Section 506.104 of this Part; and
  - 2) The additional design standards specified in subsections (c) through (h) of this Section. [510 ILCS 77/15(a)]
- b) The department may require changes in design or additional requirements to protect groundwater, such as extra liner depth or synthetic liners, when it appears groundwater could be impacted. [510 ILCS 77/15(a)]
- c) The owner or operator <u>mustshall</u> conduct a site investigation in <u>compliance accordance</u> with Section 506.202 of this Part to determine if aquifer material is present (or not present) within 50 feet of the planned bottom of the lagoon.
- d) The owner or operator <u>mustshall</u>, as a part of the lagoon design, include the use of a liner and implement groundwater monitoring <u>according to the in accordance</u> with following conditions:
  - 1) If the uppermost aquifer material is located above or within 20 feet of the lowest point of the planned lagoon bottom (as measured from the top of any proposed liner), then the lagoon design <u>mustshall</u> include both a liner and groundwater monitoring.
  - 2) If the uppermost aquifer material is located between 20 to 50 feet from the lowest point of the planned lagoon (as measured from the top of any proposed liner), then the lagoon design <u>mustshall</u> include a liner, but no groundwater monitoring is required.

- 3) If no aquifer material is located within 50 feet from the lowest point of the planned lagoon (as measured from the top of any proposed liner), then the lagoon design does not shall require neither a liner or nor groundwater monitoring.
- e) If the owner or operator determines that a liner is required for the lagoon underpursuant to this Section, the design of the lagoon mustshall include an insitu soil liner, borrowed clay or clay/bentonite mixture, or a synthetic liner in compliance with meeting the requirements of Section 506.205 of this Part.
- f) If the owner or operator determines that groundwater monitoring is required for the lagoon <u>underpursuant to</u> this Section, the design of the lagoon <u>must implement shall include the implementation of</u> a groundwater monitoring program in <u>complianceaecordance</u> with Section 506.206 of this Part and 8 Ill. Adm. Code 900.Subpart F.
- g) Any livestock waste lagoon subject to the provisions of this Part mustshall meet or exceed the following:
  - 1) Berm:
    - A) The minimum <u>berm-top</u>bermtop width <u>mustshall</u> be 8 feet;
    - B) The berm may contain no outlet piping that extends through the berm unless the piping discharges to another lagoon or is a component of a recirculating flush system;
  - 2) Berm slope:
    - A) Exterior and normally exposed interior (above the liquid level elevation corresponding to the summation of the sludge volumes and minimum design volume) earthen walls <u>mustshall</u> have side slopes not steeper than a 3 to 1 ratio of horizontal to vertical and a vegetative cover <u>mustshall</u> be established on any exposed berm areas and kept mowed or otherwise maintained to eliminate erosion or other berm deterioration:
    - B) Interior berm earthen walls below the liquid level elevation corresponding to the summation of the sludge volumes and minimum design volume mustshall have side slopes not steeper than a 3 to 1 ratio of horizontal to vertical; or, if designed by a Licensed Professional Engineer and maintained to eliminate berm deterioration, a 2 to 1 ratio of horizontal to vertical if designed by a Licensed Professional Engineer and maintained to eliminate berm deterioration:

- 3) The lagoon's total design volume <u>mustshall</u> be <u>at leastnot less than</u> the volume calculated as the summation of the following:
  - A) A minimum design volume, as calculated <u>underpursuant to</u> subsection 5.4.1.1, ASAE EP403.2, ASAE Standards 1998, pp. 656-659;
  - B) A livestock waste volume, that <u>mustshall</u> be sufficient to store the waste generated by the facility for <u>at least a period of not less than</u> 270 days as determined in <del>accordance with</del> ASAE EP403.2, ASAE Standards 1998, p. 656;
  - C) Runoff and washdownwash down volumes generated during a 270-day period, including all runoff and precipitation from lots, roofs, or other surfaces where collected precipitation is directed into the lagoon, plus the volume of any washdownwash down liquids usedutilized within the facility that are also directed into the lagoon. In no case mustshall this volume be less than the precipitation and runoff generated by a 25-year, 24-hour storm event and directed to the lagoon; and
  - D) A sludge accumulation volume, as calculated <u>underpursuant to</u> subsection 5.4.1.4, ASAE EP403.2, ASAE Standards 1998, p. 658;
- 4) In addition to the lagoon's total design volume, a freeboard <u>mustshall</u> be provided as follows:
  - A) For lagoons serving a livestock management facility with a maximum design capacity of less than 300 animal units and not collecting runoff from areas other than the exposed surface of the lagoon (including associated interior berm slopes and flat bermtopbermtop areas), the top of the settled embankment mustshall be at leastnot less than 1 foot above the fluid surface level of the lagoon total design volume; or
  - B) For all other lagoons, the top of the settled embankment <u>mustshall</u> be <u>at leastnot less than</u> 2 feet above the fluid surface level of the lagoon total design volume;
- Subsurface drainage lines in the immediate area of the livestock waste lagoon <u>mustshall</u> be removed or relocated to provide for a minimum separation distance of <u>at leastnot less than</u> 50 feet between the outermost extent of the lagoon (exterior toe of the berm) and the subsurface drainage line;

- The minimum separation distance between the outermost extent of a lagoon (exterior toe of the berm) and any potential route of groundwater contamination, as defined in the Illinois Environmental Protection Act [415 ILCS 5] mustshall be at leastnot less than 100 feet. In addition, the minimum separation distance between the outermost extent of a lagoon (exterior toe of the berm) and a non-potable well, an abandoned or plugged well, a drainage well, or an injection well mustshall be at leastnot less than 100 feet;
- The design and construction of the lagoon <u>mustshall</u> include the installation of a lagoon liquid level board or staff gauge within the interior of the liquid storage volume. The liquid level board or staff gauge <u>mustshall</u> include a mark at the liquid level elevation corresponding to the summation of the sludge volume and <u>minimum</u> design volume and <u>mustshall</u> be designated as the "STOP PUMPING" elevation. The liquid level board or staff gauge <u>mustshall</u> also be marked at the liquid level elevation corresponding to the summation of the sludge volume, minimum design volume, runoff and <u>washdownwash down</u> volumes, and livestock waste volume and <u>mustshall</u> be designated as the "START PUMPING" elevation;
- 8) The livestock waste supply to a single-stage lagoon must be below the minimum design volume level [510 ILCS 77/25(b)(2)]; and
- 9) The location of the lagoon and the associated livestock management facility <u>must complyshall be in compliance</u> with all setback provisions of the Illinois Environmental Protection Act [415 ILCS 5], the Livestock Management Facilities Act [510 ILCS 77], and the rules promulgated thereunder.
- h) The owner or operator of the earthen livestock lagoon may, upon written request and with written approval from the Department, modify or exceed these standards in order to meet site specific objectives. [510 ILCS 77/15(a)] The owner or operator mustshall demonstrate that such modification is shall be at least as protective of the groundwater, the surface water, and the structural integrity of the livestock waste management facility as the requirements of this Part.

(Source: Amended at 48 III. Reg.	, effective
----------------------------------	-------------

#### Section 506.205 Liner Standards

a) The design of a liner constructed from in-situ soils, borrowed clay or a clay/bentonite mixture, or a synthetic liner <u>underpursuant to Section 506.204(d) of this Part mustshall</u> comply with the requirements of this Section.

- b) A liner constructed using in-situ soil or borrowed clay or clay/bentonite mixtures must<del>shall</del> meet the following standards:
  - 1) The minimum liner thickness <u>mustshall</u> be 2 feet;
  - 2) The liner <u>mustshall</u> be constructed in lifts not to exceed 6 inches in compacted thickness;
  - The liner  $\underline{\text{mustshall}}$  be compacted to achieve a hydraulic conductivity equal to or less than 1 x  $10^{-7}$  centimeters/second; and
  - 4) The construction and compaction of the liner <u>mustshall</u> be carried out to reduce void spaces and allow the liner to support the loadings imposed by the waste disposal operation without settling.
- c) Any synthetic liner used in the construction of a livestock waste lagoon <u>mustshall</u> meet the following standards:
  - 1) The liner <u>mustshall</u> be designed to perform equivalent to or better than a liner that conforms to subsection (b) of this Section;
  - 2) The liner manufacturer <u>mustshall</u> provide to the owner or operator the liner maintenance guidelines and <u>mustshall</u> certify that the liner is chemically compatible with:
    - A) The livestock waste being stored; and
    - B) The supporting soil materials;
  - 3) The liner <u>mustshall</u> be supported by a compacted base free from sharp objects;
  - 4) The liner <u>mustshall</u> have sufficient strength and durability to function at the site for the design period under the maximum expected loadings imposed by the waste and equipment and stresses imposed by settlement, temperature, construction, and operation;
  - 5) The liner seams <u>mustshall</u> be made in the field according to the manufacturer's specifications. All sections <u>mustshall</u> be arranged so that the use of field seams is minimized and seams are oriented in the direction subject to the least amount of stress; and
  - 6) The owner or operator <u>mustshall</u> maintain a copy of the manufacturer's compatibility statement and liner installation and maintenance guidelines at the facility.

- d) The design, construction, and installation of the liner in <u>complianceaccordance</u> with this Section <u>mustshall</u> be conducted under the direction of a Licensed Professional Engineer. Upon completion of construction or installation of the liner, the supervising Licensed Professional Engineer <u>mustshall</u> certify, <u>underpursuant to 8 Ill. Adm. Code 900.605(a)</u>, that the liner <u>complies withmeets all the applicable requirements of this Section. Such certification <u>mustshall</u> include all supporting justification and data.</u>
- e) The owner or operator of a livestock waste lagoon <u>mustshall</u> submit to the Department a copy of the Licensed Professional Engineer's Certification <u>beforeprior to</u> placing the lagoon in service in <u>compliance</u> with 8 Ill. Adm. Code 900.605.
- f) The owner or operator of the earthen livestock lagoon may, upon written request and with written approval from the Department, modify or exceed these standards in order to meet site specific objectives. [510 ILCS 77/15(a)] The owner or operator mustshall demonstrate that such modification is shall be at least as protective of the groundwater, the surface water, and the structural integrity of the livestock waste management facility as the requirements of this Part.

(Source: Amended at 46 m. Reg. , effective	(Source:	Amended at 48 Ill. Reg.	, effective
--	----------	-------------------------	-------------

#### **Section 506.206 Groundwater Monitoring**

- a) The owner or operator of any livestock waste lagoon required to implement groundwater monitoring <u>underpursuant to Section 506.204(d) of this Part mustshall</u> implement a monitoring program that <u>complies withmeets the requirements of this Section and 8 Ill. Adm. Code 900.Subpart F.</u>
- b) The groundwater monitoring network <u>must shall</u> consist of <u>at leasta minimum of</u> three monitoring wells located within 20 feet of the exterior toe of the berm. At least two of the required wells must be located <u>downgradientdown gradient</u> of the lagoon based on local groundwater conditions. <u>The For the purposes of</u> groundwater monitoring network design <u>must consider multiple cell lagoons</u> 5 multiple cell lagoons shall be considered-as a single lagoon.
- c) The monitoring wells <u>mustshall</u> be installed in <u>compliance</u> accordance with the following:
  - 1) The requirements of the Illinois Water Well Construction Code at 77 Ill. Adm. Code 920.170;
  - 2) The top of the well screen <u>mustshall</u> be set at the estimated seasonal low water table elevation;
  - 3) Monitoring wells <u>must use shall utilize</u> a minimum of a <u>five-footfive foot</u> screened interval; and

- 4) The screen <u>mustshall</u> be set in a sand pack that extends at least one foot above and one foot below the screened interval.
- d) The owner or operator <u>mustshall</u> sample the wells, analyze the samples, and report the results in <u>compliance accordance</u> with the requirements of 8 Ill. Adm. Code 900.Subpart F.
- e) The owner or operator of the earthen livestock lagoon may, upon written request and with written approval from the department, modify or exceed these standards in order to meet site specific objectives. [510 ILCS 77/15(a)] The owner or operator mustshall demonstrate that such modification mustshall be at least as protective of the groundwater, the surface water, and the structural integrity of the livestock waste management facility in compliance withas the requirements of this Part.

(Source:	Amended at 48 Ill. Reg.	, effective

#### Section 506.207 Construction in a Karst Area

- a) A new earthen livestock waste lagoon constructed in a karst area <u>must shall</u> be designed to prevent seepage of the stored material to groundwater. Owners or operators of proposed facilities <u>must shall</u> consult with the local soil and water conservation district, the University of Illinois cooperative extension service, or other local, county, or state resources relative to determining the possible presence or absence of such areas. [510 ILCS 77/15/(a-5)(2)]
- b) Any lagoon subject to the provisions of this Subpart, constructed in a karst area, mustshall be designed and constructed utilizing a rigid material such as concrete or steel.
- c) The owner or operator of the earthen livestock lagoon may, upon written request and with written approval from the Department, modify or exceed the standards of this Section in order to meet site specific objectives. The owner or operator mustshall demonstrate that such modification willshall be at least as protective of the groundwater, the surface water, and the structural integrity of the livestock waste management facility as the requirements of this Part.

(Source:	Amended at 48 Ill. Reg.	, effective
(		

#### Section 506.208 Construction in a Flood Fringe Area

A new earthen livestock waste lagoon may be constructed within the portion of a 100-year floodplain that is within the flood fringe and outside the floodway if provided that the facility is designed and constructed so that livestock waste is not readily removed during flooding and meets the requirements set forth in the Rivers, Lakes, and Streams Act [615 ILCS 5], Section 5-40001 of the Counties Code [55 ILCS 5/5-40001], and executive order number 4 (1979). [510 ILCS

77/15(a-5)(1)] The following criteria <u>mustshall</u> be incorporated into the design of a lagoon proposed for construction in the flood fringe of a 100-year floodplain:

- a) The lagoon berms <u>mustshall</u> be designed and constructed to withstand the hydrostatic pressures from flood waters that may be exerted on the berms during a flood event.
- b) The elevation of the lowest point on the <u>berm topbermtop mustshall</u> be at the summation of the elevation of the 100-year flood plus a freeboard. The freeboard height must<del>shall</del> be a minimum of two feet.
- c) For lagoons with unequal length and width dimensions, the lagoon <u>mustshall</u> be oriented with the longest dimension parallel to the expected direction of floodwater flow.
- d) Any monitoring wells installed <u>underpursuant to</u> Section 506.206 of this Subpart <u>mustshall</u> be mounted flush with the surrounding soil surface or otherwise physically protected from the flood waters.
- e) The owner or operator of the livestock waste handling facility may, upon written request and with written approval from the Department, modify or exceed these standards in order to meet site specific objectives. The owner or operator mustshall demonstrate that such modification willshall be at least as protective of the groundwater, the surface water, and the structural integrity of the livestock waste handling facility as the requirements of this Part.

1	Source: A	mended at 48 l	[1] Reg	effective `
١	Doulet. In	menaca at 40 i	111. 1102.	CIICCLIVC

#### **Section 506.210 Secondary Containment**

DespiteNotwithstanding any other requirement of this subpart or 8 Ill. Adm. Code 900, every earthen livestock waste lagoon constructed underpursuant to this subpart mustshall include the construction of a secondary berm, filter strip, grass waterway, or terrace, or any combination of those, outside the perimeter of the primary berm if an engineer licensed under the Professional Engineering Practice Act of 1989 and retained by the registrant determines, with the concurrence of the department, that construction of such a secondary berm or other feature or features is necessary in order to ensure against a release of livestock waste from the lagoon that encroaches or is reasonably expected to encroach upon land other than the land occupied by the livestock waste handling facility of which the lagoon is a part; or that enters or is reasonably expected to enter the waters of this state; or that enters or may reasonably be expected to enter a natural depression in a karst area and mustshall be so designed. [510 ILCS 77/15(a)] The following criteria mustshall be incorporated into the design of a system used utilized for secondary containment:

a) A grass waterway constructed, installed, or <u>usedutilized</u> for the purposes of this Section must<del>shall</del> meet or exceed the following:

- 1) A grass waterway <u>mustshall</u> be designed and constructed to transfer the maximum expected flow rate of livestock waste that may reasonably be expected to be released from the lagoon;
- 2) A grass waterway <u>mustshall</u> direct the flow of livestock waste away from the lagoon berm to a filter strip, secondary berm, terrace, or combination of these; and
- 3) Vegetation <u>mustshall</u> be established and maintained to provide adequate ground cover.
- b) A filter strip constructed, installed, or <u>usedutilized</u> for the purposes of this Section <u>mustshall</u> meet or exceed the following:
  - 1) A filter strip <u>mustshall</u> be designed and constructed to function at the maximum expected hydraulic loadings that may reasonably be expected to come from the lagoon; and
  - 2) Vegetation <u>mustshall</u> be established and maintained to provide adequate ground cover.
- c) A secondary berm constructed, installed, or <u>usedutilized</u> for the purposes of this Section must<del>shall</del> meet or exceed the following:
  - 1) The storage volume created <u>due toas a result of</u> the construction of a secondary berm <u>mustshall</u> be of sufficient capacity to contain the portion of the lagoon liquid that may reasonably be expected to be released from the lagoon plus any accumulated precipitation; and
  - 2) A vegetative cover <u>mustshall</u> be established. The area <u>mustshall</u> be maintained by periodic mowing, the removal of woody plant species, or other measures to prevent erosion and berm deterioration.
- d) A terrace constructed, installed, or <u>usedutilized</u> for the purposes of this Section <u>mustshall</u> meet or exceed the following:
  - 1) The terrace <u>mustshall</u> direct the livestock waste to a filter strip or grass waterway constructed or installed <u>underpursuant to the requirements of</u> this Section; and
  - 2) Vegetation <u>mustshall</u> be established and maintained to provide adequate ground cover on those portions of the terrace where crops are not grown.
- e) The owner or operator of the earthen livestock lagoon may, upon written request and with written approval from the Department, modify or exceed the standards of this Section in order to meet site specific objectives. The owner or operator

mustshall demonstrate that such modification willshall be at least as protective of
the groundwater, the surface water, and the structural integrity of the livestock
waste management facility as the requirements of this Part.

(Source:	Amended at 48 Ill. Reg.	, effective

### SUBPART C: STANDARDS FOR THE DESIGN AND CONSTRUCTION OF LIVESTOCK WASTE HANDLING FACILITIES OTHER THAN LAGOONS

#### Section 506.301 Applicability

The applicability of this Subpart is shall be as follows:

- a) Sections 506.302, 506.310, 506.311, and 506.312 of this Subpart shall apply to the newly constructed livestock waste handling components of new livestock waste handling facilities, other than livestock waste lagoons, that the Department has not approved the design for before November 15, 2001. the design of which has not been approved by the Department prior November 15, 2001.
- b) Sections 506.303, 506.304, 506.305, 506.306, 506.307, 506.308, and 506.309 of this Subpart shall apply to the newly constructed livestock waste handling components of new or existing livestock waste handling facilities, other than livestock waste lagoons, that the Department has not approved the design for before November 15, 2001. the design of which has not been approved by the Department prior to November 15, 2001.

The standards and specifications for livestock waste handling facility design and construction contained in this Subpart <u>mustshall</u> be <u>usedutilized</u> in the design plans and construction of the waste handling facility in <u>compliance</u> with the <u>requirements of 8 Ill. Adm. Code 900.Subpart E.</u>

(Source:	Amended at 48 III. Reg.	. effective
CSOurce:	Amended at 45 Hr. Reg.	. enecuve

#### **Section 506.302 Site Investigation**

- a) The owner or operator of a livestock waste handling facility <u>mustshall</u> conduct a site investigation in <u>compliance</u> accordance with the requirements of this Section to determine the following:
  - 1) Whether aquifer material is considered present (or not present) within 5 feet of the planned bottom of the livestock waste handling facility;
  - 2) Whether the proposed facility is to be located within the floodway or flood fringe of a 100-year floodplain; and
  - Whether the proposed facility is to be located within a karst area or within 400 feet of a natural depression in a karst area.

- b) Except for facilities that are proposed to be located within an area designated as "Sink hole areas" on "Karst Terrains and Carbonate Rocks of Illinois", IDNR-ISGS Illinois Map 8, the owner or operator mustshall obtain soil samples from within the final livestock waste handling facility area or within 20 feet of the livestock waste handling facility boundaries. The sampling mustshall be performed to determine the presence of aquifer material or karstified carbonate bedrock as follows:
  - 1) The soil sampling <u>mustshall</u> begin at the soil surface and extend to a depth that includes a minimum of 5 feet below the planned bottom of the livestock waste handling facility native soil or to bedrock;
  - 2) If bedrock is encountered, additional soil samplings may be necessary to verify the presence of aquifer material or karstified carbonate bedrock;
  - 3) Continuous samples <u>mustshall</u> be recovered from each soil sampling; and
  - 4) Upon completion, any boring used for sampling <u>mustshall</u> be properly abandoned and sealed <u>underpursuant to</u> the Illinois Water Well Construction Code at 77 Ill. Adm. Code 920.120. Any excavation used for sampling that is within the construction boundaries of the livestock management facility or livestock waste handling facility <u>mustshall</u> be restored by <u>addingthe addition of</u> soil compacted in lifts no greater than 6 inches.
- c) If the Department determines that additional soil samplings are necessary to ensure the protection of the groundwater, <u>the</u> surface water, or the structural integrity of the livestock waste handling facility, the Department <u>mustshall</u> require additional soil samplings.
- d) As an alternative to performing the soil sampling required under subsection (b) or (c) of this Section, the owner or operator of the livestock waste handling facility may propose to the Department to <u>useutilize</u> alternative information <u>sources</u> source(s). The Department <u>mustshall</u> evaluate the proposal; determine whether the alternative information <u>sourcessource(s)</u> will result in a site investigation that will be at least as protective of the groundwater, <u>the surface water</u>, and the structural integrity of the livestock waste handling facility as would have resulted from data resulting from soil borings; and notify the owner or operator of the Department's finding.
- e) <u>DespiteNotwithstanding</u> the other requirements of this Subpart, if aquifer material is located above or within 5 feet of the lowest point of the livestock waste handling facility, the design of the facility <u>must comply with shall include the additional requirements of Section 506.310 of this Subpart.</u>

- f) <u>DespiteNotwithstanding</u> the other requirements of this Subpart, if the site investigation determines that the livestock waste handling facility is to be located in the flood fringe of a 100-year floodplain, the design of the facility <u>must comply withshall include the additional requirements of Section 506.311 of this Subpart.</u>
- g) If the proposed livestock waste handling facility is to be located within an area designated as "Sink hole areas" on "Karst Terrains and Carbonate Rocks of Illinois", IDNR-ISGS Illinois Map 8 or if the results of the soil sampling conducted <u>underpursuant to-Section 506.302(b) of this Subpart</u> indicate the proposed livestock waste handling facility is to be located in a karst area, the following requirements must<del>shall</del> be met:
  - The Department <u>mustshall</u> conduct a visual inspection of the surrounding area to determine the presence of natural depressions during the preconstruction site inspection as required <u>underpursuant to-8</u> Ill. Adm. Code 900.505(a). Construction <u>mustmay</u> not occur within 400 feet of a natural depression in a karst area;
  - The owner or operator <u>mustshall</u> perform one or more soil borings that <u>mustshall</u> be located within the final livestock waste handling facility area or within 20 feet of the livestock waste handling facility boundaries to determine the presence of voids. The boring <u>mustshall</u> begin at the soil surface and extend to a depth that includes a minimum of 20 feet below the planned bottom of the livestock waste handling facility;
  - 3) Continuous samples must<del>shall</del> be recovered from each boring;
  - The Licensed Professional Engineer, Licensed Professional Geologist, or USDA-NRCS representative designated to perform such functions mustshall evaluate the results of the soil boring. If a void of 1 foot or greater in vertical distance is discovered from the soil boring performed underpursuant to subsection (g)(2) of this Section, the following requirements mustshall be met:
    - A) The Department may require additional borings to determine the extent of the void;
    - B) <u>DespiteNotwithstanding</u> the other requirements of this Subpart, the owner or operator <u>mustshall</u> submit to the Department a plan for the design of the facility that <u>mustshall</u> include the additional design requirements <u>set forth</u> in Section 506.312 of this Part and <u>mustshall</u> include any additional design requirements <u>deemed</u> necessary by the Licensed Professional Engineer; and
    - C) The Department <u>mustshall</u> review and approve the plan required <u>underpursuant to</u> subsection (g)(4)(B) <u>before of this Section prior</u>

to construction. The Department may also require additional design criteria before the plan is approved and construction may begin.

If, as a result of the soil boring, no voids of 1 foot or greater in vertical distance are discovered <u>from the soil boring performed</u>, the design <u>mustshall</u> include the additional requirements <u>set forth</u> in Section 506.312 of this Subpart.

- 5) Upon completion of the <u>borings boring(s)</u> required <u>underpursuant to</u> subsection (g) <u>of this Section</u>, the <u>borings must boring(s)</u> shall be properly abandoned and sealed <u>underpursuant to</u> the Illinois Water Well Construction Code at 77 Ill. Adm. Code 920.120.
- h) The site investigation in <u>compliance</u> accordance with subsections (b), (c), (d), (e), (f), and (g) <u>must of this Section shall</u> be conducted under the direction of a Licensed Professional Engineer, a Licensed Professional Geologist, or a representative of the USDA-NRCS designated to perform such functions.

(Source:	Amended at 48 Ill. Reg.	. effective
bource.	Amenaca at 40 m. Reg.	. CHCCHVC

#### Section 506.303 Non-lagoon Livestock Waste Storage Volume Requirements

- a) Livestock waste handling facilities that handle waste in a liquid or semi-solid form mustshall be designed to contain a volume of at least not less than the amount of waste generated during 150 days of facility operation at design capacity. [510 ILCS 77/13(a)(1)(B)] In addition, the design and volume of livestock waste storage structures that handle waste in a liquid or semi-solid form mustshall include the following:
  - Runoff volumes generated during a 150-day period, including all runoff and precipitation from lots, roofs, and other surfaces where precipitation is directed into the storage structure. In no case <u>mustshall</u> this volume be less than the precipitation and runoff generated by a 25-year, 24-hour storm event and directed to the livestock waste handling facility;
  - 2) The volume of all <u>washdown</u>wash down liquid generated during the 150-day period that is directed into the livestock waste handling facility; and
  - 3) A freeboard of 2 feet, except for structures with a cover or otherwise protected from precipitation.
- b) Livestock waste handling facilities that handle waste in a solid form mustshall be sized to store at least not less than the amount of waste generated during 6 months of facility operation at design capacity. [510 ILCS 77/14(a)(4)]

- c) Pump stations, settling tanks, pumps, piping, or other components of a livestock waste handling facility that temporarily hold or transport waste to a storage facility sized <u>underpursuant to</u> this Section <u>are shall be</u> exempt from the storage volume requirements of this Section.
- d) The design of any livestock waste storage structure required to incorporate a freeboard <u>underpursuant to</u> subsection (a) <u>mustof this Section shall</u> include a liquid level board or staff gauge. The liquid level board or staff gauge <u>mustshall</u> include a mark corresponding to the summation of the livestock waste volume and the additional <u>washdownwash down</u> volume <u>underpursuant to</u> subsection (a) of this Section, and mustshall be designated as the "START PUMPING" elevation.

(Source: Amended at 48 Ill. Reg. , effective	)
--	---

#### Section 506.304 General Design and Construction Standards

- a) Livestock waste handling facilities <u>mustshall</u> be designed and constructed according to the following requirements:
  - 1) Storage and transport surfaces, other than those constructed of concrete, intended to come into contact with livestock waste <u>mustshall</u> be constructed or installed to achieve a hydraulic conductivity equal to or less than 1 x 10<sup>-7</sup> centimeters per second.
  - 2) Storage and transport surfaces constructed of concrete and intended to come into contact with livestock waste <u>mustshall</u> be constructed or installed to achieve a hydraulic conductivity equal to or less than 1 x 10<sup>-6</sup> centimeters per second.
  - 3) <u>DespiteNotwithstanding</u> subsection (a)(1) of this Section, storage and transport surfaces constructed at enclosed livestock waste handling facilities intended to house poultry that come into contact with livestock waste that is in dry or solid form mustshall be constructed or installed to achieve a hydraulic conductivity equal to or less than 1 x 10<sup>-6</sup> centimeters per second.
  - 4) The livestock waste handling facility <u>mustshall</u> withstand, at a minimum, the following loads:
    - A) Lateral loads due to soil and equipment, which <u>mustshall</u> be obtained from Table 2 of the MidWest Plan Service Concrete Manure Storages Handbook, MWPS-36;
    - B) Lateral loads due to livestock waste scraping and handling equipment;

- C) Lateral and vertical loads due to the handling and storage of livestock waste;
- D) Vertical loads on tank tops, slats, and other horizontal surfaces, which <u>mustshall</u> be obtained from Table 3 of the MidWest Plan Service Concrete Manure Storages Handbook, MWPS-36; and
- E) Vertical loads due to mobile equipment, stationary equipment, and structures housing the livestock.
- 5) The construction materials <u>mustshall</u> be chemically compatible with the livestock waste being handled and stored and the supporting soil materials.
- 6) The livestock waste handling facility <u>mustshall</u> be designed and constructed to prevent erosion and damage resulting from the transport, handling, and storage of livestock waste.
- 7) Existing subsurface drainage lines in the immediate area of the livestock waste handling facility <u>mustshall</u> be removed or relocated to provide for a minimum separation distance of <u>at leastnot less than</u> 50 feet between the outermost extent of the livestock waste handling facility and the subsurface drainage line.
- The minimum separation distance between the outermost extent of the livestock waste handling facility and any potential route of groundwater contamination, as defined in the Illinois Environmental Protection Act [415 ILCS 5], mustshall be at leastnot less than 100 feet. In addition, the minimum separation distance between the outermost extent of the livestock waste handling facility and a non-potable well, an abandoned or plugged well, a drainage well, or an injection well mustshall be at leastnot less than 100 feet.
- 9) The design and construction of livestock waste handling facilities <u>mustshall</u> include a backflow prevention device to prevent siphoning or gravity flow of livestock waste in the opposite direction of intended use.
- b) In addition to the requirements listed in this Section, livestock waste handling facilities <u>mustshall</u> be designed and constructed <u>according to pursuant to</u> the following:
  - 1) Concrete livestock waste storage tanks <u>mustshall</u> be designed and constructed in <u>complianceaecordance</u> with MidWest Plan Service Concrete Manure Storages Handbook, MWPS-36, or, in the case of circular concrete tanks, Circular Concrete Manure Tanks, MWPS TR-9.

- 2) Components of livestock waste handling facilities that temporarily hold or transport waste for the purpose of liquid and solid separation, including but not limited to settling basins and settling tanks, mustshall be designed and constructed in compliance accordance with MidWest Plan Service Livestock Waste Facilities Handbook, MWPS-18, or NRCS Waste Storage Structure, IL313.
- 3) Components of livestock waste handling facilities holding semi-solid waste, including but not limited to picket dam structures, mustshall be designed and constructed in complianceaccordance with MidWest Plan Service Livestock Waste Facilities Handbook, MWPS-18, or similar standards used by the USDA-NRCS.
- 4) Components of livestock waste handling facilities holding solid waste, including but not limited to temporary manure stacks, mustshall be designed and constructed in complianceaecordance with MidWest Plan Service Livestock Waste Facilities Handbook, MWPS-18, or similar standards used by the USDA-NRCS, including but not limited to Waste Storage Structure, IL313.
- 5) Holding ponds used for the storage of livestock feedlot run-off and waste storage ponds <u>mustshall</u> be designed and constructed in <u>complianceaccordance</u> with MidWest Plan Service Livestock Waste Facilities Handbook, MWPS-18, or similar standards used by the USDA-NRCS, including but not limited to Waste Holding Pond, IL425.
- c) In areas where the seasonal high water table may encroach upon the bottom of the livestock waste storage structure, a perimeter foundation drainage tubing mustshall be installed as follows:
  - 1) The drainage tubing must be located at a horizontal distance that provides sufficient drainage to maintain the water table elevation below the bottom of the footings.
  - 2) The tubing <u>mustshall</u> drain freely to a surface water outlet or <del>other</del> subsurface drainage outlet.
  - 3) The tubing must include a sampling port to allow the monitoring, sampling, and reporting of any discharge from the tubing in <a href="mailto:complianceaecordance">complianceaecordance</a> with the requirements of 8 Ill. Adm. Code 900. Subpart E.
  - 4) The owner or operator <u>mustshall</u> take necessary measures to divert the discharge from the drainage tubing, away from surface water, if monitoring results <u>underpursuant to</u> subsection (c)(3) of this Section indicate that the tubing is discharging livestock waste. Such measures

mustshall include, but not be limited to, diverting the flow to <u>a crop</u> production area naturally lower in elevation than the livestock facility, or providing a manhole with a gate valve that could be closed in an emergency.

d) The owner or operator of the livestock waste handling facility may, upon written request and with written approval from the Department, modify or exceed these standards in order to meet site specific objectives. The owner or operator mustshall demonstrate that such modification willshall be at least as protective of the groundwater, the surface water, and the structural integrity of the livestock waste handling facility as the requirements of this Part.

(Source: Amended at 48 Ill. Reg. , effective	)
--	---

#### Section 506.305 Additional Concrete Design and Construction Standards

- a) In addition to the requirements set forth in Section 506.304 of this Subpart, the design and construction of concrete components of livestock waste handling facilities <u>mustshall</u> meet the following requirements:
  - 1) Construction joints <u>mustshall</u> be incorporated into the concrete in <u>complianceaeeordance</u> with the design guidance provided in MidWest Plan Service Concrete Manure Storages Handbook, MWPS-36, or, in the case of circular concrete tanks, Circular Concrete Manure Tanks, TR-9;
  - Water stops <u>mustshall</u> be incorporated into construction joints in <u>complianceaecordance</u> with the design guidance provided in MidWest Plan Service Concrete Manure Storages Handbook, MWPS-36, or, in the case of circular concrete tanks, Circular Concrete Manure Tanks, TR-9;
  - 3) Concrete minimum compressive strength requirements must complyshall be in accordance with the design guidance provided in Table 28 of MidWest Plan Service Concrete Manure Storages Handbook, MWPS-36, or, in the case of circular concrete tanks, Table 1 of Circular Concrete Manure Tanks, TR-9; and
  - The strength, cover, and bending requirements for concrete reinforcement must complyshall be in accordance with the design guidance provided in Table 1 of MidWest Plan Service Concrete Manure Storages Handbook, MWPS-36, or, in the case of circular concrete tanks, Circular Concrete Manure Tanks, TR-9.
- b) The owner or operator of the livestock waste handling facility may, upon written request and with written approval from the Department, modify or exceed these standards in order to meet site specific objectives. The owner or operator mustshall demonstrate that such modification willshall be at least as protective of

		_	handling facility as the requirements of this Part.
	(Source	e: Ame	ended at 48 Ill. Reg, effective)
Sectio	n 506.3	06 Add	litional Metal Design and Construction Standards
	a)	design	ition to the requirements set forth in Section 506.304 of this Subpart, the and construction of metal components of livestock waste handling es mustshall meet the following requirements:
		1)	All metal surfaces <u>mustshall</u> be protected by a corrosion resistance system;
		2)	Concrete footings and bases <u>mustshall</u> meet the strength and load requirements set forth in Sections 506.304 and 506.305 of this Subpart;
		3)	The connection of dissimilar metals <u>mustshall</u> be minimized; and
		4)	Metal components of livestock waste handling facilities <u>mustshall</u> be constructed or installed according to the manufacturer's specifications and guidelines.
	b)	The owner or operator of the livestock waste handling facility may, upon writter request and with written approval from the Department, modify or exceed the standards of this Section in order to meet site specific objectives. The owner or operator mustshall demonstrate that such modification willshall be at least as protective of the groundwater, the surface water, and the structural integrity of the livestock waste handling facility as the requirements of this Part.	
	(Source	e: Ame	ended at 48 Ill. Reg, effective)

#### Section 506.307 Additional Earthen Material Design and Construction Standards

- a) In addition to the requirements set forth in Section 506.304 of this Subpart, the design and construction of earthen components of livestock waste handling facilities <u>mustshall</u> meet the following requirements:
  - 1) The construction and compaction of the earthen component <u>mustshall</u> be carried out to reduce void spaces and allow the earthen component to support the loadings imposed by the livestock waste without settling;
  - 2) The minimum top width of any berm incorporated into the design of any earthen component <u>mustshall</u> be 8 feet; and
  - Walls incorporated into the design of an earthen component <u>mustshall</u> have side slopes not steeper than a 2.5 to 1 ratio of horizontal to vertical.

- b) The floor of enclosed <u>deep-bedded</u>deep <u>bedded</u> livestock systems and poultry litter systems that handle waste in dry or solid form, and <u>useutilize</u> an earthen base <u>mustshall</u> be constructed to achieve a hydraulic conductivity of equal to or less than 1 x 10<sup>-6</sup> centimeters per second.
- c) The owner or operator of the livestock waste handling facility may, upon written request and with written approval from the Department, modify or exceed these standards in order to meet site specific objectives. The owner or operator mustshall demonstrate that such modification willshall be at least as protective of the groundwater, the surface water, and the structural integrity of the livestock waste handling facility as the requirements of this Part.

(Source:	Amended at 48 Ill. Reg.	, effective
(Dource.	i illicitaca at 10 illi. iteg.	, 011001110

#### Section 506.308 Additional Synthetic Material Design and Construction Standards

- a) In addition to the requirements set forth in Section 506.304 of this Subpart, the design and construction of synthetic components of livestock waste handling facilities <u>mustshall</u> meet the following requirements:
  - 1) The synthetic material <u>mustshall</u> be supported by a compacted base free from sharp objects;
  - 2) The use of field seams <u>mustshall</u> be minimized. All field seams <u>mustshall</u> be made according to the manufacturer's specifications and oriented in the direction subject to the least amount of stress;
  - The synthetic material <u>mustshall</u> be resistant to or otherwise protected from damage from construction or operation and degradation by ultraviolet light;
  - 4) Synthetic components <u>mustshall</u> be designed for use in livestock waste handling facilities and <u>mustshall</u> be installed according to the manufacturer's specifications and guidelines;
  - 5) The liner <u>mustshall</u> be chemically compatible with the livestock waste being handled and stored and the supporting soil materials; and
  - 6) The liner <u>mustshall</u> have sufficient strength and durability to function at the site under the maximum expected loadings imposed by the waste and equipment and stresses imposed by settlement, temperature, construction, and operation.
- b) The owner or operator of the livestock waste handling facility may, upon written request and with written approval from the Department, modify or exceed these standards in order to meet site specific objectives. The owner or operator mustshall demonstrate that such modification willshall be at least as protective of

		_	roundwater, the surface water, and the structural integrity of the livestock handling facility as the requirements of this Part.
	(Source	e: Am	nended at 48 Ill. Reg, effective)
Section	n 506.30	09 Ad	lditional Wooden Material Design and Construction Standards
	,		dition to the requirements set forth in Section 506.304 of this Subpart, the n and construction of wooden components of livestock waste handling ties <u>mustshall</u> meet the following requirements:
		1)	Wooden materials <u>mustshall</u> be naturally resistant or treated to resist damage from decay and corrosion; and
		2)	Construction fasteners <u>mustshall</u> be resistant to corrosion.
	request and with written approval from the Department, modify or e standards in order to meet site specific objectives. The owner or open must shall demonstrate that such modification will shall be at least as		owner or operator of the livestock waste handling facility may, upon written st and with written approval from the Department, modify or exceed these ards in order to meet site specific objectives. The owner or operator shall demonstrate that such modification willshall be at least as protective of roundwater, the surface water, and the structural integrity of the livestock

## Section 506.310 Additional Design and Construction Standards for Construction in an Area with Shallow Aquifer Material

waste handling facility as the requirements of this Part.

(Source: Amended at 48 Ill. Reg.\_\_\_\_\_, effective \_\_\_\_\_)

- a) In addition to the other requirements of this Subpart, if aquifer material is located above or within 5 feet of the lowest point of the proposed livestock waste handling facility as determined under Section 506.302 of this Subpart, the design and construction of the facility must shall comply with the requirements of this Section.
- b) Livestock waste handling facility components constructed of concrete <u>mustshall</u> ensure that concrete footings extend below the maximum frost depth.
- c) Livestock waste handling facility components constructed of earthen materials mustshall include the installation of an earthen or synthetic liner.
  - 1) Earthen liners <u>mustshall</u> meet the following requirements:
    - A) The liner <u>mustshall</u> consist of in-situ soil, borrowed clay, or clay/bentonite mixtures;
    - B) The minimum liner thickness must<del>shall</del> be 2 feet;

- C) The liner <u>mustshall</u> be constructed in lifts not to exceed 6 inches in compacted thickness; and
- D) The construction and compaction of the liner <u>mustshall</u> be carried out to reduce void spaces and allow the liner to support the loadings imposed by the waste disposal operation without settling.
- 2) Synthetic liners <u>mustshall</u> meet the design and construction requirements set forth in Section 506.308 of this Subpart and <u>mustshall</u> have a minimum thickness of 40 mil.
- The design, construction, and installation of the liner required underpursuant to this Section mustshall be conducted under the direction of a Licensed Professional Engineer. Upon completion of construction or installation of the liner, the supervising Licensed Professional Engineer mustshall certify that the liner meets all the applicable requirements of this Section. Such certification mustshall include all supporting justification and data.
- The owner or operator of the livestock waste handling facility <u>mustshall</u> submit to the Department a copy of the Licensed Professional Engineer's liner certification <u>beforeprior to</u> placing the livestock waste handling facility in service in <u>compliance accordance</u> with 8 Ill. Adm. Code 900.506(a).
- d) The owner <u>or and</u>-operator of the livestock waste handling facility may, upon written request and with written approval from the Department, modify or exceed these standards in order to meet site specific objectives. The owner or operator <u>mustshall</u> demonstrate that such modification <u>willshall</u> be at least as protective of the groundwater, <u>the</u> surface water, and the structural integrity of the livestock waste handling facility as the requirements of this Part.

### Section 506.311 Additional Design and Construction Standards for Construction in a Flood Fringe Area

No new non-lagoon livestock management facility or livestock waste handling facility may be constructed within the floodway of a 100-year floodplain. A new livestock management facility or livestock waste handling facility may be constructed within the portion of a 100-year floodplain that is within the flood fringe and outside the floodway if provided that the facility is designed and constructed to be protected from flooding and meets the requirements set forth in the Rivers, Lakes, and Streams Act [615 ILCS 5], Section 5-40001 of the Counties Code [55 ILCS 5/5-40001], and executive order number 4 (1979). [510 ILCS 77/13(b)(1)]

Despite Notwithstanding the other requirements of this Subpart or 8 Ill. Adm. Code 900, the following criteria mustshall be incorporated into the design of a non-lagoon livestock

management facility or livestock waste handling facility proposed for construction in the flood fringe of a 100-year floodplain:

- a) The berms and walls <u>mustshall</u> be designed and constructed to withstand the hydrostatic pressures from flood waters that may be exerted on the berms and walls during a flood event;
- b) The elevation of the lowest point on the berm top and wall <u>mustshall</u> be at the elevation of the 100-year flood plus a minimum of two feet;
- c) For facilities with unequal length and width dimensions, the facility <u>mustshall</u> be oriented with the longest dimension parallel to the expected direction of floodwater flow; and
- d) The owner or operator of the livestock waste handling facility may, upon written request and with written approval from the Department, modify or exceed these standards in order to meet site specific objectives. The owner or operator mustshall demonstrate that such modification willshall be at least as protective of the groundwater, the surface water, and the structural integrity of the livestock waste handling facility as the requirements of this Part.

(Source: Amended at 48 Ill. Reg.	, effective
----------------------------------	-------------

### Section 506.312 Additional Design and Construction Standards for Construction in a Karst Area

- a) A new non-lagoon livestock waste handling facility constructed in a karst area mustshall be designed to prevent seepage of the stored material into groundwater in accordance with ASAE EP393.2. Owners or operators of proposed facilities should consult with the local soil and water conservation district, the University of Illinois cooperative extension service, or other local, county, or state resources relative to determining the possible presence or absence of such areas. [510 ILCS 77/13(b)(2)]
- b) Any livestock waste handling facility constructed in a karst area <u>mustshall</u> be designed and constructed utilizing a rigid material such as concrete or steel.
- <u>cd</u>) The owner or operator of the livestock waste handling facility may, upon written request and with written approval from the Department, modify or exceed these standards in order to meet site specific objectives. The owner or operator <u>mustshall</u> demonstrate that such modification <u>willshall</u> be at least as protective of the groundwater, <u>the</u> surface water, and the structural integrity of the livestock waste handling facility as the requirements of this Part.

(Source:	Amended at 48 III. Reg.	, effective
----------	-------------------------	-------------