## ILLINOIS POLLUTION CONTROL BOARD September 9, 2024

PEOPLE OF THE STATE OF ILLINOIS	)	
Complainant,	)	
v.	) PCB 13-72 ) (Enforcement - Wat	tor)
PETCO PETROLEUM CORPORATION, an Indiana corporation,	,	.61)
Respondent.	) )	

## **HEARING OFFICER ORDER**

On September 6, 2024, Respondent filed an unopposed motion for extension of time to file its amended affirmative defenses. The motion is granted, and the deadline is extended to September 30, 2024.

The parties are directed to participate in a telephone status conference with the hearing officer as follows:

Time: 10:30 a.m.

Date: September 26, 2024

The People may circulate a conference call number or may initiate the call. If the parties agree that a call is not needed, a status update may be emailed in advance of the scheduled time.

IT IS SO ORDERED.

Carol Webb

Hearing Officer

Illinois Pollution Control Board

1021 North Grand Avenue East

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

Carol.Webb@illinois.gov

Carol Webb

## CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed on September 9, 2024, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on September 9, 2024:

Don Brown Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

"@" Consents to email service.

## **SERVICE LIST**

PCB 2013-072@ Natalie Long Office of the Attorney General 500 South Second Street Springfield, IL 62706

PCB 2013-072@ Paul T. Sonderegger Thompson Coburn LLP One U.S. Bank Plaza St. Louis, MO 63101 PCB 2013-072@ Kevin Barnai Office of the Attorney General 500 South Second Street Springfield, IL 62706

PCB 2013-072@ Timothy B. Briscoe Thompson Coburn LLP One U.S. Bank Plaza St. Louis, MO 63101