ILLINOIS POLLUTION CONTROL BOARD September 16, 2024

BEELINE PROPERTIES, LLC,)	
Petitioner,)	
V.) PCB 24-74) (UST Appea	.1\
ILLINOIS ENVIRONMENTAL PROTECTION AGENCY,) (OST Appea))	11 <i>)</i>
Respondent.)	

HEARING OFFICER ORDER

On September 16, 2024, the parties participated in a telephone status conference with the hearing officer. Petitioner needs to review the record to determine how to proceed and the Agency expects to timely file the record by the end of the week. Petitioner will file a 120-day deadline waiver this week.

The parties are directed to provide a status update or participate in a telephone status conference with the hearing officer as follows:

Time: 10:30 a.m.

Date: October 17, 2024

Petitioner may circulate a conference call number or may initiate the call. If the parties agree that a call is not needed, a status update may be emailed in advance of the scheduled time.

The last Board meeting before the decision deadline is currently December 19, 2024.

IT IS SO ORDERED.

Carol Webb

Hearing Officer

Illinois Pollution Control Board

1021 North Grand Avenue East

P.O. Box 19274

Springfield, Illinois 62794-9274

217/524-8509

Carol.Webb@illinois.gov

Carol Webb

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed on September 16, 2024, to each of the persons on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on September 16, 2024:

Don A. Brown Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605

Carol Webb

Carol Webb Hearing Officer Illinois Pollution Control Board 1021 North Grand Avenue East P.O. Box 19274 Springfield, Illinois 62794-9274 217/524-8509 Carol.Webb@illinois.gov

@Consents to Electronic Service

PCB 2024-074@ Melanie Jarvis IEPA 1021 North Grand Avenue P.O. Box 19276 Springfield, IL 62794 PCB 2024-074@ Stephen F. Hedinger Sorling Northrup 1 North Old State Capitol Plaza Suite 200 P.O. Box 5131 Springfield, IL 62705