ILLINOIS POLLUTION CONTROL BOARD November 21, 1996

IN THE MATTER OF:)	R96-18
AMENDMENTS TO 35 ILL. ADM. CODE SUBTITLE F (Parts 601 through 620))	(Rulemaking-Public Water Supplies)
Proposed Rule. First Notice.		
OPINION AND ORDER OF THE BOARD (by R	C. Flemal):

This matter comes before the Board on an amended petition¹ for general rulemaking filed by the Illinois Environmental Protection Agency (Agency) on September 4, 1996, and a second amended petition filed by the Agency on October 16, 1996. The Agency requests that the Board amend various provisions of 35 Ill. Adm. Code: Subtitle F. Subtitle F houses the Board's Public Water Supply regulations (Parts 601 through 611) and the Board's groundwater regulations (Parts 615 through 620).

The majority of the proposed amendments are of a non-substantive, "housekeeping" nature, including items such as replacing citations to Illinois Revised Statutes with citations to Illinois Compiled Statutes. The proposed amendments also contain two substantive items. The first would allow the Agency to issue construction permits notwithstanding the fact that a public water supply is on the restricted status list for a violation of the radium maximum concentration level (MCL). The second would, through revision of the authority note for the groundwater quality regulations, note that the groundwater regulations were adopted pursuant to the Environmental Protection Act (Act). (415 ILCS 5/1 et seq. (1994).)

The Board's responsibility in this matter arises from the Act. The Board is charged therein to "determine, define and implement the environmental control standards applicable in the State of Illinois". (415 ILCS 5/5(b)(1994).) More generally, the Board's rulemaking charge is based on the system of checks and balances integral to Illinois environmental governance: the Board bears responsibility for the rulemaking and principal adjudicatory functions; the Agency has primary responsibility for administration of the Act and the Board's regulations, including the regulations today proposed for amendment.

By today's action the Board adopts the proposed amendments for the purpose of First Notice, pursuant to the Illinois Administrative Procedure Act. (5 ILCS 100/1-1 et seq. (1994).) Publication in the Illinois Register will follow today's action, whereupon a 45-day

¹ The petition amends comments and correspondence filed by the Agency on April 4, 1996 and on June 17, 1996 in docket R95-17, a Safe Drinking Water Act (SDWA) update docket, upon which the Board reserved this docket.

public comment period will begin during which interested persons may file public comment with the Board.

PROCEDURAL HISTORY

On March 4, 1996 the Board received a letter from the Agency in which the Agency suggested in excess of one hundred non-substantive, corrective amendments to Subtitle F. The suggested amendments were identified by the Agency during a detailed proofreading of Subtitle F occasioned by the Agency's submission of a Safe Drinking Water Act (SDWA) primacy renewal.

Among these suggested amendments were a number that occurred in the Board's identical-in substance public water supply regulations, which are found principally at 35 III. Adm. Code 611. These amendments were proposed for adoption by the Board on April 18, 1996 in the identical-in-substance rulemaking, Docket R95-17 (In the Matter of: Safe Drinking Water Act Update).

The Board in its April 18, 1996 order also observed, however, that many of the suggested amendments could be addressed only in a regular rulemaking conducted pursuant to Section 27 of the Act. In response, the Agency on June 13, 1996 requested that the Board treat the March 4, 1996 filing as a petition for modification of the rules. On June 20, 1996 the Board opened the instant docket for this purpose.

On September 4, 1996 the Agency filed its amended petition, accompanied by various documents including a motion to amend the petition², text of the proposed amendments, statement of reasons, synopsis of witness testimony, and exhibits. In addition to the non-substantive, corrective amendments, the amended petition also introduced the two substantive proposed amendments which are part of today's action.

On October 16, 1996 the Agency made various additional filings. These included copies of prefiled testimony and a motion to further amend the petition. The latter consists of two additional housekeeping amendments. The motion to amend is hereby granted.

Public hearings were held before hearing officer Michael McCambridge in Geneva on October 25, 1996 and in Springfield on October 30, 1996. Members of the public attended and presented testimony at both hearings.

The Agency presented the testimony of Susan Konzelmann, Lynn E. Dunaway, Donald E. Dillenburg, Tracey Virgin, and Charles Bell, each of whom is an Agency employee who participated in preparing the instant petition and amended petitions. Testimony was also received from Matt Zimmerman, Administrator of the Village of Elburn; Dennis L. Duffield, Director of Public Works and Utilities for the City of Joliet; and Gerald Bever,

² The motion to amend was granted by Board order of September 19, 1996.

Superintendent of Water for the City of DeKalb. Prefiled testimony had been received from the Children of DeKalb, filed by Dorianne Burg, but no-one appeared prior to the adjournment of the hearing to deliver the material as testimony. The prefiling has been admitted as a public comment. (Oct. 25, 1996 Tr. at 77)

PUBLIC COMMENTS

Prior to adopting a First Notice opinion and order proposing the amendments for public comment, the Board received public comments on the proposal:

- PC 1 Prefiled testimony of Children of DeKalb, filed October 11, 1996 by Dorianne Burg (admitted as a public comment, see Oct. 25, 1996 Tr. at 77)
- PC 2 Agency's post-hearing comments, filed November 6, 1996 by Connie L. Tonsor
- PC 3 Comments of the City of West Chicago, filed November 12, 1996 by Robin N. Jones

The Board will receive public comments on the proposed amendments for a period of 45 days after Notices of Proposed Amendments appear in the Illinois Register.

OVERVIEW

Housekeeping Amendments

The Board has from time to time has performed housekeeping of its regulations by revising outdated references, citations, and the like, and by correcting non-substantive constructional or format errors that have found their way into the regulations. These efforts have been undertaken sometimes on Board initiative, and in other cases, as is the case here, on request from the Agency. The Board notes its appreciation of the effort that the Agency has undertaken to identify these matters and direct them to our attention.

It is the nature of housekeeping amendments that they change neither the intention nor the interpretation of the rule. The Agency believes that all of the housekeeping amendments herein are of that nature. (Oct. 25, 1996 Tr. at 74.) The Board has also reviewed each of the proposed amendments, and agrees with the Agency.

Today's proposal is devoted largely to such housekeeping. Its focus is Subtitle F, which currently consists of nine active³ parts, the subject matter headings of which are:

> Part 601 Introduction

Subtitle F also contains three parts, Parts 604, 605, and 606, which have been repealed as part of an effort to consolidate all drinking water standards into Part 611.

Part 602	Permits
Part 603	Ownership and Responsible Personnel
Part 607	Operation and Record Keeping
Part 611	Primary Drinking Water Standards
Part 615	Existing Activities in a Setback Zone or Regulated
	Recharge Area
Part 616	On-Site Landfills
Part 617	Regulated Recharge Areas
Part 620	Groundwater Quality

All of the nine parts, with the exception of Part 611, are included in today's proposal.

The most common amendment is the updating of citations of Illinois statutes from Illinois Revised Statutes (Ill. Rev. Stat.) to Illinois Compiled Statutes (ILCS). ILCS has replaced Ill. Rev. Stat. as the official version of Illinois statutory law. Related amendments update citations to repealed statutes with citations to the current statutes that replaced them.

A second major category is correction of cross-references. A cross-reference is a reference within one provision of a rule to a provision in some other part, section, or subsection. As rules are amended and renumbered over time, these cross-references sometimes get disjointed.

Among other kinds of housekeeping amendments is today's proposal are nonsubstantive and clarifying punctuation, grammatical, and word selection changes.

Construction Permits/Restricted Status

The most substantive amendments in today's proposal consist of provisions that would allow the Agency to issue public water supply construction permits even though the public water supply is on the restricted status list for a violation of the radium standard. These provisions would remain in effect until the United States Environmental Protection Agency (USEPA) makes a final determination regarding the magnitude of the radium drinking water standard(s).

Under existing Illinois regulations the Agency may not grant construction permits to a public water supply unless the supply can provide proof that the construction will not cause a violation of the Act or regulations. (35 Ill. Adm. Code 602.105.) Restricted status is imposed whenever a supply is in violation of one or more drinking water standards. Thus, being on restricted status constitutes a determination that a supply can no longer be issued a construction permit without causing a violation of the Act. (35 Ill. Adm. Code 602.106.)

Illinois currently has a 5 pCi/L standard for the sum of radium-226 and radium-228, plus a gross alpha particle standard of 15.0 pCi/L⁴. Many of the deep groundwaters in Illinois

⁴ Gross alpha particle activity correlates strongly with radium content.

exceed these standards naturally, and thus public water supplies drawing from them tend to have water in excess of the standards.

The current standards are National Interim Primary Drinking Water Regulations Regulations adopted in 1976. As interim standards they are under review by USEPA, and have been for some time. Indeed, USEPA has had pending since 1991 a proposal to adopt finalregulations, in which the radium standards would increase to 20 pCi/L for <u>each</u> of the two radium isotopes. (56 Fed. Reg. 33050, July 18, 1991). At this level, almost no public water supply in Illinois would exceed the radium standard. Today's proposal would allow public water supplies to continue to operate, without the construction permit ban (or the need to seek variance from the ban⁵), pending final action by USEPA.

The language we propose today differs in detail from the language proposed by the Agency. Our intent is to make it clear that the construction permit ban would remain lifted until the USEPA adopts a final radium standard⁶. We specifically request that the Agency review our proposed language, and comment on it as necessary during the First Notice comment period.

Part 620 Authority Note

The Agency requests, and the Board today proposes, an amendment to the authority note of 35 Ill. Adm. Code 620 that adds Section 27 of the Environmental Protection Act as the one of the two authorities for adoption of Part 620.

The Agency expresses concern that the current authority note, which lists only Section 8 of the Groundwater Protection Act (415 ILCS 55/8 (1994); IGPA), raises confusion regarding the enforceability of Part 620. (Statement of Reasons at 9.) The Agency notes that the IGPA does not provide for independent enforcement of standards adopted pursuant to it. (Id.)

The Agency observes, and the Board agrees, that Part 620 was adopted pursuant to both the IGPA and the Environmental Protection Act. Section 8 of the IGPA indeed mandated that the Board adopt the groundwater standards of Part 620 in compliance with the rulemaking requirements and authorities specified at Title VII, which includes Section 27, of the Environmental Protection Act. Section 27 specifically provides that:

Within 2 years after the date upon which the Illinois EPA files the proposed regulations, the Board shall promulgate the water quality standards for groundwater. In promulgating these regulations, the Board shall, in addition to

⁵ Nothing in today's proposal would alter existing variances from restricted status.

⁶ Under Section 17.6 of the Act, any revised federal standards for radium-226, radium-228, and gross alpha paritcle activity become the state standards in Illinois upon their federal effective dates.

the factors set forth in Title VII of the Environmental Protection Act, consider the following ...[six criteria]. (415 ILCS 55/8(b) (1994); emphasis added.)

Economic Considerations

Neither the proposed housekeeping amendments nor the proposed amendment to the Part 620 authority note involve any added costs to the regulated community or to any administrative agency involved.

Rather, the adoption of the proposal to remove the radium-related construction permit ban would produce cost savings to the regulated community, in that it would need neither to forgo construction in the absence of construction permits nor to seek variance where the need to lift the construction ban became paramount. Cost for seeking a variance are estimated by one public water supply to be in excess of \$1,000 (Oct 25, 1996 Tr. at 85) when a hearing is not held and \$20,000 when a hearing is held (Oct. 30, 1996 Tr. at 19-20). The Agency estimates that its cost, in terms of personnel, to process a variance request where no hearing is held consists of 2 hours of clerical time, 32.5 house of legal time, and 15 hours of technical time. (Amended Petition Exh. G.) A variance petition that involves a hearing is estimated by the Agency to involve twice as many resources. (Id.) The Board similarly has resource expenditures associated with processing variances that would no longer need to be expended if the amendments are adopted.

CONCLUSION

The Board believes that the amendments proposed in this matter warrant further consideration. Accordingly, we today adopt them for First Notice and direct that they be published in the Illinois Register. The Board will again review the record in this matter upon completion of the First Notice period, and determine whether the record continues to support moving this matter towards adoption.

ORDER

The Board hereby proposes for First Notice the following amendments to 35 Ill. Adm. Code 601 through 620. The Clerk of the Board is directed to file these proposed rules with the Secretary of State for publication in the Illinois Register.

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE F: PUBLIC WATER SUPPLIES CHAPTER I: POLLUTION CONTROL BOARD

> PART 601 INTRODUCTION

Section

601.101	General Requirements
601.102	Applicability
601.103	Severability
601.104	Analytical Testing
601.105	Definitions

Appendix A References to Former Rules

AUTHORITY: Implementing Section 17 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/17 and 5/27](III. Rev. Stat. 1985, ch. 111 1/2, pars. 1017 and 1027).

SOURCE: Filed with Secretary of State January	y 1, 1978; amended at 2 Ill Reg. 36, p. 72,
effective August 29, 1978; amended at 3 Ill. Reg	g. 13, p. 236, effective March 30, 1979;
amended and codified at 6 Ill. Reg. 14344, effect	ctive November 3, 1982; amended in R84-12 at
14 Ill. Reg. 1379, effective January 8, 1990; am	nended in R89-5 at 16 Ill. Reg. 1585, effective
January 10, 1992; amended in R96-18 at	_ Ill. Reg, effective

NOTE: CAPITALIZATION DENOTES STATUTORY LANGUAGE.

Section 601.101 General Requirements

Owners and official custodians of a public water supply in the State of Illinois shall provide pursuant to the Environmental Protection Act [415 ILCS 5](Ill. Rev. Stat. 1981, ch. 111 1/2, pars. 1001 et seq. (Act), the Pollution Control Board (Board) Rules, and the Safe Drinking Water Act (42 U.S.C. 300f et seq.) continuous operation and maintenance of public water supply facilities so that the water shall be assuredly safe in quality, clean, adequate in quantity, and of satisfactory mineral characteristics for ordinary domestic consumption.

(Source: Amended in R96-18 at	Ill. Reg	, effective	•)
-------------------------------	----------	-------------	----

Section 601.105 Definitions

For purposes of this Chapter:

"Act" means the Environmental Protection Act, as amended, [415 ILCS 5](III. Rev. Stat. 1989, ch. 111 1/2, pars. 1001 et seq.).

"Boil Order" means a notice to boil all drinking and culinary water for at least five minutes before use, issued by the proper authorities to the consumers of a public water supply affected, whenever the water being supplied may have

[&]quot;Agency" means the Illinois Environmental Protection Agency.

[&]quot;Board" means the Illinois Pollution Control Board.

become microbiologically bacteriologically contaminated.

"Certified Laboratory" means any laboratory approved by Agency, the Illinois Department of Nuclear Safety or the Illinois Department of Public Health for the specific parameters to be examined, as set out in rules adopted pursuant to the Illinois Administrative Procedure Act, [5 ILCS 100](Ill. Rev. Stat. 1989, ch. 127, pars. 1001 et seq.).

"Confined Geologic Formations" are geologic water bearing formations protected against the entrance of contamination by other geologic formations.

"Disinfectant" means any oxidant, including but not limited to chlorine, chlorine dioxide, chloramines, and ozone, added to water in any part of the treatment or distribution process, which is intended to kill or inactivate pathogenic microorganisms.

"Dose Equivalent" means the product of the absorbed dose from ionizing radiation and such factors as account for differences in biological effectiveness due to the type of radiation and its distribution in the body as specified by the International Commission of Radiological Units and Measurements (ICRU).

"Gross Alpha Particle Activity" means the total radioactivity due to alpha particle emission as inferred from measurements on a dry sample.

"Gross Beta Particle Activity" means the total radioactivity due to beta particle emission as inferred from measurements on a dry sample.

"GROUNDWATER" MEANS UNDERGROUND WATER WHICH OCCURS WITHIN THE SATURATED ZONE AND GEOLOGIC MATERIALS WHERE THE FLUID PRESSURE IN THE PORE SPACE IS EQUAL TO OR GREATER THAN ATMOSTPHERIC PRESSURE. (Section 3.64 of the Act)

"Halogen" means one of the chemical elements chlorine, bromine or iodine.

"Man-Made Beta Particle and Photon Emitters" means all radionuclides emitting beta particles and/or photons listed in Maximum Permissible Body Burdens and Maximum Permissible Concentration of Radionuclides in Air or Water for Occupational Exposure, National Bureau of Standards (NBS) Handbook 69, except the daughter products of thorium-232, uranium-235 and uranium-238.

"Maximum Residence Time Concentration (MRTC)" means the concentration of total trihalomethanes found in a water sample taken at a point of maximum residence time in the public water supply distribution system.

"Maximum Total Trihalomethane Potential (MTP)" means the maximum concentration of total trihalomethanes produced in a given water containing a

disinfectant residual after 7 days at a temperature of 25 degrees C or above.

"Official Custodian" means any officer of an organization which is the owner or operator of a public water supply, and who has direct administrative responsibility for the supply.

"Persistent Contamination" exists when analysis for total coliform is positive in one or more samples of a routine sample set, and when three or more subsequent repeateheek samples indicate the presence of contamination.

"Picocurie (pCi)" means that quantity of radioactive material producing 2.22 nuclear transformations per minute.

"Point Of Maximum Residence Time" means that part of the active portion of the distribution system remote from the treatment plant where the water has been in the distribution system for the longest period of time.

"Recurring Contamination" exists when analysis of total coliform is positive in one or more samples of a routine sample set, if this occurs four or more times in a twelve consecutive month periodealendar year.

"Rem" means the unit of dose equivalent from ionizing radiation to the total body or any internal organ or organ system. A "millirem (mrem)" is 1/1000 of a rem.

"Sell Re-sellWater" means to deliver or provide potable water, obtained from a public water supply subject to these regulations, to the consumer, who is then individually or specifically billed for water service, or where any monetary assessment is levied or required and specifically used for water service. Water supply facilities owned or operated by political subdivisions, homeowners associations, and not-for-profit associations, as well as privately owned utilities regulated by the Illinois Commerce Commission, are considered to sell water whether or not a charge is specifically made for water.

"Service Connection" is the opening, including all fittings and appurtenances, at the water main through which water is supplied to the user.

"Surface Water" means all tributary streams and drainage basins, including natural lakes and artificial reservoirs, which may affect a specific water supply above the point of water supply intake.

"Surface Water Supply Source" means any surface water used as a water source for a public water supply.

"Supply" means a public water supply.

"Total Trihalomethanes (TTHM)" means the sum of the concentration in milligrams per liter of the trihalomethane compounds trichloromethane (chloroform), dibromochloromethane, bromodichloromethane and tribromomethane (bromoform), rounded to two significant figures.

"Trihalomethane (THM)" means one of the family of organic compounds named as derivatives of methane, wherein three of the four hydrogen atoms in methane are each substituted by a halogen atom in the molecular structure.

"Water Main" means any pipe for the purpose of distributing potable water which serves or is accessible to more than one property, dwelling, or rental unit, and is exterior to buildings.

(Source:	Amended in R96-18 at	Ill. Reg.	, effective	.)

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE F: PUBLIC WATER SUPPLIES CHAPTER I: POLLUTION CONTROL BOARD

PART 602 PERMITS

Section	
602.101	Construction Permit
602.102	Operating Permit
602.103	Algicide Permit
602.104	Emergency Permit
602.105	Standards for Issuance
602.106	Restricted Status
602.107	Signatory Requirement for Permit Applications
602.108	Construction Permit Applications
602.109	Operating Permit Applications
602.110	Algicide Permits Applications
602.111	Application Forms and Additional Information
602.112	Filing and Final Action by Agency on Permit Application
602.113	Duration
602.114	Conditions
602.115	Design, Operation and Maintenance Criteria
602.116	Requirement for As-Built Plans
602.117	Existence of Permit No Defense
602.118	Appeals from Conditions
602.119	Revocations
602.120	Limitations

Appendix: References to Former Rules

AUTHORITY: Implementing Section 17 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/17 and 5/27](Ill. Rev. Stat. 1985, ch. 111 1/2, pars. 1017 and 1027).

SOURCE: Filed with Secretary of State January 1, 1978; amended and codified at 6 Ill. Reg.
11497, effective September 14, 1982; amended at 8 III. Reg. 2157, effective February 7, 1984
emergency amendment at 9 Ill. Reg. 13371, effective August 16, 1985, for a maximum of 150
days; amended at 10 Ill. Reg. 7337, effective April 22, 1986, amended in R96-18 at
Ill. Reg, effective

Section 602.105 Standards for Issuance

- a) The Agency shall not grant any construction or operating permit required by this Part, except as otherwise provided in subsection (d), unless the applicant submits adequate proof that the public water supply will be constructed, modified or operated so as not to cause a violation of the Environmental Protection Act [415 ILCS 5](Ill. Rev. Stat. 11981, ch. 111 1/2, pars. 1001 et seq.).
- b) The Agency shall not grant any construction or operating permit required by this Part unless the applicant submits adequate proof that the public water supply facility conforms to the design criteria promulgated by the Agency under Section 39(a) of the Act or Section 602.115 or is based on such other criteria which the applicant proves will produce consistently satisfactory results.
- c) The Agency shall not grant any construction permit required by this Part unless the applicant submits proof that any plan documents required by this Section and Section 602.108 have been prepared by a person qualified under the Illinois Architecture Practice Act [225 ILCS 305](Ill. Rev. Stat. 1981, ch. 111, pars. 1201 et seq.), the Illinois Professional Engineering Practice Act [225 ILCS 325](Ill. Rev. Stat. 1981, ch. 111, pars. 5101 et seq.), the Illinois Structural Engineering Licensing Act [225 ILCS 340](Ill. Rev. Stat. 1981, ch. 111, pars. 6501 et seq.), or any required combination thereof.
- d) Until the effective date of a National Primary Drinking Water Regulation for radium-226, radium-228, or gross alpha particle activity that replaces the National Interim Primary Drinking Water Regulations for these contaminants, adopted by USEPA on July 9, 1976, the Agency shall not deny for the following reasons any construction or operating permit required by this part:
 - 1) the radium-226 level is less than or equal to 20 pCi\L;
 - 2) the radium-228 level is less than or equal to 20 pCi\L; or
 - 3) the gross alpha particle activity level minus the radium-226 level is less

than or equal to 15 pCi\L.

	<u>4)</u>	Except as provided in this Section and Section 602.106, all other provisions of this Chapter are applicable to violations of 35 Ill. Adm. Code 611.330.		
(Source: Am	ended i	in R96-18 at, effective)		
Section 602.1	06	Restricted Status		
a)	Section may no	cted status shall be defined as the Agency determination, pursuant to a 39(a) of the Act and Section 602.105, that a public water supply facility to longer be issued a construction permit without causing a violation of the this Chapter.		
b)	more t	The Agency shall publish and make available to the public at intervals of not nore than six months, a comprehensive and up-to-date list of supplies subject to estrictive status and the reasons why.		
c)		gency shall notify the owners or official custodians of supplies when the is initially placed on restricted status by the Agency.		
<u>d)</u>	Until the effective date of a National Primary Drinking Water Regulation for radium-226, radium-228, or gross alpha particle activity that replaces the National Interim Primary Drinking Water Regulations for these contaminants, adopted by USEPA on July 9, 1976, the Agency shall not place public water supplies on restricted status when:			
	<u>1)</u>	the radium-226 level is less than or equal to 20 pCi\L;		
	<u>2)</u>	the radium-228 level is less than or equal to 20 pCi\L; or		
	<u>3)</u>	the gross alpha particle activity level minus the radium-226 level is less than or equal to 15 pCi\L.		
	<u>4)</u>	Except as provided in this Section and Section 602.105, all other provisions of this Chapter are applicable to violations of 35 Ill. Adm. Code 611.330.		
(Source: Amended in R96-18 at, effective)				
Section 602.1	08	Construction Permit Applications		

All applications for any construction permit required under this Chapter shall contain, where appropriate, the following information and documents:

a)	A sum	A summary of the design basis;-				
b)	Opera	Operation requirements:				
c)	Gener	General Layout <u>:</u> -				
d)	Detail	Detailed Plans:				
e)	Specif	Specifications;-				
f)	A pro	A professional seal to satisfy Section 602.105 (<u>c</u> b) requirements; and-				
g)	•	Any other information required by the Agency for proper consideration of the permit.				
(Source: Ar	nended i	n R96-18 at, effective)				
Section 602.	109	Operating Permit Applications				
All applicati	ons for o	operating permits shall contain:				
a)	on the	The name and certificate number of the certified operator in responsible charge on the operational staff of the public water supply or the name and registration number of the registered person in responsible charge for supplies which are exempt from the requirement for a certified operator; and				
b)	the na	me and location of the public water supply;				
c)		the construction permit number under which the public water supply was constructed; and				
d)	any other information required by the Agency for proper consideration of the permit.					
(Source: Ar	nended i	n R96-18 at, effective)				
Section 602.	110	Algicide Permit Applications				
a)	All ap	plications for algicide permits shall contain:				
	1)	the name and certificate number of the certified operator supervising the application of the algicide;				
	2)	a statement describing the extent of the algae problem, history of any past algae problems, and algicide treatments, and a description of any fish kills which have resulted from treatments in the past; and				

- 3) adequate information to support exceeding the limits as stated in 35 III. Adm. Code 302: Water Quality Standards.
- b) After any algicide permit is issued, and before the permit expires by its stated terms, if there is any major change either in the operation of the public water supply, or in algae growth, which affects the use of the algicide as outlined in the permit, the public water supply shall submit an application for modification of its permit. This application shall contain all the information required by this subsection (b) and subsection (a) above.
- c) Any algicide permit issued under this Section shall exempt the permittee from obtaining an aquatic pesticide permit as provided in 35 Ill. Adm. Code 652.601.

obtaining an aquatic pesticide permit as provided in 35 III. Adm. Code 652.60				
(Source: Amended in R96-18 at Ill. Reg, effective)				
Section 602.114 Conditions				
In addition to specific conditions authorized under this Part, the Agency may impose such conditions in a permit as may be necessary to accomplish the purposes of the Act and as are not inconsistent with regulations promulgated by the Illinois Pollution Control Board (Board).				
(Source: Amended in R96-18 at Ill. Reg, effective)				
Section 602.115 Design, Operation, and Maintenance Criteria				
The Agency may adopt criteria, published in the form of Technical Policy Statements, for the design, operation, and maintenance of public water supply facilities as necessary to insure safe, adequate, and clean water. These criteria shall be revised from time to time to reflect current engineering judgment and advances in the state of the art.				
b) Before adopting new criteria or making substantive changes to any Technical Policy Statements, the Agency shall comply with the provisions of the Administrative Procedure Act [5 ILCS 100](Ill. Rev. Stat. 1981, ch. 127, pars 1001 et seq.).				
(Source: Amended in R96-18 at Ill. Reg, effective)				
Section 602.120 Limitations				

Any permit issued under thise Part shall not be considered to be valid unless and until all applicable permits from State agencies, including but not limited to those listed below, have been applied for:

	Illinois Commerce Commission	Certificate of Convenience and Necessity
	Dept. of Mines and Minerals Div. of Oil and Gas	Well Drilling
	Dept. of Natural Resourses Dept. of Transportation	Changes to Existing
	Office of Water Resources Divisor of Water Resource Manageme	ent Waterways
(Source:	Amended in R96-18 at, e.	ffective)
	TITLE 35: ENVIRONMENTAL PR SUBTITLE F: PUBLIC WATER S CHAPTER I: POLLUTION CONTR PART 603	SUPPLIES SOL BOARD
	OWNERSHIP AND RESPONSIBLE I	PERSONNEL
Section 603.101 603.102 603.103 603.104 603.105	Ownership Responsible Personnel Certified Operator Registered Person in Responsible Charge Notification of Change of Ownership or Resp	onsible Personnel
Appendix	References to Former Rules	
	RITY: Implementing Section 17 and authorized by n Act (Ill. Rev. Stat. 1981, ch. 111 1/2, pars. 1017)	
	E: Filed with Secretary of State January 1, 1978; an affective September 14, 1982; amended in R96-18 at	_
Section 60	03.102 Responsible Personnel	

Each public water supply shall have designated an individual in responsible charge of the operation of that supply properly qualified and registered pursuant to "An Act to regulate the operating of a public water supply" [415 ILCS 45](III. Rev. Stat. 1981, ch. 111 1/2, pars. 501 et seq.) (hereinafter "Public Water Supply Operations Act Water Supply Operator Certification

d)

	-	isions of the <u>Public Water Supply Operations Act</u> Water Supply Operator mplied with.
(Source:	Amended i	n R96-18 at, effective)
Section 60	3.103	Certified Operator
a)	certifi Suppl	public water supply, unless exempted under Section 603.104, shall have a ed operator, qualified and registered in accordance with the <u>Public Water y Operations ActWater Supply Operator Certification Law</u> , designated in asible charge <u>offor</u> the supply's operation.
b)	respon	wner or official custodian and the certified operator designated in a nsible charge shall file a signed statement identifying the certified operator ponsible charge on forms provided by the Agency.
	1)	Both the treatment and distribution facilities of each supply must have responsible personnel indicated.
	2)	One properly certified operator may supervise both the treatment and distribution facilities of the supply.
c)	respon	letion of the above forms shall indicate acceptance of the duties and assibilities for the proper operation and maintenance of the public water accilities by both owner or official custodian and certified operator.
(Source:	Amended i	n R96-18 at Ill. Reg, effective)
Section 60	03.104	Registered Person in Responsible Charge
a)	-	olic water supply may seek an exemption from the requirement of a ed operator in responsible charge.
b)		public water supply seeking such exemption shall so request in writing to gency.
c)	the Ag Opera registe	public water supply exempted from the certified operator requirement by gency, pursuant to the <u>Public Water Supply Operations ActWater Supply tor Certification Law</u> , shall have either a certified operator or person ered in accordance with the <u>Public Water Supply Operations ActWater y Operator's Law</u> , designated in responsible charge <u>offor</u> the supply's tion.

Each public water supply exempted by the Agency and retaining a registered person in responsible charge shall file with the Agency a signed statement identifying the registered person in responsible charge on forms provided by the

Agency. Such statement shall also be signed by the registered person in responsible charge.

- 1) Both the treatment and distribution facilities of each supply must have responsible personnel indicated.
- 2) One properly registered person in responsible charge may supervise both the treatment and distribution facilities of the supply.
- e) Completion of the above forms shall indicate acceptance of the duties and responsibilities for the proper operation and maintenance of the public water supply facilities by both owner or official custodian and registered person in responsible charge.

(Source: Amended in R96-18 at Ill. Reg. , effective .)

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE F: PUBLIC WATER SUPPLIES CHAPTER I: POLLUTION CONTROL BOARD

PART 607 OPERATION AND RECORD KEEPING

Section		
607.101	Protection During Repair Work (Repealed)	
607.102	Disinfection Following Repair or Reconstruction (Repealed)	
607.103	Emergency Operation	
607.104	Cross Connections	
607.105	Laboratory Testing Equipment (Repealed)	
607.106	Record Maintenance (Repealed)	
Appendix	References to Former Rules (Repealed)	
AUTHORITY: Implementing Section 17 and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/17 and 5/27](Ill. Rev. Stat. 1981, ch. 111 1/2, pars 1017 and 1027).		
11497, effecti	iled with Secretary of State January 1, 1978; amended and codified at 6 Ill. Reg. ve September 14, 1982; amended in R88-26 at 14 Ill. Reg. 16512, effective , 1990; amended in R96-18 at Ill. Reg, effective).	
Section 607.1	03 Emergency Operation	

a) Whenever contamination is determined to persist in a public water supply, as demonstrated by microbiological bacteriological analysis results, the owners or

official custodians of the supply shall notify all consumers to boil <u>for five</u> <u>minutes</u> all water used for drinking or culinary purposes. <u>This boil order shall</u> <u>remain in effect until microbiological bacteriological</u> samples demonstrate that the water is safe for domestic use, or until appropriate corrective action approved by the Agency is taken. If the owner or official custodian of the supply fails to take such action on his own or at the recommendation of the Agency, the Agency may issue a boil order directly to the consumers affected.

- b) Any emergency which results in water pressures falling below twenty pounds per square inch on any portion of the distribution system shall be reason for immediate issuance of a boil order by the owner or official custodian of the supply to those consumers affected unless:
 - There is a historical record of adequate chlorine residual and approved turbidity levels in the general area affected covering at least twelve monthly readings:—
 - 2) Samples for bacteriological examination are taken in the affected area immediately and approximately twelve hours later; and-
 - 3) Tests for residual chlorine and turbidity taken at not more than hourly intervals in the affected area for several hours do not vary significantly from the historical record. If significant decrease in chlorine residual or increase in turbidity occurs, a boil order shall be issued.
- c) Whenever the safety of a supply is endangered for any reason, including but not limited to spillage of hazardous substances, the Agency shall be notified immediately by the owner, official custodian or his authorized representative, and the supply officials shall take appropriate action to protect the supply. The owner, official custodian or his authorized representative shall notify all consumers of appropriate action to protect themselves against any waterborne hazards. If the owner or official custodian of the supply fails to take such action on his own or at the recommendation of the Agency, the Agency shall notify directly the consumers affected.

(Source: Amended	in R96-18 at	Ill. Reg	, effective)
Section 607.104	Cross Connect	ions		

- a) No physical connection shall be permitted between the potable portion of a supply and any other water supply not of equal or better bacteriological and chemical quality as determined by inspection and analysis by the Agency, except as provided for in subsection (d).
- b) There shall be no arrangement or connection by which an unsafe substance may enter a supply.

- c) Control of all cross-connections to a supply is the responsibility of the owner or official custodian of the supply. If a privately owned water supply source meets the applicable criteria, it may be connected to a water supply upon approval by the owner or official custodian and by the Agency. Where such connections are permitted, it is the responsibility of the public water supply officials to assure submission from such privately owned water supply source or sources samples and operating reports as required by 35 Ill. Adm. Code 611605 and 606 as applicable to the cross-connected source.
- d) The Agency may adopt specific conditions for control of unsafe cross-connections, which shall be complied with by the supplies of this State, as applicble. These conditions shall be adopted and/or changed by the Agency as prescribed in 35 Ill. Adm. Code 602.115.
- e) Each community water supply exempted pursuant to 35 Ill. Adm. Code 603.104103 or *Section 17(b) of the Act 604.402 shall provide an active program approved by the Agency to continually educate and inform water supply consumers regarding prevention of the entry of contaminants into the distribution system. Conditions under which the Agency will approve this active program shall be adopted or changed by the Agency as prescribed in 35 Ill. Adm. Code 602.115.

(Source: Amended in R96-18 at ______ Ill. Reg. _____, effective _____.)

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE F: PUBLIC WATER SUPPLIES CHAPTER I: POLLUTION CONTROL BOARD

PART 615 EXISTING ACTIVITIES IN A SETBACK ZONE OR REGULATED RECHARGE AREA

SUBPART A: GENERAL

Section	
615.101	Purpose
615.102	Definitions
615.103	Incorporations by Reference
615.104	Prohibitions
615.105	General Exceptions
	SUBPART B: GROUNDWATER MONITORING REQUIREMENTS
Section	
615.201	Applicability
615.202	Compliance Period
615.203	Compliance with Groundwater Standards

615.204	Groundwater Monitoring System
615.205	Groundwater Monitoring Program
615.206	Contaminants to be Monitored
615.207	Sampling Frequency
615.208	Reporting
615.209	Non-Compliance Response Program
615.210	Alternate Non-Compliance Response Program
615.211	Corrective Action Program
013.211	Corrective retion Frogram
SUBPA	ART C: GENERAL CLOSURE AND POST-CLOSURE REQUIREMENTS
Section	
615.301	Applicability
615.302	Closure Performance Standard
615.303	Certification of Closure
615.304	Survey Plat
615.305	Post-Closure Notice for Waste Disposal Units
615.306	Certification of Completion of Post-Closure Care
615.307	Post-Closure Care Period
	SUBPART D: ON-SITE LANDFILLS
Section	
615.401	Applicability
615.402	Required Closure of Units Located Within Minimum Setback Zones
615.403	Required Closure of Units Located Within Maximum Setback Zones
615.404	Required Closure of Units Located Within Regulated Recharge Areas
	SUBPART E: ON-SITE LAND TREATMENT UNITS
Section	SOBIART E. ON-SITE LAND TREATMENT UNITS
615.421	Applicability
615.422	Required Closure of Units Located Within Minimum Setback Zones
615.423	Required Closure of Units Located Within Maximum Setback Zones
615.424	Land Treatment of Sludges in Maximum Setback Zones
615.425	Closure and Post-Closure Care
013.423	Closure and Post-Closure Care
	SUBPART F: ON-SITE SURFACE IMPOUNDMENTS
Section	
615.441	Applicability
615.442	Required Closure of Units Located Within Minimum Setback Zones
615.443	Required Closure of Units Located Within Maximum Setback Zones
615.444	Groundwater Monitoring
615.445	Inspection Requirements
615.446	Operating Requirements
615.447	Closure and Post-Closure Care
	SUBPART G: ON-SITE WASTE PILES
Section	

615.461	Applicability	
615.462	Required Closure	
615.463	Design and Operating Requirements	
615.464	Closure	
015.101	Cioquic	
	SUBPART H: UNDERGROUND STORAGE TANKS	
Section	SOBITION II. CHEEKGROOND STORINGE THINKS	
615.501	Applicability	
615.502	Design and Operating Requirements	
013.302	Design and Operating Requirements	
	SUBPART I: PESTICIDE STORAGE AND HANDLING UNITS	
Section	SUBLART I. LESTICIDE STORAGE AND HANDLING UNITS	
615.601	Applicability	
615.602	Applicability Groundwater Monitoring	
615.603	Design and Operating Requirements	
615.604	Closure and Post-Closure Care	
013.004	Closure and Post-Closure Care	
	SUBPART J: FERTILIZER STORAGE AND HANDLING UNITS	
Section	SUBFART J. PERTILIZER STORAGE AND HANDLING UNITS	
615.621	Applicability	
	Applicability Crowndwater Manitoring	
615.622	Groundwater Monitoring	
615.623	Design and Operating Requirements	
615.624	Closure and Post-Closure Care	
	SUBPART K: ROAD OIL STORAGE AND HANDLING UNITS	
Castian	SUBPART K: ROAD OIL STORAGE AND HANDLING UNITS	
Section	A121. 2124	
615.701	Applicability Description of the state of t	
615.702	Required Closure of Units Located Within Minimum Setback Zones	
615.703	Groundwater Monitoring	
615.704	Design and Operating Requirements for Above-Ground Storage Tanks	
615.705	Closure	
a	SUBPART L: DE-ICING AGENT STORAGE AND HANDLING UNITS	
Section		
615.721	Applicability	
615.722	Groundwater Monitoring	
615.723	Design and Operating Requirements	
615.724	Closure	
	RITY: Implementing and authorized by Sections 5, 14.4, 21, 22, and 27 of the	
	nental Protection Act [415 ILCS, 5/5, 5/14.4, 5/21, 5/22, and 5/27](III. Rev. Stat.	
	ch. 111 1/2, pars. 1005, 1014.4, 1021 and 1027) .	
SOURCE: Adopted in R89-5 at 16 Ill. Reg. 1538, effective January 10, 1992; amended in		
	t 17 Ill. Reg. 1871, effective January 28, 1993; amended in R96-18 at Ill. Reg.	
, e	ffective	

NOTE: CAPITALIZATION DENOTES STATUTORY LANGUAGE.

SUBPART A: GENERAL

Section 615.102 Definitions

Except as stated in this Section, and unless a different meaning of a word or term is clear from the context, the definitions of words or terms in this Part shall be the same as those used in the Act or the Illinois Groundwater Protection Act [415 ILCS 55](III. Rev. Stat. 1989, ch. 111 1/2, pars. 7451 et seq.):

- "Above-ground storage tank" means a storage tank that is not an underground storage tank.
- "Act" means the Environmental Protection Act [415 ILCS 5/5](III. Rev. Stat. 1989, ch. 111 1/2, pars. 1001 et seq.).
- "Agency" means the Illinois Environmental Protection Agency.
- "Board" means the Illinois Pollution Control Board.
- "Certification" means a statement of professional opinion based upon knowledge and belief.
- "COMMUNITY WATER SUPPLY" MEANS A PUBLIC SUPPLY WHICH SERVES OR IS INTENDED TO SERVE AT LEAST 15 SERVICE CONNECTIONS USED BY RESIDENTS OR REGULARLY SERVES AT LEAST 25 RESIDENTS. (Section 3.05 of the Act)
- "Compliance point" means any point in groundwater designated at 35 III. Adm. Code 620. Subpart B as a Class I through III groundwater at which a contaminant released from the unit could pass underneath the unit boundary. There may be more than one compliance point for a particular unit.
- "Commencement of construction" means that ALL NECESSARY FEDERAL, STATE, AND LOCAL APPROVALS HAVE BEEN OBTAINED, AND WORK AT THE SITE HAS BEEN INITIATED AND PROCEEDS IN A REASONABLY CONTINUOUS MANNER TO COMPLETION. (Section 3.58 of the Act)
- "Container" means any portable device (including, but not limited to, 55 gallon drums) in which material is stored, treated, disposed of or otherwise handled. The term "container" does not include a vehicle used to transport material.

"Containerized" means being in a container.

"CONTAMINANT" IS ANY SOLID, LIQUID, OR GASEOUS MATTER, ANY ODOR, OR ANY FORM OF ENERGY, FROM WHATEVER SOURCE. (Section 3.06 of the Act)

"CONTAMINATION" OR "CONTAMINATE", WHEN USED IN CONNECTION WITH GROUNDWATER, MEANS WATER POLLUTION OF SUCH GROUNDWATER. (Section 3.63 of the Act)

"Date of first applicability" means the effective date of this Part for any unit located within a minimum setback zone, except that:

If a unit is first incorporated into any setback zone by an ordinance or regulation that establishes a maximum setback zone, the date of first applicability is the effective date of this Part or the effective date of the ordinance or regulation that establishes the maximum setback zone, whichever is later; or

If a unit is located in a part of a regulated recharge area that was not previously part of a setback zone, the date of first applicability is the effective date of the regulation that establishes the regulated recharge area.

"De-Icing agent" means a chemical used for de-icing, including but not limited to sodium chloride and calcium chloride. Sand, ashes, or other abrasive materials that do not alter the freezing point of water are not de-icing agents.

"Detection" means the identification of a contaminant in a sample at a value equal to or greater than the:

"Method Detection Limit" or "MDL", which means the minimum concentration of a substance that can be measured as reported with 99 percent confidence that the true value is greater than zero pursuant to 56 Fed. Reg. 3526-3597; incorporated by reference at Section 615.103; or

"Method Quantitation Limit" or "MQL", which means the minimum concentration of a substance that can be measured and reported pursuant to "Test Methods for Evaluating Solid Wastes, Physical/ Chemical Methods", incorporated by reference at Section 615.103.

"Dike" means an embankment or ridge of either natural or manmade materials used to prevent the movement of liquids, sludges, solids, or other materials.

"Discharge" means the accidental or intentional spilling, leaking, pumping, pouring, emitting, emptying or dumping of any material onto or on any land or water.

"DISPOSAL" MEANS THE DISCHARGE, DEPOSIT, INJECTION, DUMPING, SPILLAGE, LEAKING OR PLACING OF ANY WASTE OR HAZARDOUS WASTE INTO OR ON ANY LAND OR WATER OR INTO ANY WELL SO THAT SUCH WASTE OR HAZARDOUS WASTE OR ANY CONSTITUENT THEREOF MAY ENTER THE ENVIRONMENT OR BE EMITTED INTO THE AIR OR DISCHARGED INTO ANY WATERS, INCLUDING GROUNDWATERS. (Section 3.08 of the Act)

"Existing unit" means a unit that was in operation or for which there is commencement of construction on or before the date of first applicability, except that a unit is not an existing unit if the unit:

Expands laterally beyond the currently permitted boundary, or the unit boundary if the unit is not permitted, in existence after the date of first applicability; or

Is part of a facility that undergoes major reconstruction after the date of first applicability; or

Reopens at any time after having submitted a certification of closure to the Agency.

"Facility" means all contiguous land and structures, other appurtenances and improvements on the land used for the treating, storing, handling, or disposal of any material which causes that unit to be regulated under this Part. A facility may consist of one or more units.

"Freeboard" means the vertical distance between the top of a tank or dike and the surface of the material contained therein.

"Free liquids" means liquids which readily separate from the solid portion of a waste under ambient temperature and pressure. To demonstrate the absence or presence of free liquids in either a containerized or a bulk waste, the following test must be used: Method 9095 (Paint Filter Liquids Test) as described in "Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods" (EPA Publication No. SW-846), incorporated by reference at Section 615.103.

"GROUNDWATER" MEANS UNDERGROUND WATER WHICH OCCURS WITHIN THE SATURATED ZONE AND GEOLOGIC MATERIALS WHERE THE FLUID PRESSURE IN THE PORE SPACE IS EQUAL TO OR GREATER THAN ATMOSPHERIC PRESSURE. (Section 3.64 of the Act)

"Groundwater standards" means the water quality standards for groundwater adopted by the Board under Section 8 of the Illinois Groundwater Protection Act [415 ILCS 55](Ill. Rev. Stat. 1989, ch. 111 1/2, par. 7458) and found at 35 Ill. Adm. Code 620.

"HAZARDOUS WASTE" MEANS A WASTE, OR COMBINATION OF WASTES, WHICH BECAUSE OF ITS QUANTITY, CONCENTRATION, OR PHYSICAL, CHEMICAL, OR INFECTIOUS CHARACTERISTICS MAY CAUSE OR SIGNIFICANTLY CONTRIBUTE TO AN INCREASE IN MORTALITY OR AN INCREASE IN SERIOUS, IRREVERSIBLE, OR INCAPACITATING REVERSIBLE, ILLNESS; OR POSE A SUBSTANTIAL PRESENT OR POTENTIAL HAZARD TO HUMAN HEALTH OR THE ENVIRONMENT WHEN IMPROPERLY TREATED, STORED, TRANSPORTED, OR DISPOSED OF, OR OTHERWISE MANAGED, AND WHICH HAS BEEN IDENTIFIED, BY CHARACTERISTICS OR LISTING, AS HAZARDOUS PURSUANT 35 Ill. Adm. Code 721. (Section 3.15 of the Act)

"Incompatible material" means a material which may:

Cause corrosion or decay of containment materials (e.g., container inner liners or tank walls); or

When commingled with another material, produces heat or pressure, fire, explosion, violent reaction, toxic dusts, mists, fumes or gases, or flammable fumes or gases.

"Landfill" means a unit or part of a facility in or on which waste is placed and accumulated over time for disposal, and which is not a land application unit, a surface impoundment or an underground injection well.

"LANDSCAPE WASTE" MEANS ALL ACCUMULATIONS OF GRASS OR SHRUBBERY CUTTINGS, LEAVES, TREE LIMBS AND OTHER MATERIALS ACCUMULATED AS THE RESULT OF THE CARE OF LAWNS, SHRUBBERY, VINES AND TREES. (Section 3.20 of the Act)

"Land application unit" means an area where wastes are agronomically spread over or disked into land or otherwise applied so as to become incorporated into the soil surface.

"Land treatment" means the application of waste onto or incorporation of waste into the soil surface. For the purposes of this Part a land application unit is a land treatment unit.

"Leachate" means any liquid, including suspended components in the liquid, that has percolated through or drained from a material.

"Licensed water well contractor" means a person licensed under the Water Well and Pump Installation Contractor's License Act [225 ILCS 345](III. Rev. Stat. 1989, ch. 111, pars. 7101 et seq.).

"Liner" means a continuous layer of natural or manmade materials beneath or on the side of a surface impoundment, landfill, landfill cell, waste pile, or storage pile which restricts the downward or lateral escape of waste, waste constituents, leachate or stored materials.

"Major reconstruction" means commencement of construction at a facility where the fixed capital cost of the new components constructed within a 2-year period exceeds 50% of the fixed capital cost of a comparable entirely new facility. New components do not include any new components necessary for compliance with this Part.

"New unit" means a unit that is not an existing unit.

"NON-COMMUNITY WATER SUPPLY" MEANS A PUBLIC WATER SUPPLY THAT IS NOT A COMMUNITY WATER SUPPLY. (Section 3.05 of the Act)

"Non-special waste" means a waste that is not a special waste.

"Off-site" means not on-site.

"On-site", "on the site", or "on the same site" means the same or geographically contiguous property which may be divided by public or private right-of-way, provided the entrance and exit between the properties is at a crossroads intersection and access is by crossing as opposed to going along the right-of-way. Noncontiguous properties owned by the same person but connected by a right-of-way which he controls and to which the public does not have access is also considered on-site property.

"Operator" means the person responsible for the operation of a site, facility or unit.

"Owner" means the person who owns a site, facility or unit or part of a site, facility or unit, or who owns the land on which the site, facility or unit is located.

"PESTICIDE" MEANS ANY SUBSTANCE OR MIXTURE OF SUBSTANCES INTENDED FOR PREVENTING, DESTROYING, REPELLING, OR MITIGATING ANY PEST OR ANY SUBSTANCE OR MIXTURE OF SUBSTANCES INTENDED FOR USE AS A PLANT REGULATOR, DEFOLIANT OR DESICCANT. (Section 3.71 of the Act)

"Pile" means any noncontainerized accumulation of solid, non-flowing material that is used for treatment, storage or disposal.

"POTABLE" MEANS GENERALLY FIT FOR HUMAN CONSUMPTION IN

ACCORDANCE WITH ACCEPTED WATER SUPPLY PRINCIPLES AND PRACTICES. (Section 3.65 of the Act)

"Practical Quantitation Limit" or "PQL" means the lowest concentration or level that can be reliably measured within specified limits of precision and accuracy during routine laboratory operating conditions in accordance with "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Publication SW-846, incorporated by reference at Section 615.103.

"PUBLIC WATER SUPPLY" MEANS ALL MAINS, PIPES AND STRUCTURES THROUGH WHICH WATER IS OBTAINED AND DISTRIBUTED TO THE PUBLIC, INCLUDING WELLS AND WELL STRUCTURES, INTAKES AND CRIBS, PUMPING STATIONS, TREATMENT PLANTS, RESERVOIRS, STORAGE TANKS AND APPURTENANCES, COLLECTIVELY OR SEVERALLY, ACTUALLY USED OR INTENDED FOR USE FOR THE PURPOSE OF FURNISHING WATER FOR DRINKING OR GENERAL DOMESTIC USE AND WHICH SERVE AT LEAST 15 SERVICE CONNECTIONS OR WHICH REGULARLY SERVE AT LEAST 25 PERSONS AT LEAST 60 DAYS PER YEAR. A PUBLIC WATER SUPPLY IS EITHER A "COMMUNITY WATER SUPPLY" OR A "NON-COMMUNITY WATER SUPPLY". (Section 3.28 of the Act)

"Reactive material" means a material which meets one or more of the following criteria:

It is normally unstable and readily undergoes violent change without detonating;

It reacts violently with water;

It forms potentially explosive mixtures with water;

When mixed with water, it generates toxic gases, vapors, or fumes in a quantity sufficient to present a danger to human health or the environment;

It is capable of detonation or explosive reaction if it is subject to a strong initiating source, or if heated under confinement;

It is readily capable of detonation or explosive decomposition or reaction at standard temperature and pressure; or

It is a forbidden explosive as defined in 49 CFR 173 incorporated by reference at Section 615.103, or a Class A explosive as defined in 49 CFR 173.53 or a Class B explosive as defined in 49 CFR 173.88.

- "Registered land surveyor" means a person registered under the Illinois <u>Professional</u> Land Surveyors Act of 1989 [225 ILCS 330/1](III. Rev. Stat. 1989, ch. 111, pars. 3201 et seq.).
- "Registered professional engineer" means a person registered under the Illinois Professional Engineering Practice Act of 1989 [225 ILCS 325](Ill. Rev. Stat. 1989, ch. 111, pars. 5101 et seq.).
- "REGULATED RECHARGE AREA" MEANS A COMPACT GEOGRAPHIC AREA, AS DETERMINED BY THE BOARD pursuant to Section 17.4 of the Act, THE GEOLOGY OF WHICH RENDERS A POTABLE RESOURCE GROUNDWATER PARTICULARLY SUSCEPTIBLE TO CONTAMINATION. (Section 3.67 of the Act)
- "Road oil" means slow-curing asphaltic oils which show no separation on standing and which are used for road construction, maintenance or repair.
- "Runoff" means any rainwater, leachate or other liquid that drains over land from any part of a facility.
- "Run-on" means any rainwater, leachate or other liquid that drains over land onto any part of a facility.
- "Secondary containment structure" means any structure or basin intended to contain spills and prevent runoff or leaching from piles, containers, or tanks and related piping.
- "SETBACK ZONE" MEANS A GEOGRAPHIC AREA, DESIGNATED PURSUANT TO THIS ACT, CONTAINING A POTABLE WATER SUPPLY WELL OR A POTENTIAL SOURCE OR POTENTIAL ROUTE HAVING A CONTINUOUS BOUNDARY, AND WITHIN WHICH CERTAIN PROHIBITIONS OR REGULATIONS ARE APPLICABLE IN ORDER TO PROTECT GROUNDWATERS. (Section 3.61 of the Act)
- "SITE" MEANS ANY LOCATION, PLACE, TRACT OF LAND, AND FACILITIES, INCLUDING BUT NOT LIMITED TO BUILDINGS, AND IMPROVEMENTS USED FOR PURPOSES SUBJECT TO REGULATION OR CONTROL BY THIS ACT OR REGULATIONS THEREUNDER. (Section 3.43 of the Act)
- "SLUDGE" MEANS ANY SOLID, SEMI-SOLID, OR LIQUID WASTE GENERATED FROM A MUNICIPAL, COMMERCIAL, OR INDUSTRIAL WASTEWATER TREATMENT PLANT, WATER SUPPLY TREATMENT PLANT, OR AIR POLLUTION CONTROL FACILITY OR ANY OTHER SUCH WASTE HAVING SIMILAR CHARACTERISTICS AND EFFECTS.

(Section 3.44 of the Act)

"SPECIAL WASTE" MEANS ANY INDUSTRIAL PROCESS WASTE, POLLUTION CONTROL WASTE OR HAZARDOUS WASTE, EXCEPT AS DETERMINED PURSUANT TO SECTION 22.9 OF the Act and 35 Ill. Adm. Code 808. (Section 3.45 of the Act)

"STORAGE" means the holding or containment of a material, either on a temporary basis or for a period of years, in such manner as not to constitute disposal of such material.

"Surface impoundment" means a natural topographical depression, man-made excavation, or diked area that is designed to hold liquid wastes or wastes containing free liquids.

"Surface water" means all waters that are open to the atmosphere.

"Tank" means a stationary device, designed to contain an accumulation of material which is constructed of non-earthen materials (e.g., wood, concrete, steel, plastic) which provide structural support. The term "tank" does not include areas used to accumulate materials prior to pumping to tanks or containers (i.e., sump pits) or associated piping. The term "tank" does not include vehicles used to transport material.

"Treatment" means any method, technique or process, including neutralization, designed to change the physical, chemical or biological character or composition of any material so as to neutralize such material, or so as to recover energy or material resources from the material or so as to render such material nonhazardous or less hazardous, safer to transport, store or dispose of, or amenable for recovery, amenable for storage or reduced in volume.

"Underground storage tank" means a storage tank as defined at 35 Ill. Adm. Code 731.101(f).

"UNIT" MEANS ANY DEVICE, MECHANISM, EQUIPMENT, OR AREA (EXCLUSIVE OF LAND UTILIZED ONLY FOR AGRICULTURAL PRODUCTION). (Section 3.62 of the Act)

"Unit boundary" means a line at the land's surface circumscribing the area on which, above which or below which waste, pesticides, fertilizers, road oils or de-icing agents will be placed during the active life of the facility. The space taken up by any liner, dike or other barrier designed to contain waste, pesticides, fertilizers, road oils or de-icing agents falls within the unit boundary.

"WASTE" MEANS ANY GARBAGE, SLUDGE FROM A WASTE TREATMENT PLANT, WATER SUPPLY TREATMENT PLANT, OR AIR POLLUTION CONTROL FACILITY OR OTHER DISCARDED MATERIAL, INCLUDING SOLID, LIQUID, SEMI-SOLID, OR CONTAINED GASEOUS MATERIAL RESULTING FROM INDUSTRIAL, COMMERCIAL, MINING AND AGRICULTURAL OPERATIONS, AND FROM COMMUNITY ACTIVITIES, BUT DOES NOT INCLUDE:

INDUSTRIAL DISCHARGES WITH NPDES PERMITS ISSUED PURSUANT TO 35 ILL. ADM. CODE 309;

SOURCE, SPENT NUCLEAR, OR BY-PRODUCT MATERIALS AS DEFINED BY THE ATOMIC ENERGY ACT OF 1954 (42 U.S.C. 2014);

ANY SOLID OR DISSOLVED MATERIAL FROM ANY MATERIAL SUBJECT TO 62 ILL. ADM. CODE 1700 THROUGH 1850. (Section 3.53 of the Act)

"Waste pile" means a pile consisting of waste that has a total volume greater than 10 cubic yards or within which the waste remains for more than 90 days.

"WATERS" MEANS ALL ACCUMULATIONS OF WATER, SURFACE AND UNDERGROUND, NATURAL AND ARTIFICIAL, PUBLIC AND PRIVATE, OR PARTS THEREOF, WHICH ARE WHOLLY OR PARTLY WITHIN, FLOW THROUGH, OR BORDER UPON THIS STATE. (Section 3.56 of the Act)

"WELL" MEANS A BORED, DRILLED OR DRIVEN SHAFT, OR DUG HOLE, THE DEPTH OF WHICH IS GREATER THAN THE LARGEST SURFACE DIMENSION. (Section 3.57 of the Act)

(Source:	Amended in R96-18 at	III. Reg.	, effective	.)

SUBPART B: GROUNDWATER MONITORING REQUIREMENTS

Section 615.204 Groundwater Monitoring System

- a) Except as provided otherwise in subsection (b), the groundwater monitoring system must consist of a sufficient number of wells, installed at appropriate locations and depths to yield groundwater samples, that:
 - 1) Represent the quality of background water that has not been affected by contamination from the facility or unit; and
 - 2) Represent the quality of groundwater at the compliance point or points.

- b) If a potable water well or other water well can be used as a monitoring well pursuant to this subsection, no additional monitoring wells are required under this Section. A potable water well or other water well may be used as a monitoring well if:
 - For a potable water well other than a community water supply well, a construction report has been filed with the Illinois Department of Public Health for such well, or such well has been located and constructed (or reconstructed) to meet the Illinois Water Well Construction Code [415]

 ILCS 30](Ill. Rev. Stat. 1989, ch. 111 1/2, pars. 116.111 et seq.) and 35 Ill. Adm. Code 920;
 - 2) For a water well other than a potable water well (e.g., a livestock watering well or an irrigation well), the owner or operator of the unit seeking to use the well as a monitoring well certifies to the Agency that a construction report has been filed with the Illinois Department of Public Health or the Illinois Department of Mines and Minerals for such well, or that such well has been located and constructed (or reconstructed) to meet the Illinois Water Well Construction Code [415 ILCS 30](Ill. Rev. Stat. 1989, ch. 111 1/2, pars. 116.111 et seq.), and 35 Ill. Adm. Code 920; and
 - 3) The unit contains solely non-special waste if the unit is a surface impoundment.
- c) If a facility contains more than one unit, separate groundwater monitoring systems are not required for each unit, provided that provisions for sampling the groundwater will enable detection and measurement of contaminants that have entered the groundwater from all units.
- d) All monitoring wells must meet the following requirements:
 - 1) Construction must be done in a manner that will enable the collection of groundwater samples;
 - 2) Casings and screens must be made from durable material that is resistant to expected chemical or physical degradation and that does not interfere with the quality of groundwater samples being collected; and
 - The annular space opposite the screened section of the well (i.e., the space between the bore hole and well screen) must be filled with gravel or sand if necessary to collect groundwater samples. The annular space above and below the well screen must be sealed to prevent migration of water from overlying adjacent formations and the surface to the sampled depth.

1	Cource	Amended in R96-18 at	Ill. Reg.	, effective	
١	Source.	Amenaca in Nyo-10 at	m. Kcg.	, CHCCHYC	•

SUBPART G: ON-SITE WASTE PILES

Section 615.462 Required Closure

A waste pile is deemed to be a landfill and thereby subject to the closure requirements of Subpart $\underline{D}\underline{E}$ unless the operator can demonstrate to the Agency that the wastes are not accumulated over time for disposal. At the minimum, such demonstration shall include photographs, records, or other observable or discernable information, maintained on a yearly basis, that show that within the preceding year the waste has been removed for utilization or disposed elsewhere.

(Source: Amended in R96-18 at	Ill. Reg.	, effective	.)
-------------------------------	-----------	-------------	----

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE F: PUBLIC WATER SUPPLIES CHAPTER I: POLLUTION CONTROL BOARD

PART 616 NEW ACTIVITIES IN A SETBACK ZONE OR REGULATED RECHARGE AREA

SUBPART A: GENERAL

Section	
616.101	Purpose
616.102	Definitions
616.104	Exceptions to Prohibitions
616.105	General Exceptions
	SUBPART B: GROUNDWATER MONITORING REQUIREMENTS
Section	
616.201	Applicability
616.202	Compliance Period
616.203	Compliance With Groundwater Standards
616.204	Groundwater Monitoring System
616.205	Groundwater Monitoring Program
616.206	Reporting
616.207	Determining Background Values and Maximum Allowable Results ("MARs")
616.208	Continued Sampling
616.209	Preventive Notification and Preventive Response
616.210	Corrective Action Program

Alternative Corrective Action Demonstration

616.211

SUBPART C: GENERAL CLOSURE AND POST-CLOSURE REQUIREMENTS Section 616.301 **Applicability** 616.302 Closure Performance Standard Certification of Closure 616.303 616.304 Survey Plat 616.305 Post-Closure Notice for Waste Disposal Units Certification of Completion of Post-Closure Care 616.306 Post-Closure Care Period 616.307 SUBPART D: ON-SITE LANDFILLS Section 616.401 **Applicability Prohibitions** 616.402 SUBPART E: ON-SITE LAND TREATMENT UNITS Section **Applicability** 616.421 **Prohibitions** 616.422 **Groundwater Monitoring** 616.423 616.424 Design and Operating Requirements Closure and Post-Closure Care 616.425 SUBPART F: ON-SITE SURFACE IMPOUNDMENTS Section 616.441 **Applicability** 616.442 **Prohibitions** 616.443 **Groundwater Monitoring** 616.444 **Design Requirements** 616.445 **Inspection Requirements** 616.446 **Operating Requirements** Closure and Post-Closure Care 616.447 SUBPART G: ON-SITE WASTE PILES Section 616.461 **Applicability Prohibitions** 616.462 616.463 Design and Operating Requirements Closure 616.464 SUBPART H: UNDERGROUND STORAGE TANKS Section 616.501 **Applicability** Design and Operating Requirements 616.502

SUBPART I: PESTICIDE STORAGE AND HANDLING UNITS

Section			
616.601	Applicability		
616.602	Prohibitions		
616.603	Groundwater Monitoring		
616.604	Design and Operating Requirements		
616.605	Closure and Post-Closure Care		
	SUBPART J: FERTILIZER STORAGE AND HANDLING UNITS		
Section			
616.621	Applicability		
616.622	Prohibitions		
616.623	Groundwater Monitoring		
616.624	Design and Operating Requirements		
616.625	Closure and Post-Closure Care		
	SUBPART K: ROAD OIL STORAGE AND HANDLING UNITS		
Section			
616.701	Applicability		
616.702	Prohibitions		
616.703	Groundwater Monitoring		
616.704	Design and Operating Requirements for Above-Ground Storage Tanks		
616.705	Closure		
	SUBPART L: DE-ICING AGENT STORAGE AND HANDLING UNITS		
Section			
616.721	Applicability		
616.722	Prohibitions		
616.723	Groundwater Monitoring		
616.724	Design and Operating Requirements for Indoor Storage Facilities		
616.725	Closure		
	RITY: Implementing Sections 5, 14.4, 21, and 22, and authorized by Section 27 of		
	onmental Protection Act [415 5/5, 5/14.4, 5/21, 5/22, 5/27](III. Rev. Stat. 1991, ch. pars. 1005, 1014.4, 1021, 1022, and 1027).		
SOURCE: Adopted in R89-5 at 16 Ill. Reg. 1592, effective January 10, 1992; amended in R89-14(C) at 16 Ill. Reg. 14676, effective September 11, 1992; amended in R92-20 at 17 Ill. Reg. 1878, effective January 28, 1993; amended in R96-18 at Ill. Reg,			
effective	effective		

NOTE: Capitalization denotes statutory language.

SUBPART A: GENERAL

Section 616.101 Purpose

Section 616.102

This Part prescribes requirements and standards for the protection of groundwater for certain types of new facilities or units located wholly or partially within a setback zone regulated by the Act or within a regulated recharge area as delineated pursuant to Section 17.4 of the Illinois Environmental Protection Act (Act) [415 ILCS 5](Ill. Rev. Stat. 1989, ch. 111 1/2, pars. 1001 et seq.).

(Source: Amended in R96-18 at ______ Ill. Reg. _____, effective _____.)

Definitions

Except as stated in this Section, and unless a different meaning of a word or term is clear from the context, the definitions of words or terms in this Part shall be the same as those used in 35 Ill. Adm. Code 615.102, the Act, or the Illinois Groundwater Protection Act [415 ILCS 55](Ill. Rev. Stat. 1989, ch. 111 1/2, pars. 7451 et seq.).

"NEW POTENTIAL PRIMARY SOURCE" MEANS:

A POTENTIAL PRIMARY SOURCE WHICH IS NOT IN EXISTENCE OR FOR WHICH CONSTRUCTION HAS NOT COMMENCED AT ITS LOCATION AS OF JANUARY 1, 1988; OR

A POTENTIAL PRIMARY SOURCE WHICH EXPANDS LATERALLY BEYOND THE CURRENTLY PERMITTED BOUNDARY OR, IF THE PRIMARY SOURCE IS NOT PERMITTED, THE BOUNDARY IN EXISTENCE AS OF JANUARY 1, 1988; OR

A POTENTIAL PRIMARY SOURCE WHICH IS PART OF A FACILITY THAT UNDERGOES MAJOR RECONSTRUCTION. SUCH RECONSTRUCTION SHALL BE DEEMED TO HAVE TAKEN PLACE WHERE THE FIXED CAPITAL COST OF THE NEW COMPONENTS CONSTRUCTED WITHIN A 2-YEAR PERIOD EXCEED 50% OF THE FIXED CAPITAL COST OF A COMPARABLE ENTIRELY NEW FACILITY.

(Section 3.59 of the Act)

"NEW POTENTIAL ROUTE" MEANS:

A POTENTIAL ROUTE WHICH IS NOT IN EXISTENCE OR FOR WHICH CONSTRUCTION HAS NOT COMMENCED AT ITS LOCATION AS OF JANUARY 1, 1988, OR

A POTENTIAL ROUTE WHICH EXPANDS LATERALLY BEYOND THE CURRENTLY PERMITTED BOUNDARY OR, IF THE

POTENTIAL ROUTE IS NOT PERMITTED, THE BOUNDARY IN EXISTENCE AS OF JANUARY 1, 1988.

(Section 3.58 of the Act)

"NEW POTENTIAL SECONDARY SOURCE" MEANS:

A POTENTIAL SECONDARY SOURCE WHICH IS NOT IN EXISTENCE OR FOR WHICH CONSTRUCTION HAS NOT COMMENCED AT ITS LOCATION AS OF JULY 1, 1988; OR

A POTENTIAL SECONDARY SOURCE WHICH EXPANDS LATERALLY BEYOND THE CURRENTLY PERMITTED BOUNDARY OR, IF THE SECONDARY SOURCE IS NOT PERMITTED, THE BOUNDARY IN EXISTENCE AS OF JULY 1, 1988, OTHER THAN AN EXPANSION FOR HANDLING OF LIVESTOCK WASTE OR FOR TREATING DOMESTIC WASTEWATERS; OR

A POTENTIAL SECONDARY SOURCE WHICH IS PART OF A FACILITY THAT UNDERGOES MAJOR RECONSTRUCTION. SUCH RECONSTRUCTION SHALL BE DEEMED TO HAVE TAKEN PLACE WHERE THE FIXED CAPITAL COST OF THE NEW COMPONENTS CONSTRUCTED WITHIN A 2-YEAR PERIOD EXCEED 50% OF THE FIXED CAPITAL COST OF A COMPARABLE ENTIRELY NEW FACILITY.

(Section 3.60 of the Act)

"POTENTIAL PRIMARY SOURCE" MEANS ANY UNIT AT A FACILITY OR SITE NOT CURRENTLY SUBJECT TO A REMOVAL OR REMEDIAL ACTION WHICH:

IS UTILIZED FOR THE TREATMENT, STORAGE, OR DISPOSAL OF ANY HAZARDOUS OR SPECIAL WASTE NOT GENERATED AT THE SITE; OR

IS UTILIZED FOR THE DISPOSAL OF MUNICIPAL WASTE NOT GENERATED AT THE SITE, OTHER THAN LANDSCAPE WASTE AND CONSTRUCTION AND DEMOLITION DEBRIS: OR

IS UTILIZED FOR THE LANDFILLING, LAND TREATING, SURFACE IMPOUNDING OR PILING OF ANY HAZARDOUS OR SPECIAL WASTE THAT IS GENERATED ON THE SITE OR AT OTHER SITES OWNED, CONTROLLED OR OPERATED BY THE SAME PERSON; OR

STORES OR ACCUMULATES AT ANY TIME MORE THAN 75,000 POUNDS ABOVE GROUND, OR MORE THAN 7,500 POUNDS BELOW GROUND, OF ANY HAZARDOUS SUBSTANCES.

(Section 3.59 of the Act)

"POTENTIAL ROUTE" MEANS ABANDONED AND IMPROPERLY PLUGGED WELLS OF ALL KINDS, DRAINAGE WELLS, ALL INJECTION WELLS, INCLUDING CLOSED LOOP HEAT PUMP WELLS, AND ANY EXCAVATION FOR THE DISCOVERY, DEVELOPMENT OR PRODUCTION OF STONE, SAND OR GRAVEL. (Section 3.58 of the Act)

"POTENTIAL SECONDARY SOURCE" MEANS ANY UNIT AT A FACILITY OR A SITE NOT CURRENTLY SUBJECT TO A REMOVAL OR REMEDIAL ACTION, OTHER THAN A POTENTIAL PRIMARY SOURCE, WHICH:

IS UTILIZED FOR THE LANDFILLING, LAND TREATING, OR SURFACE IMPOUNDING OF WASTE THAT IS GENERATED ON THE SITE OR AT OTHER SITES OWNED, CONTROLLED OR OPERATED BY THE SAME PERSON, OTHER THAN LIVESTOCK AND LANDSCAPE WASTE, AND CONSTRUCTION AND DEMOLITION DEBRIS; OR

STORES OR ACCUMULATES AT ANY TIME MORE THAN 25,000 BUT NOT MORE THAN 75,000 POUNDS ABOVE GROUND, OR MORE THAN 2,500 BUT NOT MORE THAN 7,500 POUNDS BELOW GROUND, OF ANY HAZARDOUS SUBSTANCES; OR

STORES OR ACCUMULATES AT ANY TIME MORE THAN 25,000 GALLONS ABOVE GROUND, OR MORE THAN 500 GALLONS BELOW GROUND, OF PETROLEUM, INCLUDING CRUDE OIL OR ANY FRACTION THEREOF WHICH IS NOT OTHERWISE SPECIFICALLY LISTED OR DESIGNATED AS A HAZARDOUS SUBSTANCE; OR

STORES OR ACCUMULATES PESTICIDES, FERTILIZERS, OR ROAD OILS FOR PURPOSES OF COMMERCIAL APPLICATION OR FOR DISTRIBUTION TO RETAIL SALES OUTLETS; OR

STORES OR ACCUMULATES AT ANY TIME MORE THAN 50,000 POUNDS OF ANY DE-ICING AGENT; OR

IS UTILIZED FOR HANDLING LIVESTOCK WASTE OR FOR TREATING DOMESTIC WASTEWATERS OTHER THAN PRIVATE

SEWAGE DISPOSAL SYSTEMS AS DEFINED IN THE PRIVATE SEWAGE DISPOSAL LICENSING ACT [225 ILCS 225/1](III. Rev. Stat. 1989, ch. 111 1/2, par. 116.301 et seq.)

(Section	3.60	of	the	Act)
----------	------	----	-----	------

Source: Amended	in R96-18 at	Ill. Reg	, effective)
Section 616, 104	Exceptions to I	Prohibitions		

- a) THE OWNER OF A NEW POTENTIAL PRIMARY SOURCE OR A POTENTIAL SECONDARY SOURCE MAY SECURE A WAIVER FROM THE prohibitions specified in Sections 616.402(a), 616.422(a), 616.442, 616.462(a), 616.602, 616.622, 616.702 or 616.722(a) against construction or operation within the setback zone FOR A POTABLE WATER SUPPLY WELL OTHER THAN A COMMUNITY WATER SUPPLY. A WRITTEN REQUEST FOR A WAIVER SHALL BE MADE TO THE OWNER OF THE WATER WELL AND THE AGENCY. SUCH REQUEST SHALL IDENTIFY THE NEW OR PROPOSED POTENTIAL SOURCE, SHALL GENERALLY DESCRIBE THE POSSIBLE EFFECT OF SUCH POTENTIAL SOURCE UPON THE WATER WELL AND ANY APPLICABLE TECHNOLOGY-BASED CONTROL WHICH WILL BE UTILIZED TO MINIMIZE THE POTENTIAL FOR CONTAMINATION, AND SHALL STATE WHETHER, AND UNDER WHAT CONDITIONS, THE REQUESTOR WILL PROVIDE AN ALTERNATIVE POTABLE WATER SUPPLY. WAIVER MAY BE GRANTED BY THE OWNER OF THE WATER WELL NO LESS THAN 90 DAYS AFTER RECEIPT UNLESS PRIOR TO SUCH TIME THE AGENCY NOTIFIES THE WELL OWNER THAT IT DOES NOT CONCUR WITH THE REQUEST. (Section 14.2(b) of the Act)
- b) THE AGENCY SHALL NOT CONCUR WITH ANY SUCH REQUEST WHICH FAILS TO ACCURATELY DESCRIBE REASONABLY FORESEEABLE EFFECTS OF THE POTENTIAL SOURCE OR POTENTIAL ROUTE UPON THE WATER WELL OR ANY APPLICABLE TECHNOLOGY-BASED CONTROLS. SUCH NOTIFICATION BY THE AGENCY SHALL BE IN WRITING, AND SHALL INCLUDE A STATEMENT OF REASONS FOR THE NONCONCURRENCE. WAIVER OF THE MINIMUM SETBACK ZONE SHALL EXTINGUISH THE WATER WELL OWNER'S RIGHTS UNDER SECTION 6b OF THE ILLINOIS WATER WELL CONSTRUCTION CODE BUT SHALL NOT PRECLUDE ENFORCEMENT OF ANY LAW REGARDING WATER POLLUTION. IF THE OWNER OF THE WATER WELL HAS NOT GRANTED A WAIVER WITHIN 120 DAYS AFTER RECEIPT OF THE REQUEST OR THE AGENCY HAS NOTIFIED THE OWNER THAT IT DOES NOT CONCUR WITH THE REQUEST, THE OWNER OF A POTENTIAL SOURCE OR POTENTIAL ROUTE MAY FILE A PETITION FOR AN EXCEPTION

- WITH THE BOARD AND THE AGENCY PURSUANT TO subsection (b) OF THIS SECTION. (Section 14.2(b) of the Act)
- C) NO WAIVER UNDER THIS SECTION IS REQUIRED WHERE THE POTABLE WATER SUPPLY WELL IS PART OF A PRIVATE WATER SYSTEM AS DEFINED IN THE ILLINOIS GROUNDWATER PROTECTION ACT, AND THE OWNER OF SUCH WELL WILL ALSO BE THE OWNER OF A NEW POTENTIAL SECONDARY SOURCE OR A POTENTIAL ROUTE. IN SUCH INSTANCES, A PROHIBITION OF 75 FEET SHALL APPLY AND THE OWNER SHALL NOTIFY THE AGENCY OF THE INTENDED ACTION SO THAT THE AGENCY MAY PROVIDE INFORMATION REGARDING THE POTENTIAL HAZARDS ASSOCIATED WITH LOCATION OF A POTENTIAL SECONDARY SOURCE OR POTENTIAL ROUTE IN CLOSE PROXIMITY TO A POTABLE WATER SUPPLY WELL. (Section 14.2(b) of the Act)
- d) THE BOARD MAY GRANT AN EXCEPTION FROM THE SETBACK REQUIREMENTS OF THIS SECTION AND SECTION 14.3 TO THE OWNER OF A NEW POTENTIAL PRIMARY SOURCE OTHER THAN LANDFILLING OR LAND TREATING, OR A NEW POTENTIAL SECONDARY SOURCE. THE OWNER SEEKING AN EXCEPTION WITH RESPECT TO A COMMUNITY WATER SUPPLY WELL SHALL FILE A PETITION WITH THE BOARD AND THE AGENCY. THE OWNER SEEKING AN EXCEPTION WITH RESPECT TO A POTABLE WATER SUPPLY WELL SHALL FILE A PETITION WITH THE BOARD AND THE AGENCY, AND SET FORTH THEREIN THE CIRCUMSTANCES UNDER WHICH A WAIVER HAS BEEN SOUGHT BUT NOT OBTAINED PURSUANT TO subsection (a) OF THIS SECTION. A PETITION SHALL BE ACCOMPANIED BY PROOF THAT THE OWNER OF EACH POTABLE WATER SUPPLY WELL FOR WHICH SETBACK REQUIREMENTS WOULD BE AFFECTED BY THE REQUESTED EXCEPTION HAS BEEN NOTIFIED AND BEEN PROVIDED WITH A COPY OF THE PETITION. A PETITION SHALL SET FORTH SUCH FACTS AS MAY BE REQUIRED TO SUPPORT AN EXCEPTION, INCLUDING A GENERAL DESCRIPTION OF THE POTENTIAL IMPACTS OF SUCH POTENTIAL SOURCE OR POTENTIAL ROUTE UPON GROUNDWATERS AND THE AFFECTED WATER WELL, AND AN EXPLANATION OF THE APPLICABLE TECHNOLOGY-BASED CONTROLS WHICH WILL BE UTILIZED TO MINIMIZE THE POTENTIAL FOR CONTAMINATION OF THE POTABLE WATER SUPPLY WELL. (Section 14.2(c) of the Act)
- e) THE BOARD SHALL GRANT AN EXCEPTION, WHENEVER IT IS FOUND UPON PRESENTATION OF ADEQUATE PROOF, THAT COMPLIANCE WITH THE SETBACK REQUIREMENTS OF THIS SECTION WOULD POSE AN ARBITRARY AND UNREASONABLE HARDSHIP UPON THE PETITIONER, THAT THE PETITIONER WILL

UTILIZE THE BEST AVAILABLE TECHNOLOGY CONTROLS ECONOMICALLY ACHIEVABLE TO MINIMIZE THE LIKELIHOOD OF CONTAMINATION OF THE POTABLE WATER SUPPLY WELL, THAT THE MAXIMUM FEASIBLE ALTERNATIVE SETBACK WILL BE UTILIZED, AND THAT THE LOCATION OF SUCH POTENTIAL SOURCE OR POTENTIAL ROUTE WILL NOT CONSTITUTE A SIGNIFICANT HAZARD TO THE POTABLE WATER SUPPLY WELL. (Section 14.2(c) of the Act)

- f) A DECISION MADE BY THE BOARD PURSUANT TO THIS SUBSECTION SHALL CONSTITUTE A FINAL DETERMINATION. (Section 14.2(c) of the Act)
- g) THE GRANTING OF AN EXCEPTION BY THE BOARD SHALL NOT EXTINGUISH THE WATER WELL OWNER'S RIGHTS UNDER SECTION 6b OF THE ILLINOIS WATER WELL CONSTRUCTION CODE IN INSTANCES WHERE THE OWNER HAS ELECTED NOT TO PROVIDE A WAIVER PURSUANT TO subsection (a) OF THIS SECTION. (Section 14.2(ca) of the Act)

(Source: Afficiated iff R90-18 at III. Reg. , effective	(Source: Amended in	R96-18 at	Ill. Reg.	, effective	
---	---------------------	-----------	-----------	-------------	--

SUBPART F: ON-SITE SURFACE IMPOUNDMENTS

SectionSubpart 616.447 Closure and Post-Closure Care

- a) If closure is to be by removal, the owner or operator shall remove all waste, all waste residues, contaminated containment system components (liners, etc.), contaminated subsoils and structures and equipment contaminated with waste and leachate; and, if disposed of in the State of Illinois, dispose of them at a disposal site permitted by the Agency under the Act.
- b) If closure is not to be by removal, the owner or operator shall comply with the requirements of Subpart C and shall:
 - 1) Eliminate free liquids by removing liquid wastes or solidifying the remaining wastes and waste residues.
 - 2) Stabilize remaining wastes to a bearing capacity sufficient to support final cover.
 - 3) Cover the surface impoundment unit with a final cover designed and constructed to:
 - A) Provide long-term minimization of the migration of liquids

through the closed impoundment unit;

- B) Function with minimum maintenance;
- C) Promote drainage and minimize erosion or abrasion of the final cover;
- D) Accommodate settling and subsidence so that the cover's integrity is maintained; and
- E) Have a permeability less than or equal to the permeability of any bottom liner system.
- c) If some waste residues or contaminated materials are left in place at final closure, the owner or operator shall comply with the requirements of Subpart C and shall for a period of 5 years after closure:
 - Maintain the integrity and effectiveness of the final cover, including making repairs to the cap as necessary to correct the effects of settling, subsidence, erosion or other events;
 - 2) Maintain and monitor the groundwater monitoring system; and
 - 3) Prevent run-on and run-off from eroding or otherwise damaging the final cover.

(Source: Amended in R96-18 at ______ Ill. Reg. _____, effective _____.)

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE F: PUBLIC WATER SUPPLIES CHAPTER I: POLLUTION CONTROL BOARD

PART 617 REGULATED RECHARGE AREAS

SUBPART A: GENERAL

Section

617.101 Purpose 617.102 Definitions

AUTHORITY: Implementing Sections 17.4, and authorized by Section 27 of the Environmental Protection Act [415 ILCS 5/17.4 and 5/27](III. Rev. Stat. 1991, ch. 111 1/2, pars. 1017.4, and 1027).

SOURCE: Adopted in R89-5 at 16 III. Reg. 1592, effective January 10, 1992; amended in

R96-18 at	Ill. Reg.	, effective	.)
-----------	-----------	-------------	----

SUBPART A:GENERAL

Section 617.101 Purpose

This Part sets out regulated recharge areas as delineated pursuant to Section 17.4 of the Illinois Environmental Protection Act (Act), [415 ILCS 5](Ill. Rev. Stat. 1989, ch. 111 1/2, pars. 1001 et seq.).

(Source: Amended in R96-18 at _____Ill. Reg. _____, effective _____.)

Section 617.102 Definitions

Unless a different meaning of a word or term is clear from the context, the definitions of words or terms in this Part shall be the same as those used in 35 Ill. Adm. Code 615.102, the Act, or the Illinois Groundwater Protection Act [415 ILCS 55](Ill. Rev. Stat. 1989, ch. 111 1/2, pars 7451 et seq.).

(Source: Amended in R96-18 at Ill. Reg. , effective .)

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE F: PUBLIC WATER SUPPLIES CHAPTER I: POLLUTION CONTROL BOARD

PART 620 GROUNDWATER QUALITY

SUBPART A: GENERAL

Section	
620.105	Purpose
620.110	Definitions
620.115	Prohibition
620.125	Incorporations by Reference
620.130	Exemption from General Use Standards and Public and Food Processing Water
	Supply Standards
620.135	Exclusion for Underground Water in Certain Man-Made Conduits
	SUBPART B: GROUNDWATER CLASSIFICATION
Section	
620.201	Groundwater Designations
620.210	Class I: Potable Resource Groundwater
620.220	Class II: General Resource Groundwater
620.230	Class III: Special Resource Groundwater

620.Appendix D Code 620.250 (a)(2).

620.240 620.250 620.260	0.250 Groundwater Management Zone				
	SUBPART C: NONDEGRADATION PROVISIONS FOR APPROPRIATE GROUNDWATERS				
Section					
620.301	General Prohibition Against Use Impairment of Resource Groundwater				
620.302	Applicability of Preventive Notification and Preventive Response Activities				
620.305 620.310	Preventive Notification Procedures Preventive Response Activities				
020.310	Freventive Response Activities				
Castian	SUBPART D: GROUNDWATER QUALITY STANDARDS				
Section 620.401	Applicability				
620.405	General Prohibitions Against Violations of Groundwater Quality Standards				
620.410	Groundwater Quality Standards for Class I: Potable Resource Groundwater				
620.420	Groundwater Quality Standards for Class II: General Resource Groundwater				
620.430	Groundwater Quality Standards for Class III: Special Resource Groundwater				
620.440	Groundwater Quality Standards for Class IV: Other Groundwater				
620.450	Alternative Groundwater Quality Standards				
Castian	SUBPART E: GROUNDWATER MONITORING AND ANALYTICAL PROCEDURES				
Section	ANALYTICAL PROCEDURES				
620.505	ANALYTICAL PROCEDURES Compliance Determination				
	ANALYTICAL PROCEDURES				
620.505 620.510	ANALYTICAL PROCEDURES Compliance Determination				
620.505 620.510 Section	ANALYTICAL PROCEDURES Compliance Determination Monitoring and Analytical Requirements SUBPART F: HEALTH ADVISORIES				
620.505 620.510 Section 620.601	ANALYTICAL PROCEDURES Compliance Determination Monitoring and Analytical Requirements SUBPART F: HEALTH ADVISORIES Purpose of a Health Advisory				
620.505 620.510 Section	ANALYTICAL PROCEDURES Compliance Determination Monitoring and Analytical Requirements SUBPART F: HEALTH ADVISORIES				
620.505 620.510 Section 620.601 620.605	ANALYTICAL PROCEDURES Compliance Determination Monitoring and Analytical Requirements SUBPART F: HEALTH ADVISORIES Purpose of a Health Advisory Issuance of a Health Advisory				
620.505 620.510 Section 620.601 620.605 620.610 620.615	ANALYTICAL PROCEDURES Compliance Determination Monitoring and Analytical Requirements SUBPART F: HEALTH ADVISORIES Purpose of a Health Advisory Issuance of a Health Advisory Publishing Health Advisories Additional Health Advice for Mixtures of Similar-Acting Substances				
620.505 620.510 Section 620.601 620.605 620.610 620.615 620.Appe Concentra	Compliance Determination Monitoring and Analytical Requirements SUBPART F: HEALTH ADVISORIES Purpose of a Health Advisory Issuance of a Health Advisory Publishing Health Advisories Additional Health Advice for Mixtures of Similar-Acting Substances andix A Procedures for Determining Human Threshold Toxicant Advisory tion for Class I: Potable Resource Groundwater				

Confirmation of an Adequate Corrective Action Pursuant to 35 Ill. Adm.

AUTHORITY: Implementing and authorized by Section 8 of the Illinois Groundwater Protection Act and Section 27 of the Illinois Environmental Protection Act [415 ILCS 55 and 415 ILCS 5/27](Ill. Rev. Stat. 1981, ch. 111 1/2, par. 7458).

SOURCE: Adopted in R89-14(B) at 15 Ill. Reg. 17614, effective November 25, 1991; amended in R89-14(C) at 16 Ill. Reg. 14667, effective September 11, 1992; amended at 18 Ill. Reg. 14084, effective August 24, 1994; amended in R96-18 at _____ Ill. Reg. _____.)

NOTE: Capitalization denotes statutory language.

SUBPART A: GENERAL

Section 620.110 Definitions

The definitions of the Environmental Protection Act [415 ILCS 5](Ill. Rev. Stat. 1989, ch. 111 1/2, par. 1001 et seq.) and the Groundwater Protection Act [415 ILCS 55] (Ill. Rev. Stat. 1989, ch. 111 1/2, pars. 7451 et seq.) apply to this Part. The following definitions also apply to this Part.

"Act" means the Environmental Protection Act [415 ILCS 5](III. Rev. Stat. 1989, ch. 111 1/2, pars. 1001 et seq.).

"AQUIFER" MEANS SATURATED (WITH GROUNDWATER) SOILS AND GEOLOGIC MATERIALS WHICH ARE SUFFICIENTLY PERMEABLE TO READILY YIELD ECONOMICALLY USEFUL QUANTITIES OF WATER TO WELLS, SPRINGS, OR STREAMS UNDER ORDINARY HYDRAULIC GRADIENTS. (Section 3(b) of the IGPA)

"BETX" means the sum of the concentrations of benzene, ethylbenzene, toluene, and xylenes.

"Carcinogen" means a chemical, or complex mixture of closely related chemicals, which has been listed or classified in the Integrated 00Risk Information System or as specified in a final rule adopted by USEPA in accordance with USEPA Guidelines for Carcinogenic Risk Assessment, incorporated by reference at Section 620.125, to be a group A, B₁, or B₂ carcinogen.

"COMMUNITY WATER SUPPLY" MEANS A PUBLIC SUPPLY WHICH

[&]quot;Agency" means the Illinois Environmental Protection Agency.

[&]quot;Board" means the Illinois Pollution Control Board.

SERVES OR IS INTENDED TO SERVE AT LEAST 15 SERVICE CONNECTIONS USED BY RESIDENTS OR REGULARLY SERVES AT LEAST 25 RESIDENTS. (Section 3.05 of the Act)

"CONTAMINANT" MEANS ANY SOLID, LIQUID, OR GASEOUS MATTER, ANY ODOR, OR ANY FORM OF ENERGY, FROM WHATEVER SOURCE. (Section 3.06 of the Act)

"Corrective action process" means those procedures and practices that may be imposed by a regulatory agency when a determination has been made that contamination of groundwater has taken place, and are necessary to address a potential or existing violation of the standards set forth in Subpart D.

"Cumulative impact area" means the area, including the coal mine area permitted under the Surface Coal Mining Land Conservation and Reclamation Act [225 ILCS 720](III. Rev. Stat. 1989, ch. 96 1/2, pars. 7901.01 et. seq.) and 62 III. Adm. Code 1700 through 1850, within which impacts resulting from the proposed operation may interact with the impacts of all anticipated mining on surface water and groundwater systems.

"Detection" means the identification of a contaminant in a sample at a value equal to or greater than the:

"Method Detection Limit" or "MDL" which means the minimum concentration of a substance that can be measured as reported with 99 percent confidence that the true value is greater than zero, pursuant to 56 Fed. Reg. 3526-3597, incorporated by reference at Section 620.125; or

"Method Quantitation Limit" or "MQL" which means the minimum concentration of a substance that can be measured and reported pursuant to "Test Methods for Evaluating Solid Wastes, Physical/ Chemical Methods", incorporated by reference at Section 620.125.

"Department" means the Illinois Department of Energy and Natural Resources.

"GROUNDWATER" MEANS UNDERGROUND WATER WHICH OCCURS WITHIN THE SATURATED ZONE AND GEOLOGIC MATERIALS WHERE THE FLUID PRESSURE IN THE PORE SPACE IS EQUAL TO OR GREATER THAN ATMOSPHERIC PRESSURE. (Section 3.64 of the Act)

"Hydrologic balance" means the relationship between the quality and quantity of water inflow to, water outflow from, and water storage in a hydrologic unit such as a drainage basin, aquifer, soil zone, lake, or reservoir. It encompasses the dynamic relationships among precipitation, runoff, evaporation, and changes in ground and surface water storage.

"IGPA" means the Illinois Groundwater Protection Act. [415ILCS 55](Ill. Rev. Stat. 1989, ch. 111 1/2, pars. 7451 et seq.).

"LOAEL" or "Lowest observable adverse effect level" means the lowest tested concentration of a chemical or substance which produces a statistically significant increase in frequency or severity of non-overt adverse effects between the exposed population and its appropriate control. LOAEL may be determined for a human population (LOAEL-H) or an animal population (LOAEL-A).

"NOAEL" or "No observable adverse effect level" means the highest tested concentration of a chemical or substance which does not produce a statistically significant increase in frequency or severity of non- overt adverse effects between the exposed population and its appropriate control. NOAEL may be determined for a human population (NOAEL-H) or an animal population (NOAEL-A)

"NON-COMMUNITY WATER SUPPLY" MEANS A PUBLIC WATER SUPPLY THAT IS NOT A COMMUNITY WATER SUPPLY. (Section 3.05)

"Off-site" means not on-site.

"On-site" means on the same or geographically contiguous property which may be divided by public or private right-of-way, provided the entrance and exit between properties is at a crossroads intersection and access is by crossing as opposed to going along the right-of-way. Noncontiguous properties owned by the same person but connected by a right-of-way which he controls and to which the public does not have access is also considered on-site property.

"Operator" means the person responsible for the operation of a site, facility or unit.

"Owner" means the person who owns a site, facility or unit or part of a site, facility or unit, or who owns the land on which the site, facility or unit is located.

"POTABLE" MEANS GENERALLY FIT FOR HUMAN CONSUMPTION IN ACCORDANCE WITH ACCEPTED WATER SUPPLY PRINCIPLES AND PRACTICES. (Section 3.65 of the Act)

"POTENTIAL PRIMARY SOURCE" MEANS ANY UNIT AT A FACILITY OR SITE NOT CURRENTLY SUBJECT TO A REMOVAL OR REMEDIAL ACTION WHICH:

IS UTILIZED FOR THE TREATMENT, STORAGE, OR DISPOSAL OF ANY HAZARDOUS OR SPECIAL WASTE NOT GENERATED

AT THE SITE; OR

IS UTILIZED FOR THE DISPOSAL OF MUNICIPAL WASTE NOT GENERATED AT THE SITE, OTHER THAN LANDSCAPE WASTE AND CONSTRUCTION AND DEMOLITION DEBRIS; OR

IS UTILIZED FOR THE LANDFILLING, LAND TREATING, SURFACE IMPOUNDING OR PILING OF ANY HAZARDOUS OR SPECIAL WASTE THAT IS GENERATED ON THE SITE OR AT OTHER SITES OWNED, CONTROLLED OR OPERATED BY THE SAME PERSON; OR

STORES OR ACCUMULATES AT ANY TIME MORE THAN 75,000 POUNDS ABOVE GROUND, OR MORE THAN 7,500 POUNDS BELOW GROUND, OF ANY HAZARDOUS SUBSTANCES. (Section 3.59 of the Act)

"POTENTIAL ROUTE" MEANS ABANDONED AND IMPROPERLY PLUGGED WELLS OF ALL KINDS, DRAINAGE WELLS, ALL INJECTION WELLS, INCLUDING CLOSED LOOP HEAT PUMP WELLS, AND ANY EXCAVATION FOR THE DISCOVERY, DEVELOPMENT OR PRODUCTION OF STONE, SAND OR GRAVEL. (Section 3.58 of the Act)

"POTENTIAL SECONDARY SOURCE" MEANS ANY UNIT AT A FACILITY OR A SITE NOT CURRENTLY SUBJECT TO A REMOVAL OR REMEDIAL ACTION, OTHER THAN A POTENTIAL PRIMARY SOURCE, WHICH:

IS UTILIZED FOR THE LANDFILLING, LAND TREATING, OR SURFACE IMPOUNDING OF WASTE THAT IS GENERATED ON THE SITE OR AT OTHER SITES OWNED, CONTROLLED OR OPERATED BY THE SAME PERSON, OTHER THAN LIVESTOCK AND LANDSCAPE WASTE, AND CONSTRUCTION AND DEMOLITION DEBRIS; OR

STORES OR ACCUMULATES AT ANY TIME MORE THAN 25,000 BUT NOT MORE THAN 75,000 POUNDS ABOVE GROUND, OR MORE THAN 2,500 BUT NOT MORE THAN 7,500 POUNDS BELOW GROUND, OF ANY HAZARDOUS SUBSTANCES; OR

STORES OR ACCUMULATES AT ANY TIME MORE THAN 25,000 GALLONS ABOVE GROUND, OR MORE THAN 500 GALLONS BELOW GROUND, OF PETROLEUM, INCLUDING CRUDE OIL OR ANY FRACTION THEREOF WHICH IS NOT OTHERWISE SPECIFICALLY LISTED OR DESIGNATED AS A HAZARDOUS SUBSTANCE; OR

STORES OR ACCUMULATES PESTICIDES, FERTILIZERS, OR ROAD OILS FOR PURPOSES OF COMMERCIAL APPLICATION OR FOR DISTRIBUTION TO RETAIL SALES OUTLETS; OR

STORES OR ACCUMULATES AT ANY TIME MORE THAN 50,000 POUNDS OF ANY DE-ICING AGENT; OR

IS UTILIZED FOR HANDLING LIVESTOCK WASTE OR FOR TREATING DOMESTIC WASTEWATERS OTHER THAN PRIVATE SEWAGE DISPOSAL SYSTEMS AS DEFINED IN THE PRIVATE SEWAGE DISPOSAL LICENSING ACT, [225 ILCS 225](III. Rev. Stat. 1989, ch. 111 1/2, par. 16.301 et seq.) (Section 3.60 of the Act)

"Practical Quantitation Limit" or "PQL" means the lowest concentration or level that can be reliably measured within specified limits of precision and accuracy during routine laboratory operating conditions in accordance with "Test Methods for Evaluating Solid Wastes, Physical/Chemical Methods", EPA Publication No. SW-846, incorporated by reference at Section 620.125.

"Previously mined area" means land disturbed or affected by coal mining operations prior to February 1, 1983.

(Board Note: February 1, 1983, is the effective date of the Illinois permanent program regulations implementing the Surface Coal Mining Land Conservation and Reclamation Act [225 ILCS 720/1.01 et seq.](Ill. Rev. Stat. 1989, ch. 96 ½, pars. 7901.1 et seq., as amended) as codified in 62 Ill. Adm. Code 1700 through 1850.)

"Property class" means the class assigned by a tax assessor to real property for purposes of real estate taxes.

(Board Note: The property class [rural property, residential vacant land, residential with dwelling, commercial residence, commercial business, commercial office, or industrial] is identified on the property record card maintained by the tax assessor in accordance with the Illinois Real Property Appraisal Manual [February 1987], published by the Illinois Department of Revenue, Property Tax Administration Bureau.)

"PUBLIC WATER SUPPLY" MEANS ALL MAINS, PIPES AND STRUCTURES THROUGH WHICH WATER IS OBTAINED AND DISTRIBUTED TO THE PUBLIC, INCLUDING WELLS AND WELL STRUCTURES, INTAKES AND CRIBS, PUMPING STATIONS, TREATMENT PLANTS, RESERVOIRS, STORAGE TANKS AND APPURTENANCES, COLLECTIVELY OR SEVERALLY, ACTUALLY USED OR INTENDED FOR USE FOR THE PURPOSE OF FURNISHING

WATER FOR DRINKING OR GENERAL DOMESTIC USE AND WHICH SERVE AT LEAST 15 SERVICE CONNECTIONS OR WHICH REGULARLY SERVE AT LEAST 25 PERSONS AT LEAST 60 DAYS PER YEAR. A PUBLIC WATER SUPPLY IS EITHER A "COMMUNITY WATER SUPPLY" OR A "NON-COMMUNITY WATER SUPPLY". (Section 3.28 of the Act)

"Regulated entity" means a facility or unit regulated for groundwater protection by any state or federal agency.

"Regulatory agency" means the Illinois Environmental Protection Agency, Department of Public Health, Department of Agriculture, Department of Mines and Minerals, and the Office of State Fire Marshal.

"REGULATED RECHARGE AREA" MEANS A COMPACT GEOGRAPHIC AREA, AS DETERMINED BY THE BOARD pursuant to Section 17.4 of the Act, THE GEOLOGY OF WHICH RENDERS A POTABLE RESOURCE GROUNDWATER PARTICULARLY SUSCEPTIBLE TO CONTAMINATION. (Section 3.67 of the Act)

"RESOURCE GROUNDWATER" MEANS GROUNDWATER THAT IS PRESENTLY BEING, OR IN THE FUTURE IS CAPABLE OF BEING, PUT TO BENEFICIAL USE BY REASON OF BEING OF SUITABLE QUALITY. (Section 3.66 of the Act)

"SETBACK ZONE" MEANS A GEOGRAPHIC AREA, DESIGNATED PURSUANT TO THIS ACT, CONTAINING A POTABLE WATER SUPPLY WELL OR A POTENTIAL SOURCE OR POTENTIAL ROUTE HAVING A CONTINUOUS BOUNDARY, AND WITHIN WHICH CERTAIN PROHIBITIONS OR REGULATIONS ARE APPLICABLE IN ORDER TO PROTECT GROUNDWATERS. (Section 3.61 of the Act)

"Site" MEANS ANY LOCATION, PLACE, TRACT OF LAND, AND FACILITIES, INCLUDING BUT NOT LIMITED TO, BUILDINGS AND IMPROVEMENTS USED FOR PURPOSES SUBJECT TO REGULATION OR CONTROL BY the ACT OR REGULATIONS THEREUNDER. (Section 3.43 of the Act)

"Spring" means a natural surface discharge of an aquifer from rock or soil.

"Threshold dose" means the lowest dose of a chemical at which a specified measurable effect is observed and below which it is not observed.

"Treatment" means the technology, treatment techniques, or other procedures for compliance with 35 Ill. Adm. Code: Subtitle F.

"UNIT" MEANS ANY DEVICE, MECHANISM, EQUIPMENT, OR AREA (EXCLUSIVE OF LAND UTILIZED ONLY FOR AGRICULTURAL PRODUCTION). (Section 3.62) of the Act)

"USEPA" or "U.S. EPA" means the United States Environmental Protection Agency.

Source: Amended in R96-18 at Ill. Reg, effective	·
--	---

SUBPART B: GROUNDWATER CLASSIFICATION

Section 620.230 Class III: Special Resource Groundwater

Except as provided in Section 620.250, Special Resource Groundwater is:

- a) Groundwater that is determined by the Board, pursuant to the procedures set forth in Section 620.260, to be:
 - 1) Demonstrably unique (e.g., irreplaceable sources of groundwater) and suitable for application of a water quality standard more stringent than the otherwise applicable water quality standard specified in Subpart D; or
 - 2) Vital for a particularly sensitive ecological system.
- b) Groundwater that contributes to a dedicated nature preserve that is listed by the Agency as set forth below:
 - 1) A written request to list a dedicated nature preserve under this subsection must contain, at a minimum, the following information:
 - A) A general description of the site and the surrounding land use;
 - B) A topographic map or other map of suitable scale denoting the location of the dedicated nature preserve;
 - C) A general description of the existing groundwater quality at and surrounding the dedicated nature preserve;
 - D) A general geologic profile of the dedicated nature preserve based upon the most reasonably available information, including but not limited to geologic maps and subsurface groundwater flow directions; and
 - E) A description of the interrelationship between groundwater and the nature of the site.

- 2) Upon confirmation by the Agency of the technical adequacy of a written request, the Agency shall publish the proposed listing of the dedicated nature preserve in the Environmental Register for a 45-day public comment period. Within 60 days after the close of the public comment period, the Agency shall either publish a final listing of the dedicated nature preserve in the Environmental Register or provide a written response to the requestor specifying the reasons for not listing the dedicated nature preserve.
- 3) At least once annually, the Agency shall publish in the Environmental Register a complete listing of all dedicated nature preserves listed under this subsection.
- 4) For purposes of this Section the term "dedicated nature preserve" means a nature preserve that is dedicated pursuant to the Illinois Natural Areas Preservation Act [525 ILCS 30/1 et seq.](III. Rev. Stat. 1989, ch. 105, pars. 701 et seq.).

(Source:	Amended in R96-18 at	Ill. Reg.	effective)

Section 620.260 Reclassification of Groundwater by Adjusted Standard

Any person may petition the Board to reclassify a groundwater in accordance with the procedures for adjusted standards specified in Section 28.1 of the Act and 35 Ill. Adm. Code 106. Subpart G. In any proceeding to reclassify specific groundwater by adjusted standard, in addition to the requirements of 35 Ill. Adm. Code 106. Subpart G, and Section 28.1(c) of the Act, the petition shall, at a minimum, contain information to allow the Board to determine:

- a) The specific groundwater for which reclassification is requested, including but not limited to geographical extent of any aquifers, depth of groundwater, and rate and direction of groundwater flow and that the specific groundwater exhibits the characteristics of the requested class as set forth in Sections 620.210(b), 620.220(b), 620.230, or 620.240;
- b) Whether the proposed change or use restriction is necessary for economic or social development, by providing information including, but not limited to, the impacts of the standards on the regional economy, social benefits such as loss of jobs or closing of facilities, and economic analysis contrasting the health and environmental benefits with costs likely to be incurred in meeting the standards would be beneficial or necessary;
- c) Existing and anticipated uses of the specific groundwater;
- d) Existing and anticipated quality of the specific groundwater;

- e) Existing and anticipated contamination, if any, of the specific groundwater;
- f) Technical feasibility and economic reasonableness of eliminating or reducing contamination of the specific groundwater or of maintaining existing water quality;
- g) The anticipated time period over which contaminants will continue to affect the specific groundwater;
- h) Existing and anticipated impact on any potable water supplies due to contamination;
- i) Availability and cost of alternate water sources or of treatment for those users adversely affected;
- i) Negative or positive effect on property values; and
- k) For special resource groundwater, negative or positive effect on:
 - 1) The quality of surface waters; and
 - Wetlands, natural areas, and the life contained therein, including endangered or threatened species of plant, fish or wildlife listed pursuant to the Endangered Species Act, 16 U.S.C. 1531 et seq., or the Illinois Endangered Species Protection Act [415 ILCS 10](III. Rev. Stat. 1991, eh. 8, par. 331 et seq.).

(Source:	Amended :	in R96-18 at	Ill. Reg.	, effective	

SUBPART C: NONDEGRADATION PROVISIONS FOR APPROPRIATE GROUNDWATERS

Section 620.301 General Prohibition Against Use Impairment of Resource Groundwater

- a) No person shall cause, threaten or allow the release of any contaminant to a resource groundwater such that:
 - 1) Treatment or additional treatment is necessary to continue an existing use or to assure a potential use of such groundwater; or
 - 2) An existing or potential use of such groundwater is precluded.
- b) Nothing in this Section shall prevent the establishment of a groundwater management zone pursuant to Section 620.250 or a cumulative impact area within a permitted site.

- Nothing in this Section shall limit underground injection pursuant to a permit issued by the Agency under the Act or issued by the Department of Mines and Minerals under the Illinois Oil and Gas Act [225 ILCS 725]—"An Act in relation to oil, gas, coal and other surface and underground resources and to repeal an Act herein named" (Ill. Rev. Stat. 1989, ch. 96 1/2, pars. 5401 et seq., as amended).
- d) Nothing in this Section shall limit the Board from promulgating nondegradation provisions applicable to particular types of facilities or activities which impact upon groundwater, including but not limited to landfills regulated pursuant to 35 Ill. Adm. Code.Subtitle G.

Source:	Amended in R96-18 at	Ill. Reg.	, effective	.)

SUBPART D: GROUNDWATER QUALITY STANDARDS

Section 620.420 Groundwater Quality Standards for Class II: General Resource Groundwater

- a) Inorganic Chemical Constituents
 - 1) Except due to natural causes or as provided in Section 620.450 or subsection (a)(3) or (d), concentrations of the following chemical constituents must not be exceeded in Class II groundwater:

Constituent	$\frac{Standard}{(mg/L)}$
Antimony	0.024
Arsenic	0.2
Barium	2
Beryllium	0.5
Cadmium	0.05
Chromium	1
Cobalt	1
Cyanide	0.6
Fluoride	4.0
Lead	0.1
Mercury	0.01
Nitrate as N	100
Thallium	0.02

2) Except as provided in Section 620.450 or subsection (a)(3) or (d), concentrations of the following chemical constituents must not be

exceeded in Class II groundwater:

Constituent	$\frac{Standard}{(mg/L)}$
Boron	2.0
Chloride	200
Copper	0.65
Iron	5
Manganese	10
Nickel	2
Selenium	0.05
Total Dissolved Solids	
(TDS)	1,200
Sulfate	400
Zinc	10

- The standard for any inorganic chemical constituent listed in subsection (a)(2), for barium, or for pH does not apply to groundwater within fill material or within the upper 10 feet of parent material under such fill material on a site not within the rural property class for which:
 - A) Prior to the effective date of this Part, surficial characteristics have been altered by the placement of such fill material so as to impact the concentration of the parameters listed in subsection (a)(3), and any on-site groundwater monitoring of such parameters is available for review by the Agency.
 - B) On the effective date of this Part, surficial characteristics are in the process of being altered by the placement of such fill material, which proceeds in reasonably continuous manner to completion, so as to impact the concentration of the parameters listed in subsection (a)(3), and any on-site groundwater monitoring of such parameters is available for review by the Agency.
- 4) For purposes of subsection (a)(3), the term "fill material" means clean earthen materials, slag, ash, clean demolition debris, or other similar materials.

b) Organic Chemical Constituents

1) Except due to natural causes or as provided in Section 620.450 or subsection (b)(2) or (d), concentrations of the following organic chemical constituents must not be exceeded in Class II groundwater:

Constituent	$\frac{Standard}{(mg/L)}$
Alachlor*	0.010
Aldicarb	0.015
Atrazine	0.015
Benzene*	0.025
Benzo(a)pyrene*	0.002
Carbofuran	0.2
Carbon Tetrachloride*	0.025
Chlordane*	0.01
Dalapon	2.0
Dichloromethane Dichloromethane	
Dichloromethane*	0.05
Di(2-ethylhexyl)phthalate*	0.06
Dinoseb	0.07
Endothall	0.1
Endrin	0.01
Ethylene Dibromide*	0.0005
Heptachlor*	0.002
Heptachlor Epoxide*	0.001
Hexachlorocyclopentadiene	0.5
Lindane (Gamma-Hexachloro	0.5
cyclohexane)	0.001
2,4-D	0.35
ortho-Dichlorobenzene	1.5
para-Dichlorobenzene	0.375
1,2-Dibromo-3-Chloropropane*	
1,2-Dichloroethane*	0.025
1,1-Dichloroethylene	0.035
cis-1,2-Dichloroethylene	0.2
trans-1,2-Dichloroethylene	0.5
1,2-Dichloropropane*	0.025
Ethylbenzene	1.0
Methoxychlor	0.2
Monochlorobenzene	0.5
Pentachlorophenol*	0.005
Phenols	0.1
Picloram	5.0
Polychlorinated Biphenyls (PCB	3's)
(as decachloro-biphenyl)*	0.0025
Simazine	0.04
Styrene	0.5
2,4,5-TP	0.25
Tetrachloroethylene*	0.025
Toluene	2.5

Toxaphene*	0.015
1,1,1-Trichloroethane	1.0
1,2,4-Trichlorobenzene	0.7
1,1,2-Trichloroethane	0.05
Trichloroethylene*	0.025
Vinyl Chloride*	0.01
Xylenes	10
*Denotes a carcinogen.	

- The standards for pesticide chemical constituents listed in subsection (b)(1) do not apply to groundwater within 10 feet of the land surface, provided that the concentrations of such constituents result from the application of pesticides in a manner consistent with the requirements of the Federal Insecticide, Fungicide and Rodenticide Act (7 U. S. C. 136 et seq.) and the Illinois Pesticide Act [415 ILCS 60](Ill. Rev. Stat. 1989, ch. 5, pars. 801 et seq.).
- c) Complex Organic Chemical Mixtures

Concentrations of the following organic chemical constituents of gasoline, diesel fuel, or heating fuel must not be exceeded in Class II groundwater:

Constituent	Standard
	(mg/L)
Benzene*	0.025
BETX	13.525
*Denotes a carcinogen.	

d) pH

Except due to natural causes, a pH range of 6.5 - 9.0 units must not be exceeded in Class II groundwater that is within 5 feet of the land surface.

(Source: Amended in R96-18 at Ill. Reg. , effective .)

SUBPART D: GROUNDWATER QUALITY STANDARDS

Section 620.450 Alternative Groundwater Quality Standards

- a) Groundwater Quality Restoration Standards
 - 1) Any chemical constituent in groundwater within a groundwater management zone is subject to this Section.

- 2) Except as provided in subsections (a)(3) or (a)(4) below, the standards as specified in Sections 620.410, 620.420, 620.430, and 620.440 apply to any chemical constituent in groundwater within a groundwater management zone.
- Prior to completion of a corrective action described in Section 620.250(a), the standards as specified in Sections 620.410, 620.420, 620.430, and 620.440 are not applicable to such released chemical constituent, provided that the initiated action proceeds in a timely and appropriate manner.
- 4) After completion of a corrective action as described in Section 620.250(a), the standard for such released chemical constituent is:
 - A) The standard as set forth in Section 620.410, 620.420, 620.430, or 620.440, if the concentration as determined by groundwater monitoring of such constituent is less than or equal to the standard for the appropriate class set forth in those sections; or
 - B) The concentration as determined by groundwater monitoring, if such concentration exceeds the standard for the appropriate class set forth in Section 620.410, 620.420, 620.430, or 620.440 for such constituent, and:
 - i) To the extent practicable, the exceedence has been minimized and beneficial use, as appropriate for the class of groundwater, has been returned; and
 - ii) Any threat to public health or the environment has been minimized.
- The Agency shall develop and maintain a listing of concentrations derived pursuant to subsection (a)(4)(B) above. This list shall be made available to the public and be updated periodically, but no less frequently than semi-annually. This listing shall be published in the Environmental Register.
- b) Coal Reclamation Groundwater Quality Standards
 - Any inorganic chemical constituent or pH in groundwater, within an underground coal mine, or within the cumulative impact area of groundwater for which the hydrologic balance has been disturbed from a permitted coal mine area pursuant to the Surface Coal Mining Land Conservation and Reclamation Act [225 ILCS 720](III. Rev. Stat. 1989, ch. 96 1/2, pars. 7901.1 et seq., as amended) and 62 III. Adm. Code 1700 through 1850, is subject to this Section.

- 2) Prior to completion of reclamation at a coal mine, the standards as specified in Sections 620.410(a) and (d), 620.420(a) and (de), 620.430 and 620.440 are not applicable to inorganic constituents and pH.
- After completion of reclamation at a coal mine, the standards as specified in Sections 620.410(a) and (d), 620.420(a), 620.430, and 620.440 are applicable to inorganic constituents and pH, except:
 - A) The concentration of total dissolved solids (TDS) must not exceed:
 - i) The post-reclamation concentration or 3000 mg/L, whichever is less, for groundwater within the permitted area; or
 - ii) The post-reclamation concentration of TDS must not exceed the post-reclamation concentration or 5000 mg/L, whichever is less, for groundwater in underground coal mines and in permitted areas reclaimed after surface coal mining if the Illinois Department of Mines and Minerals and the Agency have determined that no significant resource groundwater existed prior to mining (62 Ill. Adm. Code 1780.21(f) and (g)); and
 - B) For chloride, iron, manganese and sulfate, the post-reclamation concentration within the permitted area must not be exceeded.
 - C) For pH, the post-reclamation concentration within the permitted area must not be exceeded within Class I: Potable Resource Groundwater as specified in Section 620.210(a)(4).
- 4) A refuse disposal area (not contained within the area from which overburden has been removed) is subject to the inorganic chemical constituent and pH requirements of:
 - A) 35 Ill. Adm. Code 302. Subparts B and C, except due to natural causes, for such area that was placed into operation after February 1, 1983, and before the effective date of this Part, provided that the groundwater is a present or a potential source of water for public or food processing;
 - B) Section 620.440(c) for such area that was placed into operation prior to February 1, 1983, and has remained in continuous operation since that date; or

- C) Subpart D of this Part for such area that is placed into operation on or after the effective date of this Part.
- 5) For a refuse disposal area (not contained within the area from which overburden has been removed) that was placed into operation prior to February 1, 1983, and is modified after that date to include additional area, this Section applies to the area that meets the requirements of subsection (b)(4)(C) and the following applies to the additional area:
 - A) 35 Ill. Adm. Code 302. Subparts B and C, except due to natural causes, for such additional refuse disposal area that was placed into operation after February 1, 1983, and before the effective date of this Part, provided that the groundwater is a present or a potential source of water for public or food processing; and
 - B) Subpart D for such additional area that was placed into operation on or after the effective date of this Part.
- A coal preparation plant (not located in an area from which overburden has been removed) which contains slurry material, sludge or other precipitated process material, is subject to the inorganic chemical constituent and pH requirements of:
 - A) 35 Ill. Adm. Code 302. Subparts B and C, except due to natural causes, for such plant that was placed into operation after February 1, 1983, and before the effective date of this Part, provided that the groundwater is a present or a potential source of water for public or food processing;
 - B) Section 620.440(c) for such plant that was placed into operation prior to February 1, 1983, and has remained in continuous operation since that date; or
 - C) Subpart D for such plant that is placed into operation on or after the effective date of this Part.
- 7) For a coal preparation plant (not located in an area from which overburden has been removed) which contains slurry material, sludge or other precipitated process material, that was placed into operation prior to February 1, 1983, and is modified after that date to include additional area, this Section applies to the area that meets the requirements of subsection (b)(6)(C) and the following applies to the additional area:
 - A) 35 Ill. Adm. Code 302. Subparts B and C, except due to natural causes, for such additional area that was placed into operation after February 1, 1983, and before the effective date of this Part,

- provided that the groundwater is a present or a potential source of water for public or food processing; and
- B) Subpart D for such additional area that was placed into operation on or after the effective date of this Part.

	(Source:	Amended in R96-18 at	., Ill Reg.	, effective	.)
--	----------	----------------------	-------------	-------------	----

SUBPART E: GROUNDWATER MONITORING AND ANALYTICAL PROCEDURES

Section 620.505 Compliance Determination

- a) Compliance with standards at a site is to be determined as follows:
 - 1) For a structure (e.g., buildings), at the closest practical distance beyond the outermost edge for the structure.
 - 2) For groundwater that underlies a potential primary or secondary source, the outermost edge as specified in Section 620.240(e)(1).
 - For groundwater that underlies a coal mine refuse disposal area, a coal combustion waste disposal area, or an impoundment that contains sludge, slurry, or precipitated process material at a coal preparation plant, the outermost edge as specified in Section 620.240(f)(1) or location of monitoring wells in existence as of the effective date of this Part on a permitted site.
 - 4) For a groundwater management zone, as specified in a corrective action process.
 - 5) At any point at which groundwater monitoring is conducted using any water well or monitoring well that meets the following conditions:
 - A) For a potable well other than a community water supply well, a construction report has been filed with the Department of Public Health for such potable well, or such well has been located and constructed (or reconstructed) to meet the Illinois Water Well Construction Code [415 ILCS 30](Ill. Rev. Stat. 1989, ch. 111 1/2, pars. 116.111 et. seq., as amended) and 35 Ill. Adm. Code 920.
 - B) For a community water supply well, such well has been permitted by the Agency, or has been constructed in accordance with 35 Ill. Adm. Code 602.115.

- C) For a water well other than a potable water well (e.g., a livestock watering well or an irrigation well), a construction report has been filed with the Department of Public Health or the Department of Mines and Minerals for such well, or such well has been located and constructed (or reconstructed) to meet the Illinois Water Well Construction Code [415 ILCS 30, as amended](III. Rev. Stat. 1989, ch. 111 1/2, pars. 116.111 et. seq., as amended) and 35 Ill. Adm. Code 920.
- D) For a monitoring well, such well meets the following requirements:
 - i) Construction must be done in a manner that will enable the collection of groundwater samples;
 - ii) Casings and screens must be made from durable material resistant to expected chemical or physical degradation that do not interfere with the quality of groundwater samples being collected; and
 - iii) The annular space opposite the screened section of the well (i.e., the space between the bore hole and well screen) must be filled with gravel or sand if necessary to collect groundwater samples. The annular space above and below the well screen must be sealed to prevent migration of water from adjacent formations and the surface to the sampled depth.

Illinois Pollution Control Board

b)	For a spring, compliance wi emergence.	th this Subpart shall be determined a	at the point of
(Source: Am	nended in R96-18 at, I	ll Reg, effective)	
IT IS	SO ORDERED.		
	inion and order was adopted o	llinois Pollution Control Board, here n the day of	•
		Dorothy M. Gunn, Clerk	