

ILLINOIS POLLUTION CONTROL BOARD

MINUTES OF FORMAL BOARD MEETING

August 13, 1971 Chicago, Illinois (Circle Campus)

All Board Members were present save Mr. Lawton who was on vacation.

In #70-36 & 71-67, Flintkote an order was adopted by the Board. Opinions and orders, or opinions explaining prior Board actions were adopted in the following cases: #71-17, Hardwick; 71-28, Danville Sanitary District; 71-42 J.C. Dill; 71-102, Chambers, Bering; 71-106, Seegren; 71-107, Weinstein; 71-122, Charles; 71-192, Biondi; 71-112, Scott VW; 71-113, McAdams; 71-121, Monmouth; 71-125, Citizens Utilities; 71-126, Dole Construction; 71-136, Zamost; 71-144, Morrison; 71-146, Montgomery; 71-148, Chicago Rawhide; 71-157, Steimel v. Tollway; 71-158, DuPage Airport; 71-162, Masonite; 71-160, City of Pana; 71-164, LaSalle Bank; 71-169, Calumet Steel; 71-171, Tauber; 71-173, Bederman; 71-190, Park Manor; 71-210, City of Carrollton; 71-220, Snetsinger. Mr. Ladrach and Mr. Kissel dissented in #71-106, Seegren, Mr. Dumelle dissented in #71-160, City of Pana and Mr. Currie dissented in #71-171, Tauber and 71-190, Park Manor.

Hearing dates were announced for R70-15, Chicago Air Implementation Plan, R71-4, Particulate Amendments and R71-8 St. Louis Air Implementation Plan.

In R70-16, Mississippi Thermal Standards, the revised proposal was authorized for publication.


The following cases were authorized for hearings: #71-130, Chicago-Dubuque Foundry; 71-232 Scott Air Force Base; 71-238, G.E.

Hearings are mandatory in these cases: #71-226, Towns Wrecking; 71-227, Miller Lumber; 71-230, Pfizer; 71-231, Reese Construction; 71-234, Cobin Salvage; 71-236, Solid Waste; 71-237, George Reeves.

These cases were ordered held for E.P.A. recommendations: #71-228, Marathon Oil; 71-229, Texaco Inc.; 71-233, E.H. Knecht.

General discussion of legislative matters was held.

I, Christan L. Moffett, Clerk of the Pollution Control Board, certify that the Board approved the above Minutes this 17th day of May, 1972.


Christan L. Moffett