

Comparing:
Agency Proposed vs. JCAR r01

~~ILLINOIS REGISTER~~

JCAR350845-2507471r01

~~POLLUTION CONTROL BOARD~~

~~NOTICE OF PROPOSED AMENDMENT~~

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE G: WASTE DISPOSAL
CHAPTER I: POLLUTION CONTROL BOARD
SUBCHAPTER j: COAL COMBUSTION WASTE SURFACE IMPOUNDMENTS

PART 845
STANDARDS FOR THE DISPOSAL OF COAL COMBUSTION
RESIDUALS IN SURFACE IMPOUNDMENTS

SUBPART A: GENERAL PROVISIONS

Section	
845.100	Scope and Purpose
845.110	Applicability of Other Regulations
845.120	Definitions
845.130	Surface Impoundment Identification
845.140	Right of Inspection
845.150	Incorporations by Reference
845.160	Severability
845.170	Inactive Closed CCR Surface Impoundments

SUBPART B: PERMITTING

Section	
845.200	Permit Requirements and Standards of Issuance
845.210	General Provisions
845.220	Construction Permits
845.230	Operating Permits
845.240	Pre-Application Public Notification and Public Meeting
845.250	Tentative Determination and Draft Permit
845.260	Draft Permit Public Notice and Participation
845.270	Final Permit Determination and Appeal
845.280	Transfer, Modification and Renewal
845.290	Construction Quality Assurance Program

SUBPART C: LOCATION RESTRICTIONS

Section	
845.300	Placement Above the Uppermost Aquifer
845.310	Wetlands

~~POLLUTION CONTROL BOARD~~

~~NOTICE OF PROPOSED AMENDMENT~~

845.320	Fault Areas
845.330	Seismic Impact Zones
845.340	Unstable Areas and Floodplains
845.350	Failure to Meet Location Standards

SUBPART D: DESIGN CRITERIA

Section	
845.400	Liner Design Criteria for Existing CCR Surface Impoundments
845.410	Liner Design Criteria for New CCR Surface Impoundments and Any Lateral Expansion of a CCR Surface Impoundment
845.420	Leachate Collection and Removal System
845.430	Slope Maintenance
845.440	Hazard Potential Classification Assessment
845.450	Structural Stability Assessment
845.460	Safety Factor Assessment

SUBPART E: OPERATING CRITERIA

Section	
845.500	Air Criteria
845.510	Hydrologic and Hydraulic Capacity Requirements for CCR Surface Impoundments
845.520	Emergency Action Plan
845.530	Safety and Health Plan
845.540	Inspection Requirements for CCR Surface Impoundments
845.550	Annual Consolidated Report

SUBPART F: GROUNDWATER MONITORING AND CORRECTIVE ACTION

Section	
845.600	Groundwater Protection Standards
845.610	General Requirements
845.620	Hydrogeologic Site Characterization
845.630	Groundwater Monitoring Systems
845.640	Groundwater Sampling and Analysis Requirements
845.650	Groundwater Monitoring Program
845.660	Assessment of Corrective Measures
845.670	Corrective Action Plan
845.680	Implementation of the Corrective Action Plan

~~POLLUTION CONTROL BOARD~~

~~NOTICE OF PROPOSED AMENDMENT~~

SUBPART G: CLOSURE AND POST-CLOSURE CARE

Section

845.700	Required Closure or Retrofit of CCR Surface Impoundments
845.710	Closure Alternatives
845.720	Closure Plan
845.730	Initiation of Closure
845.740	Closure by Removal
845.750	Closure with a Final Cover System
845.760	Completion of Closure Activities
845.770	Retrofitting
845.780	Post-Closure Care Requirements

SUBPART H: RECORDKEEPING

Section

845.800	Facility Operating Record
845.810	Publicly Accessible Internet Site Requirements

SUBPART I: FINANCIAL ASSURANCE

Section

845.900	General Provisions
845.910	Upgrading Financial Assurance
845.920	Release of Financial Institution and Owner or Operator
845.930	Cost Estimates
845.940	Revision of Cost Estimates
845.950	Mechanisms for Financial Assurance
845.960	Trust Fund
845.970	Surety Bond Guaranteeing Payment
845.980	Surety Bond Guaranteeing Performance
845.990	Letter of Credit

AUTHORITY: Implementing Sections 12, 22, and 22.59 of the Environmental Protection Act [415 ILCS 5/12, 22, and 22.59] and authorized by Sections 22.59, 27, and 28 of the Environmental Protection Act [415 ILCS 5/22.59, 27, and 28].

SOURCE: Adopted in R20-19 at 45 Ill. Reg. 5884, effective April 21, ~~202~~2021; amended in R20-19B at 49 Ill. Reg. , effective .

~~POLLUTION CONTROL BOARD~~

~~NOTICE OF PROPOSED AMENDMENT~~

SUBPART B: ~~PERMITTING~~ PERMITTING

Section 845.220 Construction Permits

- a) All construction permit applications must contain the following information and documents.
 - 1) Design and Construction Plans (Construction History)
 - A) Identifying Information
 - i) The name and address of the person or persons owning or operating the CCR surface impoundment;
 - ii) The name associated with the CCR surface impoundment; and
 - iii) The identification number of the CCR surface impoundment if one has been assigned by the Agency.
 - B) A statement of the purpose for which the CCR surface impoundment is being used, how long the CCR surface impoundment has been in operation, and the types of CCR that have been placed in the CCR surface impoundment.
 - C) The name and size in acres of the watershed within which the CCR surface impoundment is located.
 - D) A description of the physical and engineering properties of the foundation and abutment materials on which the CCR surface impoundment is constructed.
 - E) A statement of the type, size, range, and physical and engineering properties of the materials used in constructing each zone or stage of the CCR surface impoundment; the method of site preparation and construction of each zone of the CCR surface impoundment; and the approximate dates of construction of each successive stage of construction of the CCR surface impoundment.

POLLUTION CONTROL BOARD

NOTICE OF PROPOSED AMENDMENT

- F) At a scale that details engineering structures and appurtenances relevant to the design, construction, operation, and maintenance of the CCR surface impoundment, detailed dimensional drawings of the CCR surface impoundment, including a plan view and ~~cross-sections~~cross-sections of the length and width of the CCR surface impoundment, showing all zones, foundation improvements, drainage provisions, spillways, diversion ditches, outlets, instrument locations, and slope protection, in addition to the normal operating pool surface elevation and the maximum pool surface elevation following peak discharge from the inflow design flood, the expected maximum depth of CCR within the CCR surface impoundment, and any identifiable natural or manmade features that could adversely affect operation of the CCR surface impoundment due to malfunction or mis-operation.
 - G) A description of the type, purpose, and location of existing instrumentation.
 - H) Area-capacity curves for the CCR surface impoundment.
 - I) A description of each spillway and diversion design features and capacities and calculations used in their determination.
 - J) The construction specifications and provisions for surveillance, maintenance, and repair of the CCR surface impoundment.
 - K) Any record or knowledge of structural instability of the CCR surface impoundment.
- 2) Narrative Description of the Facility. The permit application must contain a written description of the facility with supporting documentation describing the procedures and plans that will be used at the facility to comply with the requirements of this Part. The descriptions must include the following information:
- A) The types of CCR expected in the CCR surface impoundment, including a chemical analysis of each type of expected CCR;
 - B) An estimate of the maximum capacity of each surface impoundment in gallons or cubic yards;

~~POLLUTION CONTROL BOARD~~

~~NOTICE OF PROPOSED AMENDMENT~~

- C) The rate at which CCR and non-CCR waste streams currently enter the CCR surface impoundment in gallons per day and dry tons;
 - D) The estimated length of time the CCR surface impoundment will receive CCR and non-CCR waste streams; and
 - E) An on-site transportation plan that includes all existing and planned roads in the facility that will be used during the operation of the CCR surface impoundment.
- 3) Site Location Map. All permit applications must contain a site location map on the most recent United States Geological Survey (USGS) quadrangle of the area from the 7½ minute series (topographic), or on another map whose scale clearly shows the following information:
- A) The facility boundaries and all adjacent property, extending at least 1000 meters (3280 feet) beyond the boundary of the facility;
 - B) All surface waters;
 - C) The prevailing wind direction;
 - D) The limits of all 100-year floodplains;
 - E) All-natural areas designated as a Dedicated Illinois Nature Preserve under the Illinois Natural Areas Preservation Act [525 ILCS 30];
 - F) All historic and archaeological sites designated by the National Historic Preservation Act (16 USC 470 et seq.) and the Illinois Historic Sites Advisory Council Act [20 ILCS 3410]; and
 - G) All areas identified as critical habitat under the Endangered Species Act of 1973 (16 USC 1531 et seq.) and the Illinois Endangered Species Protection Act [520 ILCS 10].
- 4) Site Plan Map. The application must contain maps, including ~~cross-sectional~~cross-sectional maps of the site boundaries, showing the location of the facility. The following information must be shown:

~~POLLUTION CONTROL BOARD~~

~~NOTICE OF PROPOSED AMENDMENT~~

- A) The entire facility, including any proposed and all existing CCR surface impoundment locations;
 - B) The boundaries, both above and below ground level, of the facility and all CCR surface impoundments or landfills containing CCR included in the facility;
 - C) All existing and proposed groundwater monitoring wells including monitoring wells for a CCR storage unit under Section 845.740(c)(4)(B)(vi), if applicable; and
 - D) All main service corridors, transportation routes, and access roads to the facility.
- 5) A narrative description of the proposed construction of, or modification to, a CCR surface impoundment and any projected changes in the volume or nature of the CCR or non-CCR waste streams.
 - 6) Plans and specifications fully describing the design, nature, function and interrelationship of each individual component of the facility.
 - 7) A new groundwater monitoring program or any modification to an existing groundwater monitoring program that includes but is not limited to the following information:
 - A) A hydrogeologic site investigation meeting the requirements of Section 845.620, if applicable;
 - B) Design and construction plans of a groundwater monitoring system meeting the requirements of Section 845.630; and
 - C) A proposed groundwater sampling and analysis program that includes selection of the statistical procedures to be used for evaluating groundwater monitoring data (see Sections 845.640 and 845.650).
 - 8) The signature and seal of a qualified professional engineer.

~~POLLUTION CONTROL BOARD~~

~~NOTICE OF PROPOSED AMENDMENT~~

- 9) Certification that the owner or operator of the CCR surface impoundment completed the public notification and public meetings required under Section 845.240, a summary of the issues raised by the public, a summary of any revisions, determinations, or other considerations made in response to those issues, and a list of interested persons in attendance who would like to be added to the Agency's listserv for the facility.
- b) New Construction. In addition to the requirements in subsection (a), all construction permit applications to build a new CCR surface impoundment, lateral expansion of a CCR surface impoundment, or retrofit an existing CCR surface impoundment must also contain the following information and documents:
 - 1) Plans and specifications that demonstrate the proposed CCR surface impoundment will meet the location standards in the following Sections:
 - A) Section 845.300 (Placement Above the Uppermost Aquifer);
 - B) Section 845.310 (Wetlands);
 - C) Section 845.320 (Fault Areas);
 - D) Section 845.330 (Seismic Impact Zones); and
 - E) Section 845.340 (Unstable Areas and Floodplains).
 - 2) Plans and specifications that demonstrate the proposed CCR surface impoundment will meet the following design criteria:
 - A) The CCR surface impoundment will have a liner meeting the liner requirements of Section 845.400(b) or (c);
 - B) The CCR surface impoundment will have a leachate collection system meeting the requirements of Section 845.420; and
 - C) The CCR surface impoundment, if not incised, will be constructed with slope protection, as required by Section 845.430.
 - 3) CCR fugitive dust control plan (see Section 845.500(b)).

~~POLLUTION CONTROL BOARD~~

~~NOTICE OF PROPOSED AMENDMENT~~

- 4) Preliminary written closure plan (see Section 845.720(a)).
 - 5) Initial written post-closure care plan, if applicable (see Section 845.780(d)).
- c) Corrective Action Construction. In addition to the requirements in subsection (a), all construction permit applications that include any corrective action performed under Subpart F must also contain the following information and documents:
- 1) Corrective action plan (see Section 845.670);
 - 2) Groundwater modeling, including:
 - ~~A)~~A) The results of groundwater contaminant transport modeling and calculations showing how the corrective action will achieve compliance with the applicable groundwater standards;
 - ~~B)~~B) All modeling inputs and assumptions;
 - C) Description of the fate and transport of contaminants with the selected corrective action over time; and
 - D) Capture zone modeling, if applicable;
 - 3) Any necessary licenses and software needed to review and access both the models and the data contained within the models required by subsection (c)(2);
 - 4) Corrective action groundwater monitoring program, including identification of revisions to the groundwater monitoring system for corrective action; and
 - 5) Any interim measures necessary to reduce the contaminants leaching from the CCR surface impoundment, and/or potential exposures to human or ecological receptors, including an analysis of the factors specified in Section 845.680(a)(3).
- d) Closure Construction. In addition to the requirements in subsection (a), all construction permit applications for closure of the CCR surface impoundment under Subpart G must contain the following information and documents:

~~POLLUTION CONTROL BOARD~~

~~NOTICE OF PROPOSED AMENDMENT~~

- 1) Closure prioritization category, if applicable (see Section 845.700(g));
- 2) Final closure plan (see Section 845.720(b)), including the closure alternatives analysis required by Section 845.710;
- 3) Groundwater modeling, including:
 - A) The results of groundwater contaminant transport modeling and calculations showing how the closure will achieve compliance with the applicable groundwater standards;
 - B) All modeling inputs and assumptions;
 - C) Description of the fate and transport of contaminants, with the selected closure over time;
 - D) Capture zone modeling, if applicable; and
 - E) Any necessary licenses and software needed to review and access both the model and the data contained within the model.
- 4) Proposed schedule to complete closure;
- 5) Post-closure care plan specified in Section 845.780(d), if applicable; and
- 6) Design and construction plans and specifications for a CCR storage unit and any associated barriers or berms, if applicable, including:
 - A) The dimensions of the CCR storage unit and the type of storage pad or geomembrane to be used;
 - B) The estimated maximum and estimated average tons or cubic yards of CCR that will be stored in the CCR storage unit monthly or annually;
 - C) An estimate of the amount of time the CCR storage unit will be operational;

~~POLLUTION CONTROL BOARD~~

~~NOTICE OF PROPOSED AMENDMENT~~

- D) A description of the function of any barriers or berms that will be used to control wind and water run-on and run-off;
 - E) A description of the demolition and disposal of the components of the CCR storage unit; and
 - F) An assessment of how the CCR storage unit will meet the operating criteria under Section 845.740(c)(4).
- e) *Owners or operators of CCR surface impoundments who submitted a closure plan to the Agency before May 1, 2019, and who complete closure before July 30, 2021, shall not be required to obtain a construction permit for closure under subsection (d). [415 ILCS 5/22.59(e)]*
- f) A single construction permit application may be submitted for new construction, corrective action, and closure if the construction is related to the same multi-phased project. The permit application for a project with multiple phases must contain all information required by subsections (a), (b), (c), and (d), as applicable.
- g) Duration of Construction Permits
- 1) For any construction permit that is not for the closure or retrofit of the CCR surface impoundment, the construction permit must be issued for fixed terms not to exceed 3 years.
 - 2) For any construction permit for the closure or retrofit of a CCR surface impoundment, the construction permit must be issued for an initial fixed term expiring within the timeframe approved by the Agency in the construction permit or five years, whichever is less. The Agency may renew a construction permit for closure or retrofit in two-year increments under Section 845.760(b).

(Source: Amended at 49 Ill. Reg. , effective)

Summary report: Litera Compare for Word 11.8.0.56 Document comparison done on 5/29/2025 11:14:20 AM	
Style name: Default Style	
Intelligent Table Comparison: Active	
Original filename: 35-845RG-P Agency.docx	
Modified filename: 35-845RG-P r01 (49-22).docx	
Changes:	
<u>Add</u>	11
Delete	13
Move From	0
<u>Move To</u>	0
<u>Table Insert</u>	0
Table Delete	0
<u>Table moves to</u>	0
Table moves from	0
Embedded Graphics (Visio, ChemDraw, Images etc.)	0
Embedded Excel	0
Format changes	0
Total Changes:	24