

ILLINOIS POLLUTION CONTROL BOARD

June 16, 2025

BUNGE MILLING, INC.,

Petitioner,

v.

ILLINOIS ENVIRONMENTAL  
PROTECTION AGENCY,

Respondent.

)  
)  
)  
)  
)  
)  
)  
)  
)

PCB 23-92  
(Permit Appeal - Air)

**HEARING OFFICER ORDER**

On June 16, 2025, the parties participated in a telephone status conference with the hearing officer. The Agency continues to work on the draft permit.

The parties are directed to provide a status update or participate in a telephone status conference with the hearing officer as follows:

Time: 10:00 a.m.

Date: September 15, 2025

The People may circulate a conference call number or may initiate the call. If the parties agree that a call is not needed, a status update may be emailed in advance of the scheduled time.

Petitioner filed an open waiver of the decision deadline.

IT IS SO ORDERED.



---

Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
2520 W. Iles Ave.  
Springfield, Illinois 62704  
217/524-8509  
Carol.Webb@illinois.gov

# CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed on June 16, 2025, to each of the person on the service list below.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on June 16, 2025:

Don Brown  
Illinois Pollution Control Board  
60 E. Van Buren Street  
Suite 630  
Chicago, Illinois 60605



Carol Webb  
Hearing Officer  
Illinois Pollution Control Board  
1021 North Grand Avenue East  
P.O. Box 19274  
Springfield, Illinois 62794-9274  
217/524-8509  
[Carol.Webb@illinois.gov](mailto:Carol.Webb@illinois.gov)

## SERVICE LIST

### @ Consents to Electronic Service

PCB 2023-092@  
Thor W. Ketzback  
Bryan Cave Leighton Paisner LLP  
161 N. Clark Street  
Suite 4300  
Chicago, IL 60601

PCB 2023-092@  
Nora J. Faris  
Bryan Cave Leighton Paisner LLP  
161 N. Clark Street  
Suite 4300  
Chicago, IL 60601

PCB 2023-092@  
Christina Nannini  
Office of the Attorney General  
500 South Second Street  
Springfield, IL 62706