ILLINOIS POLLUTION CONTROL BOARD December 15, 2025

General III LLC,)
Petitioner,)
v.)
ILLINOIS ENVIRONMENTAL) PCB 21-7) (Permit Appeal - Air)
PROTECTON AGENCY,) (Termit Appear Am)
Respondent.)

HEARING OFFICER ORDER

On December 15, 2025, all parties participated in a telephonic status conference with the hearing officer. The parties reported that the related appellate court appeal has been fully briefed and the parties continue to await a decision or an oral argument date. Petitioner to file an additional waiver to July 2, 2026.

The parties or their legal representatives are directed to participate in a telephonic status conference with the hearing officer on March 12, 2026, at 10:00 a.m. The telephonic status conference must be initiated by the petitioner, with the petitioner providing a call-in number. At the status conference, the parties must be prepared to discuss the status of the above-captioned matter.

IT IS SO ORDERED.

Bradley P. Halloran

Hearing Officer

Illinois Pollution Control Board

Bradley P. 12000-

60 E. Van Buren Street

Suite 630

Chicago, Illinois 60605

312.814.8917

Brad.Halloran@illinois.gov

CERTIFICATE OF SERVICE

It is hereby certified that true copies of the foregoing order were e-mailed on December 15, 2025, to each of the persons on the attached service list.

It is hereby certified that a true copy of the foregoing order was e-mailed to the following on December 15, 2025:

Don Brown Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605

> Bradley P. Halloran Hearing Officer Illinois Pollution Control Board 60 E. Van Buren Street Suite 630 Chicago, Illinois 60605 312.814.8917

@Consents electronic service.

PCB 2021-007@
Taft Stettinius & Hollister LLP
Ann M. Zwick
111 E. Wacker Drive
Suite 2600
Chicago, IL 60601-4208

PCB 2021-007@ Stephen Sylvester Office of the Attorney General 69 W. Washington Street Suite 1800 Chicago, IL 60602

PCB 2021-007@ Kevin Garstka Office of the Attorney General 69 W. Washington Street Suite 1800 Chicago, IL 60602