ILLINOIS POLLUTION CONTROL BOARD April 20, 1995

IN THE MATTER OF:)
	R95-2
EXEMPTIONS FROM THE DEFINITION) (Identical in Substance Rules)
OF VOM, U.S. EPA RECOMMENDED) (Air)
POLICY AMENDMENTS (July 1)
through December 31, 1994)	

Proposal for Public Comment.

PROPOSED OPINION AND ORDER OF THE BOARD (by G.T. Girard):

This proceeding updates the definition of 35 Ill. Adm. Code 211.7150 to reflect the most recent U.S. EPA exemptions of compounds from regulation as ozone precursors. This rulemaking is mandated by Section 9.1(e) of the Environmental Protection Act (Act) [415 ILCS 5/9.1(e) (1992)]. That provision requires the Board to exempt from the definition of VOM those compounds that are determined by U.S. EPA to be exempt from regulation under the state implementation plan for ozone in the federal Recommended Policy. Section 9.1(e) provides that Title VII of the Act and Section 5 of the Administrative Procedure Act (APA) [5 ILCS 100/5-35 & 5-40 (1992)] do not apply to this proceeding. Because it is not subject to Section 5 of the APA, this rulemaking is not subject to First Notice and Second Notice review by the Joint Committee on Administrative Rules.

As is explained below (<u>infra</u> p. 2), the Board is acting at this time in response to requests for expedited consideration from the Illinois EPA (Agency) and members of the regulated community.

DESCRIPTION OF PRESENT ACTION

The present amendments respond to a single U.S. EPA amendment to the definition of VOM. On October 5, 1994, at 59 Fed. Reg. 50696, U.S. EPA added one compound and a class of compounds to the list of chemical species that are exempted from the definition of VOM and, hence, are exempted from regulation for control of ozone precursors. The single compound is parachlorobenzotrifluoride (PCBTF), whose standard International Union of Pure and Applied Chemistry (IUPAC) name is p-chlorotrifluoromethylbenzene (or alternative common name is o-chloro- α,α,α -trifluorotoluene). The class of compounds are cyclic, branched, or linear completely-methylated siloxanes.

The primary Federal Register citation to the revision in the federal policy statement used in this opinion and order is as follows:

59 Fed. Reg. 50696 (Oct. 5, 1994) adding one compound and

one class of compounds to the list of those exempted

The Board has incorporated the federal amendments of October 5, 1994 with no significant deviation from the added federal text. The only deviation is minor: we hyphenated "completely-methylated", since this is the appropriate from for a compound derived adjective.

In addition to the addition of the two new exemptions from the definition of VOM, the Board uses this opportunity to make a small number of corrections to the text of the existing definition of VOM. The primary corrections are to the spelling and format of the chemical names in the listing of exempted compounds. Corrected were the following (corrections underlined): "dichloromethane", "1,1,1-trichloroethane", "1,2-dichloro_1,1,2,2-tetrafluoroethane", "1,1,1-trifluoro-2,2dichloroethane", "1,1-dichloro-1-fluoroethane", "1-chloro-1,1-difluoroethane", and "1,1-difluoroethane". These corrections represent changes to standard chemical nomenclature. The Board notes that the errors in 1,2-dichloro-1,1,2,2-tetrafluoroethane, 1,1-dichloro-1-fluoroethane, and 1-chloro-1,1-difluoroethane appeared in the federal original text.

Other amendments were grammatical corrections. Changing the case in the first letters of "volatile" in the preamble and "methane" in subsection (a) was necessary because these appear in the middle of their respective sentences and neither is a proper The Board hyphenated "sulfur-containing" in subsection (a)(4) because this is actually used as a compound derived We added a comma after "as applicable" in subsection adjective. (b) to close the intended parenthetical phrase. The Board changed "which" to "that" in subsection (b) because the establishment-by-permit clause that follows is clearly intended only as a restrictive relative clause. We separated the elements of the series in the restrictive relative clause because this is the appropriate for separating the elements a series of three or more where commas appear in one or more of the elements. amended "such" to "the", removed the comma, and singularized "exclusion" in the last sentence of subsection (b) to clarify the intent that the approval by the Agency is as necessary a prerequisite to exclusion of any and all compounds as the accurate quantification.

EXPEDITED CONSIDERATION

The Board received a letter pertaining to this matter from the Agency on March 7, 1995. Attached are copies of the October 5, 1994 federal action that underlies this proceeding, a December 2, 1994 letter from Occidental Chemical Corporation to the 3

Agency, and a December 12, 1994 letter and "Petition Requesting Commencement of Rulemaking" from Dow Corning Corporation to the Agency. The letters from Occidental Chemical and Dow Corning request regulatory action to incorporate the federal amendments. The Board docketed this as public comment number one (PC 1) and designated the attached letter from Occidental Chemical as PC 1a and that from Dow Corning as PC 1b.

By our order dated March 16, 1995, the Board interpreted PC 1 as a request for expedited consideration. We granted that motion to the extent consistent with our time and resources. This proposal for public comment represents fulfillment of that commitment.

HISTORICAL SUMMARY OF FEDERAL RECOMMENDED POLICY

The U.S. EPA "Recommended Policy on the Control of Volatile Organic Compounds" (Recommended Policy) exempted certain chemical compounds from the definition of volatile organic compounds or volatile organic materials (VOMs) due to their negligible photochemical reactivity (i.e., their reduced capacity for partaking in the complex atmospheric chemical reactions that result in the formation in tropospheric ozone). U.S. EPA codified this Recommended Policy as 40 CFR 51.100(s), in its definition of "volatile organic compound".

U.S. EPA established its "Recommended Policy on Control of Volatile Organic Compounds" (Recommended Policy) in 1977, at 42 Fed. Reg. 35314 (July 8, 1977). At that time, U.S. EPA stated that methane, ethane, methylene chloride (dichloromethane)², 1,1,1-trichloroethane (methyl chloroform), and trichlorotrifluoroethane (CFC-113 or Freon 113) should be exempted from regulation due to their negligible photochemical reactivity. U.S. EPA clarified its policy on June 4, 1979, at 44 Fed. Reg. 32043, and May 16, 1980, at 45 Fed. Reg. 32424.

USEPA consistently designates these "volatile organic compounds" or "VOCs." Both designations refer to the same matter, and all references in this Opinion and Order to "VOM" refer to what USEPA calls "VOC."

The July 8, 1977 discussion mentioned methylene chloride and several other compounds, but none was included in either Table 1, which actually listed the recommended-exempt compounds, and methylene chloride did not appear in Table 2, which listed low-reactivity compounds. However, the June 4, 1979 and May 16, 1980 clarifications and later amendments make it clear that U.S. EPA considered methylene chloride exempted as of the initial publication of the Recommended Policy on July 8, 1977.

U.S. EPA later amended its unmodified Recommended Policy by adding additional exempted compounds. On July 22, 1980, at 45 Fed. Reg. 48941, U.S. EPA added five chlorofluorocarbons (CFCs) and one fluorocarbon (FC)3: trichlorofluoromethane (CFC-11), dichlorodifluoromethane (CFC-12), chlorodifluoromethane (CFC-22), trifluoromethane (FC-23), dichlorotetrafluoroethane (CFC-114), and chloropentafluoroethane (CFC-115). On January 18, 1989, at 54 Fed. Req. 1987), U.S. EPA added four hydrohalocarbon compounds (HFCs and HCFCs) to the list of those exempted: dichlorotrifluoroethane (HCFC-123), tetrafluoroethane (HFC-134a), dichlorofluoroethane (HCFC-141b), and chlorodifluoroethane (HCFC-142b). Finally, on March 18, 1991, at 52 Fed. Reg. 11418, U.S. EPA revisited certain compounds earlier denied and revised the unmodified Recommended Policy for the last time, to exclude five additional hydrohalocarbon compounds and four classes of fluorocarbon compounds. The five newly-exempted hydrohalocarbon compounds were 2-chloro-1,1,1,2-tetrafluoroethane (HCFC-124), pentafluoroethane (HFC-125), 1,1,2,2-tetrafluoroethane (HFC-134), 1,1,1-trifluoroethane (HFC-143a), and 1,1-difluoroethane (HFC-152a). The four newly-exempted classes of fluorocarbon compounds were cyclic, branched, or linear, completely-fluorinated alkanes; cyclic, branched, or linear, completely-fluorinated ethers with no unsaturations; cyclic, branched, or linear, completelyfluorinated tertiary amines with no unsaturations; and sulfurcontaining perfluorocarbons with no unsaturations and with sulfur bonds only to carbon and fluorine.

On March 18, 1991, at 56 Fed. Reg. 11387, U.S. EPA proposed codification of the Recommended Policy in its definition of VOM at 40 CFR 51.100(s). This proposed action was undertaken in conjunction with the last amendments to the unmodified policy. U.S. EPA adopted the amended definition of VOM, which now embodies the former Recommended Policy on February 3, 1992, at 57 Fed. Reg. 3945. This codification included all the compounds and classes of compounds previously included as exempted in the unmodified Recommended Policy. It also included methods requirements limitations for determining compliance with the VOM emissions requirements where the method also measured the exempted compounds.

U.S. EPA has subsequently now amended the 40 CFR 51.100(s)

This action purported to add trichlorotrifluoroethane (CFC-113), but that compound was listed originally listed on July 8, 1977, although then given the parenthetical designation "Freon-113". That U.S. EPA counted this single compound twice was further apparent in the action of January 18, 1989, discussed in the text below, when it referred to a list of exempted compounds that included "eight additional chlorofluorocarbons (CFCs)".

5

definition of VOM to exclude the one compound and one class of compounds that are the subject of this proceeding. Although the Section 9.1(e) mandate explicitly restricts the Board to base our amendments to the definition of VOM on the federal Recommended Policy, we interpreted this mandate in our opinion and order of July 30, 1992 in R91-24 to embrace the codified federal definition. Thus, the Board proceeds to exclude the one compound, parachlorobenzotrifluoride (PCBTF), and class of compounds, cyclic, branched, or linear completely-methylated siloxanes, from the definition of VOM at Section 211.7150.

HISTORICAL SUMMARY OF EXEMPTIONS FROM ILLINOIS DEFINITION OF VOM

P.A. 80-1299, effective August 2, 1978 added Section 9.1 to the Act. Subsection 9.1(e) (formerly subsection (c)) requires the Board to incorporate exemptions from the definition of VOM based on the federal exemptions. This provision authorized the Board to use the Section 7.2 identical-in-substance procedure (exempt from Section 27 of the Act and the notice provisions of the Administrative Procedure Act) to incorporate the federal exemptions into the Illinois definition of VOM.

The Board initially adopted the exemptions incident to Section 27 general rulemakings. In R78-3 and R78-4 (consolidated), on August 23, 1979, as part of the original RACT rules, the Board adopted a definition of VOM that exempted methane and ethane, expressly declining to exempt methylene chloride, 1,1,1-trichloroethane, and CFC-113. In R80-5, on December 30, 1982, as part of the RACT II rules, the Board added methylene chloride and 1,1,1-trichloroethane to the list of exempted compounds. Finally, in R86-37, on December 22, 1987, the Board added the other six CFC and one FC compounds that U.S. EPA had exempted in its Recommended Policy up to that date.

After that time, the Board used the identical-in-substance procedure to incorporate federal additions to the list of exempted compounds. In R89-8, on October 18, 1989, the Board amended the definition of VOM to exclude the additional compounds exempted by U.S. EPA on January 18, 1989. In docket R91-10, on September 12, 1991, we added the one HCFC, four HFCs, and four classes of compounds exempted by U.S. EPA on March 18, 1991. In R91-24, on July 30, 1992, the Board further updated the Illinois definition of VOM for the purposes of the metropolitan Chicago and East St. Louis areas.⁴

⁴ The amendments in R91-24 extended the exemptions to the definitions of VOM formerly found in Parts 218 and 219, which the Board added in R91-7 and R91-8, on July 25, 1991, but R93-9, on September 9, 1993, consolidated all definitions into Part 211.

Beginning in 1992, with the U.S. EPA codification of the list of compounds exempt from consideration as VOM, the Board had a way of readily determining the status of the list of exempted compounds by reference to the List of Sections Affected for the Code of Federal Regulations. We started treating the updates to the definition of VOM in the same manner that we treat all other identical-in-substance subject matters; we began routinely reserving dockets for each succeeding six-month period and specifically monitoring for federal revisions. Previously, we relied on the Agency and the regulated community to specifically draw our attention to any amendments to the unmodified Recommended Policy. Our intent in following a course of routine updates was to assure that the Illinois definition of VOM was the same as that used by U.S. EPA and that any federally-derived revisions to the Illinois definition occur promptly. Thus, the Board has opened several dockets assigned to this subject matter, and we have dismissed several because U.S. EPA did not amend its definition in the relevant time-frame.

A full summary of the history of amendments to the definition of VOM is summarized in tabular form as follows:

- R78-3 & 4 Adopted August 23, 1979. (general rulemaking; RACT regulations)
- R80-5 Adopted December 30, 1982. (general rulemaking; RACT II regulations)
- R86-37 Adopted December 22, 1987. (general rulemaking; amendments to VOM regulations)
- R89-8 Adopted October 18, 1989. (U.S. EPA revisions of January 18, 1989)
- R91-10 Adopted September 12, 1991. (U.S. EPA revisions of March 18, 1991)
- R91-24 Adopted July 30, 1992. (extended exemptions to Chicago and Metro-East areas and responded to U.S. EPA codification of February 3, 1992)
- R92-6 Dismissed April 9, 1992. (no U.S. EPA amendments during July 1 through December 31, 1991)
- R92-15 Dismissed August 13, 1992. (no U.S. EPA amendments during January 1 through June 30, 1992)
- R93-3 Dismissed January 21, 1993. (no U.S. EPA amendments during July 1 through December 31, 1992)
- R93-21 Dismissed September 23, 1993. (no U.S. EPA

amendments during January 1 through June 30, 1993)

- R94-3 Dismissed March 31, 1994. (no U.S. EPA amendments during July 1 through December 31, 1993)
- R94-22 Dismissed October 6, 1994. (no U.S. EPA amendments during January 1 through June 30, 1994)
- R95-2 This docket. (U.S. EPA amendments during July 1 through December 31, 1994: those of October 5, 1994)

PUBLIC COMMENTS

The Board invites public comments on the proposed amendments. We will receive public comments until 45 days after a Notice of Proposed Amendments appears in the Illinois Register on this matter. After the 45-day public comment period has expired, the Board will promptly proceed to adopt amendments based on today's proposal.

As of the time we propose the amendments for public comment, the Board received the letter from the Agency, with attachments, discussed above. The public comments submitted were as follows:

- PC 1 February 16, 1995 letter from the Agency (Laurel L. Kroack, Acting Associate Counsel) to the Clerk of the Board forwarding letters received on the federal amendments; received by the Board on March 7, 1995.
- PC 1a December 2, 1994 letter from Occidental Chemical Corporation (Bernard K. Zysman, Regulatory Specialist) to the Agency requesting action on the federal amendments; received as part of PC 1.
- PC 1b December 12, 1994 letter from Dow Corning Corporation (Michael E. Thelen, Manager, Regulatory Affairs) to the Agency requesting action on the federal amendments; received as part of PC 1.

ORDER

The Board hereby proposes the following amendments to its definition of "volatile organic compound" at 35 Ill. Adm. Code 211.7150:

TITLE 35: ENVIRONMENTAL PROTECTION

SUBTITLE B: AIR POLLUTION

CHAPTER I: POLLUTION CONTROL BOARD

SUBCHAPTER C: EMISSION STANDARDS AND LIMITATIONS

FOR STATIONARY SOURCES

PART 211 DEFINITIONS AND GENERAL PROVISIONS

SUBPART A: GENERAL PROVISIONS

	SUBPART A: GENERAL PROVISIONS
Section	
211.101	Incorporations by Reference
211.102	Abbreviations and Units
	SUBPART B: DEFINITIONS
Section	
211.121	Other Definitions
211.122	
211.130	
211.150	
211.130	
211.170	
	•
211.230	
211.250	
211.270	
211.290	
211.310	
211.330	J
211.350	
211.370	
211.390	
211.410	# *
211.430	· · · · · · · · · · · · · · · · · · ·
211.450	Airless Spray
211.470	Air Assisted Airless Spray
211.490	Annual Grain Through-Put
211.510	Application Area
211.530	
211.550	As Applied
211.570	Asphalt
211.590	Asphalt Prime Coat
211.610	Automobile
211.630	Automobile or Light-Duty Truck Assembly Source or
	Automobile or Light-Duty Truck Manufacturing Plant
211.650	
211.670	Baked Coatings
211.690	Batch Loading
211.710	Bead-Dipping Bead-Dipping
211.730	Binders
211.750	British Thermal Unit
211.770	Brush or Wipe Coating
211.790	Bulk Gasoline Plant
211.810	Bulk Gasoline Terminal
211.830	Can
211.850	Can Coating
211.870	Can Coating Line
211.070	oun coucing mine

```
211.890
          Capture
211.910
          Capture Device
          Capture Efficiency
211.930
211.950
          Capture System
          Certified Investigation
211.970
211.990
          Choke Loading
          Clean Air Act
211.1010
          Cleaning and Separating Operation
211.1050
211.1070
          Cleaning Materials
211.1090
          Clear Coating
          Clear Topcoat
211.1110
211.1130
          Closed Purge System
          Closed Vent System
211.1150
211.1170
          Coal Refuse
211.1190
         Coating
211.1210
          Coating Applicator
211.1230
          Coating Line
211.1250
         Coating Plant
211.1270 Coil Coating
211.1290 Coil Coating Line
211.1310 Cold Cleaning
211.1330 Complete Combustion
211.1350
          Component
211.1370
          Concrete Curing Compounds
          Concentrated Nitric Acid Manufacturing Process
211.1390
211.1410
         Condensate
         Condensible PM-10
211.1430
211.1470 Continuous Process
211.1490 Control Device
211.1510
         Control Device Efficiency
211.1530
         Conventional Soybean Crushing Source
211.1550
         Conveyorized Degreasing
211.1570 Crude Oil
211.1590
         Crude Oil Gathering
211.1610
        Crushing
211.1630
         Custody Transfer
         Cutback Asphalt
211.1650
211.1670
         Daily-Weighted Average VOM Content
211.1690
         Day
211.1710
         Degreaser
211.1730
         Delivery Vessel
211.1750
         Dip Coating
211.1770
         Distillate Fuel Oil
211.1790
         Drum
211.1810
         Dry Cleaning Operation or Dry Cleaning Facility
211.1830
         Dump-Pit Area
211.1850
         Effective Grate Area
211.1870
         Effluent Water Separator
211.1890
        Electrostatic Bell or Disc Spray
211.1910
         Electrostatic Spray
211.1930
         Emission Rate
211.1950
         Emission Unit
```

```
211.1970
          Enamel
211.1990 Enclose
211.2010 End Sealing Compound Coat
211.2030
          Enhanced Under-the-Cup Fill
211.2050 Ethanol Blend Gasoline
211.2070 Excess Air
211.2090 Excessive Release
211.2110 Existing Grain-Drying Operation
211.2130 Existing Grain-Handling Operation
211.2150 Exterior Base Coat
211.2170 Exterior End Coat
211.2190 External Floating Roof
211.2210 Extreme Performance Coating
211.2230 Fabric Coating
211.2250
          Fabric Coating Line
211.2270
         Federally Enforceable Limitations and Conditions
211.2300 Fill
211.2310 Final Repair Coat
211.2330 Firebox
211.2350
         Fixed-Roof Tank
211.2370 Flexographic Printing
         Flexographic Printing Line
211.2390
211.2410
          Floating Roof
211.2430 Fountain Solution
211.2450
         Freeboard Height
211.2470
         Fuel Combustion Emission Unit or Fuel Combustion
          Emission Source
211.2490
         Fugitive Particulate Matter
211.2510
         Full Operating Flowrate
211.2530
          Gas Service
         Gas/Gas Method
211.2550
211.2570
         Gasoline
211.2590
         Gasoline Dispensing Operation or Gasoline Dispensing
          Facility
         Gel Coat
211.2610
211.2650 Grain
211.2670
         Grain-Drying Operation
211.2690 Grain-Handling and Conditioning Operation
211.2710 Grain-Handling Operation
211.2730 Green-Tire Spraying
211.2750 Green Tires
211.2770
         Gross Heating Value
211.2790
         Gross Vehicle Weight Rating
211.2810
         Heated Airless Spray
211.2830
         Heatset
211.2850
         Heatset-Web-Offset Lithographic Printing Line
211.2870
         Heavy Liquid
211.2890
         Heavy Metals
211.2910
         Heavy Off-Highway Vehicle Products
         Heavy Off-Highway Vehicle Products Coating
211.2930
         Heavy Off-Highway Vehicle Products Coating Line
211.2950
211.2970
         High Temperature Aluminum Coating
```

```
High Volume Low Pressure (HVLP) Spray
211.2990
211.3010
          Hood
          Hot Well
211.3030
          Housekeeping Practices
211.3050
          Incinerator
211.3070
211.3090
          Indirect Heat Transfer
          Ink
211.3110
211.3130
          In-Process Tank
          In-Situ Sampling Systems
211.3150
          Interior Body Spray Coat
211.3170
211.3190
          Internal-Floating Roof
211.3210
          Internal Transferring Area
211.3230
          Lacquers
211.3250 Large Appliance
211.3270 Large Appliance Coating
211.3290
          Large Appliance Coating Line
211.3310
         Light Liquid
211.3330
         Light-Duty Truck
211.3350
         Light Oil
211.3370
          Liquid/Gas Method
211.3390
          Liquid-Mounted Seal
211.3410
          Liquid Service
211.3430 Liquids Dripping
211.3450
         Lithographic Printing Line
211.3470
         Load-Out Area
211.3490 Low Solvent Coating
211.3510 Magnet Wire
211.3530
         Magnet Wire Coating
211.3550
         Magnet Wire Coating Line
211.3570
         Major Dump Pit
211.3590
         Major Metropolitan Area (MMA)
211.3610
         Major Population Area (MPA)
211.3630
         Manufacturing Process
211.3650
         Marine Terminal
211.3670
         Material Recovery Section
211.3690
         Maximum Theoretical Emissions
211.3695
         Maximum True Vapor Pressure
211.3710
         Metal Furniture
211.3730
         Metal Furniture Coating
211.3750
         Metal Furniture Coating Line
211.3770
         Metallic Shoe-Type Seal
211.3790
         Miscellaneous Fabricated Product Manufacturing Process
         Miscellaneous Formulation Manufacturing Process
211.3810
211.3830
         Miscellaneous Metal Parts and Products
211.3850
         Miscellaneous Metal Parts and Products Coating
211.3870
         Miscellaneous Metal Parts or Products Coating Line
211.3890
         Miscellaneous Organic Chemical Manufacturing Process
211.3910
         Mixing Operation
         Monitor
211.3930
211.3950
         Monomer
         Multiple Package Coating
211.3970
```

New Grain-Drying Operation

211.3990

```
211.4010 New Grain-Handling Operation
211.4030 No Detectable Volatile Organic Material Emissions
211.4050 Non-contact Process Water Cooling Tower
211.4070 Offset
211.4090 One Hundred Percent Acid
211.4110 One-Turn Storage Space
211.4130 Opacity
211.4150 Opaque Stains
211.4170 Open Top Vapor Degreasing
211.4190
          Open-Ended Valve
          Operator of a Gasoline Dispensing Operation or Operator
211.4210
          of a Gasoline Dispensing Facility
211.4230
         Organic Compound
         Organic Material and Organic Materials
211.4250
211.4270
         Organic Vapor
211.4290 Oven
211.4310 Overall Control
211.4330 Overvarnish
211.4350 Owner of a Gasoline Dispensing Operation or Owner of a
          Gasoline Dispensing Facility
211.4370
         Owner or Operator
211.4390
         Packaging Rotogravure Printing
211.4410 Packaging Rotogravure Printing Line
211.4430 Pail
211.4450 Paint Manufacturing Source or Paint Manufacturing Plant
211.4470 Paper Coating
211.4490 Paper Coating Line
211.4510 Particulate Matter
211.4530 Parts Per Million (Volume) or PPM (Vol)
211.4550 Person
211.4590 Petroleum
211.4610 Petroleum Liquid
211.4630 Petroleum Refinery
211.4650 Pharmaceutical
211.4670 Pharmaceutical Coating Operation
         Photochemically Reactive Material
211.4690
211.4710 Pigmented Coatings
211.4730 Plant
211.4750 Plasticizers
211.4770
        PM-10
211.4790
        Pneumatic Rubber Tire Manufacture
211.4810 Polybasic Organic Acid Partial Oxidation Manufacturing
         Process
211.4830 Polyester Resin Material(s)
         Polyester Resin Products Manufacturing Process
211.4850
211.4870
        Polystyrene Plant
211.4890
         Polystyrene Resin
        Portable Grain-Handling Equipment
211.4910
         Portland Cement Manufacturing Process Emission Source
211.4930
         Portland Cement Process or Portland Cement
211.4950
         Manufacturing Plant
```

211.4970 Potential to Emit

```
211.4990
          Power Driven Fastener Coating
211.5030 Pressure Release
211.5050 Pressure Tank
211.5070 Prime Coat
211.5090 Primer Surfacer Coat
211.5110 Primer Surfacer Operation
211.5130 Primers
211.5150 Printing
211.5170 Printing Line
          Process Emission Source
211.5185
211.5190 Process Emission Unit
211.5210
         Process Unit
211.5230 Process Unit Shutdown
211.5250 Process Weight Rate
211.5270
          Production Equipment Exhaust System
211.5310
          Publication Rotogravure Printing Line
211.5330
          Purged Process Fluid
211.5350
          Reactor
211.5370
          Reasonably Available Control Technology (RACT)
211.5390
          Reclamation System
211.5410
          Refiner
          Refinery Fuel Gas
211.5430
211.5450
          Refinery Fuel Gas System
211.5470
          Refinery Unit or Refinery Process Unit
211.5490
          Refrigerated Condenser
211.5500
          Regulated Air Pollutant
211.5510
          Reid Vapor Pressure
211.5530
          Repair
          Repair Coat
211.5550
211.5570
          Repaired
          Residual Fuel Oil
211.5590
211.5610
          Restricted Area
211.5630
          Retail Outlet
211.5650
          Ringelmann Chart
211.5670
          Roadway
          Roll Coater
211.5690
211.5710
          Roll Coating
          Roll Printer
211.5730
211.5750
          Roll Printing
211.5770
          Rotogravure Printing
211.5790
          Rotogravure Printing Line
211.5810
          Safety Relief Valve
211.5830
          Sandblasting
211.5850
          Sanding Sealers
211.5870
          Screening
211.5890
          Sealer
211.5910
          Semi-Transparent Stains
211.5930
          Sensor
211.5950
          Set of Safety Relief Valves
211.5970
          Sheet Basecoat
211.5990
          Shotblasting
```

211.6010

Side-Seam Spray Coat

```
211.6030
          Smoke
          Smokeless Flare
211.6050
211.6070
          Solvent
          Solvent Cleaning
211.6090
          Solvent Recovery System
211.6110
211.6130
          Source
         Specialty High Gloss Catalyzed Coating
211.6150
211.6170
          Specialty Leather
          Specialty Soybean Crushing Source
211.6190
211.6210
          Splash Loading
211.6230
          Stack
211.6250
          Stain Coating
211.6270
          Standard Conditions
          Standard Cubic Foot (scf)
211.6290
211.6310 Start-Up
211.6330 Stationary Emission Source
211.6350
          Stationary Emission Unit
211.6370
          Stationary Source
          Stationary Storage Tank
211.6390
211.6410
          Storage Tank or Storage Vessel
211.6430
          Styrene Devolatilizer Unit
211.6450
          Styrene Recovery Unit
211.6470
          Submerged Loading Pipe
211.6490
          Substrate
211.6510
          Sulfuric Acid Mist
211.6530
          Surface Condenser
          Synthetic Organic Chemical or Polymer Manufacturing
211.6550
          Plant
211.6570
          Tablet Coating Operation
211.6590
          Thirty-Day Rolling Average
211.6610
          Three-Piece Can
211.6630
          Through-the-Valve Fill
211.6650
          Tooling Resin
211.6670
          Topcoat
211.6690
          Topcoat Operation
211.6710
          Touch-Up
          Transfer Efficiency
211.6730
211.6750
          Tread End Cementing
211.6770
          True Vapor Pressure
211.6790
          Turnaround
211.6810
          Two-Piece Can
211.6830
          Under-the-Cup Fill
211.6850
         Undertread Cementing
211.6870
          Unregulated Safety Relief Valve
211.6890
          Vacuum Producing System
         Vacuum Service
211.6910
211.6930
         Valves Not Externally Regulated
211.6950
         Vapor Balance System
211.6970 Vapor Collection System
211.6990 Vapor Control System
211.7010
         Vapor-Mounted Primary Seal
211.7030
         Vapor Recovery System
```

- Vapor-Suppressed Polyester Resin 211.7050 211.7070 Vinyl Coating
- Vinyl Coating Line 211.7090
- Volatile Organic Liquid (VOL) 211.7110
- Volatile Organic Material Content (VOMC) 211.7130
- Volatile Organic Material (VOM) or Volatile Organic 211.7150 Compound (VOC)
- Volatile Petroleum Liquid 211.7170
- Wash Coat 211.7190
- Wastewater (Oil/Water) Separator 211.7210
- Weak Nitric Acid Manufacturing Process 211.7230
- 211.7250
- Wholesale Purchase Consumer 211.7270
- Wood Furniture 211.7290
- 211.7310 Wood Furniture Coating
- 211.7330 Wood Furniture Coating Line
- 211.7350 Woodworking
- Rule into Section Table 211.APPENDIXppendix A 211.APPENDIXppendix B Section into Rule Table

Implementing Sections 9, 9.1 and 10 and authorized by AUTHORITY: Section 27 and 28.5 of the Environmental Protection Act (Ill. Rev. Stat. 1991, ch. 111½, pars. 1009, 1009.1, 1010 and 1027), (P.A. 87-1213, effective September 26, 1992) [415 ILCS 5/9, 9.1, 10, 27 and 28.5 - (1992)].

Adopted as Chapter 2: Air Pollution, Rule 201: SOURCE: Definitions, R71-23, 4 PCB 191, filed and effective April 14, 1972; amended in R74-2 and R75-5, 32 PCB 295, at 3 Ill. Reg. 5, p. 777, effective February 3, 1979; amended in R78-3 and 4, 35 PCB 75 and 243, at 3 Ill. Reg. 30, p. 124, effective July 28, 1979; amended in R80-5, at 7 Ill. Reg. 1244, effective January 21, 1983; codified at 7 Ill. Reg. 13590; amended in R82-1 (Docket A) at 10 Ill. Reg. 12624, effective July 7, 1986; amended in R85-21(A) at 11 Ill. Reg. 11747, effective June 29, 1987; amended in R86-34 at 11 Ill. Reg. 12267, effective July 10, 1987; amended in R86-39 at 11 Ill. Reg. 20804, effective December 14, 1987; amended in R82-14 and R86-37 at 12 Ill. Reg. 787, effective December 24, 1987; amended in R86-18 at 12 Ill. Reg. 7284, effective April 8, 1988; amended in R86-10 at 12 Ill. Reg. 7621, effective April 11, 1988; amended in R88-23 at 13 Ill. Reg. 10862, effective June 27, 1989; amended in R89-8 at 13 Ill. Reg. 17457, effective January 1, 1990; amended in R89-16(A) at 14 Ill. Reg. 9141, effective May 23, 1990; amended in R88-30(B) at 15 Ill. Reg. 5223, effective March 28, 1991; amended in R88-14 at 15 Ill. Reg. 7901, effective May 14, 1991; amended in R91-10 at 15 Ill. Reg. 15564, effective October 11, 1991; amended in R91-6 at 15 Ill. Reg. 15673, effective October 14, 1991; amended in R91-22 at 16 Ill. Reg. 7656, effective May 1, 1992; amended in R91-24 at 16 Ill. Reg. 13526, effective August 24, 1992; amended in R93-9 at 17 Ill. Reg. 16504, effective September 27, 1993; amended in

R93-11 at 17 Ill. Reg. 21471, effective December 7, 1993; amended in R93-14 at 18 Ill. Reg. 1253, effective January 18, 1994; amended in R94-12 at 18 Ill. Reg. 14962, effective September 21, 1994; amended in R94-14 at 18 Ill. Reg. 15744, effective October 17, 1994; amended in R94-15 at 18 Ill. Reg. 16379, effective October 25, 1994; amended in R94-16 at 18 Ill. Reg. 16929, effective November 15, 1994; amended in R95-2 at 19 Ill. Reg., effective

SUBPART B: DEFINITIONS

Section 211.7150 Volatile Organic Material (VOM) or Volatile Organic Compound (VOC)

"Volatile organic material (VOM)" or "\u20av_olatile organic compound (VOC)" means any compound of carbon, excluding carbon monoxide, carbon dioxide, carbonic acid, metallic carbides or carbonates, and ammonium carbonate, which participates in atmospheric photochemical reactions.

- This includes any such organic compound other than the a) following, which have been determined to have negligible photochemical reactivity: Mmethane; ethane; methylene chloride (dichloromethane), 1,1,1-trichloroethane (methyl chloroform); 1,1,1-trichloro-2,2,2-trifluoroethane (CFC-113); trichlorofluoromethane (CFC-11); dichlorodifluoromethane (CFC-12); chlorodifluoromethane (CFC-22); trifluoromethane (FC-23); 1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114); chloropentafluoroethane (CFC-115); 1,1,1-trifluoro-2,2-dichloroethane (HCFC-123); 1,1,1,2-tetrafluoroethane (HFC-134a); 1,1-dichloro_1-fluoroethane (HCFC-141b); 1-chloro-1,1-difluoroethane (HCFC-142b); 2-chloro-1,1,1,2-tetrafluoroethane (HCFC-124); pentafluoroethane (HFC-125); 1,1,2,2-tetrafluoroethane (HFC-134); 1,1,1-trifluoroethane (HFC-143a); 1,1-difluoroethane (HFC-152a); parachlorobenzotrifluoride (PCBTF); cyclic, branched, or linear completely-methylated siloxanes; and perfluorocarbon compounds which fall into these classes:
 - 1) Cyclic, branched, or linear, completely fluorinated alkanes;
 - 2) Cyclic, branched, or linear, completely fluorinated ethers with no unsaturations;
 - 3) Cyclic, branched, or linear, completely fluorinated tertiary amines with no unsaturations; and

- 4) Sulfur-containing perfluorocarbons with no unsaturations and with sulfur bonds only to carbon and fluorine.
- For purposes of determining VOM emissions and b) compliance with emissions limits, VOM will be measured by the test methods in the approved implementation plan or 40 CFR Part 60, Appendix A, incorporated by reference at 35 Ill. Adm. Code 215.105, 218.112, and 219.112, as applicable, or by source-specific test methods whichthat have been established pursuant to a permit issued pursuant to a program approved or promulgated under Title V of the Clean Air Act; or under 40 CFR Part 51, Subpart I or Appendix S, incorporated by reference at 35 Ill. Adm. Code 218.112 and 219.112; or under 40 CFR Part 52.21, incorporated by reference at 35 Ill. Adm. Code 218.112 and 219.112, as applicable. Where such a method also measures compounds with negligible photochemical reactivity, these negligibly-reactive compounds may be excluded as VOM if the amount of such compounds is accurately quantified, and such the exclusions is approved by the Agency.
- c) As a precondition to excluding these negligiblyreactive compounds as VOM, or at any time thereafter,
 the Agency may require an owner or operator to provide
 monitoring or testing methods and results
 demonstrating, to the satisfaction of the Agency, the
 amount of negligibly-reactive compounds in the source's
 emissions.
- d) The USEPA shall not be bound by any State determination as to appropriate methods for testing or monitoring negligibly-reactive compounds if such determination is not reflected in any of the test methods in subsection (b) above.

(Source:	Amended	at	19	Ill.	Reg.	 effective	
)						

IT IS SO ORDERED.

Board, certify that the above	of the Illinois Pollution Con proposed opinion and order was y of <u>April</u> , 1995, by	
	Sorothy M. Junn Dorothy M. Gunn, Clerk Illinois Pollution Control Boa	