

ILLINOIS POLLUTION CONTROL BOARD
September 28, 1994

IN THE MATTER OF:)
)
15% ROP PLAN CONTROL MEASURES)
FOR VOM EMISSIONS-PART II) R94-15
MARINE VESSEL LOADING:) (Rulemaking)
AMENDMENTS 35 ILL. ADM. CODE)
PARTS 211, 218 AND 219)

ORDER OF THE BOARD (by G. T. Girard):

On September 23, 1994, the Board received a joint motion to reconsider the second notice opinion and order issued on September 15, 1994. The joint motion was filed by the Illinois Environmental Protection Agency (Agency) and the Illinois Environmental Regulatory Group (IERG). The motion asked that the Board reconsider striking the phrase "barge loading facility" from Sections 218.920(g), 218.940(g), 218.960(g), 218.980(f), 219.920(f), 219.940(f), 219.960(f) and 219.980(e). The motion to reconsider is granted.

The proposal, as originally filed, suggested that "barge loading facility" be struck from those sections and the Board retained that change at second notice. The Agency and IERG point out that the Agency's comment (P.C. 6) on this matter was "ambiguous and led to confusion"; however, the intent of the comment was that "barge loading facility" remain in the rule. The motion explains that deletion of the phrase will affect facilities which the Agency did not intend to become subject to the control requirements. (Mot. at 2.) The motion also points to comments made at hearing by the Agency and to IERG's comment (P.C. 5) in support of the retention of the phrase "barge loading facility". (Id.)

The Board will amend the second notice to show retention of "barge loading facility" in Sections 218.920(g), 218.940(g), 218.960(g), 218.980(f), 219.920(f), 219.940(f), 219.960(f) and 219.980(e). The Board agrees that the record may have been ambiguous given the testimony of IERG at the second hearing as well as the comments filed. The motion now makes clear the intent of IERG and the Agency. Therefore, the Board will proceed to second notice with the retention of "barge loading facility" in Sections 218.920(g), 218.940(g), 218.960(g), 218.980(f), 219.920(f), 219.940(f), 219.960(f) and 219.980(e).

The Board hereby amends Sections 218.920(g), 218.940(g), 218.960(g), 218.980(f), 219.920(f), 219.940(f), 219.960(f) and 219.980(e) to read as follows:

Section 218.920 Applicability

- a) Maximum theoretical emissions:

- 1) A source is subject to this Subpart if it contains process emission units not regulated by Subparts B, E, F (excluding Section 218.204(1)), H (excluding Section 218.405), Q, R, S, T, (excluding Section 218.486) V, X, Y, Z or BB of this Part, which as a group both:
 - A) Have maximum theoretical emissions of 90.7 Mg (100 tons) or more per calendar year of VOM, and
 - B) Are not limited to less than 90.7 Mg (100 tons) of VOM emissions per calendar year in the absence of air pollution control equipment, through production or capacity limitations contained in a federally enforceable permit or a SIP revision.
 - 2) If a source is subject to this Subpart as provided above, the requirements of this Subpart shall apply to a source's miscellaneous fabricated product manufacturing process emission units which are not included within any of the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z, AA, or BB of this Part.
- b) Potential to emit:
- 1) A source is subject to this Subpart if it has the potential to emit 22.7 Mg (25 tons) or more of VOM per year, in aggregate, from emission units that are:
 - A) Not regulated by Subparts B, E, F, H, Q, R, S, T (excluding Section 218.486), V, X, Y, Z, or BB of this Part, or
 - B) Not included in any of the following categories: synthetic organic chemical manufacturing industry (SOCMI) distillation, SOCMI reactors, wood furniture, plastic parts coating (business machines), plastic parts coating (other), offset lithography, industrial wastewater, autobody refinishing, SOCMI batch processing, volatile organic liquid storage tanks and clean-up solvents operations.
 - 2) If a source is subject to this Subpart as provided above, the requirements of this Subpart shall apply to a source's miscellaneous fabricated

product manufacturing process emission units, which are:

- A) Not included within any of the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z, AA, BB, ~~BB~~ CC, or ~~CC~~ DD of this Part, or
- B) Not included in any of the following categories: synthetic organic chemical manufacturing industry (SOCMI) distillation, SOCMI reactors, wood furniture, plastic parts coating (business machines), plastic parts coating (other), offset lithography, industrial wastewater, autobody refinishing, SOCMI batch processing, volatile organic liquid storage tanks and clean-up solvents operations.
- c) If a source ~~ceases~~ ceases to fulfill the criteria of subsections (a) and/or (b) above, the requirements of this Subpart shall continue to apply to a miscellaneous fabricated products manufacturing process emission unit which was subject to the control requirements of Section 218.926 of this Part.
- d) No limits under this Subpart shall apply to emission units with emissions of VOM to the atmosphere less than or equal to 0.91 Mg (1.0 ton) per calendar year if the total emissions from such emission units not complying with Section 218.926 of this Part does not exceed 4.5 Mg (5.0 tons) per calendar year, provided that this provision shall not apply to an emission unit which is a leather coating line or operation at a source where the criteria of Section 218.920(a) above are not met.
- e) For the purposes of this Subpart, an emission unit shall be considered regulated by a Subpart if it is subject to the limits of that Subpart. An emission unit is considered not regulated by a Subpart if it is not subject to the limits of that Subpart, e.g., the emission unit is covered by an exemption in the Subpart or the applicability criteria of the Subpart are not met.
- f) For the purposes of this Subpart, VOM emissions in the absence of air pollution control equipment are the emissions of VOM which would result if no air pollution control equipment were used.
- g) The control requirements in Subpart PP shall not apply to sewage treatment plants; vegetable oil extraction

and processing; coke ovens (including by-product recovery plants); fuel combustion units; bakeries; barge loading facilities; jet engine test cells; production of polystyrene foam insulation board including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source, but not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin; production of polystyrene foam packaging not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin and not including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source; and iron and steel production.

(Source: Amended at 18 Ill. Reg. _____, effective _____)

SUBPART QQ: MISCELLANEOUS FORMULATION
MANUFACTURING PROCESSES

Section 218.940 Applicability

a) Maximum theoretical emissions:

- 1) A source is subject to this Subpart if it contains process emission units not regulated by Subparts B, E, F (excluding Section 218.204(1)), H (excluding Section 218.405), Q, R, S, T (excluding Section 218.486), V, X, Y, Z or BB of this Part, which as a group both:
 - A) Have maximum theoretical emissions of 90.7 Mg (100 tons) or more per calendar year of VOM, and
 - B) Are not limited to less than 90.7 Mg (100 tons) of VOM emissions per calendar year in the absence of air pollution control equipment through production or capacity limitations contained in a federally enforceable permit or a SIP or FIP revision.
- 2) If a source is subject to this Subpart as provided above, the requirements of this Subpart shall apply to a source's miscellaneous formulation manufacturing process emission units which are not included within any of the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z, AA, or BB of this Part.

b) Potential to emit:

- 1) A source is subject to this Subpart if it has the potential to emit 22.7 Mg (25 tons) or more of VOM per year, in aggregate, from emission units that are:
 - A) Not regulated by Subparts B, E, F, H, Q, R, S, T (excluding Section 218.486), V, X, Y, Z, or BB of this Part, or
 - B) Not included in any of the following categories: synthetic organic chemical manufacturing industry (SOCMI) distillation, SOCMI reactors, wood furniture, plastic parts coating (business machines), plastic parts coating (other), offset lithography, industrial wastewater, autobody refinishing, SOCMI batch processing, volatile organic liquid storage tanks and clean-up solvents operations.
- 2) If a source is subject to this Subpart as provided above, the requirements of this Subpart shall apply to a source's miscellaneous formulation manufacturing process emission units which are:
 - A) Not included within any of the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z, AA, BB, CC, or DD of this Part, or
 - B) Not included in any of the following categories: synthetic organic chemical manufacturing industry (SOCMI) distillation, SOCMI reactors, wood furniture, plastic parts coating (business machines), plastic parts coating (other), offset lithography, industrial wastewater, autobody refinishing, SOCMI batch processing, volatile organic liquid storage tanks and clean-up solvents operations.
- c) If a source ceases to fulfill the criteria of subsections (a) and/or (b) above, the requirements of this Subpart shall continue to apply to a miscellaneous formulation manufacturing process emission unit which was subject to the control requirements of Section 218.946 of this Part.
- d) No limits under this Subpart shall apply to emission units with emissions of VOM to the atmosphere less than

or equal to 2.3 Mg (2.5 tons) per calendar year if the total emissions from such emission units not complying with this Section does not exceed 4.5 Mg (5.0 tons) per calendar year.

- e) For the purposes of this Subpart, an emission unit shall be considered regulated by a Subpart if it is subject to the limits of that Subpart. An emission unit is considered not regulated by a Subpart if it is not subject to the limits of that Subpart, e.g., the emission unit is covered by an exemption in the Subpart or the applicability criteria of the Subpart are not met.
- f) For the purposes of this Subpart, VOM emissions in the absence of air pollution control equipment are the emissions of VOM which would result if no air pollution control equipment were used.
- g) The control requirements in Subpart QQ shall not apply to sewage treatment plants; vegetable oil extraction and processing; coke ovens (including by-product recovery plants); fuel combustion units; bakeries; barge loading facilities; jet engine test cells; production of polystyrene foam insulation board including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source, but not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin; production of polystyrene foam packaging not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin and not including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source; and iron and steel production.

(Source: Amended at 18 Ill. Reg. _____, effective _____
_____)

SUBPART RR: MISCELLANEOUS ORGANIC
CHEMICAL MANUFACTURING PROCESSES

Section 218.960 Applicability

- a) Maximum theoretical emissions:
 - 1) A source is subject to this Subpart if it contains process emission units not regulated by Subparts B, E, F (excluding Section 218.204(1)), H (excluding Section 218.405), Q, R, S, T,

(excluding Section 218.486) V, X, Y, Z or BB of this Part, which as a group both:

- A) Have maximum theoretical emissions of 90.7 Mg (100 tons) or more per calendar year of VOM, and
 - B) Are not limited to less than 90.7 Mg (100 tons) of VOM emissions per calendar year in the absence of air pollution control equipment through production or capacity limitations contained in a federally enforceable permit or a SIP revision.
- 2) If a source is subject to this Subpart as provided above, the requirements of this Subpart shall apply to a source's miscellaneous organic chemical manufacturing process emission units which are not included within any of the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z, AA, or BB of this Part.
- b) Potential to emit:
- 1) A source is subject to this Subpart if it has the potential to emit 22.7 Mg (25 tons) or more of VOM per year, in aggregate, from emission units other than VOM leaks from components that are:
 - A) Not regulated by Subparts B, E, F, H, Q, R, S, T (excluding Section 218.486), V, X, Y, Z, or BB of this Part, or
 - B) Not included in one of the following categories: synthetic organic chemical manufacturing industry (SOCMI) distillation, SOCMI reactors, wood furniture, plastic parts coating (business machines), plastic parts coating (other), offset lithography, industrial wastewater, autobody refinishing, SOCMI batch processing, volatile organic liquid storage tanks and clean-up solvents operations.
 - 2) If a source is subject to this Subpart as provided above, the requirements of this Subpart shall apply to a source's miscellaneous organic chemical manufacturing process emission units which are:
 - A) Not included within the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z, AA, BB, CC, or DD of this Part, or

- B) Not included in any of the following categories: synthetic organic chemical manufacturing industry (SOCMI) distillation, SOCMI reactors, wood furniture, plastic parts coating (business machines), plastic parts coating (other), offset lithography, industrial wastewater, autobody refinishing, SOCMI batch processing, volatile organic liquid storage tanks and clean-up solvents operations.
- c) If a source ceases to fulfill the criteria of subsections (a) and/or (b) above, the requirements of this Subpart shall continue to apply to a miscellaneous organic chemical manufacturing process emission unit which was subject to the control requirements of Section 218.966 of this Part.
- d) No limits under this Subpart shall apply to emission units with emissions of VOM to the atmosphere less than or equal to 0.91 Mg (1.0 ton) per calendar year if the total emissions from such emission units not complying with Section 218.966 of this Part does not exceed 4.5 Mg (5.0 tons) per calendar year.
- e) For the purposes of this Subpart, an emission unit shall be considered regulated by a Subpart if it is subject to the limits of that Subpart. An emission unit is considered not regulated by a Subpart if it is not subject to the limits of that Subpart, e.g., the emission unit is covered by an exemption in the Subpart or the applicability criteria of the Subpart are not met.
- f) For the purposes of this Subpart, VOM emissions in the absence of air pollution control equipment are the emissions of VOM which would result if no air pollution control equipment were used.
- g) The control requirements in Subpart RR shall not apply to sewage treatment plants; vegetable oil extraction and processing; coke ovens (including by-product recovery plants); fuel combustion units; bakeries; barge loading facilities; jet engine test cells; production of polystyrene foam insulation board, including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source, but not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin; production of polystyrene foam packaging not including blending and preliminary expansion of

resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin and not including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source; and iron and steel production.

(Source: Amended at 18 Ill. Reg. _____, effective _____
_____)

SUBPART TT: OTHER EMISSION UNITS

Section 218.980 Applicability

a) Maximum theoretical emissions:

- 1) A source is subject to this Subpart if it contains process emission units not regulated by Subparts B, E, F (excluding Section 218.204(1)), H (excluding Section 218.405), Q, R, S, T (excluding Section 218.486), V, X, Y, Z or BB of this Part, which as a group both:
 - A) Have maximum theoretical emissions of 90.7 Mg (100 tons) or more per calendar year of VOM, and
 - B) Are not limited to less than 90.7 Mg (100 tons) of VOM emissions per calendar year in the absence of air pollution control equipment through production or capacity limitations contained in a federally enforceable permit or a SIP revision.
- 2) If a source is subject to this Subpart as provided above, the requirements of this Subpart shall apply to a source's VOM emission units which are not included within any of the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z, AA, BB, PP, QQ, or RR of this Part or which are not exempted from permitting requirements pursuant to 35 Ill. Adm. Code 201.146.

b) Potential to emit:

- 1) A source is subject to this Subpart if it has the potential to emit 22.7 Mg (25 tons) or more of VOM per year, in aggregate, from emission units, other than furnaces at glass container manufacturing sources and VOM leaks from components, that are:

- A) Not regulated by Subparts B, E, F, H, Q, R, S, T, (excluding Section 218.486), V, X, Y, Z, or BB of this Part, or
 - B) Not included in any of the following categories: synthetic organic chemical manufacturing industry (SOCMI) distillation, SOCMI reactors, wood furniture, plastic parts coating (business machines), plastic parts coating (other), offset lithography, industrial wastewater, autobody refinishing, SOCMI batch processing, volatile organic liquid storage tanks and clean-up solvents operations.
- 2) If a source is subject to this Subpart as provided above, the requirements of this Subpart shall apply to a source's VOM emission units, which are:
- A) Not included within any of the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z, AA, BB, CC, DD, PP, QQ or RR of this Part, or which are not exempted from permitting requirements pursuant to 35 Ill. Adm. Code 201.146 (excluding Section 201.146(o) and (p)), or
 - B) Not included in any of the following categories: synthetic organic chemical manufacturing industry (SOCMI) distillation, SOCMI reactors, wood furniture, plastic parts coating (business machines), plastic parts coating (other), offset lithography, industrial wastewater, autobody refinishing, SOCMI batch processing, volatile organic liquid storage tanks and clean-up solvents operations.
- c) If a source ceases to fulfill the criteria of subsections (a) and/or (b) above, the requirements of this Subpart shall continue to apply to an emission unit which was subject to the control requirements of Section 218.986 of this Part.
- d) No limits under this Subpart shall apply to emission units with emissions of VOM to the atmosphere less than or equal to 2.3 Mg (2.5 tons) per calendar year if the total emissions from such emission units not complying with Section 218.986 of this Part does not exceed 4.5 Mg (5.0 tons) per calendar year.

- e) For the purposes of this Subpart, an emission unit shall be considered regulated by a Subpart if it is subject to the limits of that Subpart. An emission unit is considered not regulated by a Subpart if it is not subject to the limits of that Subpart, e.g., the emission unit is covered by an exemption in the Subpart or the applicability criteria of the Subpart are not met.
- f) The control requirements in Subpart TT shall not apply to sewage treatment plants; vegetable oil extraction and processing; coke ovens (including by-product recovery plants); fuel combustion units; bakeries; ~~barge loading facilities~~; jet engine test cells; production of polystyrene foam insulation board including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source, but not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin; production of polystyrene foam packaging not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin, and not including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source; iron and steel production; and furnaces at glass container manufacturing sources.

(Source: Amended at 18 Ill. Reg. _____, effective _____)

Section 219.920 Applicability

- a) The requirements of this Subpart shall apply to a source's miscellaneous fabricated product manufacturing process emission units which are not included within any of the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z or BB if the source is subject to this Subpart. A source is subject to this Subpart if it contains process emission units, not regulated by Subparts B, E, F (excluding Section 219.204(1) of this Part), H (excluding Section 219.405 of this Part), Q, R, S, T, (excluding Section 219.486 of this Part), V, X, Y, Z or BB of this Part; which as a group both:
- 1) Have maximum theoretical emissions of 91 Mg (100 tons) or more per calendar year of VOM if no air pollution control equipment were used, and

- 2) Are not limited to less than 91 Mg (100 tons) of VOM emissions per calendar year in the absence of air pollution control equipment, through production or capacity limitations contained in a federally enforceable permit or a SIP revision.
- b) If a source ceases to fulfill the criteria of subsection (a) above, the requirements of this Subpart shall continue to apply to a miscellaneous fabricated products manufacturing process emission unit which was ever subject to the control requirements of Section 219.926 of this Part.
- c) No limits under this Subpart shall apply to emission units with emissions of VOM to the atmosphere less than or equal to 0.91 Mg (1.0 ton) per calendar year if the total emissions from such emission units not complying with Section 219.926 of this Part does not exceed 4.5/Mg (5.0 tons) per calendar year.
- d) For the purposes of this Subpart, an emission unit shall be considered regulated by a Subpart if it is subject to the limits of that Subpart. An emission unit is not considered regulated by a Subpart if it is not subject to the limits of that Subpart, e.g., the emission unit is covered by an exemption in the Subpart or the applicability criteria of the Subpart are not met.
- e) For the purposes of this Subpart, uncontrolled VOM emissions are the emissions of VOM which would result if no air pollution control equipment were used.
- f) The control requirements in Subpart PP shall not apply to sewage treatment plants; vegetable oil extraction and processing; coke ovens (including by-product recovery plants); fuel combustion units; bakeries; barge loading facilities; jet engine test cells; production of polystyrene foam insulation board including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source, but not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin; production of polystyrene foam packaging not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin and not including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source; and iron and steel production.

(Source: Amended at 18 Ill. Reg. _____, effective _____
_____)

SUBPART QQ: MISCELLANEOUS FORMULATION MANUFACTURING PROCESSES

Section 219.940 Applicability

- a) The requirements of this Subpart shall apply to a source's miscellaneous formulation manufacturing process emission units, which are not included within any of the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z or BB of this Part if the source is subject to this Subpart. A source is subject to this Subpart if it contains process emission units, not regulated by Subparts B, E, F (excluding Section 219.204(1) of this Part), H (excluding Section 219.405 of this Part), Q, R, S, T (excluding Section 219.486 of this Part), V, X, Y, Z or BB of this Part; which as a group both:
- 1) Have maximum theoretical emissions of 91 Mg (100 tons) or more per calendar year of VOM if no air pollution control equipment were used, and
 - 2) Are not limited to less than 91 Mg (100 tons) of VOM emissions per calendar year in the absence of air pollution control equipment, through production or capacity limitations contained in a federally enforceable permit or a SIP revision.
- b) If a source ceases to fulfill the criteria of subsection (a) of this Section, the requirements of this Subpart shall continue to apply to a miscellaneous formulation manufacturing process emission unit which was ever subject to the control requirements of Section 219.946 of this Part.
- c) No limits under this Subpart shall apply to emission units with emissions of VOM to the atmosphere less than or equal to 2.3 Mg (2.5 tons) per calendar year if the total emissions from such emission units not complying with this Section does not exceed 4.5 Mg (5.0 tons) per calendar year.
- d) For the purposes of this Subpart, an emission unit shall be considered regulated by a Subpart if it is subject to the limits of that Subpart. An emission unit is not considered regulated by a Subpart if it is not subject to the limits of that Subpart, e.g., the emission unit is covered by an exemption in the Subpart or the applicability criteria of the Subpart are not met.

- e) For the purposes of this Subpart, uncontrolled VOM emissions are the emissions of VOM which would result if no air pollution control equipment were used.
- f) The control requirements in Subpart QQ shall not apply to sewage treatment plants; vegetable oil extraction and processing; coke ovens (including by-product recovery plants); fuel combustion units; bakeries; barge loading facilities; jet engine test cells; production of polystyrene foam insulation board including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source, but not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin; production of polystyrene foam packaging not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin and not including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source; and iron and steel production.

(Source: Amended at 18 Ill. Reg. _____, effective _____)

SUBPART RR: MISCELLANEOUS ORGANIC CHEMICAL
MANUFACTURING PROCESSES

Section 219.960 Applicability

- a) The requirements of this Subpart shall apply to a source's miscellaneous organic chemical manufacturing process emission units which are not included within any of the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z or BB of this Part, if the source is subject to this Subpart. A source is subject to this Subpart if it contains process emission units, not regulated by Subparts B, E, F (excluding Section 219.204(1) of this Part), H (excluding Section 219.405 of this Part), Q, R, S, T (excluding Section 219.486 of this Part) V, X, Y, Z or BB of this Part; which as a group both:
 - 1) Have maximum theoretical emissions of 91 Mg (100 tons) or more per calendar year of VOM if no air pollution control equipment were used, and
 - 2) Are not limited to less than 91 Mg (100 tons) of VOM emissions per calendar year in the absence of air pollution control equipment, through

production or capacity limitations contained in a federally enforceable permit or a SIP revision.

- b) If a source ceases to fulfill the criteria of Subsection (a) of this Section, the requirements of this Subpart shall continue to apply to a miscellaneous organic chemical manufacturing process emission unit which was ever subject to the control requirements of Section 219.966 of this Part.
- c) No limits under this Subpart shall apply to emission units with emissions of VOM to the atmosphere less than or equal to 0.91 Mg (1.0 ton) per calendar year if the total emissions from such emission units not complying with Section 219.966 of this Part does not exceed 4.5 Mg (5.0 tons) per calendar year.
- d) For the purposes of this Subpart, an emission unit shall be considered regulated by a Subpart if it is subject to the limits of that Subpart. An emission unit is not considered regulated by a Subpart if it is not subject to the limits of that Subpart, e.g., the emission unit is covered by an exemption in the Subpart or the applicability criteria of the Subpart are not met.
- e) For the purposes of this Subpart, uncontrolled VOM emissions are the emissions of VOM which would result if no air pollution control equipment were used.
- f) The control requirements in Subpart RR shall not apply to sewage treatment plants; vegetable oil extraction and processing; coke ovens (including by-product recovery plants); fuel combustion units; bakeries; ~~barge loading facilities~~; jet engine test cells; production of polystyrene foam insulation board including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source, but not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin; production of polystyrene foam packaging not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin and not including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source; and iron and steel production.

(Source: Amended at 18 Ill. Reg. _____, effective _____
_____)

SUBPART TT: OTHER EMISSION UNITS

Section 219.980 Applicability


- a) The requirements of this Subpart shall apply to a source's VOM emission units, which are not included within any of the categories specified in Subparts B, E, F, H, Q, R, S, T, V, X, Y, Z, AA, BB, PP, QQ, or RR of this Part, or are not exempted from permitting requirements pursuant to 35 Ill. Adm. Code 201.146, if the source is subject to this Subpart. A source is subject to this Subpart if it contains process emission units, not regulated by Subparts B, E, F (excluding Section 219.204(1) of this Part), H (excluding Section 219.405 of this Part), Q, R, S, T, (excluding Section 218.486 of this Part), V, X, Y, Z or BB of this Part, which as a group both:
- 1) Have maximum theoretical emissions of 91 Mg (100 tons) or more per calendar year of VOM if no air pollution control equipment were used, and
 - 2) Are not limited to less than 91 Mg (100 tons) of VOM emissions per calendar year in the absence of air pollution control equipment, through production or capacity limitations contained in a federally enforceable permit or a SIP revision.
- b) If a source ceases to fulfill the criteria of subsection (a) of this Section, the requirements of this Subpart shall continue to apply to an emission unit which was ever subject to the control requirements of Section 219.986 of this Part.
- c) No limits under this Subpart shall apply to emission units with emissions of VOM to the atmosphere less than or equal to 2.3 Mg (2.5 tons) per calendar year if the total emissions from such emission unit not complying with Section 219.986 of this Part does not exceed 4.5 Mg (5.0 tons) per calendar year.
- d) For the purposes of this Subpart, an emission unit shall be considered regulated by a Subpart if it is subject to the limits of that Subpart. An emission unit is not considered regulated by a Subpart if it is not subject to the limits of that Subpart, e.g., the emission unit is covered by an exemption in the Subpart or the applicability criteria of the Subpart are not met.
- e) The control requirements in Subpart TT shall not apply to sewage treatment plants; vegetable oil extraction

and processing; coke ovens (including by-product recovery); fuel combustion units; bakeries; barge loading facilities; jet engine test cells; production of polystyrene foam insulation board including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source, but not including blending and preliminary expansion of resin prior to molding where a blowing agent is incorporated into the polystyrene resin by the producer of the resin; production of polystyrene foam packaging not including blending and preliminary expansion of resin prior to molding where blowing agent is incorporated into the polystyrene resin by the producer of the resin; and not including storage and extrusion of scrap where blowing agent is added to the polystyrene resin at the source); and iron and steel production.

(Source: Amended at 18 Ill. Reg. _____, effective _____
_____)

IT IS SO ORDERED.

I, Dorothy M. Gunn, Clerk of the Illinois Pollution Control Board, do hereby certify that the above order was adopted on the 28th day of September, 1994, by a vote of 5-0.



Dorothy M. Gunn, Clerk
Illinois Pollution Control Board