## ILLINOIS POLLUTION CONTROL BOARD February 28, 1991

IN THE MATTER OF:	
UST UPDATE; USEPA REGULATIONS ) (1/1/90 through 6/30/90) )	R90-12 (Identical in Substance
	Rulemaking)

ADOPTED RULE. FINAL ORDER.

ORDER OF THE BOARD (by J. Anderson):

Pursuant to Section 22.4(d) of the Environmental Protection Act (Act), the Board is amending the UST underground storage tank regulations in 35 Ill. Adm. Code 731.

Section 22.4 of the Act governs adoption of regulations establishing the RCRA/UST program in Illinois. Section 22.4(d) provides for quick adoption of regulations which are "identical in substance" to federal regulations. Section 22.4(d) provides that Title VII of the Act and Section 5 of the Administrative Procedure Act (APA) shall not apply. Because this rulemaking is not subject to Section 5 of the APA, it is not subject to first notice or to second notice review by the Joint Committee on Administrative Rules (JCAR). This rulemaking updates Illinois' UST rules to correspond with USEPA actions during the period January 1 through June 30, 1990.

This Order is supported by an Opinion adopted this same day. The Board will allow 30 days for post-adoption comment from the agencies involved in the authorization process before filing the adopted rules with the Secretary of State.

IT IS SO ORDERED.

I, Dorothy M. Gunn, Clerk of the Illinois Pollution Control Board, hereby certify that the above Order was adopted on the 28% day of 3%, 1991, by a vote of 3%.

Dorothy M. Gann, Clerk

Illinois Pollution Control Board

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE G: WASTE DISPOSAL
CHAPTER I: POLLUTION CONTROL BOARD
SUBCHAPTER d: UNDERGROUND INJECTION CONTROL
AND UNDERGROUND STORAGE TANK PROGRAMS

## PART 731 UNDERGROUND STORAGE TANKS

SUBPART A: PROGRAM SCOPE AND INTERIM PROHIBITION Section 731.101 Definitions and exemptions (Repealed) 731.102 Interim prohibitions (Repealed) 731,103 Notification Requirements (Repealed) 731,110 Applicability 731.111 Interim Prohibition for Deferred Systems 731.112 Definitions 731.113 Incorporations by Reference 731.114 Implementing Agency SUBPART B: UST SYSTEMS: DESIGN, CONSTRUCTION, INSTALLATION AND NOTIFICATION Section 731.120 Performance Standards for New Systems Upgrading of Existing Systems 731.121 731.122 Notification Requirements SUBPART C: GENERAL OPERATING REQUIREMENTS Section Spill and Overfill Control 731.130 731.131 Operation and Maintenance of Corrosion Protection 731.132 Compatibility 731.133 Repairs Allowed 731.134 Reporting and Recordkeeping SUBPART D: RELEASE DETECTION Section 731.140 General Requirements for all Systems 731.141 Petroleum Systems 731.142 Hazardous Substance Systems 731.143 Tanks 731.144 Pipina 731.145 Recordkeeping SUBPART E: RELEASE REPORTING. INVESTIGATION AND CONFIRMATION Section 731.150 Reporting of Suspected Releases 731,151 Investigation due to Off-site Impacts 731.152 Release Investigation and Confirmation 731.153 Reporting and Cleanup of Spills and Overfills SUBPART F: RELEASE RESPONSE AND CORRECTIVE ACTION Section 731.160 General 731.161 Initial Response

```
731.162
              Initial Abatement Measures and Site Check
731.163
              Initial Site Characterization
731.164
              Free Product Removal
731.165
              Investigations for Soil and Groundwater Cleanup
731.166
              Corrective Action Plan
731,167
              Public Participation
                SUBPART G: OUT-OF-SERVICE SYSTEMS AND CLOSURE
Section
731,170
              Temporary Closure
731.171
              Permanent Closure and Changes-in-Service
731.172
              Assessing Site at Closure or Change-in-Service
731.173
              Previously Closed Systems
731.174
              Closure Records
                     SUBPART H: FINANCIAL RESPONSIBILITY
Section
731.190
              Applicability
731.191
              Compliance Dates
731.192
              Definitions
731.193
              Amount and Scope of Required Financial Responsibility
731.194
              Allowable Mechanisms and Combinations
731.195
              Financial Test of Self-insurance
731.196
              Guarantee
731.197
              Insurance or Risk Retention Group Coverage
731.198
              Surety Bond
731.199
              Letter of Credit
731.200
              UST State Fund
731.202
              Trust Fund
731.203
              Standby Trust Fund
731.204
              Substitution of Mechanisms
731.205
              Cancellation or Nonrenewal by Provider
731.206
              Reporting
731.207
              Recordkeeping
              Drawing on Financial Assurance
731.208
731.209
              Release from Financial Assurance Requirement
              Bankruptcy or other Incapacity
731.210
731.211
              Replenishment
731.900
              Incorporation by reference (Repealed)
731,901
              Compliance Date (Repealed)
```

## Appendix A Notification Form

AUTHORITY: Implementing and authorized by III. Rev. Stat. 1989, ch. 111 1/2, pars. 1022.4, 1022.13 and 1027 (Sections 22.4(d), 22.13(d) and 27 of the Environmental Protection Act).

SOURCE: Adopted in R86-1 at 10 III. Reg. 14175, effective August 12, 1986; amended in R86-28 at 11 III. Reg. 6220, effective March 24, 1987; amended in R88-27 at 13 III. Reg. 9519, effective June 12, 1989; amended in R89-4 at 13 III. Reg. 15010, effective September 12, 1989; amended in R89-10 at 14 III. Reg. 5797, effective April 10, 1990; amended in R89-19 at 14 III. Reg. 9454, effective June 4, 1990; amended in R90-3 at 14 III. Reg. 11964, effective July

10, 1990; amended in R90-12 at 15 III. Reg. effective .)

NOTE: Capitalization denotes statutory language.

## SUBPART D: RELEASE DETECTION

Section 731.140 General Requirements for all Systems

- a) Owners and operators of new and existing UST systems shall provide a method, or combination of methods, of release detection that:
  - 1) Can detect a release from any portion of the tank and the connected underground piping that routinely contains product:
  - 2) Is installed, calibrated, operated and maintained in accordance with the manufacturer's instructions, including routine maintenance and service checks for operability or running condition; and
  - 3) Meets the performance requirements in Sections 731.143 or 731.144, with any performance claims and their manner of determination described in writing by the equipment manufacturer or installer. In addition, methods used after December 22, 1990, except for methods permanently installed prior to that date, must be capable of detecting the leak rate or quantity specified for that method in Section 731.143(b), (c) and (d) or Section 731.144(a) and (b), with a probability of detection of 0.95 and a probability of false alarm of 0.05.
- b) When a release detection method operated in accordance with the performance standards in Section 731.143 and 731.144 indicates a release may have occurred, owners and operators shall notify ESDA in accordance with Subpart E.
- c) Owners and operators of UST systems shall comply with the release detection requirements of this Subpart in accordance with the following schedule:
  - 1) For all pressurized piping -in accordance with -as defined in Section 731.141(b)(1)- and 731-142(b)(4)-, by December 22, 1990.
  - 2) For tanks and suction piping in accordance with Section 731.141(a), 731.141(b)(2) and 731.142 for tanks:
    - A) With an unknown installation date, by December 22, 1989.
    - B) Installed before 1965, by December 22, 1989.
    - C) Installed in 1965 through 1969, by December 22, 1990.
    - D) Installed in 1970 through 1974, by December 22, 1991.
    - E) Installed in 1975 through 1979, by December 22, 1992.

- F) Installed in 1980 through December 22, 1988, by December 22, 1993.
- G) Installed after December 22, 1988, immediately upon installation.
- d) Any existing UST system that cannot apply a method of release detection that complies with the requirements of this Subpart must complete the closure procedures in Subpart G by the date on which release detection is required for that UST system under subsection (c).

(Source: Amended at 15 Ill. Reg. , effective )

SUBPART H: FINANCIAL RESPONSIBILITY

Section 731.191 Compliance Dates

Owners of petroleum underground storage tanks are required to comply with the requirements of this Subpart by the following dates:

- a) All petroleum marketing firms owning 1,000 or more USTs and all other UST owners that report a tangible net worth of \$20 million or more to the U.S. Securities and Exchange Commission (SEC), Dun and Bradstreet, the Energy Information Administration or the Rural Electrification Administration: January 24, 1989, except that compliance with Section 730.194(b) is required by: July 24, 1989.
- b) All petroleum marketing firms owning 100 through 999 USTs: October 26. 1989.
- c) All petroleum marketing firms owning 13 through 99 USTs at more than one facility: April 26, -1990-1991.
- d) All petroleum UST owners not described in subsections (a), (b) or (c), including units of local government: October 26, 1990.

(Source: Amended at 15 III. Reg. , effective )