# ILLINOIS POLLUTION CONTROL BOARD March 8, 1990

IN THE MATTER OF:

)

RCRA UPDATE, USEPA REGULATIONS,
(1-1-89 THROUGH 6-30-89)

)

(Rulemaking)

FINAL ORDER. ADOPTED RULES.

ORDER OF THE BOARD (by J. Anderson):

Pursuant to Section 22.4(a) of the Environmental Protection Act (Act), the Board amending the RCRA hazardous waste regulations.

Section 22.4 of the Act governs adoption of regulations establishing the RCRA program in Illinois. Section 22.4(a) provides for quick adoption of regulations which are "identical in substance" to federal regulations; Section 22.4(a) provides that Title VII of the Act and Section 5 of the Administrative Procedure Act shall not apply. Because this rulemaking is not subject to Section 5 of the Administrative Procedure Act, it is not subject to first notice or to second notice review by the Joint Committee on Administrative Rules (JCAR). The federal RCRA regulations are found at 40 CFR 260 through 270. This rulemaking updates Illinois' RCRA rules to correspond with USEPA amendments during the period January 1 through June 30, 1989.

The Board adopted a proposed Opinion and Order on December 6, 1989. The proposal appeared on January 5, 1990, at 14 Ill. Reg. 72. The Board has modified the proposal in response to comment, as is detailed in the Opinion.

The Board hereby adopts the amendments, the text of which follows. The Board will not follow the final rules until after 9, 1990, to allow time for final review and any motions for reconsideration by the agencies involved in the authorization process. This Order is supported by an Opinion adopted this same day.

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE G: WASTE DISPOSAL CHAPTER I: POLLUTION CONTROL BOARD SUBCHAPTER b: PERMITS

# PART 702 RCRA AND UIC PERMIT PROGRAMS

SUBPART A: GENERAL PROVISIONS

Section 702.101 702.102 702.103 702.104 702.105	Applicability Purpose and Scope Confidentiality References Rulemaking
702.106 702.107 702.108 702.109 702.110	Agency Criteria Permit Appeals Variances Enforcement Definitions
Section 702.120 702.121 702.122 702.123 702.124 702.125 702.126	SUBPART B: PERMIT APPLICATIONS  Permit Application Who Applies Completeness Information Requirements Recordkeeping Continuation of Expiring Permits Signatories to Permit Applications and Reports
Section 702.140 702.141 702.142 702.143 702.144 702.145 702.146 702.147 702.148 702.149 702.150 702.151 702.152 702.160 702.161 702.162 702.163 702.164	Conditions Applicable to all Permits Duty to Comply Duty to Reapply Need to Halt or Reduce Activity not a Defense Duty to Mitigate Proper Operation and Maintenance Permit Actions Property Rights Duty to Provide Information Inspection and Entry Monitoring and Records Signatory Requirements Reporting Requirements Establishing Permit Conditions Duration of Permits Schedules of Compliance Alternative Schedules of Compliance Recording and Reporting
	SURPART D: ISSUED PERMITS

SUBPART D: ISSUED PERMITS

Section

702.181 Effect of a Permit

702.182 Transfer

702.183 Modification

702.184 Causes for Modification

702.185 Facility Siting

702.186 Revocation

702.137 Minor Modifications

AUTHORITY: Implementing Section 13 and 22.4 and authorized by Section 27 of the Environmental Protection Act (III. Rev. Stat. 1983 Supp., ch. 111 1/2, pars. 1013, 1022.4 and 1027).

SOURCE: Adopted in R81-32, 47 PCB 93, at 6 Ill. Reg. 12479, effective as noted in 35 Ill. Adm. Code 700.106; amended in R82-19 at, 53 PCB 131, 7 Ill. Reg. 14352, effective as noted in 35 Ill. Adm. Code 700.106; amended in R84-9 at 9 Ill. Reg. 11926, effective July 24, 1985; amended in R85-23 at 10 Ill. Reg. 13274, effective July 29, 1986; amended in R86-1 at 10 Ill. Reg. 14083, effective August 12, 1986; amended in R86-28 at 11 Ill. Reg. 6131, effective March 24, 1987; amended in R87-5 at 11 Ill. Reg. 19376, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2579, effective January 15, 1988; amended in R87-29 at 12 Ill. Reg. 6673, effective March 28, 1988; amended in R87-39 at 12 Ill. Reg. 13083, effective July 29, 1988; amended in R89-1 at 13 Ill. Reg. 18452, effective November 13, 1989; amended in R89-2 at 14 Ill. Reg. 3089, effective February 20, 1990; amended in R89-9 at 14 Ill. Reg. , effective

#### SUBPART B: PERMIT APPLICATIONS

#### Section 702.122 Completeness

The Agency shall not issue a permit under a program (RCRA or UIC) before receiving a complete application for a permit under that program except for emergency permits. An application for a permit under a program is complete when the Agency receives an application form and any supplemental information which are completed to its satisfaction. (35 Ill. Adm. Code 705.122). An application for a permit is complete notwithstanding the failure of the owner or operator to submit the exposure information described in 35 Ill. Adm. Code 703.186 (RCRA). The Agency may deny a permit for the active life of a hazardous waste management facility or unit before receiving a complete application for a permit. (RCRA)

-{Beard Nete: See-BOARD NOTE: Derived from 40 CFR 144.31(d) and 270.10(c), as amended at 54 Fed. Reg. 9607, March 7, 1989.

(Source: Amended at 14 III. Reg. , effective

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE G: WASTE DISPOSAL CHAPTER I: POLLUTION CONTROL BOARD SUBCHAPTER b: PERMITS

# PART 703 RCRA PERMIT PROGRAM

SUBPART A: GENERAL PROVISIONS

	SUBPART A: GENERAL PROVISIONS
Section 703.100 703.101 703.110	Scope and Relation to Other Parts Purpose References
	SUBPART B: PROHIBITIONS
Section 703.120 703.121 703.122 703.123 703.124 703.125 703.126 703.127	Prohibitions in General RCRA Permits Specific Inclusions in Permit Program Specific Exclusions from Permit Program Discharges of Hazardous Waste Reapplications Initial Applications Federal Permits (Repealed)
	SUBPART C: AUTHORIZATION BY RULE AND INTERIM STATUS
Section 703.140 703.141 703.150 703.151 703.152 703.153 703.154 703.155 703.156 703.157 703.158 703.159 703.160	Purpose and Scope Permits by Rule Application by Existing HWM Facilities and Interim Status Qualifications Application by New HWM Facilities Amended Part A Application Qualifying for Interim Status Prohibitions During Interim Status Changes During Interim Status Interim Status Standards Grounds for Termination of Interim Status Permits for Less Than an Entire Facility Closure by Removal Procedures for Closure Determination
	SUBPART D: APPLICATIONS
Section 703.180 703.181 703.182 703.183 703.184 703.185 703.186 703.187 703.188 703.200	Applications in General Contents of Part A Contents of Part B General Information Facility Location Information Groundwater Protection Information Exposure Information Solid Waste Management Units Other Information Specific Information

```
Containers
703.201
703.202
           Tank Systems
703.203
           Surface Impoundments
703.204
           Waste Piles
703.205
           Incinerators
703.206
           Land Treatment
703.207
           Landfills
703,209
           Miscellaneous Units
                   SUBPART E: SHORT TERM AND PHASED PERMITS
Section
703.221
           Emergency Permits
703.222
           Incinerator Conditions Prior to Trial Burn
703.223
           Incinerator Conditions During Trial Burn
703.224
           Incinerator Conditions After Trial Burn
703.225
           Trial Burns for Existing Incinerators
703.230
           Land Treatment Demonstration
703.231
           Research, Development and Demonstration Permits
                    SUBPART F: PERMIT CONDITIONS OR DENIAL
Section
703.240
           Permit Denial
           Establishing Permit Conditions
703,241
703.242
           Noncompliance Pursuant to Emergency Permit
703.243
           Monitoring
703.244
           Notice of Planned Changes
703.245
           Twenty-four Hour Reporting
703.246
           Reporting Requirements
703,247
           Anticipated Noncompliance
                         SUBPART G: CHANGES TO PERMITS
Section
703.260
           Transfer
703.270
           Modification
703.271
           Causes for Modification
703.272
           Causes for Modification or Reissuance
703.273
           Facility Siting
703.280
           Permit Modification at the Request of the Permittee
703.281
           Class 1 Modifications
703.282
           Class 2 Modifications
           Class 3 Modifications
703,283
```

Appendix A Classification of Permit Modifications

AUTHORITY: Implementing Section 22.4 and authorized by Section 27 of the Environmental Protection Act (III. Rev. Stat. 1988 Supp., ch. 111 1/2, pars. 1022.4 and 1027).

SOURCE: Adopted in R82-19, 53 PCB 131, at 7 Ill. Reg. 14289, effective October 12, 1983; amended in R83-24 at 8 Ill. Reg. 206, effective December 27, 1983; amended in R84-9 at 9 Ill. Reg. 11899, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 1110, effective January 2, 1987; amended in R85-23 at 10 Ill. Reg. 13284, effective July 28, 1986; amended in R86-1 at 10 Ill. Reg. 14093, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg.

20702, effective December 2, 1986; amended in R86-28 at 11 III. Reg. 6121, effective March 24, 1987; amended in R86-46 at 11 III. Reg. 13543, effective August 4, 1987; amended in R87-5 at 11 III. Reg. 19383, effective November 12, 1987; amended in R87-26 at 12 III. Reg. 2584, effective January 15, 1988; amended in R87-39 at 12 III. Reg. 13069, effective July 29, 1988; amended in R88-16 at 13 III. Reg. 447, effective December 27, 1988; amended in R89-1 at 13 III. Reg. 18477, effective November 13, 1989; amended in R89-9 at 14 III. Reg. , effective

SUBPART B: PROHIBITIONS

#### Section 703.121 RCRA Permits

- a) No person shall conduct any hazardous waste storage, hazardous waste treatment or hazardous waste disposal operation:
  - 1) Without a RCRA permit for the HWM (nazardous waste management) facility; or
  - 2) In violation of any condition imposed by a RCRA permit;
- b) Owners and operators of HVM units -must-shall have permits during the active life (including the closure period) of the unit. Owners and operators of surface impoundments, landfills, land treatment units and waste pile units that received wastes after July 26, 1982, or that certified closure (according to 35 Ill. Adm. Code 725.215) after January 26, 1983, -must-shall have post-closure permits, unless they demonstrate closure by removal as provided under Sections 703.159 and 703.160. If a post-closure permit is required, the permit must address applicable 35 Ill. Adm. Code 724 groundwater monitoring, unsaturated zone monitoring, corrective action and post-closure care requirements.
- The denial of a permit for the active life of a hazardous waste management facility or unit does not affect the requirement to obtain a post-closure permit under this Section.

-(BOARD NOTE: See-BOARD NOTE: Derived from 40 CFR 270.1(c) -( $\frac{1}{9}$ 87); as amended at 52 Fed. Reg. 45787; December 1;  $\frac{1}{9}$ 87.)-( $\frac{1}{9}$ 88), as amended at 54 Fed. Reg. 9607, March 7, 1989.

(Source: Amended at 14 Ill. Reg. , effective )

SUBPART C: AUTHORIZATION BY RULE AND INTERIM STATUS

Section 703.155 Changes During Interim Status

- a) -New hazardous wastes not previously identified in Part A of the permit application may be treated, stored or disposed of at a facility -Except as provided in subsection (b), the owner or operator of an interim status facility may make the following changes at the facility:
  - 1) Treatment, storage or disposal of new hazardous wastes not

previously identified in Part A of the permit application (and, in the case of newly listed or identified wastes, addition of the units being used to treat, store or dispose of the hazardous wastes on the date of the listing or identification) if the owner or operator submits a revised Part A permit application prior to such -a change-treatment, storage or disposal;

- Increases in the design capacity of processes used at -a-the facility- may be made- if the owner or operator submits a revised Part A permit application prior to such a change (along with a justification explaining the need for the change) and the Agency approves the change because -ef-:
  - A) There is a lack of available treatment, storage or disposal capacity at other hazardous waste management facilities; or
  - B) The change is necessary to comply with a federal, State or local requirement, including 35 Ill. Adm. Code 725, 728 or 729.
- 3) Changes in the processes for the treatment, storage or disposal of hazardous waste may be made at a facility or addition-al- of processes -may be added -if the owner or operator submits a revised Part A permit application prior to such a change (along with a justification explaining the need for change) and the Agency approves the change because:
  - A) -It-The change is necessary to prevent a threat to human health or the environment because of an emergency situation; or
  - B) -It-The change is necessary to comply with -Federal and State regulations-a federal, State or local requirement, including 35 Ill. Adm. Code 725, 728 or 729;
- Changes in the ownership or operational control of a facility 4) -may be made -if the new owner or operator submits a revised Part A permit application no later than 90 days prior to the scheduled change. When a transfer of ownership or operational control of a facility occurs, the old owner or operator shall comply with the requirements of 35 Ill. Adm. Code 725. Subpart H (financial requirements), until the new owner or operator has demonstrated to the Agency that it is complying with the requirements of that Subpart. The new owner or operator shall demonstrate compliance with the financial assurance requirements within six months after the date of the change in the ownership or operational control of the facility. Upon demonstration to the Agency by the new owner or operator of compliance with the financial assurance requirements, the Agency shall notify the old owner or operator in writing that the old owner or operator no longer needs to comply with 35 Ill. Adm. Code 725. Subpart H as of the date of demonstration. All other interim status duties are transferred effective immediately upon the date of

- the change of ownership or operational control of the facility;
- Changes made in accordance with an interim status corrective action order issued by: USEPA under Section 3008(h) of the Resource Conservation and Recovery Act or other federal authority; a court pursuant to a judicial action brought USEPA; a court pursuant to the Environmental Protection Act; or, the Board. Changes under this subsection are limited to the treatment, storage or disposal of solid waste from releases that originate within the boundary of the facility.
- b) -In no event shall changes be made to an HWM facility during interim status which-Except as specifically allowed under this subsection, changes listed under subsection (a) must not be made if they amount to reconstruction of the HWM facility. Reconstruction occurs when the capital investment in the changes to the facility exceeds fifty percent of the capital cost of a comparable entirely new HWM facility. If all other requirements are met, the following changes may be made even if they amount to a reconstruction:
  - -Ghanges under this Section do not include e-Changes made solely for the purpose of complying with requirements of 35 Ill. Adm. Code 725.293 for tanks and ancillary equipment.
  - 2) If necessary to comply with federal, State or local requirements, including 35 Ill. Adm. Code 725, 728 or 729, changes to an existing unit, changes solely involving tanks or containers, or addition of replacement surface impoundments that satisfy the statutory standards of Section 35 Ill. Adm. Code 728.139.
  - Changes that are necessary to allow owners or operators to continue handling newly listed or identified hazardous wastes that have been treated, stored or disposed of at the facility prior to the effective date of the rule establishing the new listing or identification.
  - 4) Changes during closure of a facility or of a unit within a facility made in accordance with an approved closure plan.
  - Changes necessary to comply with an interim status corrective action order issued by: USEPA under Section 3008(h) of the Resource Conservation and Recovery Act or other federal authority; a court pursuant to a judicial action brought by USEPA; a court pursuant to the Environmental Protection Act; or, the Board. Changes under this subsection are limited to the treatment, storage or disposal of solid waste from releases that originate within the boundary of the facility.
  - Changes -prehibited under this Section do not include changes -to treat or store, in -containers or -tanks or containers, hazardous wastes subject to land disposal restrictions imposed in 35 Ill. Adm. Code 728, provided that such changes are made solely for the purpose of complying with 35 Ill. Adm. Code 728.

-(80ARD NOTE: See-BOARD NOTE: Derived from 40 CFR 270.72 -(1987), as amended at 52 Fed. Reg. 45787, December 1, 1987.)-(1988), as amended at 54 Fed. Reg. 9607, March 7, 1989.

(Source: Amended at 14 Ill. Reg. , effective

Section 703.157 Grounds for Termination of Interim Status

Interim status terminates when:

- a) Final administrative disposition of a permit application is made; or
- b) The owner or operator fails to furnish a requested Part B application on time, or to furnish the full information required by the Part B application, in which case the Agency shall notify the owner and operator of the termination of interim status following the procedures for a notice of intent to deny a permit pursuant to 35 Ill. Adm. Code 705.
- c) For owners or operators of each land disposal facility which has been granted interim status prior to November 8, 1984, on November 8, 1985, unless:
  - 1) The owner or operator submits a Part B application for a permit for such facility prior to that date; and
  - 2) The owner or operator certifies that such facility is in compliance with all applicable groundwater monitoring and financial responsibility requirements.
- d) For owners or operators of each land disposal facility which is in existence on the effective date of statutory or regulatory amendments under the Resource Conservation and Recovery Act that render the facility subject to the requirement to have a RCRA permit and which is granted interim status, twelve months after the date on which the facility first becomes subject to such permit requirement unless the owner or operator of such facility:
  - 1) Submits a Part B application for a RCRA permit for such facility before the date 12 months after the date on which the facility first becomes subject to such permit requirement; and
  - 2) Certifies that such facility is in compliance with all applicable groundwater monitoring and financial responsibility requirements.
- For owners or operators of any land disposal unit that is granted authority to operate under Section 703.155(a)(1), (2) or (3), on the day 12 months after the effective date of such requirement, unless the owner or operator certifies that such unit is in compliance with all applicable groundwater monitoring and financial responsibility requirements. (35 Ill. Adm. Code 725.190 et seq. and 725.240 et seq.)

- $\underline{f}$ ) For owners and operators of each incinerator facility on November 8, 1989, unless the owner or operator of the facility submits a Part B application for a RCRA permit for an incinerator facility by November 8, 1986.
- g) For owners and operators of any facility (other than a land disposal or an incinerator facility) on November 8, 1992, unless the owner or operator of the facility submits a Part B application for a RCRA permit for the facility by November 8, 1988.

-{Note: See-BOARD NOTE: Derived from 40 CFR 270.10(e)(5) (1988) and 270.73-+)- (1988), as amended at 54 Fed. Reg. 9607, March 7, 1989

(Source: Amended at 14 Ill. Reg. , effective )

SUBPART D: APPLICATIONS

Section 703.183 General Information

The following information is required in the Part B application for all HWM facilities, except as 35 Ill. Adm. Code 724.101 provides otherwise:

- a) A general description of the facility;
- b) Chemical and physical analyses of the hazardous wastes to be handled at the facility. At a minimum, these analyses must contain all the information which must be known to treat, store or dispose of the wastes properly in accordance with 35 Ill. Adm. Code 724;
- c) A copy of the waste analysis plan required by 35 Ill. Adm. Code 724.113(b) and, if applicable, 35 Ill. Adm. Code 724.113(c);
- d) A description of the security procedures and equipment required by 35 Ill. Adm. Code 724.114, or a justification demonstrating the reasons for requesting a waiver of this requirement;
- e) A copy of the general inspection schedule required by 35 Ill. Adm. Code 724.115(b)-; i-. Include where applicable, as part of the inspection schedule, specific requirements in 35 Ill. Adm. Code 724.274, 724.293(i), 724.295, 724.294; 724.326, 724.354, 724.373, 724.403 and 724.702;
- f) A justification of any request for a waiver of the preparedness and prevention requirements of 35 Ill. Adm. Code 724. Subpart C;
- g) A copy of the contingency plan required by 35 Ill. Adm. Code 724. Subpart D:
  - BOARD NOTE: Include, where applicable, as part of the contingency plan, specific requirements in 35 Ill. Adm. Code 724.327 and 724.355. 35 Ill. Adm. Code 724.355 has not yet been adopted.
- h) A description of procedures, structures or equipment used at the

## facility to:

- Prevent hazards in unloading operations (for example, ramps, special forklifts);
- 2) Prevent runoff from hazardous waste handling areas to other areas of the facility or environment, or to prevent flooding (for example, berms, dikes, trenches);
- 3) Prevent contamination of water supplies;
- 4) Mitigate effects of equipment failure and power outages; and
- 5) Prevent undue exposure of personnel to hazardous waste (for example, protective clothing);
- i) A description of precautions to prevent accidental ignition or reaction of ignitable, reactive or incompatible wastes as required to demonstrate compliance with 35 Ill. Adm. Code 724.117 including documentation demonstrating compliance with 35 Ill. Adm. Code 724.117(c);
- j) Traffic pattern, estimated volume (number, types of vehicles) and control (for example, show turns across traffic lanes and stacking lanes (if appropriate); describe access road surfacing and load bearing capacity; show traffic control signals);
- k) Facility location information as required by Section 703.184;
- An outline of both the introductory and continuing training programs by owners or operators to prepare persons to operate or maintain the HWM facility in a safe manner as required to demonstrate compliance with 35 Ill. Adm. Code 724.116. A brief description of how training will be designed to meet actual job tasks in accordance with requirements in 35 Ill. Adm. Code 724.116(a)(3);
- m) A copy of the closure plan and, where applicable, the post-closure plan required by 35 Ill. Adm. Code 724.212, -and -724.218 and 724.297. Include where applicable, as part of the plans, specific requirements in 35 Ill. Adm. Code 724.278, 724.297, 724.328, 724.358, 724.380, 724.410, 724.451, 724.701 and 724.703;
- n) For hazardous waste disposal units that have been closed, documentation that notices required under 35 Ill. Adm Code 724.219 have been filed:
- o) The most recent closure cost estimate for the facility prepared in accordance with 35 Ill. Adm. Code 724.242 and a copy of the documentation required to demonstrate financial assurance under 35 Ill. Adm. Code 724.243. For a new facility, a copy of the required documentation may be submitted 60 days prior to the intitial receipt of hazardous wastes, if it is later than the submission of the Part B:

- p) Where applicable, the most recent post-closure cost estimate for the facility prepared in accordance with 35 Ill. Adm. Code 724.244 plus a copy of the documentation required to demonstrate financial assurance under 35 Ill. Adm. Code 724.245; For a new facility, a copy of the required documentation may be submitted 60 days prior to the intitial receipt of hazardous wastes, if it is later than the submission of the Part B;
- q) Where applicable, a copy of the insurance policy or other documentation which comprises compliance with the requirements of 35 Ill. Adm. Code 724.247. For a new facility, documentation showing the amount of insurance meeting the specification of 35 Ill. Adm. Code 724.247(a) and, if applicable, 35 Ill. Adm. Code 724.247(b), that the owner or operator plans to have in effect before initial receipt of hazardous waste for treatment, storage or disposal. A request for an alternative level of required coverage, for a new or existing facility, may be submitted as specified in 35 Ill. Adm. Code 724.247(c);
- A topographic map showing a distance of 1000 feet around the facility at a scale of 2.5 centimeters (1 inch) equal to not more than 61.0 meters (200 feet). Contours must be shown on the map. The contour interval must be sufficient to clearly show the pattern of surface water flow in the vicinity of and from each operational unit of the facility. For example, contours with an interval of 1.5 meters (5 feet), if relief is greater than 6.1 meters (20 feet), or an interval of 0.6 meters (2 feet), if relief is less than 6.1 meters (20 feet). Owners and operators of HWM facilities located in mountainous areas shall use larger contour intervals to adequately show topographic profiles of facilities. The map must clearly show the following:
  - 1) Map scale and date;
  - 2) 100-year floodplain area;
  - 3) Surface waters including intermittent streams;
  - 4) Surrounding land uses (residential, commercial, agricultural, recreational);
  - 5) A wind rose (i.e., prevailing windspeed and direction);
  - 6) Orientation of the map (north arrow);
  - 7) Legal boundaries of the HWM facility site;
  - 8) Access control (fences, gates);
  - 9) Injection and withdrawal wells both on-site and off-site;
  - 10) Buildings; treatment, storage or disposal operations; or other structures (recreation areas, runoff control systems, access and internal roads, storm, sanitary and process sewage systems,

loading and unloading areas, fire control facilities, etc.);

- 11) Barriers for drainage or flood control;
- 12) Location of operational units within the HWM facility site, where hazardous waste is (or will be) treated, stored or disposed (include equipment cleanup areas);

BOARD NOTE: For large HWM facilities, the Agency shall allow the use of other scales on a case by case basis.

- t) Applicants shall submit such information as the Agency determines is necessary for it to determine whether to issue a permit and what conditions to impose in any permit issued.
- u) For land disposal facilities, if a case-by-case extension has been approved under 35 Ill. Adm. Code 728.105, or if a petition has been approved under 35 Ill. Adm. Code 728.106, a copy of the notice of approval of the extension or of approval of the petition is required.

BOARD NOTE: Derived from 40 CFR 270.14(b) (1988), as amended at 54 Fed. Reg. 617, January 9, 1989.

(Source: Amended at 14 Ill. Reg. , effective )

SUBPART E: SHORT TERM AND PHASED PERMITS

Section 703.225 Trial Burns for Existing Incinerators

For the purpose-s- of determining feasibility of compliance with the performance standards of 35 Ill. Adm. Code 724,443 and of determining adequate operating conditions under 35 Ill. Adm. Code 724.445, the applicant for a permit -te-for an existing hazardous waste incinerator -may-shall prepare and submit a trial burn plan and perform a trial burn in accordance with Sections 703.205(b) and 703.223(b) through (i), or, instead, submit other information as specified in Section 703.205(c). Applicants submitting information under Section 703.205(a) are exempt from compliance with 35 Ill. Adm. Code 724.443 and 724.445 and, therefore, are exempt from the requirement to conduct a trial burn. Applicants who submit trial burn plans and receive approval before submission of a permit application -must-shall complete the trial burn and submit the results, specified in Section 703.223(f), with Part B of the permit application. If completion of this process conflicts with the date set for submission of the Part B application, the applicant -must-shall contact the Agency to establish a later date for submission of the Part B application or the trial burn results. -If the applicant submits a trial burn plan with Part B of the permit application, the trial burn must be conducted and the results submitted within the time period specified by the Agency -- Trial burn results must be submitted prior to issuance of the permit. When the applicant submits a trial burn plan with Part B of the permit application, the Agency shall specify a time period prior to permit issuance in which the trial burn must be conducted and the results submitted.

-(Beard Note: See 40 GFR 122-27(b)(4)-)-BOARD NOTE: Derived from 40 CFR 270.62(d) (1988), as amended at 54 Fed. Reg. 4288, January 30, 1989.

(Source: Amended at 14 Ill. Reg. , effective )

SUBPART F: PERMIT CONDITIONS OR DENIAL

Section 703.240 Permit Denial

The Agency may, pursuant to the procedures of 35 Ill. Adm. Code 705, deny the permit application either in its entirety or as to the active life of a HWM facility or unit only.

BOARD NOTE: Derived from 40 CFR 270.29, as adopted at 54 Fed. Reg. 9607, March 7, 1989.

(Source: Added at 14 Ill. Reg. , effective )

Section 703.Appendix A Classification of Permit Modifications

Class Modifications

- A. General Permit Provisions
- Correction of typographical errors.
- Equipment replacement or upgrading with functionally equivalent components (e.g., pipes, valves, pumps, conveyors, controls).
  - 4. Changes in the frequency of or procedures for monitoring, reporting, sampling or maintenance activities by the permittee:
- 1 a. To provide for more frequent monitoring, reporting or maintenance.
- b. Other changes.
  - 5. Schedule of compliance:
- 1\* a. Changes in interim compliance dates, with prior approval of the Agency.

BOARD NOTE: "\*" indicates that prior Agency approval is required.

- 3 b. Extension of final compliance date.
- 1\* 6. Changes in expiration date of permit to allow earlier permit termination, with prior approval of the Agency.
- 7. Changes in ownership or operational control of a facility, provided the procedures of Section 703.260(b) are followed.
  - B. General Facility Standards

- 1. Changes to waste sampling or analysis methods:
- 1 a. To conform with Agency guidance or Board regulations.
- 2 b. Other changes.
  - 2. Changes to analytical quality assurance/control plan:
- 1 a. To conform with agency guidance or regulations.
- b. Other changes.
- 1 3. Changes in procedures for maintaining the operating record.
- 2 4. Changes in frequency or content of inspection schedules.
  - 5. Changes in the training plan:
- 2 a. That affect the type or decrease the amount of training given to employees.
- 1 b. Other changes.
  - 6. Contingency plan:
- 2 a. Changes in emergency procedures (i.e., spill or release response procedures).
- b. Replacement with functionally equivalent equipment, upgrade or relocate emergency equipment listed.
- 2 c. Removal of equipment from emergency equipment list.
- d. Changes in name, address or phone number of coordinators or other persons or agencies identified in the plan.

Note: When a permit modification (such as introduction of a new unit) requires a change in facility plans or other general facility standards, that change must be reviewed under the same procedures as the permit modification.

#### C. Groundwater Protection

- 1. Changes to wells:
- 2 a. Changes in the number, location, depth or design of upgradient or downgradient wells of permitted groundwater monitoring system.
- b. Replacement of an existing well that has been damaged or rendered inoperable, without change to location, design or depth of the well.

- 1\* 2. Changes in groundwater sampling or analysis procedures or monitoring schedule, with prior approval of the Agency.
- 1\*
  3. Changes in statistical procedure for determining whether a statistically significant change in groundwater quality between upgradient and downgradient wells has occurred, with prior approval of the Agency.
- 2\* 4. Changes in point of compliance.
  - 5. Changes in indicator parameters, hazardous constituents or concentration limits (including ACLs (Alternate Concentration Limits)):
- 3 a. As specified in the groundwater protection standard.
- 2 b. As specified in the detection monitoring program.
- 2 6. Changes to a detection monitoring program as required by 35 Ill. Adm. Code 724.198(j), unless otherwise specified in this Appendix.
  - 7. Compliance monitoring program:
- 3 a. Addition of compliance monitoring program as required by 35 Ill. Adm. Code 724.198(h)(4) and 724.199.
  - b. Changes to a compliance monitoring program as required by 35 Ill. Adm. Code 724.199(k), unless otherwise specified in this Appendix.
  - 8. Corrective action program:
- 3 a. Addition of a corrective action program as required by 35 Ill. Adm. Code 724.199(i)(2) and 724.200.
- 2 b. Changes to a corrective action program as required by 35 Ill. Adm. Code 724.200(h), unless otherwise specified in this Appendix.

#### D. Closure

2

- 1. Changes to the closure plan:
- 1\* a. Changes in estimate of maximum extent of operations or maximum inventory of waste on-site at any time during the active life of the facility, with prior approval of the Agency.
- 1\* b. Changes in the closure schedule for any unit, changes in the final closure schedule for the facility or extension of the closure period, with prior approval of the Agency.
- 1\* c. Changes in the expected year of final closure, where other

permit conditions are not changed, with prior approval of the Agency.

- 1\* d. Changes in procedures for decontamination of facility equipment or structures, with prior approval of the Agency.
- 2 e. Changes in approved closure plan resulting from unexpected events occurring during partial or final closure, unless otherwise specified in this Appendix.
- 3 2. Creation of a new landfill unit as part of closure.
  - 3. Addition of the following new units to be used temporarily for closure activities:
- 3 a. Surface impoundments.
- 3 b. Incinerators.
- 3 c. Waste piles that do not comply with 35 Ill. Adm. Code 724.350(c).
- d. Waste piles that comply with 35 Ill. Adm. Code 724.350(c).
- e. Tanks or containers (other than specified below).
- 1\* f. Tanks used for neutralization, dewatering, phase separation or component separation, with prior approval of the Agency.

#### E. Post-Closure

- 1 Changes in name, address or phone number of contact in post-closure plan.
- Extension of post-closure care period.
- 3. Reduction in the post-closure care period.
- 1 4. Changes to the expected year of final closure, where other permit conditions are not changed.
- 2 5. Changes in post-closure plan necessitated by events occurring during the active life of the facility, including partial and final closure.

# F. Containers

- 1. Modification or addition of container units:
- 3 a. Resulting in greater than 25% increase in the facility's container storage capacity, except as provided in F(1)(c) and F(4)(a).
- 2 b. Resulting in up to 25% increase in the facility's container

storage capacity, except as provided in F(1)(c) and F(4)(a).

1

2

1

3

2

c. Or treatment processes necessary to treat wastes that are restricted from land disposal to meet some or all of the applicable treatment standards or to treat wastes to satisfy (in whole or in part) the standard of "use of practically available technology that yields the greatest environmental benefit" contained in 40 CFR 268.8(a)(2)(ii), incorporated by reference in 35 Ill. Adm. Code 728.108, with prior approval of the Agency. This modification may also involve the addition of new waste codes or narrative description of wastes. It is not applicable to dioxincontaining wastes (FO20, FO21, FO22, FO23, FO26, FO27 and FO28).

2.

۷.

- a. Modification of a container unit without increasing the capacity of the unit.
- b. Addition of a roof to a container unit without alteration of the containment system.
- 3. Storage of different wastes in containers, except as provided in F(4):
  - a. That require additional or different management practices from those authorized in the permit.
  - b. That do not require additional or different management practices from those authorized in the permit.

Note: See Section 703.280(g) for modification procedures to be used for the management of newly listed or identified wastes.

## 2 4. Storage or treatment of different wastes in containers:

2

- a. That require addition of units or change in treatment process or management standards, provided that the wastes are restricted from land disposal and are to be treated to meet some or all of the applicable treatment standards, or are to be treated to satisfy (in whole or in part) the standard of "use of practically available technology that yields the greatest environmental benefit" contained in 40 CFR 268.8(a)(2)(ii), incorporated by reference in 35 Ill. Adm. Code 728.108. It is not applicable to dioxincontaining wastes (FO20, FO21, FO22, FO23, FO26, FO27 and FO28).
- 1 b. That do not require the addition of units or a change in the treatment process or management standards, and provided that the units have previously received wastes of the same

type (e.g., incinerator scrubber water). This modification is not applicable to dioxin-containing wastes (F020, F021, F022, F023, F026, F027 and F028).

- 4 <u>5.</u> Other changes in container management practices (e.g., aisle space; types of containers; segregation).
- G. Tanks

1.

- a. Modification or addition of tank units resulting in greater than 25% increase in the facility's tank capacity, except as provided in paragraphs G(1)(c), -and G(1)(d) and G(1)(e).
- b. Modification or addition of tank units resulting in up to 25% increase in the facility's tank capacity, except as provided in paragraphs G(1)(d) and G(1)(e).
- 2 c. Addition of a new tank that will operate for more than 90 days using any of the following physical or chemical treatment technologies: neutralization, dewatering, phase separation or component separation.
- d. After prior approval of the Agency, addition of a new tank that will operate for up to 90 days using any of the following physical or chemical treatment technologies: neutralization, dewatering, phase separation or component separation.
- e. Modification or addition of tank units or treatment processes that are necessary to treat wastes that are restricted from land disposal to meet some or all of the applicable treatment standards or to treat wastes to satisfy (in whole or in part) the standard of "use of practically available technology that yields the greatest environmental benefit" contained in 40 CFR 268.8(a)(2)(ii), incorporated by reference in 35 Ill. Adm. Code 728.108, with prior approval of the Agency. This modification may also involve the addition of new waste codes. It is not applicable to dioxin-containing wastes (F020, F021, F022, F023, F026, F027 and F028).
- 2 2. Modification of a tank unit or secondary containment system without increasing the capacity of the unit.
- Replacement of a tank with a tank that meets the same design standards and has a capacity within +/~ 10% of the replaced tank provided:
  - a. The capacity difference is no more than 1500 gallons,
  - b. The facility's permitted tank capacity is not increased and

- c. The replacement tank meets the same conditions in the permit.
- 2 4. Modification of a tank management practice.
  - 5. Management of different wastes in tanks:
- 3 a. That require additional or different management practices, tank design, different fire protection specifications or significantly different tank treatment process from that authorized in the permit, except as provided in paragraph G(5)(c).
- 2 b. That do not require additional or different management practices, tank design, different fire protection specification or significantly different tank treatment process than authorized in the permit, except as provided in paragraph G(5)(d).

Note: See Section 703.280(g) for modification procedures to be used for the management of newly listed or identified wastes.

- That require addition of units or change in treatment processes or management standards, provided that the wastes are restricted from land disposal and are to be treated to meet some or all of the applicable treatment standards, or that are to be treated to satisfy (in whole or in part) the standard of "use of practically available technology that yields the greatest environmental benefit" contained in 40 CFR 268.8(a)(2)(ii), incorporated by reference in 35 Ill. Adm. Code 728.108. The modification is not applicable to dioxin-containing wastes (FO20, FO21, FO22, FO23, FO26, FO27 and FO28).
- d. That do not require the addition of units or a change in the treatment process or management standards, and provided that the units have previously received wastes of the same type (e.g., incinerator scrubber water). This modification is not applicable to dioxin-containing wastes (F020, F021, F022, F023, F026, F027 and F028).
  - H. Surface Impoundments
- Modification or addition of surface impoundment units that result in increasing the facility's surface impoundment storage or treatment capacity.
- 3 2. Replacement of a surface impoundment unit.
- 2 3. Modification of a surface impoundment unit without increasing the facility's surface impoundment storage or treatment capacity and without modifying the unit's liner, leak detection system or

leachate collection system.

- 2 4. Modification of a surface impoundment management practice.
  - 5. Treatment, storage or disposal of different wastes in surface impoundments:
- 3 a. That require additional or different management practices or different design of the liner or leak detection system than authorized in the permit.
- 2 b. That do not require additional or different management practices or different design of the liner or leak detection system than authorized in the permit.

Note: See Section 703.280(g) for modification procedures to be used for the management of newly listed or identified wastes.

- That are wastes restricted from land disposal that meet the applicable treatment standards or that are treated to satisfy the standard of "use of practically available technology that yields the greatest environmental benefit" contained in 40 CFR 268.8(a)(2)(ii), incorporated by reference in 35 Ill. Adm. Code 728.108, and provided that the unit meets the minimum technological requirements stated in 40 CFR 268.5(h)(2), incorporated by reference in 35 Ill. Adm. Code 728.105. This modification is not applicable to dioxin-containing wastes (F020, F021, F022, F023, F026, F027 and F028).
- That are residues from wastewater treatment or incineration, provided the disposal occurs in a unit that meets the minimum technological requirements stated in 40 CFR 268.5(h)(2), incorporated by reference in 35 Ill. Adm. Code 728.105, and provided further that the surface impoundment has previously received wastes of the same type (for example, incinerator scrubber water). This modification is not applicable to dioxin-containing wastes (F020, F021, F022, F023, F026, F027 and F028).
  - I. Enclosed Waste Piles. For all waste piles, except those complying with 35 Ill. Adm. Code 724.350(c), modifications are treated the same as for a landfill. The following modifications are applicable only to waste piles complying with 35 Ill. Adm. Code 724.350(c).
    - 1. Modification or addition of waste pile units:
- a. Resulting in greater than 25% increase in the facility's waste pile storage or treatment capacity.
- 2 b. Resulting in up to 25% increase in the facility's waste pile storage or treatment capacity.

- 2 2. Modification of waste pile unit without increasing the capacity of the unit.
- 1 3. Replacement of a waste pile unit with another waste pile unit of the same design and capacity and meeting all waste pile conditions in the permit.
- Modification of a waste pile management practice.
  - 5. Storage or treatment of different wastes in waste piles:
- 3 a. That require additional or different management practices or different design of the unit.
- 2 b. That do not require additional or different management practices or different design of the unit.

Note: See Section 703.280(g) for modification procedures to be used for the management of newly listed or identified wastes.

- J. Landfills and Unenclosed Waste Piles
- Modification or addition of landfill units that result in increasing the facility's disposal capacity.
- 3 2. Replacement of a landfill.
- 3. Addition or modification of a liner, leachate collection system, leachate detection system, run-off control or final cover system.
- 4. Modification of a landfill unit without changing a liner, leachate collection system, leachate detection system, run-off control or final cover system.
- 2 5. Modification of a landfill management practice.
  - 6. Landfill different wastes:
- 3 a. That require additional or different management practices, different design of the liner, leachate collection system or leachate detection system.
- b. That do not require additional or different management practices, different design of the liner, leachate collection system or leachate detection system.

Note: See Section 703.280(g) for modification procedures to be used for the management of newly listed or identified wastes.

<u>C.</u> That are wastes restricted from land disposal that meet the applicable treatment standards or that are treated to

satisfy the standard of "use of practically available technology that yields the greatest environmental benefit" contained in 40 CFR 268.8(a)(2)(ii), incorporated by reference in 35 Ill. Adm. Code 728.108, and provided that the landfill unit meets the minimum technological reguirements stated in 40 CFR 268.5(h)(2), incorporated by reference in 35 Ill. Adm. Code 728.105. This modification is not applicable to dioxin-containing wastes (F020, F021, F022, F023, F026, F027 and F028).

That are residues from wastewater treatment or incineration, provided the disposal occurs in a landfill unit that meets the minimum technological requirements stated in 40 CFR 268.5(h)(2), incorporated by reference in 35 Ill. Adm. Code 728.105, and provided further that the landfill has previously received wastes of the same type (for example, incinerator ash). This modification is not applicable to dioxin-containing wastes (F020, F021, F022, F023, F026, F027 and F028).

# K. Land Treatment

- Lateral expansion of or other modification of a land treatment unit to increase area extent.
- 2 2. Modification of run-on control system.
- Modify run-off control system.
- 2 4. Other modification of land treatment unit component specifications or standards required in permit.
  - 5. Management of different wastes in land treatment units:
- 3 a. That require a change in permit operating conditions or unit design specifications.
- 2 b. That do not require a change in permit operating conditions or unit design specifications.

Note: See Section 703.280(g) for modification procedures to be used for the management of newly listed or identified wastes.

- 6. Modification of a land treatment unit management practice to:
- 3 a. Increase rate or change method of waste application.
- b. Decrease rate of waste application.
- 7. Modification of a land treatment unit management practice to change measures of pH or moisture content or to enhance microbial or chemical reactions.

- 8. Modification of a land treatment unit management practice to grow food chain crops, to add to or replace existing permitted crops with different food chain crops or to modify operating plans for distribution of animal feeds resulting from such crops.
- 9. Modification of operating practice due to detection of releases from the land treatment unit pursuant to 35 Ill. Adm. Code 724.378(g)(2).
- 10. Changes in the unsaturated zone monitoring system resulting in a change to the location, depth, number of sampling points or replace unsaturated zone monitoring devices or components of devices with devices or components that have specifications different from permit requirements.
- 2 11. Changes in the unsaturated zone monitoring system that do not result in a change to the location, depth, number of sampling points, or that replace unsaturated zone monitoring devices or components of devices with devices or components having specifications different from permit requirements.
- 2 12. Changes in background values for hazardous constituents in soil and soil-pore liquid.
- 2 13. Changes in sampling, analysis or statistical procedure.
- 2 14. Changes in land treatment demonstration program prior to or during the demonstration.
- 1\*
  15. Changes in any condition specified in the permit for a land treatment unit to reflect results of the land treatment demonstration, provided performance standards are met, and the Agency's prior approval has been received.
- 1\* 16. Changes to allow a second land treatment demonstration to be conducted when the results of the first demonstration have not shown the conditions under which the wastes can be treated completely, provided the conditions for the second demonstration are substantially the same as the conditions for the first demonstration and have received the prior approval of the Agency.
- 3 17. Changes to allow a second land treatment demonstration to be conducted when the results of the first demonstration have not shown the conditions under which the wastes can be treated completely, where the conditions for the second demonstration are not substantially the same as the conditions for the first demonstration.
- 2 18. Changes in vegetative cover requirements for closure.
  - L. Incinerators

- 1. Changes to increase by more than 25% any of the following limits authorized in the permit: A thermal feed rate limit, a waste feed rate limit or an organic chlorine feed rate limit. The Agency shall require a new trial burn to substantiate compliance with the regulatory performance standards unless this demonstration can be made through other means.
- 2. Changes to increase by up to 25% any of the following limits authorized in the permit: A thermal feed rate limit, a waste feed limit or an organic chlorine feed rate limit. The Agency shall require a new trial burn to substantiate compliance with the regulatory performance standards unless this demonstration can be made through other means.
- 3. Modification of an incinerator unit by changing the internal size or geometry of the primary or secondary combustion units, by adding a primary or secondary combustion unit, by substantially changing the design of any component used to remove HCl or particulates from the combustion gases or by changing other features of the incinerator that could affect its capability to meet the regulatory performance standards. The Agency shall require a new trial burn to substantiate compliance with the regulatory performance standards, unless this demonstration can be made through other means.
- 4. Modification of an incinerator unit in a manner that will not likely affect the capability of the unit to meet the regulatory performance standards but which will change the operating conditions or monitoring requirements specified in the permit. The Agency may require a new trial burn to demonstrate compliance with the regulatory performance standards.
  - 5. Operating requirements:
- a. Modification of the limits specified in the permit for minimum combustion gas temperature, minimum combustion gas residence time or oxygen concentration in the secondary combustion chamber. The Agency shall require a new trial burn to substantiate compliance with the regulatory performance standards unless this demonstration can be made through other means.
- b. Modification of any stack gas emission limits specified in the permit, or modification of any conditions in the permit concerning emergency shutdown or automatic waste feed cutoff procedures or controls.
- 2 c. Modification of any other operating condition or any inspection or recordkeeping requirement specified in the permit.
  - 6. Incineration of different wastes:
- 3 a. If the waste contains a POHC that is more difficult to

incinerate than authorized by the permit or if incineration of the waste requires compliance with different regulatory performance standards than specified in the permit, the Agency shall require a new trial burn to substantiate compliance with the regulatory performance standards, unless this demonstration can be made through other means.

b. If the waste does not contain a POHC that is more difficult to incinerate than authorized by the permit and if incineration of the waste does not require compliance with different regulatory performance standards than specified in the permit.

BOARD NOTE: See Section 703.280(g) for modification procedures to be used for the management of newly listed or identified wastes.

#### 7. Shakedown and trial burn:

- a. Modification of the trial burn plan or any of the permit conditions applicable during the shakedown period for determining operational readiness after construction, the trial burn period or the period immediately following the trial burn.
- b. Authorization of up to an additional 720 hours of waste incineration during the shakedown period for determining operational readiness after construction, with the prior approval of the Agency.
- 1\* c. Changes in the operating requirements set in the permit for conducting a trial burn, provided the change is minor and has received the prior approval of the Agency.
- 1\* d. Changes in the ranges of the operating requirements set in the permit to reflect the results of the trial burn, provided the change is minor and has received the prior approval of the Agency.
- 8. Substitution of an alternate type of fuel that is not specified in the permit.

BOARD NOTE: Derived from 40 CFR 270.42, Appendix I, as adopted at 53 Fed. Reg. 37934, September 28, 1988.

(Source: Amended at 14 Ill. Reg. , effective )

# TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE G: WASTE DISPOSAL CHAPTER I: POLLUTION CONTROL BOARD

SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

# PART 720 HAZARDOUS WASTE MANAGEMENT SYSTEM: GENERAL

SUBPART A: GENERAL PROVISIONS

	SUBPART A. GENERAL PROVISIONS
Section	
720.101	Purpose, Scope and Applicability
720.102	Availability of Information; Confidentiality of Information
720.103	Use of Number and Gender
	SUBPART B: DEFINITIONS
Section	
720.110	Definitions
720.111	
/20.111	Note: chices
	SUBPART C: RULEMAKING PETITIONS AND OTHER PROCEDURES
C	SUBFACT C. ROLLMANING FETTITIONS AND OTHER PROCEDURES
Section	
720.120	Rulemaking
720.121	Alternative Equivalent Testing Methods
720.122	Waste Delisting
720.130	Procedures for Solid Waste Determinations
720.131	
720.132	
720.133	Procedures for Determinations
720.140	Additional regulation of certain hazardous waste Recycling
	Activities on a case-by-case Basis
720.141	Procedures for case-by-case regulation of hazardous waste Recycling
	Activities
	ACCI VICIES

Appendix A Overview of 40 CFR, Subtitle C Regulations

AUTHORITY: Implementing Section 22.4 and authorized by Section 27 of the Environmental Protection Act (III. Rev. Stat. 1988 Supp., ch. 111 1/2, pars. 1022.4 and 1027).

SOURCE: Adopted in R81-22, 43 PCB 427, at 5 Ill. Reg. 9781, effective as noted in 35 Ill. Adm. Code 700.106; amended and codified in R81-22, 45 PCB 317, at 6 Ill. Reg. 4828, effective as noted in 35 Ill. Adm. Code 700.106; amended in R82-19 at 7 Ill. Reg. 14015, effective Oct. 12, 1983; amended in R84-9, 53 PCB 131 at 9 Ill. Reg. 11819, effective July 24, 1985; amended in R85-22 at 10 Ill. Reg. 968, effective January 2, 1986; amended in R86-1 at 10 Ill. Reg. 13998, effective August 12, 1986; amended in R86-19 at 10 Ill. Reg. 20630, effective December 2, 1986; amended in R86-28 at 11 Ill. Reg. 6017, effective March 24, 1987; amended in R86-46 at 11 Ill. Reg. 13435, effective August 4, 1987; amended in R87-5 at 11 Ill. Reg. 19280, effective November 12, 1987; amended in R87-26 at 12 Ill. Reg. 2450, effective January 15, 1988; amended in R88-16 at 13 Ill. Reg. 362, effective December 27, 1988; amended in R89-1 at 13 Ill. Reg. 18278, effective November 13, 1989; amended in R39-2 at 14 Ill. Reg. 3089, effective February 20, 1990; amended in R89-9 at 14

Ill. Reg. , effective Reg. . effective

; amended in R89-11 at 14 Ill.

SUBPART B: DEFINITIONS

Section 720.111 References

a) The following publications are incorporated by reference:

ANSI. Available from the American National Standards Institute, 1430 Broadway, New York, New York 10018, (212) 354-3300:

ANSI B31.3 and B31.4. See ASME/ANSI B31.3 and B31.4

API. Available from the American Petroleum Institute, 1220 L Street, N.W., Washington, D.C. 20005, (202) 682-8000:

"Guide for Inspection of Refinery Equipment, Chapter XIII, Atmospheric and Low Pressure Storage Tanks," 4th Edition, 1981, reaffirmed December, 1987.

"Cathodic Protection of Underground Petroleum Storage Tanks and Piping Systems," API Recommended Practice 1632, Second Edition, December, 1987.

"Installation of Underground Petroleum Storage Systems," API Recommended Practice 1615, Fourth Edition, November, 1987.

ASME. Available from the American Society of Mechanical Engineers, 345 East 47th Street, New York, NY 10017, (212) 705-7722:

"Chemical Plant and Petroleum Refinery Piping", ASME/ANSI B31.3 - 1987, as supplemented by B31.3a - 1988 and B31.3b - 1988. Also available from ANSI.

"Liquid Transportation Systems for Hydrocarbons, Liquid Petroleum Gas, Anhydrous Ammonia, and Alcohols", ASME/ANSI B31.4 - 1986, as supplemented by B31.4a - 1987. Also available from ANSI.

ASTM. Available from American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103, (215) 299-5400:

"ASTM Standard Test Methods for Flash Point of Liquids by Setaflash Closed Tester," ASTM Standard D-3828-87.

"ASTM Standard Test Methods for Flash Point Pensky-Martens Closed Tester," ASTM Standard D-93-79 or D-93-80.

GPO. Available from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20401, (202) 783-

3238:

Standard Industrial Classification Manual (1972), and 1977 Supplement, republished in 1983

NACE. Available from the National Association of Corrosion Engineers, 1400 South Creek Dr., Houston, TX 77084, (713) 492-0535:

"Control of External Corrosion on Metallic Buried, Partially Buried, or Submerged Liquid Storage Systems", NACE Recommended Practice RP0285-85, approved March, 1985.

NFPA. Available from the National Fire Protection Association, Batterymarch Park, Boston, MA 02269, (617) 770-3000 or (800) 344-3555:

"Flammable and Combustible Liquids Code" NFPA 30, issued July 17, 1987. Also available from ANSI.

NTIS. Available from the National Technical Information Service, 5285 Port Royal Road, Springfield, VA 22161, (703) 487-4600:

"Generic Quality Assurance Project Plan for Land Disposal Restrictions Program", EPA/530-SW-87-011, March 15, 1987. (Document number PB 88-170766.

"Methods for Chemical Analysis of Water and Wastes", Third Edition, March, 1983. (Document number PB 84-128677)

"Procedures Manual for Ground Water Monitoring at Solid Waste Disposal Facilities", EPA-530/SW-611, 1977. (Document number PB 84-174820)

"Test Methods for Evaluating Solid Waste, Physical/Chemical Methods," EPA Publication number SW-846 (Second Edition, 1982 as amended by Update I (April, 1984) and Update II (April, 1985)) (Document number PB 87-120291)

STI. Available from the Steel Tank Institute, 728 Anthony Trail, Northbrook, IL 60062, (312) 498-1980:

"Standard for Dual Wall Underground Steel Storage Tanks" (1986).

USEPA. Available from United States Environmental Protection Agency, Office of Drinking Water, State Programs Division, WH 550 E, Washington, D.C. 20460:

"Technical Assistance Document: Corrosion, Its Detection and Control in Injection Wells", EPA 570/9-87-002, August, 1987.

b) Code of Federal Regulations. Available from the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20401, (202) 783-3238:

10 CFR 20, Appendix B -(1988)-(1989)

40 CFR 136 -{1988}-(1989)

40 CFR 142 -<del>(1988)</del>-(1989)

40 CFR 220 <del>-(1988)</del>-(1989)

40 CFR 260.20 -(1988)-(1989)

40 CFR 264 -(1988)-(1989)

40 CFR 302.4, 302.5 and 302.6 -(1988)-(1989)

40 CFR 761 -(1988)-(1989)

c) Federal Statutes

Section 3004 of the Resource Conservation and Recovery Act (42 U.S.C. 6901 et seq.), as amended through December 31, 1987.

d) This Section incorporates no later editions or amendments.

(Source: Amended at 14 Ill. Reg. , effective...

SUBPART C: RULEMAKING PETITIONS AND OTHER PROCEDURES

Section 720.122 Waste Delisting

- a) General delistings or delisting of specific wastes from specific sources which have been adopted by USEPA may be proposed as state regulations which are identical in substance pursuant to Section 720.120(a).
- b) Delistings which have not been adopted by USEPA may be proposed to the Board pursuant to Section 720.120(b); however, this does not infer that the Board has authority to adopt such delistings. The Board will determine whether it has authority to delist such wastes on a case-by-case basis.
- c) The Agency may determine in a permit or a letter directed to a generator that, based on 35 Ill. Adm. Code 721, a waste from a particular source is not subject to these regulations. Such a finding is evidence against the Agency in any subsequent proceedings but shall not be conclusive with reference to other persons or the Board.
- d) The Board incorporates by reference 40 CFR 260.22 (1988), as amended at 54 Fed. Reg. 27116, June 27, 1989. This Section incorporates no future amendments or editions. Any petition to delist directed to

the Board or request for determination directed to the Agency shall include the information required by 40 CFR 260.22 -(1985) -and a showing that the delisting needs to be adopted as a part of the Illinois RCRA program.

- e) Waste delistings will not be approved if the result would make the Illinois program less than substantially equivalent to the federal.
- f) Delistings will apply only within Illinois. Generators -must-shall comply with 35 Ill. Adm. Code 722 for waste which is hazardous in any state to which it is to be transported.

(Source: Amended at 14 Ill. Reg. , effective )

TITLE 35: ENVIRONMENTAL PROTECTION
SUBTITLE G: WASTE DISPOSAL
CHAPTER I: POLLUTION CONTROL BOARD

SUBCHAPTER c: HAZARDOUS WASTE OPERATING REQUIREMENTS

### PART 728 LAND DISPOSAL RESTRICTIONS

SUBPART A: GENERAL

C	GODI / III. / III. GENERALE
Section	
728.101	Purpose, Scope and Applicability
728.102	Definitions
728.103	Dilution Prohibited as a Substitute for Treatment
728.104	Treatment Surface Impoundment Exemption
728.105	Procedures for case-by-case Extensions to an Effective Date
728.106	Petitions to Allow Land Disposal of a Waste Prohibited under
	Subpart C
728.107	Waste Analysis
728.108	Landfill and Surface Impoundment Disposal Restrictions
/20.100	Editatiti and Sattace impoundment bisposat Reserictions
	CHRRADT C. DROHISITION ON LAND DICDOCAL
2	SUBPART C: PROHIBITION ON LAND DISPOSAL
Section	
728.130	Waste Specific Prohibitions Solvent Wastes
728.131	Waste Specific Prohibitions Dioxin-Containing Wastes
728.132	Waste Specific Prohibitions California List Wastes
728.133	Waste Specific Prohibitions First Third Wastes
728.134	Waste Specific Prohibitions Second Third Wastes
728.139	Statutory Prohibitions
	CURRARY D. TREATMENT CTANDARDO
<b>.</b>	SUBPART D: TREATMENT STANDARDS
Section	
728.140	Applicability of Treatment Standards
728.141	Treatment Standards expressed as Concentrations in Waste Extract
728.142	Treatment Standards expressed as Specified Technologies
728.143	Treatment Standards expressed as Waste Concentrations
728.144	
120.144	Adjustment of Treatment Standard
	CHODADT E DOCIÚIDITIONS ON CTODAGE
	SUBPART E: PROHIBITIONS ON STORAGE
Section	
728.150	Prohibitions on Storage of Restricted Wastes
	restrictions on storage or hest recea hastes
	Trombretons on scorage or hest. reced hastes
Table A	
	Constituent Concentrations in Waste Extract (CCWE)
Table B	Constituent Concentrations in Waste Extract (CCWE) Constituent Concentrations in Waste (CCW)
Table B Appendix A	Constituent Concentrations in Waste Extract (CCWE) Constituent Concentrations in Waste (CCW) Toxicity Characteristic Leaching Procedure (TCLP)
Table B	Constituent Concentrations in Waste Extract (CCWE) Constituent Concentrations in Waste (CCW) Toxicity Characteristic Leaching Procedure (TCLP) Treatment Standards (As concentrations in the Treatment Residual
Table B Appendix A Appendix B	Constituent Concentrations in Waste Extract (CCWE) Constituent Concentrations in Waste (CCW) Toxicity Characteristic Leaching Procedure (TCLP) Treatment Standards (As concentrations in the Treatment Residual Extract)
Table B Appendix A	Constituent Concentrations in Waste Extract (CCWE) Constituent Concentrations in Waste (CCW) Toxicity Characteristic Leaching Procedure (TCLP) Treatment Standards (As concentrations in the Treatment Residual

AUTHORITY: Implementing Section 22.4 and authorized by Section 27 of the Environmental Protection Act (Ill. Rev. Stat. 1988 Supp., ch. 111 1/2, pars. 1022.4 and 1027).

SOURCE: Adopted in R87-5 at 11 III. Reg. 19354, effective November 12, 1987; amended in R87-39 at 12 III. Reg. 13046, effective July 29, 1988;

amended in R89-1 at 13 III. Reg. 18403, effective November 13, 1989; amended in R89-9 at 14 III. Reg. , effective .

SUBPART C: PROHIBITION ON LAND DISPOSAL

# Section 728.134 Waste Specific Prohibitions -- Second Third Wastes

- a) The following wastes are prohibited from land disposal.
  - 1) The wastes specified in 35 Ill. Adm. Code 721.131 as USEPA hazardous waste numbers:

F010 F024

The wastes specified in 35 III. Adm. Code 721.132 as USEPA hazardous waste numbers:

K005 K007 K009 (nonwastewaters) K010 K023 <u>K027</u> K028 KO29 (nonwastewaters) KO36 (wastewaters) K038 K039 K040 K043 K093 K094 K095 (nonwastewaters) K096 (nonwastewaters) K113 K114 K115 K116

The wastes specified in 35 Ill. Adm. Code 721.133 as USEPA hazardous waste numbers:

P013 P021 P029 P030 P039 P040 P041 P043 P044 P062 P063 P071 P074 P085 P089 P094 P097 P098 P099 P104 P106 P109 P111 P121 **U028** U058 **U069 U087** U088 <u>U102</u> **U107** U221 <u>U223</u> <u>U235</u>

The following wastes are prohibited from land disposal, except when they are injected into a UIC well pursuant to 35 Ill. Adm. Code 738.114(f) or 738.115(d) USEPA hazardous waste numbers:

K009 (wastewaters)
K011 (nonwastewaters)
K013 (nonwastewaters)
K014 (nonwastewaters)

The following wastes are prohibited from land disposal: The wastes specified in 35 Ill. Adm. Code 721.131 as USEPA hazardous waste numbers:

- The following waste is prohibited from land disposal except when it is injected into a UIC well pursuant to 35 Ill. Adm. Code 738.114(f): The waste specified in 35 Ill. Adm. Code 721.131 as USEPA hazardous waste number F007.
- The following wastes are prohibited from land disposal pursuant to the treatment standards specified in Sections 728.141 or 728.143 applicable to those wastes:

F011 (nonwastewaters) F012 (nonwastewaters)

- d) Effective June 8, 1991, the following wastes are prohibited from land disposal: The wastes specified in this Section having a treatment standard in Subpart D based on incineration, and which are contaminated soil and debris.
- e) Until June 8, 1991, wastes included in subsections (c) and (d) may be disposed in a landfill or surface impoundment, regardless whether such unit is a new, replacement or lateral expansion unit, only if such unit is in compliance with the technical requirements specified in 40 CFR 268.5(h)(2), incorporated by reference in Section 728.105.
- f) The requirements of subsections (a), (b), (c) and (d) do not apply if:
  - The wastes meet the applicable standards specified in Subpart  $\overline{D}$ ; or
  - Persons have been granted an exemption from a prohibition pursuant to a petition under Section 728.106, with respect to those wastes and units covered by the petition.
- The requirements of subsections (a), (b) and (c) do not apply if persons have been granted an extension to the effective date of a prohibition pursuant to Section 728.105, with respect to those wastes covered by the extension.
- h) Until May 8, 1990, the second third wastes specified in 40 CFR 268.11 (1989) for which treatment standards under Subpart D are not applicable, including California list wastes subject to the statutory prohibitions of Section 728.139 or codified prohibitions under Section 728.132, are prohibited from disposal in a landfill or surface impoundment unless the wastes are subject to a valid demonstration and certification pursuant to Section 728.108.
- To determine whether a hazardous waste exceeds the applicable treatment standards specified in Section 728.141 or 728.143, the initial generator shall test a representative sample of the waste extract, or the entire waste, depending on whether the treatment standards are expressed as concentrations in the waste extract or the waste, or the generator may use knowledge of the waste. If the waste contains constituents in excess of the applicable Subpart D levels, the waste is prohibited from land disposal and all the requirements of this Part are applicable, except as otherwise specified.

(Source: Added at 14 Ill. Reg. , effective )

SUBPART D: TREATMENT STANDARDS

Section 728.142 Treatment Standards expressed as Specified Technologies

a) The following wastes must be treated using the identified technology or technologies, or an equivalent method approved under subsection (b).

- 1) Liquid hazardous wastes containing PCBs at concentrations greater than or equal to 50 ppm but less than 500 ppm must be incinerated in accordance with technical requirements at 40 CFR 761.70, incorporated by reference in 35 Ill. Adm. Code 720.111, or burned in high efficiency boilers in accordance with the technical requirements of 40 CFR 761.60. Liquid hazardous wastes containing PCBs at concentrations greater than or equal to 500 ppm must be incinerated in accordance with the technical requirements of 40 CFR 761.70. Thermal treatment in accordance with this Section must be in compliance with applicable regulations in 35 Ill. Adm. Code 724, 725 and 726.
- Nonliquid hazardous wastes containing halogenated organic compounds (HOCs) in total concentrations greater than or equal to 1000 mg/kg and liquid HOC-containing wastes that are prohibited under Section 728.132(e)(1) must be incinerated in accordance with the requirements of 35 Ill. Adm. Code 724.Subpart 0 or 35 Ill. Adm. Code 725.Subpart 0, or in boilers or industrial furnaces, as defined in 35 Ill. Adm. Code 720, burning in accordance with -applicable regulatory standards—35 Ill. Adm. Code 726. These treatment standards do not apply where the waste is subject to a Subpart C treatment standard for a specific HOC (such as a hazardous waste chlorinated solvent for which a treatment standard is established under Section 728.141(a)).
- The nonwastewater form of the following hazardous wastes must be incinerated in accordance with the requirements of 35 Ill. Adm. Code 724.Subpart 0, or 35 Ill. Adm. Code 725.Subpart 0, or burned in boilers or industrial furnaces, as defined in 35 Ill. Adm. Code 720, in accordance with 35 Ill. Adm. Code 726:

K027 K039 K113 **K114** K115 K116 P040 P041 P043 P044 P062 P085 P109 P111 U058 U087 U221 U223

4) The wastewater form of the following hazardous wastes must be treated by carbon adsorption, or incineration, or pretreatment

## followed by carbon adsorption:

K027 K039 K113 K114 K115 K116 P040 P041 P043 P044 P062 P085 P109 P111 U058 U037 U221 U223

b) Any person may submit an application to the Agency demonstrating that an alternative treatment method can achieve a level of performance equivalent to that achievable by methods specified in subsection (a). The applicant shall submit information demonstrating that the applicant's treatment method is in compliance with federal and state requirements, including this Part, 35 Ill. Adm. Code 709, 724, 725, 726 and 729 and Sections 22.6 and 39(h) of the Environmental Protection Act (Ill. Rev. Stat. -1985-1987, ch. 111 1/2, pars. 1022.6 and 1039(h)), and is protective of human health or the environment. On the basis of such information and any other available information, the Agency shall approve the use of the alternative treatment method if the Agency finds that the alternative treatment method provides a measure of performance equivalent to that achieved by methods specified in subsection (a). Any approval must be stated in writing and may contain such provisions and conditions as the Agency determines to be appropriate. The person to whom such certification is issued shall comply with all limitations contained in such determination.

(Source: Amended at 14 Ill. Reg. , effective )

Section 728.143 Treatment Standards expressed as Waste Concentrations

a) Table B identifies the restricted wastes and concentrations of their associated hazardous constituents which must not be exceeded by the waste or treatment residual (not an extract of such waste or treatment residual) for the allowable land disposal of such waste or residual. The wastewater and nonwastewater treatment standards in Table B are based on analysis of grab samples except the wastewater treatment standards that are based on analysis of composite samples for wastes, K009, K010, K036, K038, K040, P039, P071, P089, P094, P097 and U235.

b) When wastes with different treatment standards for a constituent of concern are combined for purposes of treatment, the treatment residue must meet the lowest treatment standard for the constituent of concern.

(Source: Amended at 14 Ill. Reg. , effective )

Section 728. Table A Constituent Concentrations in Waste Extract (CCWE)

	Concentration	
F001 F005 Spent Solvents	Wastewaters	All other
	containing	•
	spent	solvent
	solvents	wastes
Acetone	0.05	0.59
n-Butyl alcohol	5.0	5.0
Carbon disulfide	1.05	4.81
Carbon tetrachloride	0.05	0.96
Chlorobenzene	0.15	0.05
Cresols (and cresylic acid)	2.82	0.75
Cyclohexanone	0.125	0.75
1,2-Dichlorobenzene	0.65	0.125
Ethyl acetate	0.05	0.75
Ethylbenzene	0.05	0.053
Ethyl ether	0.05	0.75
Isobutanol	5.0	5.0
Methanol	0.25	0.75
Methylene chloride	0.20	0.96
Methyl ethyl ketone	0.05	0.75
Methyl isobutyl ketone	0.05	0.33
Nitrobenzene	0.66	0.125
Pyridine	1.12	0.33
Tetrachloroethylene	0.079	0.05
Toluene	1.12	0.33
1,1,1-Trichloroethane	1.05	0.41
1,1,2-Trichloro-1,2,2-trifluoroethane	1.05	0.96
Trichloroethylene	0.062	0.091
Trichlorofluoromethane	0.05	0.96
Xylene	0.05	0.15

F006 nonwastewaters (see also Table B)	Concentration
Codmission	(in mg/L) 0.066
Cadmium Chromium (Total)	5.2
Lead	0.51
Nickei	0.32
Silver	0.072
-Gyanides <del>(</del> Total <del>)</del>	Reserved-

F007, F008 and F009 Nonwastewaters	Concentration
See also Table B	(in mg/L)
Cadmium Chromium (total) Lead Nickel Silver	$   \begin{array}{r}     0.066 \\     \hline     5.2 \\     \hline     0.51 \\     \hline     0.32 \\     \hline     0.072   \end{array} $
F011 and F012 Nonwastewaters See also Table 8	Concentration (in mg/L)
Cadmium Chromium (total) Lead Nickel Silver	$   \begin{array}{r}       0.066 \\       \hline       5.2 \\       \hline       0.51 \\       \hline       0.32 \\       \hline       0.072 \\    \end{array} $
F024 Nonwastewaters See also Table B	Concentration (in mg/L)
Chromium (total) Nickel	Reserved Reserved
KO28 Nonwastewaters See also Table B	Concentration (in mg/L)
Chromium (total) Nickel	Reserved Reserved
F020 F023 and F026 F028 Dioxin Containing Wastes	Concentration (Maximum)
HxCDD All Hexachlorodibenzo-p-dioxins HxCDF All Hexachlorodibenzofurans PeCDD All Pentachlorodibenzo-p-dioxins PeCDF All Pentachlorodibenzofurans TCDD All Tetrachlorodibenzo-p-dioxins TCDF All Tetrachlorodibenzofurans 2,4,5-Trichlorophenol 2,4,6-Trichlorophenol Pentachlorophenol	1 ppb 0.05 ppm 0.05 ppm 0.10 ppm 0.01 ppm

KOO1 nonwastewaters (see also Table B)	Concentration (in mg/L)
_ead	0.51
KO22 nonwastewaters (see also Table B)	Concentration (in mg/L)
Chromium (Total) Nickel	5.2 0.32
KO46 nonwastewaters (Nonreactive Subcategory)	Concentration
_ead	(in mg/L) 0.18
KO48, KO49, KO50, KO51 and KO52 nonwastewaters (see also Table B) Ansenic	Concentration (in mg/L) 0.004
Chromium (Total) Nickel Selenium	1.7 0.048 0.025
KO61 nonwastewaters (Low Zinc Subcategory-less than 15% total zinc)	Concentration (in mg/L)
Cadmium Chromium (Total) Lead Nickel	0.14 5.2 0.24 0.32
KO61 nonwastewaters (High Zinc Subcategory-15% or greater total zinc) effective until 8/8/90	Concentration (in mg/L)
Cadmium Chromium (Total) Lead Nickel	0.14 5.2 0.24 0.32
K062 nonwastewaters	Concentration (in mg/L)
Chromium (Total) Lead	0.094 0.37

K071 nonwastewaters	Concentration (in mg/L)
Mercury	0.025
KO86 nonwastewaters (Solvent Washes Subcategory) (see also Table B)	Concentration (in mg/L)
Chromium (Total) Lead	0.094 0.37
KO87 nonwastewaters (see also Table B)	Concentration (in mg/L)
Lead	0.51
K101 and K102 nonwastewaters (Low Arsenic Subcategory- less than 1% Total Arsenic) (see also Table B)	Concentration (in mg/L)
Cadmium Chromium (Total) Lead	0.066 5.2 0.51
Nickel	0.32
K115 Nonwastewaters see also Table B	Concentration (in mg/L)
Nickel	0.32
P074 Nonwastewaters See also Table B	Concentration (in mg/L)
Nickel Nickel	0.32
P099 Nonwastewaters	Concentration
See also Table B	(in mg/L)
Silver	<u>0.072</u>

P104 Nonwastewaters See also Table B	Concentration (in mg/L)
Silver	0.072
(Source: Amended at 14 Ill. Reg. , effective	)
Section 728. Table B Constituent Concentrations	in Waste (CCW)
F001, F002, F003, F004 and F005 wastewaters (Pharmaceutical Industry) Methylene chloride	Concentration (in mg/L) 0.44
F006 nonwastewaters (see also Table A)  Cyanides (Total)  Cyanides (Amenable)	Concentration (in mg/kg) -Reserved-590. 30.
F007, F008 and F009 Nonwastewaters See also Table A  Cyanides (Total) Cyanides (Amenable)	Concentration (in mg/kg) 590. 30.
F007, F008 and F009 Wastewaters See also Table A	Concentration (in mg/L)
Cyanides (Total) Cyanides (Amenable) Chromium (Total) Lead Nickel	$ \begin{array}{r} 1.9 \\ 0.10 \\ 0.32 \\ \hline 0.04 \\ 0.44 \end{array} $
F010 Nonwastewaters	Concentration (in mg/kg)
Cyanides (Total)	1.5

F010	
F010 Wastewaters	Concentration
	(in mg/L)
Cyanides (Total)	1.9
Cyanides (Amenable)	$\frac{10.10}{0.10}$
	***************************************
F011 and F012 Nonwastewaters	Concentration
	(in mg/kg)
Cyanides (Total)	110.
Cyanides (Amenable)	9.1
	- Contractions
F011 and F012 Wastewaters	Concentration
See also Table A	(in mg/L)
Cyanides (Total)	1.9
Cyanides (Amenable)	0.10
Chromium (Total)	0.32
Lead	0.04
<u>Nickel</u>	0.44
FO24 Nonwastewaters	Concentration
F024 Nonwastewaters See also Table A	Concentration (in mg/kg)
F024 Nonwastewaters See also Table A	Concentration (in mg/kg)
See also Table A  2-Chloro-1,3-butadiene	(in mg/kg) 0.28
See also Table A  2-Chloro-1,3-butadiene 3-Chloropropene	(in mg/kg) 0.28 0.28
See also Table A  2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane	(in mg/kg) 0.28 0.28 0.014
See also Table A  2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloroethane	(in mg/kg) 0.28 0.014 0.014
2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane	$ \begin{array}{r}     \hline         (in mg/kg) \\         \hline         0.28 \\         \hline         0.014 \\         \hline         0.014 \\         \hline         0.014     \end{array} $
2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene	0.28 0.28 0.014 0.014 0.014 0.014 0.014
2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene	0.28 0.28 0.014 0.014 0.014 0.014 0.014 0.014
2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene	0.28 0.28 0.014 0.014 0.014 0.014 0.014 0.014
2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachloroethane Hexachlorodibenzofurans	(in mg/kg) 0.28 0.28 0.014 0.014 0.014 0.014 0.014 1.8 1.8 0.001
See also Table A  2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachloroethane Hexachlorodibenzofurans Hexachlorodibenzo-p-dioxins	$\frac{0.28}{0.28}$ $\frac{0.28}{0.014}$ $\frac{0.014}{0.014}$ $\frac{0.014}{0.014}$ $\frac{0.014}{1.8}$ $\frac{1.8}{1.8}$ $\frac{0.001}{0.001}$
2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachlorodibenzofurans Hexachlorodibenzofurans Pentachlorodibenzofurans	(in mg/kg)  0.28 0.28 0.014 0.014 0.014 0.014 0.014 1.8 1.8 0.001 0.001 0.001
See also Table A  2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachlorodibenzofurans Hexachlorodibenzofurans Pentachlorodibenzo-p-dioxins Pentachlorodibenzo-p-dioxins	(in mg/kg)  0.28 0.28 0.014 0.014 0.014 0.014 0.014 1.8 1.8 0.001 0.001 0.001
2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachlorodibenzofurans Hexachlorodibenzofurans Pentachlorodibenzofurans	(in mg/kg)  0.28 0.28 0.014 0.014 0.014 0.014 0.014 1.8 1.8 0.001 0.001 0.001
See also Table A  2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachlorodibenzofurans Hexachlorodibenzofurans Pentachlorodibenzo-p-dioxins Pentachlorodibenzo-p-dioxins	(in mg/kg)  0.28 0.28 0.014 0.014 0.014 0.014 0.014 1.8 1.8 0.001 0.001 0.001 0.001
See also Table A  2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachlorodibenzofurans Hexachlorodibenzofurans Pentachlorodibenzo-p-dioxins Pentachlorodibenzo-p-dioxins	(in mg/kg)  0.28 0.28 0.014 0.014 0.014 0.014 0.014 1.8 1.8 0.001 0.001 0.001
Z-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachlorodibenzofurans Hexachlorodibenzofurans Pentachlorodibenzofurans Pentachlorodibenzofurans Tetrachlorodibenzofurans Tetrachlorodibenzofurans	(in mg/kg)  0.28 0.28 0.014 0.014 0.014 0.014 0.014 1.8 1.8 0.001 0.001 0.001
2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachlorodibenzofurans Hexachlorodibenzofurans Pentachlorodibenzofurans Pentachlorodibenzofurans Tetrachlorodibenzofurans	(in mg/kg)  0.28 0.28 0.014 0.014 0.014 0.014 1.8 1.8 0.001 0.001 0.001 0.001 0.001 0.001
2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachloroethane Hexachlorodibenzofurans Hexachlorodibenzofurans Pentachlorodibenzofurans Pentachlorodibenzofurans Tetrachlorodibenzofurans  F024 Wastewaters See also Table A	(in mg/kg)  0.28 0.28 0.014 0.014 0.014 0.014 0.014 1.8 1.8 0.001 0.001 0.001 0.001 0.001 0.001
2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachlorodibenzofurans Hexachlorodibenzofurans Pentachlorodibenzofurans Pentachlorodibenzo-p-dioxins Tetrachlorodibenzofurans  F024 Wastewaters See also Table A  2-Chloro-1,3-butadiene	(in mg/kg)  0.28 0.28 0.014 0.014 0.014 0.014 1.8 1.8 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001
2-Chloro-1,3-butadiene 3-Chloropropene 1,1-Dichloroethane 1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachloroethane Hexachlorodibenzofurans Hexachlorodibenzofurans Pentachlorodibenzofurans Pentachlorodibenzofurans Tetrachlorodibenzofurans  F024 Wastewaters See also Table A	(in mg/kg)  0.28 0.28 0.014 0.014 0.014 0.014 0.014 1.8 1.8 0.001 0.001 0.001 0.001 0.001 0.001

1,2-Dichloropropane cis-1,3-Dichloropropene trans-1,3-Dichloropropene Diethylhexyl phthalate Hexachloroethane Hexachlorodibenzofurans Hexachlorodibenzo-p-dioxins Pentachlorodibenzofurans Pentachlorodibenzofurans Chromium (Total) Nickel	$\begin{array}{r} 0.014 \\ \hline 0.014 \\ \hline 0.014 \\ \hline 0.014 \\ \hline 0.036 \\ \hline 0.036 \\ \hline 0.036 \\ \hline 0.001 \\ \hline 0.047 \\ \hline \end{array}$
K001 nonwastewaters (see also Table A)	Concentration (in mg/kg)
Naphthalene	8.0
Pentachlorophenol	37.
Phenanthrene	8.0
Pyrene Toluene	7.3 0.14
Xylenes	0.14
K001 wastewaters	Concentration
	<u>(in mg/L)</u>
Naphthalene	0.15
Pentachlorophenol	0.88
Phenanthrene	0.15
Pyrene	0.14
Toluene	0.14
Xylenes	0.16
Lead	0.037
KOO9 and KO10 Nonwastewaters	<u>Concentration</u>
	<u>(in mg/kg)</u>
Cl. 7	
Chloroform	<u>6.0</u>
K009 and K010 Wastewaters	Concentration
	(in mg/L)
Chloroform	0.10

KO11, KO13 and KO14 Nonwastewaters	Concentration
	(in mg/kg)
Acetonitrile Acrylonitrile Acrylamide	$\frac{\frac{1.8}{1.4}}{\frac{23.}{}}$
Benzene Cyanides (Total)	0.03 57.
KO15 wastewaters	Concentration
Authoropour	(in mg/L)
Anthracene Benzal chloride	1.0 0.28
Benzo (b or k) fluoranthene	0.29
Phenanthrene	0.27
Toluene Chaomium (Total)	0.15 0.32
Chromium (Total) Nickel	0.44
KO16 nonwastewaters	Concentration (in mg/kg)
Hexachlorobenzene	28.
Hexachlorobutadiene	5.6
Hexachlorocyclopentadiene Hexachloroethane	5.6 28.
Tetrachloroethene	6.0
K016 wastewaters	Concentration (in mg/L)
Hexachlorobenzene	0.033
Hexachlorobutadiene	0.007
Hexachlorocyclopentadiene Hexachloroethane	0.007 0.033
Tetrachloroethene	0.007
KO18 nonwastewaters	Concentration
	(in mg/kg)
Chloroethane	6.0
1,1-Dichloroethane 1,2-Dichloroethane	6.0 6.0
Hexachlorobenzene	23.
Hexachlorobutadiene	5.6
Hexachloroethane	28.
Pentachloroethane	5.6 6.0
1,1,1-Trichloroethane	0.0

KO18 wastewaters	Concentration
	(in mg/L)
Chloroethane	0.007
Chloromethane	0.007
1,1-Dichloroethane	0.007
1,2-Dichloroethane	0.007
Hexachlorobenzene	0.033
Hexachlorobutadiene	0.007
Pentachloroethane	0.007
1,1,1-Trichloroethane	0.007
7/010	
KO19 nonwastewaters	Concentration
Dia/2 chlanathul\uthan	(in mg/kg)
Bis(2-chloroethyl)ether	5.6
Chlorobenzene	6.0
Chloroform	6.0
1,2-Dichloroethane	6.0
Hexachloroethane	28.
Naphthalene	5.6
Phenanthrene	5.6
Tetrachloroethene	6.0
1,2,4-Trichlorobenzene	19.
	C 0
1,1,1-Trichloroethane	6.0
K019 wastewaters	Concentration
	Concentration
KO19 wastewaters	Concentration (in mg/L)
KO19 wastewaters Bis(2-chloroethyl)ether	Concentration (in mg/L) 0.007
K019 wastewaters  Bis(2-chloroethyl)ether Chlorobenzene	Concentration (in mg/L) 0.007 0.006
K019 wastewaters  Bis(2-chloroethyl)ether Chlorobenzene Chloroform	Concentration (in mg/L) 0.007 0.006 0.007
KO19 wastewaters  Bis(2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene	Concentration (in mg/L) 0.007 0.006 0.007 0.008
K019 wastewaters  Bis(2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane	Concentration (in mg/L) 0.007 0.006 0.007 0.008 0.007
KO19 wastewaters  Bis(2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane Fluorene	Concentration (in mg/L) 0.007 0.006 0.007 0.008 0.007 0.007
KO19 wastewaters  Bis(2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane Fluorene Hexachloroethane	Concentration (in mg/L) 0.007 0.006 0.007 0.008 0.007 0.007
KO19 wastewaters  Bis(2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane Fluorene Hexachloroethane Naphthalene Phenanthrene	Concentration (in mg/L) 0.007 0.006 0.007 0.008 0.007 0.007 0.033 0.007 0.007
K019 wastewaters  Bis(2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane Fluorene Hexachloroethane Naphthalene Phenanthrene 1,2,4,5-Tetrachlorobenzene	Concentration (in mg/L) 0.007 0.006 0.007 0.008 0.007 0.007 0.033 0.007 0.007 0.007
Ris(2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane Fluorene Hexachloroethane Naphthalene Phenanthrene 1,2,4,5-Tetrachlorobenzene Tetrachloroethene	Concentration (in mg/L) 0.007 0.006 0.007 0.008 0.007 0.007 0.033 0.007 0.007 0.007
Ris(2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane Fluorene Hexachloroethane Naphthalene Phenanthrene 1,2,4,5-Tetrachlorobenzene Tetrachloroethene 1,2,4-Trichlorobenzene	Concentration (in mg/L)  0.007 0.006 0.007 0.008 0.007 0.007 0.007 0.017 0.007 0.007 0.007 0.007
Ris(2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane Fluorene Hexachloroethane Naphthalene Phenanthrene 1,2,4,5-Tetrachlorobenzene Tetrachloroethene	Concentration (in mg/L) 0.007 0.006 0.007 0.008 0.007 0.007 0.033 0.007 0.007 0.007
RO19 wastewaters  Bis(2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane Fluorene Hexachloroethane Naphthalene Phenanthrene 1,2,4,5-Tetrachlorobenzene Tetrachloroethene 1,2,4-Trichlorobenzene	Concentration (in mg/L)  0.007 0.006 0.007 0.008 0.007 0.007 0.007 0.017 0.007 0.023 0.007
Ris (2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane Fluorene Hexachloroethane Naphthalene Phenanthrene 1,2,4,5-Tetrachlorobenzene Tetrachloroethene 1,2,4-Trichloroethane 1,1,1-Trichloroethane	Concentration (in mg/L)  0.007 0.006 0.007 0.008 0.007 0.007 0.007 0.017 0.007 0.017 0.007 0.023 0.007  Concentration (in mg/kg)
Ris (2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane Fluorene Hexachloroethane Naphthalene Phenanthrene 1,2,4,5-Tetrachlorobenzene Tetrachloroethene 1,2,4-Trichloroethane  KO20 nonwastewaters  1,2-Dichloroethane	Concentration (in mg/L)  0.007 0.006 0.007 0.008 0.007 0.007 0.007 0.017 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007
Ris (2-chloroethyl)ether Chlorobenzene Chloroform p-Dichlorobenzene 1,2-Dichloroethane Fluorene Hexachloroethane Naphthalene Phenanthrene 1,2,4,5-Tetrachlorobenzene Tetrachloroethene 1,2,4-Trichloroethane N,1,1-Trichloroethane	Concentration (in mg/L)  0.007 0.006 0.007 0.008 0.007 0.007 0.007 0.017 0.007 0.017 0.007 0.023 0.007  Concentration (in mg/kg)

KO2O wastewaters	Concentration
	(in mg/L)
1,2-Dichloroethane	0.007
1,1,2,2-Tetrachloroethane	0.007
Tetrachloroethene	0.007
KO22 nonwastewaters (see also Table A)	Concentration
Acetophenone	(in_mg/kg) 19.
Sum of Diphenylamine and Diphenylnitrosamine Phenol Toluene	13. 12. 0.034
Tordene	0.034
K023, K093 and K094 Nonwastewaters	Concentration (in mg/kg)
Phthalic anhydride (measured as Phthalic acid)	28.
KO23, KO93 and KO94 Wastewaters	Concentration
	(in mg/L)
Phthalic anhydride (measured as Phthalic acid)	<u>0.54</u>
KO24 nonwastewaters	Concentration
-Phthalie aeid-	(in mg/kg)
Phthalic anhydride (measured as Phthalic acid)	28.
KO24 wastewaters	Concentration
	(in mg/L)
-Phthalic acid - Phthalic anhydride (measured as Phthalic acid)	0.54
KO28 Nonwastewaters See also Table A	Concentration (in mg/kg)
1,1-Dichloroethane trans-1,2-Dichloroethene	6.0 6.0
Hexachlorobutadiene	5.6

Hexachloroethane	28.
Pentachloroethane	5.6
1,1,1,2-Tetrachloroethane	5.6
1,1,2,2-Tetrachloroethane	5.6
1,1,1-Trichloroethane	6.0
1,1,2-Trichloroethane	6.0
Tetrachloroethylene	6.0

KO28 Wastewaters	Concentration
	(in mg/L)
1,1-Dichloroethane	<u>0.007</u>
trans-1,2-Dichloroethene	0.033
Hexachlorobutadiene	0.007
Hexachloroethane	0.033
Pentachloroethane	0.033
1,1,1,2-Tetrachloroethane	0.007
1,1,2,2-Tetrachloroethane	0.007
Tetrachloroethylene	0.007
1,1,1-Trichloroethane	0.007
1,1,2-Trichloroethane	0.007
Cadmium	6.4
Chromium (Total)	0.35
Lead	0.037
Nickel	0.47
was graph up to the different	entimental entire estimate est

KO29 Nonwastewaters	Concentration (in mg/kg)
Chlandfana	(11 1197 Kg)
Chloroform 1,2-Dichloroethane	$\frac{6.0}{6.0}$
1,1-Dichloroethylene 1,1,1-Trichloroethane	$\frac{6.0}{6.0}$
Vinyl chloride	$\frac{\overline{6.0}}{\overline{6.0}}$

KO3O nonwastewaters	Concentration (in mg/kg)
Hexachlorobutadiene	5.6
Hexachloroethane	28.
Hexachloropropene	19.
Pentachlorobenzene	28.
Pentachloroethane	5.6
1,2,4,5-Tetrachlorobenzene	14.
Tetrachloroethene	6.0
1,2,4-Trichlorobenzene	19.

KO30 wastewaters	Concentration (in mg/L)
o-Dichlorobenzene	0.008
p-Dichlorobenzene	0.008
Hexachlorobutadiene	0.007
Hexachloroethane	0.033
Pentachloroethane	0.007
1,2,4,5-Tetrachlorobenzene	0.017
Tetrachloroethene 1,2,4-Trichlorobenzene	0.007 0.023
1,2,4-1: Tellito: Obenzene	0.023
K036 Wastewaters	Concentration
	<u>(in mg/L)</u>
Disulfoton	<u>0.025</u>
K037 nonwastewaters	Concentration
100, Hollings of the officer of	
Disulfoton	(in mg/kg) 0.1
Toluene	28.
K037 wastewaters	Concentration
	(in mg/L)
Disulfoton Toluene	0.003 0.028
K038 and K040 Nonwastewaters	Concentration
	(in mg/kg)
Phorate	0.1
K038 and K040 Wastewaters	Concentration
	(in mg/L)
Phorate	0.025
KO43 Nonwastewaters	Concentration (in ma/ka)
	<u>(in mg/kg)</u>
2,4-Dichlorophenol 2,6-Dichlorophenol	0.38 0.34

2,4,5-Trichlorophenol	8.2
2,4,6-Trichlorophenol	7.6
Tetrachlorophenols (Total)	0.68
Pentachlorophenol	1.9
Tetrachloroethene	1.7
Hexachlorodibenzo-p-dioxins	0.001
Hexachlorodibenzofurans	0.001
Pentachlorodibenzo-p-dioxins	0.001
Pentachlorodibenzofurans	0.001
Tetrachlorodibenzo-p-dioxins	0.001
Tetrachlorodibenzofurans	0.001

KO43 Wastewaters	Concentration
	<u>(in mg/L)</u>
2,4-Dichlorophenol	0.049
2,6-Dichlorophenol	$\overline{0.013}$
2,4,5-Trichlorophenol	$\overline{0.016}$
2,4,6-Trichlorophenol	0.039
Tetrachlorophenols (Total)	0.018
Pentachlorophenol	0.22
Tetrachloroethene	0.006
Hexachlorodibenzo-p-dioxins	0.001
Hexachlorodibenzofurans	0.001
Pentachlorodibenzo-p-dioxins	0.001
Pentachlorodibenzofurans	0.001
Tetrachlorodibenzo-p-dioxins	0.001
Tetrachlorodibenzofurans	0.001

KO48 nonwastewaters (see also Table A)	Concentration
	(in mg/kg)
Benzene	9.5
Benzo(a)pyrene	0.84
-Bis(2-ethylhexyl)-Diethylhexyl phthalate	37.
Chrysene	2.2
Di-n-butyl phthalate	4.2
Ethylbenzene	67.
Naphthalene	Reserved
Phenanthrene	7.7
Phenol	2.7
Pyrene	2.0
Toluene	9 <b>.</b> 5
Xylenes	Reserved
Cyanides (Total)	1.8

KO48 wastewaters	Concentration
	(in mg/L)
Benzene	0.011
Benzo(a)pyrene	0.047
-Bis(2-ethylhexyl)-Diethylhexyl phthalate	0.043
Chrysene	0.043
Di-n-butyl phthalate	0.060
Ethylbenzene	0.011
Fluorene	0.050
Naphthalene	0.033
Phenanthrene	0.039
Phenol	0.047
Pyrene	0.045
Toluene	0.011
Xylenes	0.011
Chromium (Total)	0.20
Lead	0.37

KO49 nonwastewaters (see also Table A)	Concentration
	(in mg/kg)
Anthracene	6.2
Benzene	9.5
Benzo(a)pyrene	0.84
-Bis(2-ethylhexyl)-Diethylhexyl phthalate	37.
Chrysene	2.2
Ethylbenzene	67.
Naphthalene	(Reserved)
Phenanthrene	7.7
Phenol	2.7
Pyrene	2.0
Toluene	9.5
Xylenes	Reserved
Cyanides (Total)	1.8

KO49 wastewaters	Concentration	
	(in mg/L)	
Anthracene	0.039	
Benzene	0.011	
Benzo(a)pyrene	0.047	
-Bis(2-ethylhexyl)-Diethylhexyl phthalate	0.043	
Carbon disulfide	0.011	
Chrysene	0.043	
2,4-Dimethylphenol	0.033	
Ethylbenzene	0.011	
Naphthalene	0.033	
Phenanthrene	0.039	
Phenol	0.047	
Pyrene	0.045	
Toluene	0.011	

Xylenes	0.011
Chromium (Total)	0.20
Lead	0.037

KO5O nonwastewaters (see also Table A)	Concentration (in mg/kg)
Benzo (a) py nene	0.84
Phenol	2.7
Cyanides (Total)	1.8

KO50 wastewaters	Concentration (in mg/L)
Benzo(a)pyrene	0.047
Phenol	0.047
Chromium (Total)	0.20
Lead	0.037

KO51 nonwastewaters (see also Table A)	Concentration
	(in mg/kg)
Anthracene	6.2
Benzene	9.5
Benzo(a)anthracene	1.4
Benzo(a)pyrene	0.84
-Bis(2-ethylhexyl)-Diethylhexyl phthalate	37•
Chrysene	2.2
Di-n-butyl phthalate	4.2
Ethylbenzene	67.
Naphthalene	Reserved
Phenanthrene	7.7
Phenol	2.7
Pyrene	2.0
Toluene	9.5
Xylenes	Reserved
Cyanides (Total)	1.8

KO51 wastewaters	Concentration
NOST Mastewaters	
	(in mg/L)
Acenaphthene	0.050
Anthracene	0.039
Benzene	0.011
Benzo(a)anthracene	0.043
Benzo(a)pyrene	0.047
-Bis(2-ethylhexyl)-Diethylhexyl phthalate	0.043
Chrysene	0.043
Di-n-butyl phthalate	0.060
Ethylbenzene	0.011

Fluorene	0.050
Naphthalene	0.033
Phenanthrene	0.039
Phenol	0.047
Pyrene	0.045
Toluene	0.011
Xylenes	0.011
Chromium (Total)	0.20
Lead	0.037

KO52 nonwastewaters (see also Table A)	Concentration (in mg/kg)
Benzene	9.5
Benzo(a)pyrene	0.84
o-Cresol	2.2
p-Cresol	0.90
Ethylbenzene	67.
Naphthalene	Reserved
Phenanthrene	7.7
Phenol	2.7
Toluene	9 <b>.</b> 5
Xylenes	Reserved
Cyanides (Total)	1.8

KO52 wastewaters	Concentration
	(in mg/L)
Benzene	0.011
Benzo(a)pyrene	0.047
o-Cresol	0.011
p-Cresol	0.011
2,4-Dimethylphenol	0.033
Ethylbenzene	0.011
Naphthalene	0.033
Phenanthrene	0.039
Phenol	0.047
Toluene	0.011
Xylenes	0.011
Chromium (Total)	0.20
Lead	0.037

K062 wastewaters	Concentration (in mg/L)
Chromium (Total)	0.32
Lead	0.04
Nickel	0.44

K071 wastewaters	Concentration
	(in mg/L)
Mercury	0.030

KO86 nonwastewaters-Solvent Washes Subcategory (see also Table A)	Concentration (in mg/kg)
Acetone	0.37
-bis(2-ethylhexyl)-Diethylhexyl phthalate	0.49
n-Butyl alcohol	0.37
Cyclohexanone	0.49
1,2-Dichlorobenzene	0.49
Ethyl acetate	0.37
Ethyl benzene	0.031
Methanol	0.37
Methylene chloride	0.037
Methyl ethyl ketone	0.37
Methyl isobutyl ketone	0.37
Naphthalene	0.49
Nitrobenzene	0.49
Toluene	0.031
1,1,1,-Trichloroethane	0.044
Trichloroethylene	0.031
Xylenes	0.015

KO86 wastewaters-Solvent Washes Subcategory	Concentration
Rood wastewater's sorvent wasnes subtategory	(in mg/L)
Acetone	0.015
-bis(2-ethylhexyl)-Diethylhexyl phthalate	0.044
n-Butyl alcohol	0.031
Cyclohexanone	0.022
1,2-Dichlorobenzene	0.044
Ethyl acetate	0.031
Ethyl benzene	0.015
Methanol	0.031
Methylene chloride	0.031
Methyl ethyl ketone	0.031
Methyl isobutyl ketone	0.031
Naphthalene	0.044
Nitrobenzene	0.044
Toluene	0.029
1,1,1,-Trichloroethane	0.031
Trichloroethylene	0.029
Xylenes	0.015
Chromium (Total)	0.32
Lead	0.037

KO87 nonwastewaters (see also Table A)	Concentration
	(in mg/kg)
Acenaphthalene	3.4
Benzene	0.071
Chrysene	3.4
Fluoranthene	3.4 3.4
Indeno(1,2,3-cd)pyrene Naphthalene	3.4 3.4
Phenanthrene	3.4
Toluene	0.65
Xylenes	0.070
Ay renes	0.070
K087 wastewaters	Concentration
Accessed the Jane	(in mg/L) 0.028
Acenaphthalene	0.028
Benzene Chrysene	0.014
Fluoranthene	0.028
Indeno (1,2,3-cd) pyrene	0.028 0.028
Naphthalene	0.028
Phenanthrene	0.028
Toluene	0.008
Xylenes	0.014
Lead	0.037
K095 Nonwastewaters	Concentration (in mg/kg)
1,1,1,2-Tetrachloroethane	5.6
1,1,2,2-Tetrachloroethane	5.6
<u>Tetrachloroethene</u>	6.0
1,1,2-Trichloroethane	6.0
Trichloroethylene	<u>5.6</u>
Hexachloroethane	28.
Pentachloroethane	5.6
KO96 Honwastewaters	Concentration
	<u>(in mg/kg)</u>
1,3-Dichlorobenzene	5.6
Pentachloroethane	5.6
1,1,1,2-Tetrachloroethane	5.6
1,1,2,2-Tetrachloroethane	5.6
Tetrachloroethylene	6.0
1,2,4-Trichlorobenzene	<u>19.</u>
Trichloroethylene	$ \begin{array}{r}                                     $
1,1,2-Trichloroethane	<u>6.0</u>

KO99 nonwastewaters	Concentration
	(in mg/kg)
2,4-Dichlorophenoxyacetic acid	1.0
Hexachlorodibenzo-p-dioxins	0.001
Hexachlorodibenzofurans	0.001
Pentachlorodibenzo-p-dioxins	0.001
Pentachlorodibenzofurans	0.001
Tetrachlorodibenzo-p-dioxins	0.001
Tetrachlorodibenzofurans	0.001
K099 wastewaters	Concentration
2 / Dichlaraphanayuacatic acid	(in mg/L) 1.0
2,4-Dichlorophenoxyacetic acid Hexachlorodibenzo-p-dioxins	0.001
Hexachlorodibenzofurans	0.001
Pentachlorodibenzo-p-dioxins	0.001
Pentachlorodibenzofurans	0.001
Tetrachlorodibenzo-p-dioxins	0.001
Tetrachlorodibenzofurans	0.001
V101	
K101 nonwastewaters (Low Arsenic Subcategory-	Concentration (in mg/kg)
less than 1% total arsenic) (see also Table A)	(in mg/kg) 14.
K101 wastewaters	Concentration
	(in mg/L)
ortho-Nitroaniline	0.27
Arsenic	2.0
Cadmium Lead	0.24 0.11
Mercury	0.027
rier cur y	0.027
K102 nonwastewaters (Low Arsenic Subcategory-	Concentration
less than 1% total arsenic) (see also Table A)	(in mg/kg) 13.
ortho-Nitrophenol	13•
K102 wastewaters	Concentration
ortho-Nitrophenol	(in mg/L) 0.028
Arsenic	2.0
Cadmium	0.24
a water with	<b>○●</b> ⋒ T

Lead Mercury	0.11 0.027
K103 nonwastewaters  Aniline Benzene 2,4-Dinitrophenol Nitrobenzene Phenol	Concentration (in mg/kg)  5.6 6.0 5.6 5.6 5.6
K103 wastewaters  Aniline Benzene 2,4-Dinitrophenol Nitrobenzene Phenol	Concentration (in mg/L)  4.5 0.15 0.61 0.073 1.4
K104 nonwastewaters  Aniline Benzene 2,4-Dinitrophenol Nitrobenzene Phenol Cyanides (Total)	Concentration (in mg/kg) 5.6 6.0 5.6 5.6 5.6
K104 wastewaters  Aniline Benzene 2,4-Dinitrophenol Nitrobenzene Phenol Cyanides (Total)	Concentration (in mg/L) 4.5 0.15 0.61 0.073 1.4 2.7
K115 Wastewaters See also Table A  Nickel	Concentration (in mg/L) 0.47

P013 Nonwastewaters	Concentration
	<u>(in mg/kg)</u>
Cyanides (Total) Cyanides (Amenable)	$\frac{110.}{9.1}$
P013 Wastewaters	Concentration (in mg/L)
Cyanides (Total) Cyanides (Amenable)	$\frac{1.9}{0.10}$
PO21 Nonwastewaters	Concentration (in mg/kg)
Cyanides (Total) Cyanides (Amenable)	$\frac{110.}{9.1}$
P021 Wastewaters	Concentration (in mg/L)
Cyanides (Total) Cyanides (Amenable)	$\frac{1.9}{0.10}$
P029 Nonwastewaters	Concentration (in mg/kg)
Cyanides (Total) Cyanides (Amenable)	$\frac{110.}{9.1}$
P029 Wastewaters	Concentration (in mg/L)
Cyanides (Total) Cyanides (Amenable)	$\frac{1.9}{0.10}$
8030 Nonwastowaters	Concentration (in mg/kg)
Cyanides (Total) Cyanides (Amenable)	110. 9.1

P030 Wastewaters	Concentration
1 000 Nuscenucers	(in mg/L)
Cyanides (Total)	$\frac{1.9}{0.10}$
Cyanides (Amenable)	0.10
P039 Nonwastewaters	Concentration
	(in mg/kg)
Disulfoton	0.1
	***************************************
PO39 Wastewaters	Concentration
1035 wastewaters	(in mg/L)
Disulfoton	0.025
P063 Nonwastewaters	Concentration
	(in mg/kg)
Cyanides (Total)	110.
Cyanides (Amenable)	9.1
P063 Wastewaters	Concentration
1003 wastewaters	(in mg/L)
Cyanides (Total)	$\frac{1.9}{0.10}$
Cyanides (Amenable)	0.10
P071 Nonwastewaters	Concentration // Concentration
	(in mg/kg)
Methyl parathion	0.1
- Control Control (applied to the property of the Control (applied to the Cont	A-valuations/selection
P071 Wastewaters	Concentration
. 0, 2 1100 00110001 0	(in mg/L)
Methyl parathion	<u>0.025</u>

PO74 Nonwastewaters	Concentration
See also Table A	(in mg/kg)
And described the Control of the Management of the Secretary of the Secret	and the state of t
Cyanides (Total)	110.
Cyanides (Amenable)	9.1
Cydirides (Ameridate)	<del>J. 1</del>
PO74 Wastewaters	Concentration
See also Table A	(in mg/L)
Consider /Total	1.0
Cyanides (Total)	$\frac{1.9}{0.10}$
Cyanides (Amenable)	$\frac{0.10}{0.10}$
<u>Nickel</u>	0.44
PO89 Nonwastewaters	Concentration
	(in mg/kg)
	The state of the s
Parathion	0.1
	manufacture of the state of
P089 Wastewaters	Concentration
	(in mg/L)
	<u> </u>
Parathion	0.025
Tal action	0.023
P094 Nonwastewaters	Concentration
rus4 Nonwastewaters	
	(in mg/kg)
Dhanata	0.1
<u>Phorate</u>	0.1
2004 11-1	
P094 Wastewaters	Concentration
	(in mg/L)
<u>Phorate</u>	<u>0.025</u>
PO97 Nonwastewaters	Concentration
	(in mg/kg)
	versagement
Famphur	0.1

PO97 Wastewaters	Concentration
	(in mg/L)
<u>Famphur</u>	0.025
PO98 Nonwastewaters	Concentration
	(in mg/kg)
Consider (Tetal)	110
Cyanides (Total)	$\frac{110.}{0.1}$
Cyanides (Amenable)	9.1
P098 Wastewaters	Concentration
rugo Mastewaters	(in mg/L)
	(111 119/11)
Cyanides (Total)	1.9
Cyanides (Amenable)	$\frac{1.5}{0.10}$
oyamada (/menabre/	0.10
P099 Nonwastewaters	Concentration
(See also Table A)	(in mg/kg)
Administrative and the second of the second and the	
Cyanides (Total)	110.
Cyanides (Amenable)	9.1
	<del></del>
	•
P099 Wastewaters	Concentration
(See also Table A)	(in mg/L)
Cuanidae (Tatal)	1 0
Cyanides (Total) Cyanides (Amenable)	$\frac{1.9}{0.10}$
Cyanides (Amenable)	0.10
P104 Nonwastewaters	Concentration
(See also Table A)	(in mg/kg)
And the second s	- Company of the Comp
Cyanides (Total)	110.
Cyanides (Amenable)	9.1
P104 Wastewaters	Concentration
(See also Table A)	(in mg/L)
Cyanides (Total)	$\frac{1.9}{0.10}$
Cyanides (Amenable)	0.10

D106 Nonvectoristors	Canada
P106 Nonwastewaters	<u>Concentration</u> (in mg/kg)
	(in my/ky)
Cyanides (Total)	110.
Cyanides (Amenable)	9.1
P106 Wastewaters	Concentration
	(in mg/L)
Cyanides (Total)	$\frac{1.9}{0.10}$
Cyanides (Amenable)	$\overline{0.10}$
P121 Nonwastewaters	Concentration (in maths)
	(in mg/kg)
Cyanides (Total)	110.
Cyanides (Amenable)	9.1
P121 Wastewaters	Concentration
	(in mg/L)
Cyanides (Total)	$\frac{1.9}{0.10}$
Cyanides (Amenable)	0.10
U028 Nonwastewaters	Concentration
	(in mg/kg)
Diethylhexyl phthalate	28.
A STATE OF THE STA	- Administration
109-426	
U028 Wastewaters	Concentration
OOLO MUSICHULEIS	(in mg/L)
Diethylhexyl phthalate	0.54
U069 Nonwastewaters	Concentration
- Marine de la Contraction de	(in mg/kg)
Di-n-butyl phthalate	28.

U069 Wastewaters	Concentration
	(in mg/L)
D2 L L L L L L L L L L L L L L L L L L L	0.54
Di-n-butyl phthalate	0.54
H000 N	
U088 Nonwastewaters	Concentration
	(in mg/kg)
Diethyl phthalate	28.
Diethyr phinarace	20.
U088 Wastewaters	Concentration
0000 Wastewaters	(in mg/L)
	(III IIIg/L)
Diethyl phthalate	0.54
breeny i phenarae	0.01
U102 Nonwastewaters	Concentration
Auguste and a resource of the contract of the	(in mg/kg)
	and a second to the second to
Dimethyl phthalate	28.
and property and the second contract of the s	
U102 Wastewaters	Concentration
	(in mg/L)
Dimethyl phthalate	0.54
U107 Nanuactouatons	Concentration
U107 Nonwastewaters	
	(in mg/kg)
Di-n-octyl phthalate	28.
DI-H-OCCYT PHONATACE	£0 •
U107 Wastewaters	Concentration
0107 4030040010	(in mg/L)
	V
D-n-octyl phthalate	0.54
· and the second of the second	

U190 Nonwastewaters	Concentration (in mg/kg)
Phthalic anhydride (measured as Phthalic acid)	28.
U190 Wastewaters	Concentration
	(in mg/L)
Phthalic anhydride (measured as Phthalic acid)	0.54
11225 Manuactauatana	Concentration
U235 Nonwastewaters	(in mg/kg)
Tris-(2,3-dibromopropyl) phosphate	0.1
U235 Wastewaters	Concentration (in mg/L)
Tris-(2,3-dibromopropyl) phosphate	0.025

No Land Disposal for:

-K004 Nonwastewaters (Based on No Generation)-

K005 Nonwastewaters generated by the process described in the waste listing description, and disposed after June 8, 1989, and not generated in the course of treating wastewater forms of these wastes. (Based on No Generation)

K007 Nonwastewaters generated by the process described in the waste listing description, and disposed after June 8, 1989, and not generated in the course of treating wastewater forms of these wastes. (Based on No Generation)

- -K008 Nonwastewaters (Based on No Generation)-
- -K015 Nenwastewaters (Based on Ne Ash)-
- KO21 -Nenwastewaters-Nonwastewater forms of these wastes generated by the process described in the waste listing description and disposed after August 17, 1988, and not generated in the course of treating wastewater forms of these wastes. (Based on No Generation)
- KO25 -Nenwastewaters-Nonwastewater forms of these wastes generated by the process described in the waste listing description and disposed after August 17, 1988, and not generated in the course of treating wastewater forms of these wastes. (Based on No Generation)

K036 -Nenwastewaters-Nonwastewater forms of these wastes generated by the process described in the waste listing description and disposed after August 17, 1988, and not generated in the course of treating wastewater forms of these wastes. (Based on No Generation)

KO44 (Based on Reactivity)

KO45 (Based on Reactivity)

KO47 (Based on Reactivity)

K060 -Nenwastewaters-Nonwastewater forms of these wastes generated by the process described in the waste listing description and disposed after August 17, 1988, and not generated in the course of treating wastewater forms of these wastes. (Based on No Generation)

KO61 Nonwastewaters-High Zinc Subcategory (greater than or equal to 15% total zinc) (Based on Recycling): effective 8/8/90

K069 -Nenwastewaters-Non-Calcium Sulfate Subcategory Nonwastewater forms of these wastes generated by the process described in the waste listing description and disposed after August 17, 1988, and not generated in the course of treating wastewater forms of these wastes. (Based on Recycling)

-K083 Nonwastewaters-No Ash Subcategory (less than 0.01% total ash) (Based on No Ash)-

K100 -Nenwastewaters- Nonwastewater forms of these wastes generated by the process described in the waste listing description and disposed after August 17, 1988, and not generated in the course of treating wastewater forms of these wastes. (Based on No Generation)

(Source: Amended at 14 Ill. Reg. , effective )

IT IS SO ORDERED.

I, Dorothy M. Gunn, Clerk of the Illinois Pollution Control Board, hereby certify that the above Order was adopted on the  $\frac{1}{2}$  day of  $\frac{1}{2}$  day of  $\frac{1}{2}$  day of  $\frac{1}{2}$ .

Dorothy M. Gung, Clerk

Illinois Polkytion Control Board