ILLINOIS POLLUTION CONTROL BOARD March 22, 1990

ILLINOIS ENVIRONMENTAI PROTECTION AGENCY,)	
Compla	ainant,)	AC 89-138, Docket B
v.)	(IEPA No. 9696-AC) (Administrative Citation)
DR. JOHN DONOVAN,	į	,
Respo	ndent.)	

ORDER OF THE BOARD (by J. Marlin):

This matter comes before the Board upon the filing of an Administrative Citation pursuant to Section 31.1 of the Illinois Environmental Protection Act (Act). (Ill. Rev. Stat. 1987, ch. 111 1/2, par. 1031.1) A petition for review was filed on July 21, 1989 and a hearing was held on October 26, 1989. On January 25, 1990, the Board found in Docket A of this case that the respondent had violated Section 21(q)(1) of the Act and imposed a civil penalty of \$500.00.

On March 20, 1990, the Illinois Environmental Protection Agency (Agency) submitted an affidavit stating that no hearing expenses were incurred by the Agency. The Clerk of the Board filed an affidavit on January 31, 1990 stating that it had incurred hearing costs of \$629.37. Therefore, the total hearing costs to be assessed against the respondent are \$629.37.

This Opinion constitutes the Board's finding of fact and conclusions of law in this matter.

ORDER

It is hereby ordered that within thirty days of the date of this Order, Dr. John Donovan shall, by certified check or money order, payable to the State of Illinois and designated for deposit into the <u>General Revenue Fund</u>, pay as compensation for hearing costs incurred by the Board, the amount of \$629.37 which is to be sent to:

Illinois Environmental Protection Agency Fiscal Service Division 2200 Churchill Road Springfield, Illinois 62706

This docket is hereby closed.

Section 41 of the Environmental Protection Act, Ill. Rev. Stat., ch. 111 1/2, par. 1041, provides for appeal of Final Orders of the Board within 35 days. The Rules of the Supreme

Court of Illinois establish filing requirements.

IT IS SO ORDERED.

J. Theodore Meyer dissented.

I, Dorothy M. Gunn, Clerk of the Illinois Pollution Control

Dorothy M. Gunn, Clerk
Illinois Pollution Control Board