ILLINOIS POLLUTION CONTROL BOARD October 4, 1979

SANITARY DIST	RICT OF ROCK	KFORD,)	
	Petit	cioner,))	
	v.) PCB	79-138
ENVIRONMENTAL	PROTECTION	AGENCY,)	
	Respo	ondent.)	

ORDER OF THE BOARD (by Mr. Dumelle):

Petitioner is hereby granted a variance from Rules 404 and 408(a) as it pertains to cadmium, copper, cyanide, iron (total), lead, chromium (total hexavalent), chromium (total trivalent), nickel, manganese, and zinc of Chapter 3: Water Pollution for 60 days from the date of this Order subject to the following conditions:

- a) The variance shall only apply on weekends when bypassing is necessary because of construction.
- b) During bypassing, effluent from Petitioner's facility shall be limited to the requested concentrations stated in Exhibit A to the Amended Petition.
- c) During the term of this variance, Petitioner shall perform the construction described in Paragraph 7(b) of the Agency's Recommendation.
- d) During periods of bypassing, Petitioner shall provide sufficient manpower to minimize damage to the water quality of the Rock River.
- e) Petitioner shall advise all major industries discharging to its treatment plant of the work to be performed and solicit their cooperation to minimize any potential environmental damage.
- f) Within 45 days of the date of this Order Petitioner shall execute a certification of acceptance and agreement to be bound to the terms and conditions of this variance. This 45 day period shall be held in abeyance if this matter is appealed. The certification shall be forwarded to the Illinois Environmental Protection Agency, 2200 Churchill Road, Springfield, Illinois 62706 and shall read as follows:

CERTIFICATION

I (We),	, having
	standing the Order in PCB 79-138 hereby
	d agree to be bound by its terms and
conditions.	
	G T GWDD
	SIGNED
	TITLE
	DATE
IT IS SO ORDERE	D.
I. Christan L.	Moffett, Clerk of the Illinois Pollution
	y certify the above Order was adopted on
the 4+~	
vote of 4-0	
	1. 1 Day 11. 1
	Minds & Modett
	Christan L. Moffett Clerk
	Illinois Pollution Control Board