

ILLINOIS POLLUTION CONTROL BOARD  
June 2, 2004

|                                     |   |                             |
|-------------------------------------|---|-----------------------------|
| WASTE MANAGEMENT OF ILLINOIS, INC., | ) |                             |
|                                     | ) |                             |
|                                     | ) |                             |
| Petitioner,                         | ) |                             |
|                                     | ) | PCB 04-186                  |
| v.                                  | ) | (Pollution Control Facility |
|                                     | ) | Siting Appeal)              |
| COUNTY BOARD OF KANKAKEE COUNTY,    | ) |                             |
|                                     | ) |                             |
|                                     | ) |                             |
| Respondent.                         | ) |                             |

**HEARING OFFICER ORDER**

On June 2, 2004, all parties participated in a telephonic status conference with the hearing officer. The parties represented that they are coordinating the scheduling of the petitioner's depositions of various board members and individuals. The petitioner represented that it will file a waiver of the statutory decision deadline to and including October 7, 2004.

The parties or their legal representatives are directed to appear at a telephonic status conference with the hearing officer on July 8, 2004, at 1:30 p.m. The telephonic status conference must be initiated by the complainant, but each party is nonetheless responsible for its own appearance. At the conference the parties must be prepared to discuss the status of the above-captioned matter and their readiness for hearing.

IT IS SO ORDERED.

---

Bradley P. Halloran  
Hearing Officer  
Illinois Pollution Control Board  
James R. Thompson Center, Suite 11-500  
100 W. Randolph Street  
Chicago, Illinois 60601  
312.814.8917