ILLINOIS POLLUTION CONTROL BOARD May 19, 2005

IN THE MATTER OF:)	
EXEMPTIONS FROM THE DEFINITION OF VOM, USEPA AMENDMENTS (July 1, 2004 through December 31, 2004))	R05-16 (Identical-in-Substance Rulemaking - Air)
Adopted Rule. Final Order.		

OPINION AND ORDER OF THE BOARD (by A.S. Moore):

This rulemaking is designed to update the definition of "volatile organic material" (VOM) in the Board's air pollution regulations (35 Ill. Adm. Code 211.7150). The update is needed to ensure that Illinois' regulations reflect the United States Environmental Protection Agency's (USEPA) most recent exemption of chemical compounds from regulation as ozone precursors. Today the Board adopts amendments based on federal actions of November 29, 2004. The adopted amendments are virtually identical to those proposed for public comment on March 3, 2005.

Section 9.1(e) of the Environmental Protection Act (Act) (415 ILCS 5/9.1(e) (2002)) mandates this rulemaking. That statutory provision requires the Board to exclude from the definition of VOM those compounds determined by USEPA to be exempt from regulation under the state implementation plans for ozone "due to negligible photochemical reactivity." 415 ILCS 5/9.1(e) (2002). In addition, Section 9.1(e) of the Act requires the Board to conduct this rulemaking pursuant to the provisions of Section 7.2(b) of the Act (415 ILCS 5/7.2(b) (2002)) for adopting rules that are "identical in substance" to the federal requirements.

Section 9.1(e) also provides that Title VII of the Act and Section 5-35 of the Administrative Procedure Act (APA) (5 ILCS 100/5-35 (2002)) do not apply to this type of rulemaking. Accordingly, the Board did not adopt a "First Notice" proposal, or a "Second Notice" proposal for review by the Joint Committee on Administrative Rules (JCAR). However, as provided in Section 9.1(e) of the Act, the Board, before adopting these final rule amendments, provided notice of the March 3, 2005 rulemaking proposal in the *Illinois Register*, held one public hearing on the proposal as required by the federal Clean Air Act (33 U.S.C. § 7410(a) (2003)), and allowed 45 days for public comment.

In this opinion, the Board first describes the USEPA actions necessitating these rule amendments. The Board then provides information on what transpired during the hearing and public comment period. Next, the Board discusses miscellaneous "housekeeping" amendments also being adopted in this rulemaking, including amendments suggested by JCAR during the public comment period. Finally, the Board summarizes the history of federal and Illinois actions dealing with VOM exemptions. The Board's adopted amendments are set forth in the order following this opinion.

DESCRIPTION OF USEPA ACTIONS AND RESPONSIVE BOARD AMENDMENTS

The amendments adopted today respond to two USEPA amendments to the federal definition of "volatile organic compound" (VOC), which is the same as VOM as used in the Illinois regulations. First, on November 29, 2004, USEPA added four compounds to the list of chemical species that are exempt from the federal definition of VOC and, accordingly, are exempt from regulation for control of ozone precursors. Second, also on November 29, 2004, USEPA excluded an additional compound from the VOC definition, for purposes of emissions limitations and VOC content requirements, but retained the compound as VOC for purposes of recordkeeping, emissions reporting, photochemical dispersion modeling, and inventory requirements.

The *Federal Register* citations for these USEPA revisions, as well as brief listings of the newly-exempt compounds, follow:

69 Fed. Reg. 69290 (Nov. 29, 2004)

USEPA added four compounds to the list of those excluded from the definition of VOC: 1,1,1,2,2,3,3-heptafluoro-3-methoxypropane (empirical formula: n-C₃F₇COCH₃, also called HFE-7000), 3-ethoxy1,1,1,2,3,4,4,5,5,6,6-dodecafluoro-2-(trifluoromethyl)hexane (also called HFE-7500, HFE-s702, T-7145, and L-15381), 1,1,1,2,3,3,3-heptafluoropropane (also called HFC-227ea), and methyl formate (empirical formula: HCOOCH₃).

69 Fed. Reg. 69298 (Nov. 29, 2004)

USEPA added one compound to the list of those excluded from the definition of VOC for purposes of emissions control and VOC content requirements: tert-butyl acetate (*t*-BAc). USEPA will continue to consider *t*-BAc to be VOC for purposes of recordkeeping, emissions reporting, photochemical dispersion modeling, and inventory requirements. *t*-BAc is used as a gasoline additive and solvent.

The Board today incorporates these federal amendments into the Illinois regulatory definition of VOM at 35 Ill. Adm. Code 211.7150, with only minor differences from the federal rule text. For example, the Board has capitalized each chemical name in the list of exempt compounds. The table below provides the Board's adopted deviations from the federal text.

Deviations from the Text of the Federal Amendments

Illinois Section	40 C.F.R. Section	Revision(s)
211.7150(a) "HFE-	51.100(s)(1)	Capitalized the chemical name; changed
7500"		the ending comma to a semicolon

211.7150(a) "HFE- 7000"	51.100(s)(1)	Capitalized the chemical name; changed the comma to the conjunction "or" between the empirical formula and the code name; changed the ending comma to a semicolon
211.7150(a) "HFC- 227ea"	51.100(s)(1)	Capitalized the chemical name; hyphenated "HFC-227ea"; changed the ending comma to a semicolon
211.7150(a) "methyl formate"	51.100(s)(1)	Capitalized the chemical name; corrected "HCOOCH3" to subscript "HCOOCH3"; changed the ending comma to a semicolon
211.7150(e)	51.100(s)(5)	Changed "compound(s) are" to singular "compound is"; changed "VOC" to "VOM" (four times); changed "which" to "that" for a restrictive relative clause; added a comma before the conjunction "and" and changed "shall be" to "it must be" to enhance clarity with an independent clause; changed "but are" to singular "but it is" to enhance clarity with an independent clause.

PUBLIC COMMENTS AND PUBLIC HEARING

The Board adopted a proposal for public comment in this matter on March 3, 2005. A Notice of Proposed Amendments appeared in the March 18, 2005 issue of the *Illinois Register* at 29 Ill. Reg. 4323. The Board accepted public comments on the proposed rules for 45 days after publication of the Notice of Proposed Amendments, until May 2, 2005.

The Board held a public hearing in the Board's office in Chicago on April 12, 2005 to satisfy the requirements of Section 110(a) of the federal Clean Air Act (42 U.S.C. § 7410(a) (2003)). Two representatives of the Illinois Environmental Protection Agency, Stefanie Diers and Annet Godiksen, attended the April 12, 2005 public hearing. No members of the general public attended. The hearing adjourned after invitation and statements from the hearing officer, with nobody submitting testimony for the record. During the public comment period, the Board received no comments.

REVISIONS TO THE TEXT OF THE PROPOSED AMENDMENTS

The Board has made minor changes in the text of the amendments during the public comment period. During the public comment period, JCAR submitted a document entitled "Line Numbered Version." The Board altered the proposed amendments in response to this document.

Section	Source	Revision(s)
211 table of	JCAR	Corrected the R01-11 citation to "25 Ill. Reg. 4582"
contents		

211.7150	JCAR	Removed the ending semicolon from each chemical name (51
		times); removed the ending conjunction "and" from the line
		before the last chemical name; removed the ending period
		from after the last chemical name.

MISCELLANEOUS HOUSEKEEPING AMENDMENTS

In addition to the adopted amendments related to USEPA's actions, numerous "housekeeping" amendments are being adopted today. These adopted changes are not based on the federal amendments discussed above. Rather, these are corrections and clarifications needed in the Board's existing rule text involved in this rulemaking. For example, the Board has alphabetized the listing of exempt compounds in Section 211.7150(a). One correction is made in response to the JCAR document submitted during the public comment period. The table below lists the Board's adopted "housekeeping" amendments.

Housekeeping Amendments

Section	Source	Revision(s)
211 table of contents	JCAR	Corrected the R01-11 citation to "25 Ill. Reg. 4582"
211 table of contents	Board	Removed the statement, "This Part implements as
Board note		of July 1, 1994."
211.7150 preamble	Board	Changed "which" to "that" for a restrictive relative
		clause
211.7150(a)	Board	Added "by USEPA" after "determined"; reformatted the text so that the compounds are listed in alphabetical order and each compound appears on a separate line, with a hanging indent for compounds occupying more than one line; capitalized the name of each compound; removed the numbering from the paragraphs of classes of perfluorocarbon compounds; moved "siloxanes" to the beginning of the entry and offset the classes with a colon
211.7150(b)	Board	Changed "pursuant to a permit issued pursuant to a program" to "pursuant to a permit issued under a program"
211.7150(d)	Board	Changed "USEPA shall" to "USEPA will"

HISTORICAL SUMMARY OF THE FEDERAL RECOMMENDED POLICY ON THE CONTROL OF VOLATILE ORGANIC COMPOUNDS AND ITS IMPLEMENTATION IN ILLINOIS

Beginning in 1977, USEPA's *Recommended Policy on the Control of Volatile Organic Compounds* (Recommended Policy) exempted certain chemical compounds from the definition

of VOC or VOM.¹ These compounds were exempt due to their negligible photochemical reactivity (*i.e.*, their reduced capacity for partaking in the complex atmospheric chemical reactions that result in the formation in tropospheric ozone). Ultimately, in 1991, USEPA codified its Recommended Policy in the *Code of Federal Regulations* at 40 C.F.R. 51.100(s) in its definition of VOC.

Specifically, on July 8, 1977, USEPA established its Recommended Policy in the *Federal Register* at 42 Fed. Reg. 35314. At that time, USEPA stated that the following compounds should be exempt from regulation due to their negligible photochemical reactivity:

```
methane; ethane; methylene chloride (dichloromethane)<sup>2</sup>; 1,1,1-trichloroethane (methyl chloroform); and trichlorotrifluoroethane (CFC-113 or Freon 113).
```

USEPA clarified its policy on June 4, 1979, at 44 Fed. Reg. 32043, and May 16, 1980, at 45 Fed. Reg. 32424.

USEPA later amended its Recommended Policy by adding exempt compounds. On July 22, 1980, at 45 Fed. Reg. 48941, USEPA added five chlorofluorocarbons (CFCs) and one fluorocarbon (FC)³:

```
trichlorofluoromethane (CFC-11); dichlorodifluoromethane (CFC-12); chlorodifluoromethane (CFC-22); trifluoromethane (FC-23); dichlorotetrafluoroethane (CFC-114); and chloropentafluoroethane (CFC-115).
```

¹ USEPA consistently uses the term "VOC" rather than "VOM," but both designations refer to the same matter. All references in this opinion and order to "VOM" refer to what USEPA calls "VOC."

² USEPA's July 8, 1977 discussion mentioned methylene chloride and several other compounds, but none was included in either Table 1, which actually listed the recommended-exempt compounds, and methylene chloride did not appear in Table 2, which listed low-reactivity compounds. However, the June 4, 1979 and May 16, 1980 clarifications and later amendments make it clear that USEPA considered methylene chloride exempt as of the initial publication of the Recommended Policy on July 8, 1977.

³ This action purported to add trichlorotrifluoroethane (CFC-113), but that compound was originally listed on July 8, 1977, although then given the parenthetical designation "Freon-113." That USEPA counted this single compound twice was further apparent in the action of January 18, 1989, discussed in the text below, when it referred to a list of exempt compounds that included "eight additional chlorofluorocarbons (CFCs)."

On January 18, 1989, at 54 Fed. Reg. 1987, USEPA added four hydrohalocarbon compounds (HFCs and HCFCs) to the list of those exempt:

```
dichlorotrifluoroethane (HCFC-123);
tetrafluoroethane (HFC-134a);
dichlorofluoroethane (HCFC-141b); and
chlorodifluoroethane (HCFC-142b).
```

Finally, on March 18, 1991, at 52 Fed. Reg. 11418, USEPA revisited certain compounds earlier denied exemption and revised the Recommended Policy for the last time, to exclude five additional hydrohalocarbon compounds and four classes of fluorocarbon compounds. The five hydrohalocarbon compounds were:

```
2-chloro-1,1,1,2-tetrafluoroethane (HCFC-124); pentafluoroethane (HFC-125); 1,1,2,2-tetrafluoroethane (HFC-134); 1,1,1-trifluoroethane (HFC-143a); and 1,1-difluoroethane (HFC-152a).
```

The four classes of fluorocarbon compounds were:

```
cyclic, branched, or linear, completely-fluorinated alkanes; cyclic, branched, or linear, completely-fluorinated ethers with no unsaturations; cyclic, branched, or linear, completely-fluorinated tertiary amines with no unsaturations; and sulfur-containing perfluorocarbons with no unsaturations and with sulfur bonds only to carbon and fluorine.
```

On March 18, 1991, at 56 Fed. Reg. 11387, USEPA proposed codifying the Recommended Policy in its definition of VOC at 40 C.F.R. 51.100(s). This proposed action was undertaken in conjunction with the last amendments to the Recommended Policy discussed above. USEPA adopted the amended definition of VOC on February 3, 1992, at 57 Fed. Reg. 3945. This USEPA codification included all the compounds and classes of compounds previously included as exempt in the Recommended Policy. It also included test methods for determining compliance with the VOC emissions limits, and a provision addressing situations where the test method also measured exempt compounds.

USEPA subsequently amended the 40 C.F.R. 51.100(s) definition of VOM on a number of occasions. Those are summarized as follows:

Date of Amendment (Federal Register citation)	Compound(s) Exempt	Date Exempt in Illinois (Docket Number)
October 5, 1994 (59 Fed. Reg. 50696)	Parachlorobenzotrifluoride (PCBTF) Cyclic, branched, or linear completely-methylated siloxanes	July 7, 1995 (R95-2)
June 16, 1995 (60 Fed. Reg. 31633)	Acetone (2-propanone or dimethylketone)	October 19, 1995 (R95-16)
February 7, 1996 (61 Fed. Reg. 4588)	Perchloroethylene	February 6, 1997 (R96-16)
October 8, 1996 (61 Fed. Reg. 52847)	1,1,1,2,3,4,4,5,5,5-Decafluoropentane (HFC 43-10mee) 3,3-Dichloro-1,1,1,2,2-pentafluoropropane (HCFC-225ca) 1,3-Dichloro-1,1,2,2,3-pentafluoropropane (HCFC-225cb)	May 15, 1997 (R97-17)
August 22, 1997 (62 Fed. Reg. 44900)	1-Chloro-1-fluoroethane (HCFC-151a) Chlorofluoromethane (HCFC-31) 1,2-Dichloro-1,1,2-trifluoroethane (HCFC-123a) Difluoromethane (HFC-32) 2-(Difluoromethoxymethyl)-1,1,1,2,3,3,3-heptafluoropropane ((CF ₃) ₂ CFCF ₂ OCH ₃) 2-(Ethoxydifluoromethyl)-1,1,1,2,3,3,3-heptafluoropropane ((CF ₃) ₂ CFCF ₂ OC ₂ H ₅) 1-Ethoxy-1,1,2,2,3,3,4,4-nonafluorobutane (C ₄ F ₉ OC ₂ H ₅ or HFE-7200) Ethylfluoride (HFC-161) 1,1,1,2,3,3-Hexafluoropropane (HFC-236ea) 1,1,1,3,3,3-Hexafluoropropane (HFC-236fa) 1,1,1,2,2,3,3,4,4-Nonafluoro-4-methoxybutane (C ₄ F ₉ OCH ₃ or HFE-7100) 1,1,1,3,3-Pentafluorobutane (HFC-365mfc) 1,1,2,3,3-Pentafluoropropane (HFC-245ea) 1,1,2,3,3-Pentafluoropropane (HFC-245eb) 1,1,1,3,3-Pentafluoropropane (HFC-245eb) 1,1,1,3,3-Pentafluoropropane (HFC-245fa)	June 17, 1998 (R98-17)
April 9, 1998 (63 Fed. Reg. 17331)	Methyl acetate	June 17, 1998 (R98-17)

8

Date of Amendment (Federal Register citation)	Compound(s) Exempt	Date Exempt in Illinois (Docket Number)
November 29, 2004 (69 Fed. Reg. 69290)	1,1,1,2,2,3,3-Heptafluoro-3-methoxypropane (HFE-7000) 3-Ethoxy1,1,1,2,3,4,4,5,5,6,6,6-dodecafluoro-2-(trifluoromethyl)hexane (HFE-7500) 1,1,1,2,3,3,3-Heptafluoropropane (HFC-227ea) Methyl formate	May 23, 2005 (R05-16)
November 29, 2004 (69 Fed. Reg. 69298)	t-Butyl acetate ⁴	May 23, 2005 (R05-16)

HISTORICAL SUMMARY OF EXCLUSIONS FROM THE ILLINOIS DEFINITION OF VOM

Public Act 80-1299, effective August 2, 1978, added Section 9.1 to the Act. Subsection (e) of Section 9.1 (formerly subsection (c)) requires the Board to incorporate exemptions into the Illinois definition of VOM based on the federal exemptions. This provision required the Board to use the Section 7.2 identical-in-substance procedure (exempt from Section 27 of the Act (415 ILCS 5/27 (2002) and the notice provisions of the APA) to incorporate the federal exemptions into the Illinois definition of VOM.

The Board initially adopted the exemptions as part of Section 27 general rulemakings. In dockets R78-3 and R78-4 (consolidated), on August 23, 1979, as part of the original Reasonably Available Control Technology (RACT) rules, the Board adopted a definition of VOM that excluded methane and ethane, expressly declining to exempt methylene chloride, 1,1,1-trichloroethane, and CFC-113. In docket R80-5, on December 30, 1982, as part of the RACT II rules, the Board added methylene chloride and 1,1,1-trichloroethane to the list of exempt compounds. Finally, in docket R86-37, on December 22, 1987, the Board added the other six CFC and one FC compounds that USEPA had excluded in its Recommended Policy up to that date.

After that time, the Board repeatedly used the identical-in-substance procedure to incorporate federal additions to the list of exempt compounds. In docket R89-8, on October 18, 1989, the Board amended the definition of VOM to exempt the additional compounds excluded by USEPA on January 18, 1989. In docket R91-10, on September 12, 1991, the Board added the one HCFC, four HFCs, and four classes of compounds exempt by USEPA on March 18, 1991.

⁴ USEPA excluded *t*-butyl acetate from the definition of VOC for purposes of emissions control and VOC content requirements. USEPA retained *t*-butyl acetate as a VOC for purposes of recordkeeping, emissions reporting, photochemical dispersion modeling, and inventory requirements.

In docket R91-24, on July 30, 1992, the Board further updated the Illinois definition of VOM for purposes of the metropolitan Chicago and East St. Louis areas.⁵

Beginning in 1992, with USEPA's codification of the compounds excluded from VOC, the Board had a way to readily determine the status of the list of exempt compounds: by referring to the "List of Sections Affected" in the *Code of Federal Regulations*. At that time, the Board started treating the updates to the definition of VOM in the same manner that the Board treats all other identical-in-substance subject matters. The Board began routinely reserving dockets for each succeeding six-month period and specifically monitoring for federal revisions. Accordingly, the Board has opened several dockets assigned to this subject matter, and the Board has dismissed dockets when USEPA did not amend its definition in the relevant time-frame. Before USEPA's codification of excluded compounds, the Board relied on the Illinois Environmental Protection Agency and the regulated community to specifically draw the Board's attention to any amendments to USEPA's Recommended Policy. The Board has consistently worked to ensure that the Illinois definition of VOM is the same as that used by USEPA, and that any federal revisions are promptly reflected in the Illinois definition.

What follows is a summary listing of all Board dockets related to exemptions from the definition of VOM. This table indicates the docket number of each proceeding, the date and nature of the Board action on each docket, and the general subject matter of each. Those entries that appear in italics amended the definition of VOM to exempt new compounds.

Docket Number	Action and Date. (Explanation/Docket Contents)
R78-3 &	Adopted August 23, 1979. (General rulemaking; RACT regulations)
R78-4	
R80-5	Adopted December 30, 1982. (General rulemaking; RACT II regulations)
R86-37	Adopted December 22, 1987. (General rulemaking; amendments to VOM regulations)
R89-8	Adopted October 18, 1989. (USEPA revisions of January 18, 1989)
R91-10	Adopted September 12, 1991. (USEPA revisions of March 18, 1991)
R91-24	Adopted July 30, 1992. (Extended exemptions to Chicago and Metro-East areas and responded to the February 3, 1992 USEPA codification of the exemptions)

⁵ The amendments in docket R91-24 extended the exemptions to the definitions of VOM formerly found in 35 Ill. Adm. Code 218 and 219, which the Board added in dockets R91-7 and R91-8, on July 25, 1991. However, in docket R93-9, on September 9, 1993, the Board consolidated all definitions into 35 Ill. Adm. Code 211.

_

Docket	
Number	Action and Date. (Explanation/Docket Contents)
R92-6	Dismissed April 9, 1992. (No USEPA amendments during July 1, 1991 through December 31, 1991)
R92-15	Dismissed August 13, 1992. (No USEPA amendments during January 1, 1992 through June 30, 1992)
R93-3	Dismissed January 21, 1993. (No USEPA amendments during July 1, 1992 through December 31, 1992)
R93-21	Dismissed September 23, 1993. (No USEPA amendments during January 1, 1993 through June 30, 1993)
R94-3	Dismissed March 31, 1994. (No USEPA amendments during July 1, 1993 through December 31, 1993)
R94-22	Dismissed October 6, 1994. (No USEPA amendments during January 1, 1994 through June 30, 1994)
R95-2	Adopted July 7, 1995. (USEPA amendments during July 1, 1994 through December 31, 1994: those of October 5, 1994)
R95-16	Adopted October 19, 1995. (USEPA amendments during January 1, 1995 through June 30, 1995: those of June 16, 1995)
R96-6	Dismissed February 15, 1996. (No USEPA amendments during July 1, 1995 through December 31, 1995)
R96-16	Adopted February 6, 1997. (USEPA amendments during July 1, 1996 through December 31, 1996: those of February 7, 1996)
R97-1	Dismissed October 17, 1996. (USEPA amendments during January 1, 1995 through June 30, 1995: those of February 7, 1996 were included in docket R96-16)
R97-17	Adopted May 15, 1997. (USEPA amendments during July 1, 1996 through December 31, 1996: those of October 8, 1996)
R98-1	Dismissed August 7, 1997. (No USEPA amendments during January 1, 1997 through June 30, 1997)

Docket Number	Action and Date. (Explanation/Docket Contents)
R98-17	Adopted June 17, 1998. (USEPA amendments during July 1, 1997 through December 31, 1997 and April 9, 1998: those of August 25, 1997 and April 9, 1998)
R99-5	Dismissed August 20, 1998. (USEPA amendments during January 1, 1998, through June 30, 1998: those of April 9, 1998 were included in docket R98-17)
R99-11	Dismissed February 18, 1999. (No USEPA amendments during July 1, 1998, and December 31, 1998)
R00-1	Dismissed August 19, 1999. (No USEPA amendments during January 1, 1999, through June 30, 1999)
R00-9	Dismissed February 17, 2000. (No USEPA amendments during July 1, 1999, through December 31, 1999)
R01-6	Dismissed July 27, 2000. (No USEPA amendments during January 1, 2000, through June 30, 2000)
R01-19	Dismissed March 1, 2001. (No USEPA amendments during July 1, 2000, and December 31, 2000)
R02-4	Dismissed August 23, 2001. (No USEPA amendments during January 1, 2001, through June 30, 2001)
R02-15	Dismissed February 21, 2002. (No USEPA amendments during July 1, 2001 through December 31, 2001)
R03-3	Dismissed August 8, 2002. (No USEPA amendments during January 1, 2002 and June 30, 2002)
R03-14	Dismissed February 6, 2003. (No USEPA amendments during July 1, 2002 and December 31, 2002)
R04-2	Dismissed August 7, 2003. (No USEPA amendments during January 1, 2003 and June 30, 2003)
R04-19	Dismissed March 4, 2004. (No USEPA amendments during July 1, 2003 through December 31, 2003)
R05-5	Dismissed September 16, 2004. (No USEPA amendments during January 1, 2004 through June 30, 2004)

Docket Number	Action and Date. (Explanation/Docket Contents)
R05-16	This docket. (USEPA amendments during July 1, 2004 through December 31, 2004: those of November 29, 2005)

The following table lists the compounds exempt from the definition of VOM to date in alphabetical order. The table sets forth the date USEPA excluded each compound from the definition of VOC and the date on which the Board subsequently voted to exempt each from the definition of VOM in Illinois.

F	Date of Federal	Date Exempt in
Exempt Compound	Exemption	Illinois
Acetone (2-propanone or dimethylketone)	June 16, 1995	October 19, 1995
t-Butyl acetate	November 29, 2004	May 23, 2005
1-Chloro-1,1-difluoroethane (HCFC-142b)	January 18, 1989	October 18, 1989
Chlorodifluoromethane (CFC-22)	July 22, 1980	December 22, 1987
1-Chloro-1-fluoroethane (HCFC-151a)	August 22, 1997	June 17, 1998
2-Chloro-1,1,1,2-tetrafluoroethane (HCFC-124)	March 18, 1991	September 12, 1991
Chlorofluoromethane (HCFC-31)	August 22, 1997	June 17, 1998
Chloropentafluoroethane (CFC-115)	July 22, 1980	December 22, 1987
1,1,1,2,3,4,4,5,5,5-Decafluoropentane (HFC 43-10mee)	October 8, 1996	May 15, 1997
Dichlorodifluoromethane (CFC-12)	July 22, 1980	December 22, 1987
1,1-Dichloro-1-fluoroethane (HCFC-141b)	January 18, 1989	October 18, 1989
3,3-Dichloro-1,1,1,2,2-pentafluoropropane	October 8, 1996	May 15, 1997
(HCFC-225ca)		
1,3-Dichloro-1,1,2,2,3-pentafluoropropane	October 8, 1996	May 15, 1997
(HCFC-225cb)		
1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC-114)	July 22, 1980	December 22, 1987
1,2-Dichloro-1,1,2-trifluoroethane (HCFC-123a)	August 22, 1997	June 17, 1998
1,1-Difluoroethane (HFC-152a)	March 18, 1991	September 12, 1991
Difluoromethane (HFC-32)	August 22, 1997	June 17, 1998
2-(Difluoromethoxymethyl)-1,1,1,2,3,3,3-	August 22, 1997	June 17, 1998
heptafluoropropane ((CF ₃) ₂ CFCF ₂ OCH ₃)		
Ethane	July 8, 1977	August 23, 1979
2-(Ethoxydifluoromethyl)-1,1,1,2,3,3,3-	August 22, 1997	June 17, 1998
heptafluoropropane ((CF ₃) ₂ CFCF ₂ OC ₂ H ₅)		
Ethylfluoride (HFC-161)	August 22, 1997	June 17, 1998
1-Ethoxy-1,1,2,2,3,3,4,4,4-nonafluorobutane	August 22, 1997	June 17, 1998
$(C_4F_9OC_2H_5 \text{ or HFE-7200})$		
3-Ethoxy-1,1,1,2,3,4,4,5,5,6,6-dodecafluoro-2-	November 29, 2004	May 23, 2005
(trifluoromethyl)hexane (HFE-7500)		-
1,1,1,2,2,3,3-Heptafluoro-3-methoxypropane (n-C ₃ F ₇ OCH ₃ or HFE-7000)	November 29, 2004	May 23, 2005
C317/OC113 01 1111E-7000)		

	Date of Federal	Date Exempt in
Exempt Compound	Exemption	Illinois
1,1,1,2,3,3,3-Heptafluoropropane (HFC-227ea)	November 29, 2004	May 23, 2005
1,1,1,2,3,3-Hexafluoropropane (HFC-236ea)	August 22, 1997	June 17, 1998
1,1,1,3,3,3-Hexafluoropropane (HFC-236fa)	August 22, 1997	June 17, 1998
Methane	July 8, 1977	August 23, 1979
Methyl acetate	April 9, 1998	June 17, 1998
Methylene chloride (dichloromethane)	July 8, 1977	December 30, 1982
Methyl formate (HCOOCH ₃)	November 29, 2004	May 23, 2005
1,1,1,2,2,3,3,4,4-Nonafluoro-4-methoxybutane	August 22, 1997	June 17, 1998
$(C_4F_9OCH_3 \text{ or HFE-7100})$		
Parachlorobenzotrifluoride (PCBTF)	October 5, 1994	July 7, 1995
1,1,1,3,3-Pentafluorobutane (HFC-365mfc)	August 22, 1997	June 17, 1998
Pentafluoroethane (HFC-125)	March 18, 1991	September 12, 1991
1,1,2,2,3-Pentafluoropropane (HFC-245ca)	August 22, 1997	June 17, 1998
1,1,2,3,3-Pentafluoropropane (HFC-245ea)	August 22, 1997	June 17, 1998
1,1,1,2,3-Pentafluoropropane (HFC-245eb)	August 22, 1997	June 17, 1998
1,1,1,3,3-Pentafluoropropane (HFC-245fa)	August 22, 1997	June 17, 1998
Perchloroethylene (tetrachloroethylene)	February 7, 1996	February 6, 1997
Perfluorocarbon compounds: Cyclic, branched,	March 18, 1991	September 12, 1991
or linear, completely fluorinated alkanes		
Perfluorocarbon compounds: Cyclic, branched,	March 18, 1991	September 12, 1991
or linear, completely fluorinated ethers with no		
unsaturations		
Perfluorocarbon compounds: Cyclic, branched,	March 18, 1991	September 12, 1991
or linear, completely fluorinated tertiary amines		
with no unsaturations		
Perfluorocarbon compounds: Sulfur-containing	March 18, 1991	September 12, 1991
perfluorocarbons with no unsaturations and with		
sulfur bonds only to carbon and fluorine		
Siloxanes: cyclic, branched, or linear completely-	October 5, 1994	July 7, 1995
methylated		
1,1,2,2-Tetrafluoroethane (HFC-134)	March 18, 1991	September 12, 1991
1,1,1,2-Tetrafluoroethane (HFC-134a)	January 18, 1989	October 18, 1989
1,1,1-Trichloroethane (methyl chloroform)	July 8, 1977	December 30, 1982
Trichlorofluoromethane (CFC-11)	July 22, 1980	December 22, 1987
1,1,2-Trichloro-1,2,2-trifluoroethane (CFC-113)	July 8, 1977	December 22, 1987
1,1,1-Trifluoro-2,2-dichloroethane (HCFC-123)	January 18, 1989	October 18, 1989
1,1,1-Trifluoroethane (HFC-143a)	March 18, 1991	September 12, 1991
Trifluoromethane (HFC-23)	July 22, 1980	December 22, 1987

ORDER

The Board directs the Clerk to file with the Secretary of State and provide notice in the *Illinois Register* of the following adopted amendments to the definition of VOM at 35 Ill. Adm. Code 211.7150:

TITLE 35: ENVIRONMENTAL PROTECTION SUBTITLE B: AIR POLLUTION CHAPTER I: POLLUTION CONTROL BOARD SUBCHAPTER c: EMISSION STANDARDS AND LIMITATIONS FOR STATIONARY SOURCES

PART 211 DEFINITIONS AND GENERAL PROVISIONS

SUBPART A: GENERAL PROVISIONS

	SOBITACITA: GENERALI TROVISIONS
Section	
211.101	Incorporations by Reference
211.102	Abbreviations and Conversion Factors
	SUBPART B: DEFINITIONS
Section	
211.121	Other Definitions
211.122	Definitions (Repealed)
211.130	Accelacota
211.150	Accumulator
211.170	Acid Gases
211.210	Actual Heat Input
211.230	Adhesive
211.240	Adhesion Promoter
211.250	Aeration
211.270	Aerosol Can Filling Line
211.290	Afterburner
211.310	Air Contaminant
211.330	Air Dried Coatings
211.350	Air Oxidation Process
211.370	Air Pollutant
211.390	Air Pollution
211.410	Air Pollution Control Equipment
211.430	Air Suspension Coater/Dryer
211.450	Airless Spray
211.470	Air Assisted Airless Spray
211.474	Alcohol
211.479	Allowance
211.484	Animal
211.485	Animal Pathological Waste
	č

211.490	Annual Grain Through-Put
211.495	Anti-Glare/Safety Coating
211.510	Application Area
211.530	Architectural Coating
211.550	As Applied
211.560	As-Applied Fountain Solution
211.570	Asphalt
211.590	Asphalt Prime Coat
211.610	Automobile
211.630	Automobile or Light-Duty Truck Assembly Source or Automobile or Light-Duty
	Truck Manufacturing Plant
211.650	Automobile or Light-Duty Truck Refinishing
211.660	Automotive/Transportation Plastic Parts
211.670	Baked Coatings
211.680	Bakery Oven
211.685	Basecoat/Clearcoat System
211.690	Batch Loading
211.695	Batch Operation
211.696	Batch Process Train
211.710	Bead-Dipping
211.730	Binders
211.750	British Thermal Unit
211.770	Brush or Wipe Coating
211.790	Bulk Gasoline Plant
211.810	Bulk Gasoline Terminal
211.820	Business Machine Plastic Parts
211.830	Can
211.850	Can Coating
211.870	Can Coating Line
211.890	Capture
211.910	Capture Device
211.930	Capture Efficiency
211.950	Capture System
211.955	Cement
211.960	Cement Kiln
211.970	Certified Investigation
211.980	Chemical Manufacturing Process Unit
211.990	Choke Loading
211.1010	Clean Air Act
211.1050	Cleaning and Separating Operation
211.1070	Cleaning Materials
211.1090	Clear Coating
211.1110	Clear Topcoat
211.1120	Clinker
211.1130	Closed Purge System
211.1150	Closed Vent System
	•

211.1170	Coal Refuse
211.1190	Coating
211.1210	Coating Applicator
211.1230	Coating Line
211.1250	Coating Plant
211.1270	Coil Coating
211.1290	Coil Coating Line
211.1310	Cold Cleaning
211.1312	Combined Cycle System
211.1316	Combustion Turbine
211.1320	Commence Commercial Operation
211.1324	Commence Operation
211.1328	Common Stack
211.1330	Complete Combustion
211.1350	Component
211.1370	Concrete Curing Compounds
211.1390	Concentrated Nitric Acid Manufacturing Process
211.1410	Condensate
211.1430	Condensible PM-10
211.1465	Continuous Automatic Stoking
211.1467	Continuous Coater
211.1470	Continuous Process
211.1490	Control Device
211.1510	Control Device Efficiency
211.1515	Control Period
211.1520	Conventional Air Spray
211.1530	Conventional Soybean Crushing Source
211.1550	Conveyorized Degreasing
211.1570	Crude Oil
211.1590	Crude Oil Gathering
211.1610	Crushing
211.1630	Custody Transfer
211.1650	Cutback Asphalt
211.1670	Daily-Weighted Average VOM Content
211.1690	Day
211.1710	Degreaser
211.1730	Delivery Vessel
211.1750	Dip Coating
211.1770	Distillate Fuel Oil
211.1780	Distillation Unit
211.1790	Drum
211.1810	Dry Cleaning Operation or Dry Cleaning Facility
211.1830	Dump-Pit Area
211.1850	Effective Grate Area
211.1870	Effluent Water Separator
211.1875	Elastomeric Materials

211.1880	Electromagnetic Interference/Radio Frequency Interference (EMI/RFI) Shielding
	Coatings
211.1885	Electronic Component
211.1890	Electrostatic Bell or Disc Spray
211.1900	Electrostatic Prep Coat
211.1910	Electrostatic Spray
211.1920	Emergency or Standby Unit
211.1930	Emission Rate
211.1950	Emission Unit
211.1970	Enamel
211.1990	Enclose
211.2010	End Sealing Compound Coat
211.2030	Enhanced Under-the-Cup Fill
211.2050	Ethanol Blend Gasoline
211.2070	Excess Air
211.2080	Excess Emissions
211.2090	Excessive Release
211.2110	Existing Grain-Drying Operation (Repealed)
211.2130	Existing Grain-Handling Operation (Repealed)
211.2150	Exterior Base Coat
211.2170	Exterior End Coat
211.2190	External Floating Roof
211.2210	Extreme Performance Coating
211.2230	Fabric Coating
211.2250	Fabric Coating Line
211.2270	Federally Enforceable Limitations and Conditions
211.2285	Feed Mill
211.2290	Fermentation Time
211.2300	Fill
211.2310	Final Repair Coat
211.2330	Firebox
211.2350	Fixed-Roof Tank
211.2360	Flexible Coating
211.2365	Flexible Operation Unit
211.2370	Flexographic Printing
211.2390	Flexographic Printing Line
211.2410	Floating Roof
211.2420	Fossil Fuel
211.2425	Fossil Fuel-Fired
211.2430	Fountain Solution
211.2450	Freeboard Height
211.2470	Fuel Combustion Emission Unit or Fuel Combustion Emission Source
211.2490	Fugitive Particulate Matter
211.2510	Full Operating Flowrate
211.2530	Gas Service
211.2550	Gas/Gas Method

211.2570	Gasoline
211.2590	Gasoline Dispensing Operation or Gasoline Dispensing Facility
211.2610	Gel Coat
211.2620	Generator
211.2630	Gloss Reducers
211.2650	Grain
211.2670	Grain-Drying Operation
211.2690	Grain-Handling and Conditioning Operation
211.2710	Grain-Handling Operation
211.2730	Green-Tire Spraying
211.2750	Green Tires
211.2770	Gross Heating Value
211.2790	Gross Vehicle Weight Rating
211.2810	Heated Airless Spray
211.2815	Heat Input
211.2820	Heat Input Rate
211.2830	Heatset
211.2850	Heatset Web Offset Lithographic Printing Line
211.2870	Heavy Liquid
211.2890	Heavy Metals
211.2910	Heavy Off-Highway Vehicle Products
211.2930	Heavy Off-Highway Vehicle Products Coating
211.2950	Heavy Off-Highway Vehicle Products Coating Line
211.2970	High Temperature Aluminum Coating
211.2990	High Volume Low Pressure (HVLP) Spray
211.3010	Hood
211.3030	Hot Well
211.3050	Housekeeping Practices
211.3070	Incinerator
211.3090	Indirect Heat Transfer
211.3110	Ink
211.3130	In-Process Tank
211.3150	In-Situ Sampling Systems
211.3170	Interior Body Spray Coat
211.3190	Internal-Floating Roof
211.3210	Internal Transferring Area
211.3230	Lacquers
211.3250	Large Appliance
211.3270	Large Appliance Coating
211.3290	Large Appliance Coating Line
211.3310	Light Liquid
211.3330	Light-Duty Truck
211.3350	Light Oil
211.3370	Liquid/Gas Method
211.3370	Liquid-Mounted Seal
211.3410	Liquid Service
211.5 FIU	Liquid Sol 1100

211.3430	Liquids Dripping
211.3450	Lithographic Printing Line
211.3470	Load-Out Area
211.3480	Loading Event
211.3483	Long Dry Kiln
211.3485	Long Wet Kiln
211.3487	Low-NO _x Burner
211.3490	Low Solvent Coating
211.3500	Lubricating Oil
211.3510	Magnet Wire
211.3530	Magnet Wire Coating
211.3550	Magnet Wire Coating Line
211.3570	Major Dump Pit
211.3590	Major Metropolitan Area (MMA)
211.3610	Major Population Area (MPA)
211.3620	Manually Operated Equipment
211.3630	Manufacturing Process
211.3650	Marine Terminal
211.3660	Marine Vessel
211.3670	Material Recovery Section
211.3690	Maximum Theoretical Emissions
211.3695	Maximum True Vapor Pressure
211.3710	Metal Furniture
211.3730	Metal Furniture Coating
211.3750	Metal Furniture Coating Line
211.3770	Metallic Shoe-Type Seal
211.3780	Mid-Kiln Firing
211.3790	Miscellaneous Fabricated Product Manufacturing Process
211.3810	Miscellaneous Formulation Manufacturing Process
211.3830	Miscellaneous Metal Parts and Products
211.3850	Miscellaneous Metal Parts and Products Coating
211.3870	Miscellaneous Metal Parts or Products Coating Line
211.3890	Miscellaneous Organic Chemical Manufacturing Process
211.3910	Mixing Operation
211.3915	Mobile Equipment
211.3930	Monitor
211.3950	Monomer
211.3960	Motor Vehicles
211.3965	Motor Vehicle Refinishing
211.3970	Multiple Package Coating
211.3980	Nameplate Capacity
211.3990	New Grain-Drying Operation (Repealed)
211.4010	New Grain-Handling Operation (Repealed)
211.4030	No Detectable Volatile Organic Material Emissions
211.4050	Non-Contact Process Water Cooling Tower
211.4055	Non-Flexible Coating
_11555	The state of the s

211.4065	Non-Heatset
211.4067	NO _X Trading Program
211.4070	Offset
211.4090	One Hundred Percent Acid
211.4110	One-Turn Storage Space
211.4130	Opacity
211.4150	Opaque Stains
211.4170	Open Top Vapor Degreasing
211.4190	Open-Ended Valve
211.4210	Operator of a Gasoline Dispensing Operation or Operator of a Gasoline
	Dispensing Facility
211.4230	Organic Compound
211.4250	Organic Material and Organic Materials
211.4260	Organic Solvent
211.4270	Organic Vapor
211.4290	Oven
211.4310	Overall Control
211.4330	Overvarnish
211.4350	Owner of a Gasoline Dispensing Operation or Owner of a Gasoline Dispensing
	Facility
211.4370	Owner or Operator
211.4390	Packaging Rotogravure Printing
211.4410	Packaging Rotogravure Printing Line
211.4430	Pail
211.4450	Paint Manufacturing Source or Paint Manufacturing Plant
211.4470	Paper Coating
211.4490	Paper Coating Line
211.4510	Particulate Matter
211.4530	Parts Per Million (Volume) or PPM (Vol)
211.4550	Person
211.4590	Petroleum
211.4610	Petroleum Liquid
211.4630	Petroleum Refinery
211.4650	Pharmaceutical
211.4670	Pharmaceutical Coating Operation
211.4690	Photochemically Reactive Material
211.4710	Pigmented Coatings
211.4730	Plant
211.4740	Plastic Part
211.4750	Plasticizers
211.4770	PM-10
211.4790	Pneumatic Rubber Tire Manufacture
211.4810	Polybasic Organic Acid Partial Oxidation Manufacturing Process
211.4830	Polyester Resin Material(s)
211.4850	Polyester Resin Products Manufacturing Process
211.4870	Polystyrene Plant
	- JJ

211.4890	Polystyrene Resin
211.4910	Portable Grain-Handling Equipment
211.4930	Portland Cement Manufacturing Process Emission Source
211.4950	Portland Cement Process or Portland Cement Manufacturing Plant
211.4960	Potential Electrical Output Capacity
211.4970	Potential to Emit
211.4990	Power Driven Fastener Coating
211.5010	Precoat
211.5015	Preheater Kiln
211.5020	Preheater/Precalciner Kiln
211.5030	Pressure Release
211.5050	Pressure Tank
211.5060	Pressure/Vacuum Relief Valve
211.5061	Pretreatment Wash Primer
211.5065	Primary Product
211.5070	Prime Coat
211.5080	Primer Sealer
211.5090	Primer Surfacer Coat
211.5110	Primer Surfacer Operation
211.5130	Primers
211.5150	Printing
211.5170	Printing Line
211.5185	Process Emission Source
211.5190	Process Emission Unit
211.5210	Process Unit
211.5230	Process Unit Shutdown
211.5245	Process Vent
211.5250	Process Weight Rate
211.5270	Production Equipment Exhaust System
211.5310	Publication Rotogravure Printing Line
211.5330	Purged Process Fluid
211.5340	Rated Heat Input Capacity
211.5350	Reactor
211.5370	Reasonably Available Control Technology (RACT)
211.5390	Reclamation System
211.5410	Refiner
211.5430	Refinery Fuel Gas
211.5450	Refinery Fuel Gas System
211.5470	Refinery Unit or Refinery Process Unit
211.5480	Reflective Argent Coating
211.5490	Refrigerated Condenser
211.5500	Regulated Air Pollutant
211.5510	Reid Vapor Pressure
211.5530	Repair
211.5550	Repair Coat
211.5570	Repaired
	·r·· · · · ·

211.5580 Repowering 211.5600 Residual Fuel Oil 211.5610 Restricted Area 211.5630 Retail Outlet 211.5650 Ringelmann Chart 211.5670 Roadway 211.5690 Roll Coater 211.5710 Roll Coating 211.5730 Roll Printer 211.5750 Roll Printing 211.5790 Rotogravure Printing Line 211.5790 Rotogravure Printing Line 211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5840 Sareening 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6040 Soft Coat 211.6050 Smokeless Flare 211.610<		
211.5600 Resist Coat 211.5610 Restricted Area 211.5630 Retail Outlet 211.5650 Ringelmann Chart 211.5670 Roadway 211.5690 Roll Coating 211.5710 Roll Coating 211.5730 Roll Printing 211.5750 Roll Printing 211.5770 Rotogravure Printing Line 211.5790 Rotogravure Printing Line 211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5840 Sarceening 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6090 Solvent Cleaning	211.5580	Repowering
211.5610 Restricted Area 211.5630 Retail Outlet 211.5650 Ringelmann Chart 211.5670 Roadway 211.5690 Roll Coater 211.5710 Roll Coating 211.5730 Roll Printer 211.5750 Roll Printing 211.5770 Rotogravure Printing 211.5790 Rotogravure Printing Line 211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5840 Sarding Sealers 211.5850 Sanding Sealers 211.5870 Screening 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.5990 Shotblasting 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.610	211.5590	Residual Fuel Oil
211.5630 Retail Outlet 211.5650 Ringelmann Chart 211.5670 Roadway 211.5690 Roll Coater 211.5710 Roll Coating 211.5730 Roll Printer 211.5750 Roll Printing 211.5770 Rotogravure Printing Line 211.5790 Rotogravure Printing Line 211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5850 Sanding Sealers 211.5870 Screening 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6040 Soft Coat 211.6050 Smokeless Flare 211.6140 Specialty Coatings 211.6140 <td>211.5600</td> <td>Resist Coat</td>	211.5600	Resist Coat
211.5650 Ringelmann Chart 211.5670 Roadway 211.5690 Roll Coater 211.5710 Roll Coating 211.5730 Roll Printer 211.5750 Roll Printing 211.5770 Rotogravure Printing Line 211.5790 Rotogravure Printing Line 211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5870 Screening 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6040 Soft Coat 211.6070 Solvent 211.610 Solvent Recovery System 211.6145 Specialty Coatings 211.6150 Specialty High Gloss Catalyzed Coating	211.5610	Restricted Area
211.5670 Roadway 211.5690 Roll Coater 211.5710 Roll Coating 211.5730 Roll Printer 211.5750 Roll Printing 211.5770 Rotogravure Printing Line 211.5790 Rotogravure Printing Line 211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5850 Sanding Sealers 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6040 Soft Coat 211.6070 Solvent 211.610 Solvent Cleaning 211.614 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6190 Specialty Leather	211.5630	Retail Outlet
211.5690 Roll Coater 211.5710 Roll Coating 211.5730 Roll Printer 211.5750 Roll Printing 211.5770 Rotogravure Printing Line 211.5790 Rotogravure Printing Line 211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5850 Sanding Sealers 211.5870 Screening 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6040 Soft Coat 211.6070 Solvent 211.6090 Solvent Cleaning 211.6140 Specialty Coatings 211.6145 Specialty Coatings 211.6160 Specialty Goatings 211.6170 Specialty Goatings	211.5650	Ringelmann Chart
211.5710 Roll Coating 211.5730 Roll Printer 211.5750 Roll Printing 211.5770 Rotogravure Printing 211.5790 Rotogravure Printing Line 211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5850 Sanding Sealers 211.5870 Screening 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6040 Soft Coat 211.6070 Solvent 211.6100 Solvent Cleaning 211.6110 Solvent Recovery System 211.6120 Specialty Coatings for Motor Vehicles 211.6140 Specialty Coatings for Motor Vehicles 211.6170 Specialty Soybean Crushing Source 211.6210 <td>211.5670</td> <td>Roadway</td>	211.5670	Roadway
211.5730 Roll Printer 211.5750 Roll Printing 211.5770 Rotogravure Printing 211.5790 Rotogravure Printing Line 211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5850 Sanding Sealers 211.5870 Screening 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6040 Soft Coat 211.6070 Solvent 211.6100 Solvent Recovery System 211.6140 Specialty Coatings 211.6150 Specialty Coatings for Motor Vehicles 211.6170 Specialty Leather 211.6210 Splash Loading 211.6230 Stack	211.5690	Roll Coater
211.5750Roll Printing211.5770Rotogravure Printing211.5790Rotogravure Printing Line211.5810Safety Relief Valve211.5830Sandblasting211.5850Sanding Sealers211.5870Screening211.5890Sealer211.5910Semi-Transparent Stains211.5930Sensor211.5950Set of Safety Relief Valves211.5970Sheet Basecoat211.5980Sheet-Fed211.5990Shotblasting211.6010Side-Seam Spray Coat211.6025Single Unit Operation211.6030Smoke211.6050Smokeless Flare211.6070Solvent211.6090Solvent Cleaning211.6110Solvent Recovery System211.6120Specialty Coatings211.6140Specialty Coatings211.6150Specialty High Gloss Catalyzed Coating211.6170Specialty Leather211.6190Specialty Soybean Crushing Source211.6210Splash Loading211.6230Stack211.6250Stain Coating211.6270Standard Conditions211.6310Start-Up	211.5710	Roll Coating
211.5770 Rotogravure Printing 211.5790 Rotogravure Printing Line 211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5850 Sanding Sealers 211.5870 Screening 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.6100 Solvent Cleaning 211.6110 Solvent Recovery System 211.6120 Specialty Coatings 211.6140 Specialty Coatings 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5730	Roll Printer
211.5790 Rotogravure Printing Line 211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5850 Sanding Sealers 211.5870 Screening 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.6110 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6150 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.620 Splash Loading 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5750	Roll Printing
211.5810 Safety Relief Valve 211.5830 Sandblasting 211.5850 Sanding Sealers 211.5870 Screening 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.6090 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6150 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5770	Rotogravure Printing
211.5830 Sandblasting 211.5850 Sanding Sealers 211.5870 Screening 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.6090 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6145 Specialty Coatings 211.6150 Specialty Coatings for Motor Vehicles 211.6170 Specialty High Gloss Catalyzed Coating 211.6210 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Standard Conditions 211.6290 Standard	211.5790	Rotogravure Printing Line
211.5870 Sanding Sealers 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6040 Soft Coat 211.6070 Solvent 211.6070 Solvent Cleaning 211.610 Solvent Recovery System 211.610 Source 211.6140 Specialty Coatings 211.6150 Specialty Coatings for Motor Vehicles 211.6170 Specialty High Gloss Catalyzed Coating 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5810	Safety Relief Valve
211.5870 Screening 211.5890 Sealer 211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6070 Solvent 211.6070 Solvent Cleaning 211.6100 Solvent Recovery System 211.6110 Solvent Recovery System 211.6120 Specialty Coatings 211.6140 Specialty Coatings 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6310 Start-Up	211.5830	Sandblasting
211.5910 Semi-Transparent Stains 211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.610 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5850	Sanding Sealers
211.5910Semi-Transparent Stains211.5930Sensor211.5950Set of Safety Relief Valves211.5970Sheet Basecoat211.5980Sheet-Fed211.5990Shotblasting211.6010Side-Seam Spray Coat211.6025Single Unit Operation211.6030Smoke211.6050Smokeless Flare211.6060Soft Coat211.6070Solvent211.6110Solvent Cleaning211.6110Solvent Recovery System211.6130Source211.6140Specialty Coatings211.6145Specialty Coatings for Motor Vehicles211.6150Specialty High Gloss Catalyzed Coating211.6170Specialty Leather211.6190Specialty Soybean Crushing Source211.6210Splash Loading211.6230Stack211.6250Stain Coating211.6270Standard Conditions211.6290Standard Cubic Foot (scf)211.6310Start-Up	211.5870	Screening
211.5930 Sensor 211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.610 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5890	Sealer
211.5950 Set of Safety Relief Valves 211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6070 Solvent 211.6090 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6150 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5910	Semi-Transparent Stains
211.5970 Sheet Basecoat 211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.6190 Solvent Cleaning 211.6110 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5930	Sensor
211.5980 Sheet-Fed 211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.610 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5950	Set of Safety Relief Valves
211.5990 Shotblasting 211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.6090 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5970	Sheet Basecoat
211.6010 Side-Seam Spray Coat 211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.6090 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5980	Sheet-Fed
211.6025 Single Unit Operation 211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.6090 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up	211.5990	<u>e</u>
211.6030 Smoke 211.6050 Smokeless Flare 211.6060 Soft Coat 211.6070 Solvent 211.6090 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up	211.6010	± •
211.6050Smokeless Flare211.6060Soft Coat211.6070Solvent211.6090Solvent Cleaning211.6110Solvent Recovery System211.6130Source211.6140Specialty Coatings211.6145Specialty Coatings for Motor Vehicles211.6150Specialty High Gloss Catalyzed Coating211.6170Specialty Leather211.6190Specialty Soybean Crushing Source211.6210Splash Loading211.6230Stack211.6250Stain Coating211.6270Standard Conditions211.6290Standard Cubic Foot (scf)211.6310Start-Up	211.6025	-
211.6060 Soft Coat 211.6070 Solvent 211.6090 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		
211.6070Solvent211.6090Solvent Cleaning211.6110Solvent Recovery System211.6130Source211.6140Specialty Coatings211.6145Specialty Coatings for Motor Vehicles211.6150Specialty High Gloss Catalyzed Coating211.6170Specialty Leather211.6190Specialty Soybean Crushing Source211.6210Splash Loading211.6230Stack211.6250Stain Coating211.6270Standard Conditions211.6290Standard Cubic Foot (scf)211.6310Start-Up		
211.6090 Solvent Cleaning 211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		
211.6110 Solvent Recovery System 211.6130 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		
211.6130 Source 211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		
211.6140 Specialty Coatings 211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		• •
211.6145 Specialty Coatings for Motor Vehicles 211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		2 2 3 2 2 2
211.6150 Specialty High Gloss Catalyzed Coating 211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		
211.6170 Specialty Leather 211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		
211.6190 Specialty Soybean Crushing Source 211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		
211.6210 Splash Loading 211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		•
211.6230 Stack 211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		- · · · · · · · · · · · · · · · · · · ·
211.6250 Stain Coating 211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		1 0
211.6270 Standard Conditions 211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		
211.6290 Standard Cubic Foot (scf) 211.6310 Start-Up		•
211.6310 Start-Up		
•		
211.6330 Stationary Emission Source		-
· ·		
211.6350 Stationary Emission Unit	211.6350	Stationary Emission Unit

211.6355	Stationary Gas Turbine
211.6360	Stationary Reciprocating Internal Combustion Engine
211.6370	Stationary Source
211.6390	Stationary Storage Tank
211.6400	Stencil Coat
211.6410	Storage Tank or Storage Vessel
211.6420	Strippable Spray Booth Coating
211.6430	Styrene Devolatilizer Unit
211.6450	Styrene Recovery Unit
211.6470	Submerged Loading Pipe
211.6490	Substrate
211.6510	Sulfuric Acid Mist
211.6530	Surface Condenser
211.6540	Surface Preparation Materials
211.6550	Synthetic Organic Chemical or Polymer Manufacturing Plant
211.6570	Tablet Coating Operation
211.6580	Texture Coat
211.6590	Thirty-Day Rolling Average
211.6610	Three-Piece Can
211.6620	Three or Four Stage Coating System
211.6630	Through-the-Valve Fill
211.6650	Tooling Resin
211.6670	Topcoat
211.6690	Topcoat Operation
211.6695	Topcoat System
211.6710	Touch-Up
211.6720	Touch-Up Coating
211.6730	Transfer Efficiency
211.6750	Tread End Cementing
211.6770	True Vapor Pressure
211.6790	Turnaround
211.6810	Two-Piece Can
211.6830	Under-the-Cup Fill
211.6850	Undertread Cementing
211.6860	Uniform Finish Blender
211.6870	Unregulated Safety Relief Valve
211.6880	Vacuum Metallizing
211.6890	Vacuum Producing System
211.6910	Vacuum Service
211.6930	Valves Not Externally Regulated
211.6950	Vapor Balance System
211.6970	Vapor Collection System
211.6990	Vapor Control System
211.7010	Vapor-Mounted Primary Seal
211.7030	Vapor Recovery System
211.7050	Vapor-Suppressed Polyester Resin
_11.,000	- apor sapproposa i orjentor resum

211.7070	Vinyl Coating		
211.7090	Vinyl Coating Line		
211.7110	Volatile Organic Liquid (VOL)		
211.7130	Volatile Organic Material Content (VOMC)		
211.7150	Volatile Organic Material (VOM) or Volatile Organic Compound (VOC)		
211.7170	Volatile Petroleum Liquid		
211.7190	Wash Coat		
211.7200	Washoff Operations		
211.7210	Wastewater (Oil/Water) Separator		
211.7230	Weak Nitric Acid Manufacturing Process		
211.7250	Web		
211.7270	Wholesale Purchase - Consumer		
211.7290	Wood Furniture		
211.7310	Wood Furniture Coating		
211.7330	Wood Furniture Coating Line		
211.7350	Woodworking		
211.7400	Yeast Percentage		

AUTHORITY: Implementing Sections 9, 9.1, 9.9 and 10 and authorized by Sections 27 and 28.5 of the Environmental Protection Act [415 ILCS 5/9, 9.1, 9.9, 10, 27 and 28.5].

Appendix A

Appendix B

Rule into Section Table

Section into Rule Table

SOURCE: Adopted as Chapter 2: Air Pollution, Rule 201: Definitions, R71-23, 4 PCB 191, filed and effective April 14, 1972; amended in R74-2 and R75-5, 32 PCB 295, at 3 Ill. Reg. 5, p. 777, effective February 3, 1979; amended in R78-3 and 4, 35 PCB 75 and 243, at 3 Ill. Reg. 30, p. 124, effective July 28, 1979; amended in R80-5, at 7 Ill. Reg. 1244, effective January 21, 1983; codified at 7 Ill. Reg. 13590; amended in R82-1 (Docket A) at 10 Ill. Reg. 12624, effective July 7, 1986; amended in R85-21(A) at 11 Ill. Reg. 11747, effective June 29, 1987; amended in R86-34 at 11 Ill. Reg. 12267, effective July 10, 1987; amended in R86-39 at 11 Ill. Reg. 20804, effective December 14, 1987; amended in R82-14 and R86-37 at 12 III. Reg. 787, effective December 24, 1987; amended in R86-18 at 12 Ill. Reg. 7284, effective April 8, 1988; amended in R86-10 at 12 Ill. Reg. 7621, effective April 11, 1988; amended in R88-23 at 13 Ill. Reg. 10862, effective June 27, 1989; amended in R89-8 at 13 Ill. Reg. 17457, effective January 1, 1990; amended in R89-16(A) at 14 III. Reg. 9141, effective May 23, 1990; amended in R88-30(B) at 15 Ill. Reg. 5223, effective March 28, 1991; amended in R88-14 at 15 Ill. Reg. 7901, effective May 14, 1991; amended in R91-10 at 15 Ill. Reg. 15564, effective October 11, 1991; amended in R91-6 at 15 III. Reg. 15673, effective October 14, 1991; amended in R91-22 at 16 Ill. Reg. 7656, effective May 1, 1992; amended in R91-24 at 16 Ill. Reg. 13526, effective August 24, 1992; amended in R93-9 at 17 III. Reg. 16504, effective September 27, 1993; amended in R93-11 at 17 Ill. Reg. 21471, effective December 7, 1993; amended in R93-14 at 18 Ill. Reg. 1253, effective January 18, 1994; amended in R94-12 at 18 III. Reg. 14962, effective September 21, 1994; amended in R94-14 at 18 Ill. Reg. 15744, effective October 17, 1994; amended in R94-15 at 18 III. Reg. 16379, effective October 25, 1994; amended in R94-16 at 18 III. Reg. 16929, effective November 15, 1994; amended in R94-21, R94-31 and R94-32 at 19 Ill. Reg.

6823, effective May 9, 1995; amended in R94-33 at 19 III. Reg. 7344, effective May 22, 1995; amended in R95-2 at 19 III. Reg. 11066, effective July 12, 1995; amended in R95-16 at 19 III. Reg. 15176, effective October 19, 1995; amended in R96-5 at 20 III. Reg. 7590, effective May 22, 1996; amended in R96-16 at 21 III. Reg. 2641, effective February 7, 1997; amended in R97-17 at 21 III. Reg. 6489, effective May 16, 1997; amended in R97-24 at 21 III. Reg. 7695, effective June 9, 1997; amended in R96-17 at 21 III. Reg. 7856, effective June 17, 1997; amended in R97-31 at 22 III. Reg. 3497, effective February 2, 1998; amended in R98-17 at 22 III. Reg. 11405, effective June 22, 1998; amended in R01-9 at 25 III. Reg. 128, effective December 26, 2000; amended in R01-11 at 25 III. Reg. 4582, effective March 15, 2001; amended in R01-17 at 25 III. Reg.

25

5900, effective April 17, 2001; amended in R05-16 at 29 Ill. Reg. ______, effective

BOARD NOTE: This Part implements the Illinois Environmental Protection Act as of July 1, 1994.

SUBPART B: DEFINITIONS

Section 211.7150 Volatile Organic Material (VOM) or Volatile Organic Compound (VOC)

"Volatile organic material (VOM)" or "volatile organic compound (VOC)" means any compound of carbon, excluding carbon monoxide, carbon dioxide, carbonic acid, metallic carbides or carbonates, and ammonium carbonate, which that participates in atmospheric photochemical reactions.

a) This includes any such organic compound other than the following, which have been determined by USEPA to have negligible photochemical reactivity: methane; ethane; methylene chloride (dichloromethane); 1,1,1-trichloroethane (methyl chloroform); 1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113); trichlorofluoromethane (CFC-11); dichlorodifluoromethane (CFC-12); chlorodifluoromethane (CFC-22); trifluoromethane (HFC-23); difluoromethane (HFC-32); ethylfluoride (HFC-161); 1,2-dichloro-1,1,2,2-tetrafluoroethane (CFC-114); chloropentafluoroethane (CFC-115); 1,1,1-trifluoro-2,2-dichloroethane (HCFC-123): 1,1,1,2-tetrafluoroethane (HFC-134a); 1,1,1,2,3,3-hexafluoropropane (HFC-236ea); 1,1,1,3,3,3 hexafluoropropane (HFC-236fa); 1,1,2,2,3pentafluoropropane (HFC-245ca); 1.1.2.3.3-pentafluoropropane (HFC-245ea); 1,1,1,2,3 pentafluoropropane (HFC-245eb); 1,1,1,3,3 pentafluoropropane (HFC-245fa); 1,1,1,3,3-pentafluorobutane (HFC-365mfc); chlorofluoromethane (HCFC-31); 1,2-dichloro-1,1,2-trifluoroethane (HCFC-123a); 1,1-dichloro-1-fluoroethane (HCFC-141b); 1-chloro-1,1-difluoroethane (HCFC-142b); 2-chloro-1,1,1,2-tetrafluoroethane (HCFC 124); 1 chloro 1 fluoroethane (HCFC 151a); pentafluoroethane (HFC-125); 3,3 dichloro-1,1,1,2,2-pentafluoropropane (HCFC-225ca); 1,3-dichloro-1,1,2,2,3-pentafluoropropane (HCFC-225cb); 1,1,1,2,3,4,4,5,5,5decafluoropentane (HFC 43-10mee): 1.1.2.2 tetrafluoroethane (HFC-134): 1,1,1-trifluoroethane (HFC-143a); 1,1-difluoroethane (HFC-152a); parachlorobenzotrifluoride (PCBTF); 1,1,1,2,2,3,3,4,4-nonafluoro-4-methoxybutane

(C₄F₉OCH₃); 1-ethoxy 1,1,2,2,3,3,4,4,4-nonafluorobutane (C₄F₉OC₂H₅); 2-(difluoromethoxymethyl) 1,1,1,2,3,3,3-heptafluoropropane ((CF₃)₂CFCF₂OCH₃); 2-(ethoxydifluoromethyl) 1,1,1,2,3,3,3-heptafluoropropane ((CF₃)₂CFCF₂OC₂H₅); perchloroethylene (tetrachloroethylene); cyclic, branched, or linear completely-methylated siloxanes; acetone (2-propanone or dimethylketone); methyl acetate; and perfluorocarbon compounds which fall into these classes:

- 1. Cyclic, branched, or linear, completely fluorinated alkanes;
- 2. Cyclic, branched, or linear, completely fluorinated ethers with no unsaturations;
- 3. Cyclic, branched, or linear, completely fluorinated tertiary amines with no unsaturations; and
- 4. Sulfur containing perfluorocarbons with no unsaturations and with sulfur bonds only to carbon and fluorine.

Acetone (2-propanone or dimethylketone)

tertiary-Butyl acetate

1-Chloro-1,1-difluoroethane (HCFC-142b)

Chlorodifluoromethane (CFC-22)

1-Chloro-1-fluoroethane (HCFC-151a)

2-Chloro-1,1,1,2-tetrafluoroethane (HCFC-124)

Chlorofluoromethane (HCFC-31)

Chloropentafluoroethane (CFC-115)

1,1,1,2,3,4,4,5,5,5-Decafluoropentane (HFC 43-10mee)

Dichlorodifluoromethane (CFC-12)

1,1-Dichloro-1-fluoroethane (HCFC-141b)

3,3-Dichloro-1,1,1,2,2-pentafluoropropane (HCFC-225ca)

1,3-Dichloro-1,1,2,2,3-pentafluoropropane (HCFC-225cb)

1,2-Dichloro-1,1,2,2-tetrafluoroethane (CFC-114)

1,2-Dichloro-1,1,2-trifluoroethane (HCFC-123a)

1,1-Difluoroethane (HFC-152a)

Difluoromethane (HFC-32)

2-(Difluoromethoxymethyl)-1,1,1,2,3,3,3-heptafluoropropane ((CF₃)₂CFCF₂OCH₃)

Ethane

 $\frac{2\text{-}(Ethoxydifluoromethyl)-1,1,1,2,3,3,3-heptafluoropropane}{((CF_3)_2CFCF_2OC_2H_5)}$

Ethylfluoride (HFC-161)

1-Ethoxy-1,1,2,2,3,3,4,4,4-nonafluorobutane ($C_4F_9OC_2H_5$ or HFE-7200)

<u>3-Ethoxy-1,1,1,2,3,4,4,5,5,6,6,6-dodecafluoro-2-(trifluoromethyl)hexane (HFE-7500)</u>

1,1,1,2,2,3,3-Heptafluoro-3-methoxypropane (n-C₃F₇OCH₃ or HFE-7000)

1,1,1,2,3,3,3-Heptafluoropropane (HFC-227ea)

1,1,1,2,3,3-Hexafluoropropane (HFC-236ea)

1,1,1,3,3,3-Hexafluoropropane (HFC-236fa)

Methane

Methyl acetate

Methylene chloride (dichloromethane)

Methyl formate (HCOOCH₃)

1,1,1,2,2,3,3,4,4-Nonafluoro-4-methoxybutane (C₄F₉OCH₃ or HFE-7100)

Parachlorobenzotrifluoride (PCBTF)

1,1,1,3,3-Pentafluorobutane (HFC-365mfc)

Pentafluoroethane (HFC-125)

1,1,2,2,3-Pentafluoropropane (HFC-245ca)

1,1,2,3,3-Pentafluoropropane (HFC-245ea)

1,1,1,2,3-Pentafluoropropane (HFC-245eb)

1,1,1,3,3-Pentafluoropropane (HFC-245fa)

Perchloroethylene (tetrachloroethylene)

Perfluorocarbon compounds that fall into the following classes:

Cyclic, branched, or linear, completely fluorinated alkanes

Cyclic, branched, or linear, completely fluorinated ethers with no unsaturations

Cyclic, branched, or linear, completely fluorinated tertiary amines with no unsaturations

<u>Sulfur-containing perfluorocarbons with no unsaturations and with</u> <u>sulfur bonds only to carbon and fluorine</u>

Siloxanes: cyclic, branched, or linear completely-methylated

1,1,2,2-Tetrafluoroethane (HFC-134)

1,1,1,2-Tetrafluoroethane (HFC-134a)

1,1,1-Trichloroethane (methyl chloroform)

<u>Trichlorofluoromethane</u> (CFC-11)

1,1,2-Trichloro-1,2,2-trifluoroethane (CFC-113)

1,1,1-Trifluoro-2,2-dichloroethane (HCFC-123)

1,1,1-Trifluoroethane (HFC-143a)

Trifluoromethane (HFC-23)

b) For purposes of determining VOM emissions and compliance with emissions limits, VOM will be measured by the test methods in the approved implementation plan or 40 CFR 60, Appendix A, incorporated by reference at 35 Ill. Adm. Code 215.105, 218.112, and 219.112, as applicable, or by source-specific test methods that have been established pursuant to a permit issued pursuant to under a program approved or promulgated under Title V of the Clean Air Act; under 40 CFR 51, Subpart I or Appendix S, incorporated by reference at 35 Ill. Adm. Code 218.112 and 219.112; or under 40 CFR 52.21, incorporated by reference at 35 Ill. Adm. Code 218.112 and 219.112, as applicable. Where such a method also measures compounds with negligible photochemical reactivity, these negligibly-reactive compounds may be excluded as VOM if the amount of such compounds is accurately quantified and the exclusion is approved by the Agency.

- c) As a precondition to excluding these negligibly-reactive compounds as VOM, or at any time thereafter, the Agency may require an owner or operator to provide monitoring or testing methods and results demonstrating, to the satisfaction of the Agency, the amount of negligibly-reactive compounds in the source's emissions.
- d) The USEPA shall-will not be bound by any State determination as to appropriate methods for testing or monitoring negligibly-reactive compounds if such determination is not reflected in any of the test methods in subsection (b) above.
- e) The following compound is VOM for the purposes of all recordkeeping,
 emissions reporting, photochemical dispersion modeling and inventory
 requirements that apply to VOM, and it must be uniquely identified in emission
 reports, but it is not VOM for the purposes of VOM emissions limitations or
 VOM content requirements: t-butyl acetate.

(Source: .	Amended at 29 Ill. Reg.	. effective

IT IS SO ORDERED.

Section 41(a) of the Environmental Protection Act provides that final Board orders may be appealed directly to the Illinois Appellate Court within 35 days after the Board serves the order. 415 ILCS 5/41(a) (2002); *see also* 35 Ill. Adm. Code 101.300(d)(2), 101.906, 102.706. Illinois Supreme Court Rule 335 establishes filing requirements that apply when the Illinois Appellate Court, by statute, directly reviews administrative orders. 172 Ill. 2d R. 335. The Board's procedural rules provide that motions for the Board to reconsider or modify its final orders may be filed with the Board within 35 days after the order is received. 35 Ill. Adm. Code 101.520; *see also* 35 Ill. Adm. Code 101.902, 102.700, 102.702.

I, Dorothy M. Gunn, Clerk of the Illinois Pollution Control Board, certify that the Board adopted the above opinion and order on May 19, 2005, by a vote of 5-0.

Dorothy M. Gunn, Clerk Illinois Pollution Control Board

Drestly In Guan